
Histogram of log10(`.1.3.tsv`$V1/`.1.3.tsv`$V2)
Frequency
0
5
10
15
20
25
30
35
−4
−2
0
2
4
log10(`.1.3.tsv`$V1/`.1.3.tsv`$V2)


Histogram of log10(`.1.5.tsv`$V1/`.1.5.tsv`$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(`.1.5.tsv`$V1/`.1.5.tsv`$V2)


Histogram of log10(`.1.7.tsv`$V1/`.1.7.tsv`$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(`.1.7.tsv`$V1/`.1.7.tsv`$V2)


Histogram of log10(`.1.css.tsv`$V1/`.1.css.tsv`$V2)
Frequency
0
1
2
3
4
5
6
7
−4
−2
0
2
4
log10(`.1.css.tsv`$V1/`.1.css.tsv`$V2)


Histogram of log10(`.1.gypi.tsv`$V1/`.1.gypi.tsv`$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(`.1.gypi.tsv`$V1/`.1.gypi.tsv`$V2)


Histogram of log10(`.1.html.tsv`$V1/`.1.html.tsv`$V2)
Frequency
0
10
20
30
40
50
−4
−2
0
2
4
log10(`.1.html.tsv`$V1/`.1.html.tsv`$V2)


Histogram of log10(`.1.js.tsv`$V1/`.1.js.tsv`$V2)
Frequency
0
10
20
30
40
50
−4
−2
0
2
4
log10(`.1.js.tsv`$V1/`.1.js.tsv`$V2)


Histogram of log10(`.1.json.tsv`$V1/`.1.json.tsv`$V2)
Frequency
0
10
20
30
40
−4
−2
0
2
4
log10(`.1.json.tsv`$V1/`.1.json.tsv`$V2)


Histogram of log10(`.1.markdown.tsv`$V1/`.1.markdown.tsv`$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(`.1.markdown.tsv`$V1/`.1.markdown.tsv`$V2)


Histogram of log10(`.1.md.tsv`$V1/`.1.md.tsv`$V2)
Frequency
0
10
20
30
40
−4
−2
0
2
4
log10(`.1.md.tsv`$V1/`.1.md.tsv`$V2)


Histogram of log10(`.1.npmignore.tsv`$V1/`.1.npmignore.tsv`$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(`.1.npmignore.tsv`$V1/`.1.npmignore.tsv`$V2)


Histogram of log10(`.1.png.tsv`$V1/`.1.png.tsv`$V2)
Frequency
0
1
2
3
4
−4
−2
0
2
4
log10(`.1.png.tsv`$V1/`.1.png.tsv`$V2)


Histogram of log10(`.1.sh.tsv`$V1/`.1.sh.tsv`$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(`.1.sh.tsv`$V1/`.1.sh.tsv`$V2)


Histogram of log10(`.1.txt.tsv`$V1/`.1.txt.tsv`$V2)
Frequency
0
5
10
15
20
25
30
35
−4
−2
0
2
4
log10(`.1.txt.tsv`$V1/`.1.txt.tsv`$V2)


Histogram of log10(`.1.yml.tsv`$V1/`.1.yml.tsv`$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(`.1.yml.tsv`$V1/`.1.yml.tsv`$V2)


Histogram of log10(`.3.5.tsv`$V1/`.3.5.tsv`$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(`.3.5.tsv`$V1/`.3.5.tsv`$V2)


Histogram of log10(`.3.7.tsv`$V1/`.3.7.tsv`$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(`.3.7.tsv`$V1/`.3.7.tsv`$V2)


Histogram of log10(`.3.c.tsv`$V1/`.3.c.tsv`$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(`.3.c.tsv`$V1/`.3.c.tsv`$V2)


Histogram of log10(`.3.css.tsv`$V1/`.3.css.tsv`$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(`.3.css.tsv`$V1/`.3.css.tsv`$V2)


Histogram of log10(`.3.gypi.tsv`$V1/`.3.gypi.tsv`$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(`.3.gypi.tsv`$V1/`.3.gypi.tsv`$V2)


Histogram of log10(`.3.h.tsv`$V1/`.3.h.tsv`$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(`.3.h.tsv`$V1/`.3.h.tsv`$V2)


Histogram of log10(`.3.html.tsv`$V1/`.3.html.tsv`$V2)
Frequency
0
10
20
30
40
50
−4
−2
0
2
4
log10(`.3.html.tsv`$V1/`.3.html.tsv`$V2)


Histogram of log10(`.3.in.tsv`$V1/`.3.in.tsv`$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(`.3.in.tsv`$V1/`.3.in.tsv`$V2)


Histogram of log10(`.3.js.tsv`$V1/`.3.js.tsv`$V2)
Frequency
0
5
10
15
20
25
30
−4
−2
0
2
4
log10(`.3.js.tsv`$V1/`.3.js.tsv`$V2)


Histogram of log10(`.3.json.tsv`$V1/`.3.json.tsv`$V2)
Frequency
0
10
20
30
−4
−2
0
2
4
log10(`.3.json.tsv`$V1/`.3.json.tsv`$V2)


Histogram of log10(`.3.md.tsv`$V1/`.3.md.tsv`$V2)
Frequency
0
5
10
15
20
25
30
−4
−2
0
2
4
log10(`.3.md.tsv`$V1/`.3.md.tsv`$V2)


Histogram of log10(`.3.npmignore.tsv`$V1/`.3.npmignore.tsv`$V2)
Frequency
0
5
10
15
20
25
−4
−2
0
2
4
log10(`.3.npmignore.tsv`$V1/`.3.npmignore.tsv`$V2)


Histogram of log10(`.3.sh.tsv`$V1/`.3.sh.tsv`$V2)
Frequency
0
5
10
15
20
25
−4
−2
0
2
4
log10(`.3.sh.tsv`$V1/`.3.sh.tsv`$V2)


Histogram of log10(`.3.txt.tsv`$V1/`.3.txt.tsv`$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(`.3.txt.tsv`$V1/`.3.txt.tsv`$V2)


Histogram of log10(`.3.yml.tsv`$V1/`.3.yml.tsv`$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(`.3.yml.tsv`$V1/`.3.yml.tsv`$V2)


Histogram of log10(`.5.7.tsv`$V1/`.5.7.tsv`$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(`.5.7.tsv`$V1/`.5.7.tsv`$V2)


Histogram of log10(`.5.html.tsv`$V1/`.5.html.tsv`$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(`.5.html.tsv`$V1/`.5.html.tsv`$V2)


Histogram of log10(`.5.js.tsv`$V1/`.5.js.tsv`$V2)
Frequency
0
1
2
3
4
5
6
7
−4
−2
0
2
4
log10(`.5.js.tsv`$V1/`.5.js.tsv`$V2)


Histogram of log10(`.5.json.tsv`$V1/`.5.json.tsv`$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(`.5.json.tsv`$V1/`.5.json.tsv`$V2)


Histogram of log10(`.7.html.tsv`$V1/`.7.html.tsv`$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(`.7.html.tsv`$V1/`.7.html.tsv`$V2)


Histogram of log10(`.7.js.tsv`$V1/`.7.js.tsv`$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(`.7.js.tsv`$V1/`.7.js.tsv`$V2)


Histogram of log10(`.7.json.tsv`$V1/`.7.json.tsv`$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(`.7.json.tsv`$V1/`.7.json.tsv`$V2)


Histogram of log10(`.7.md.tsv`$V1/`.7.md.tsv`$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(`.7.md.tsv`$V1/`.7.md.tsv`$V2)


Histogram of log10(.ac.am.tsv$V1/.ac.am.tsv$V2)
Frequency
0
5
10
15
20
25
30
−4
−2
0
2
4
log10(.ac.am.tsv$V1/.ac.am.tsv$V2)


Histogram of log10(.ac.c.tsv$V1/.ac.c.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.ac.c.tsv$V1/.ac.c.tsv$V2)


Histogram of log10(.ac.gyp.tsv$V1/.ac.gyp.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.ac.gyp.tsv$V1/.ac.gyp.tsv$V2)


Histogram of log10(.ac.h.tsv$V1/.ac.h.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.ac.h.tsv$V1/.ac.h.tsv$V2)


Histogram of log10(.ac.in.tsv$V1/.ac.in.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.ac.in.tsv$V1/.ac.in.tsv$V2)


Histogram of log10(.am.c.tsv$V1/.am.c.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.am.c.tsv$V1/.am.c.tsv$V2)


Histogram of log10(.am.gyp.tsv$V1/.am.gyp.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.am.gyp.tsv$V1/.am.gyp.tsv$V2)


Histogram of log10(.am.h.tsv$V1/.am.h.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.am.h.tsv$V1/.am.h.tsv$V2)


Histogram of log10(.bat.c.tsv$V1/.bat.c.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.bat.c.tsv$V1/.bat.c.tsv$V2)


Histogram of log10(.bat.cc.tsv$V1/.bat.cc.tsv$V2)
Frequency
0
1
2
3
4
5
6
−4
−2
0
2
4
log10(.bat.cc.tsv$V1/.bat.cc.tsv$V2)


Histogram of log10(.bat.gyp.tsv$V1/.bat.gyp.tsv$V2)
Frequency
0
5
10
15
20
25
30
−4
−2
0
2
4
log10(.bat.gyp.tsv$V1/.bat.gyp.tsv$V2)


Histogram of log10(.bat.h.tsv$V1/.bat.h.tsv$V2)
Frequency
0
2
4
6
8
10
12
14
−4
−2
0
2
4
log10(.bat.h.tsv$V1/.bat.h.tsv$V2)


Histogram of log10(.bat.js.tsv$V1/.bat.js.tsv$V2)
Frequency
0
1
2
3
4
5
6
−4
−2
0
2
4
log10(.bat.js.tsv$V1/.bat.js.tsv$V2)


Histogram of log10(.bat.md.tsv$V1/.bat.md.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.bat.md.tsv$V1/.bat.md.tsv$V2)


Histogram of log10(.bat.py.tsv$V1/.bat.py.tsv$V2)
Frequency
0
2
4
6
8
10
12
14
−4
−2
0
2
4
log10(.bat.py.tsv$V1/.bat.py.tsv$V2)


Histogram of log10(.bat.sh.tsv$V1/.bat.sh.tsv$V2)
Frequency
0
2
4
6
8
10
12
14
−4
−2
0
2
4
log10(.bat.sh.tsv$V1/.bat.sh.tsv$V2)


Histogram of log10(.c.cc.tsv$V1/.c.cc.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.c.cc.tsv$V1/.c.cc.tsv$V2)


Histogram of log10(.c.gitignore.tsv$V1/.c.gitignore.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.c.gitignore.tsv$V1/.c.gitignore.tsv$V2)


Histogram of log10(.c.gyp.tsv$V1/.c.gyp.tsv$V2)
Frequency
0
10
20
30
40
−4
−2
0
2
4
log10(.c.gyp.tsv$V1/.c.gyp.tsv$V2)


Histogram of log10(.c.gypi.tsv$V1/.c.gypi.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.c.gypi.tsv$V1/.c.gypi.tsv$V2)


Histogram of log10(.c.h.tsv$V1/.c.h.tsv$V2)
Frequency
0
50
100
150
−4
−2
0
2
4
log10(.c.h.tsv$V1/.c.h.tsv$V2)


Histogram of log10(.c.html.tsv$V1/.c.html.tsv$V2)
Frequency
0
1
2
3
4
5
6
7
−4
−2
0
2
4
log10(.c.html.tsv$V1/.c.html.tsv$V2)


Histogram of log10(.c.in.tsv$V1/.c.in.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.c.in.tsv$V1/.c.in.tsv$V2)


Histogram of log10(.c.js.tsv$V1/.c.js.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.c.js.tsv$V1/.c.js.tsv$V2)


Histogram of log10(.c.m4.tsv$V1/.c.m4.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.c.m4.tsv$V1/.c.m4.tsv$V2)


Histogram of log10(.c.mailmap.tsv$V1/.c.mailmap.tsv$V2)
Frequency
0
1
2
3
4
5
6
−4
−2
0
2
4
log10(.c.mailmap.tsv$V1/.c.mailmap.tsv$V2)


Histogram of log10(.c.md.tsv$V1/.c.md.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.c.md.tsv$V1/.c.md.tsv$V2)


Histogram of log10(.c.mk.tsv$V1/.c.mk.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.c.mk.tsv$V1/.c.mk.tsv$V2)


Histogram of log10(.c.pod.tsv$V1/.c.pod.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.c.pod.tsv$V1/.c.pod.tsv$V2)


Histogram of log10(.c.py.tsv$V1/.c.py.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.c.py.tsv$V1/.c.py.tsv$V2)


Histogram of log10(.c.sh.tsv$V1/.c.sh.tsv$V2)
Frequency
0
2
4
6
8
10
12
14
−4
−2
0
2
4
log10(.c.sh.tsv$V1/.c.sh.tsv$V2)


Histogram of log10(.c.txt.tsv$V1/.c.txt.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.c.txt.tsv$V1/.c.txt.tsv$V2)


Histogram of log10(.cc.gitignore.tsv$V1/.cc.gitignore.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.cc.gitignore.tsv$V1/.cc.gitignore.tsv$V2)


Histogram of log10(.cc.gyp.tsv$V1/.cc.gyp.tsv$V2)
Frequency
0
20
40
60
80
−4
−2
0
2
4
log10(.cc.gyp.tsv$V1/.cc.gyp.tsv$V2)


Histogram of log10(.cc.gypi.tsv$V1/.cc.gypi.tsv$V2)
Frequency
0
5
10
15
20
25
30
35
−4
−2
0
2
4
log10(.cc.gypi.tsv$V1/.cc.gypi.tsv$V2)


Histogram of log10(.cc.h.tsv$V1/.cc.h.tsv$V2)
Frequency
0
100
200
300
400
−4
−2
0
2
4
log10(.cc.h.tsv$V1/.cc.h.tsv$V2)


Histogram of log10(.cc.html.tsv$V1/.cc.html.tsv$V2)
Frequency
0
5
10
15
20
25
30
−4
−2
0
2
4
log10(.cc.html.tsv$V1/.cc.html.tsv$V2)


Histogram of log10(.cc.in.tsv$V1/.cc.in.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.cc.in.tsv$V1/.cc.in.tsv$V2)


Histogram of log10(.cc.js.tsv$V1/.cc.js.tsv$V2)
Frequency
0
100
200
300
400
500
−4
−2
0
2
4
log10(.cc.js.tsv$V1/.cc.js.tsv$V2)


Histogram of log10(.cc.markdown.tsv$V1/.cc.markdown.tsv$V2)
Frequency
0
20
40
60
80
100
−4
−2
0
2
4
log10(.cc.markdown.tsv$V1/.cc.markdown.tsv$V2)


Histogram of log10(.cc.md.tsv$V1/.cc.md.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.cc.md.tsv$V1/.cc.md.tsv$V2)


Histogram of log10(.cc.out.tsv$V1/.cc.out.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.cc.out.tsv$V1/.cc.out.tsv$V2)


Histogram of log10(.cc.pbxproj.tsv$V1/.cc.pbxproj.tsv$V2)
Frequency
0
2
4
6
8
10
12
14
−4
−2
0
2
4
log10(.cc.pbxproj.tsv$V1/.cc.pbxproj.tsv$V2)


Histogram of log10(.cc.py.tsv$V1/.cc.py.tsv$V2)
Frequency
0
10
20
30
40
50
−4
−2
0
2
4
log10(.cc.py.tsv$V1/.cc.py.tsv$V2)


Histogram of log10(.cc.sh.tsv$V1/.cc.sh.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.cc.sh.tsv$V1/.cc.sh.tsv$V2)


Histogram of log10(.cc.status.tsv$V1/.cc.status.tsv$V2)
Frequency
0
5
10
15
20
25
30
−4
−2
0
2
4
log10(.cc.status.tsv$V1/.cc.status.tsv$V2)


Histogram of log10(.cc.txt.tsv$V1/.cc.txt.tsv$V2)
Frequency
0
10
20
30
40
50
−4
−2
0
2
4
log10(.cc.txt.tsv$V1/.cc.txt.tsv$V2)


Histogram of log10(.cc.vcproj.tsv$V1/.cc.vcproj.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.cc.vcproj.tsv$V1/.cc.vcproj.tsv$V2)


Histogram of log10(.css.html.tsv$V1/.css.html.tsv$V2)
Frequency
0
5
10
15
20
25
30
35
−4
−2
0
2
4
log10(.css.html.tsv$V1/.css.html.tsv$V2)


Histogram of log10(.css.js.tsv$V1/.css.js.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.css.js.tsv$V1/.css.js.tsv$V2)


Histogram of log10(.css.json.tsv$V1/.css.json.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.css.json.tsv$V1/.css.json.tsv$V2)


Histogram of log10(.css.md.tsv$V1/.css.md.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.css.md.tsv$V1/.css.md.tsv$V2)


Histogram of log10(.css.npmignore.tsv$V1/.css.npmignore.tsv$V2)
Frequency
0
1
2
3
4
5
6
7
−4
−2
0
2
4
log10(.css.npmignore.tsv$V1/.css.npmignore.tsv$V2)


Histogram of log10(.css.png.tsv$V1/.css.png.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.css.png.tsv$V1/.css.png.tsv$V2)


Histogram of log10(.css.txt.tsv$V1/.css.txt.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.css.txt.tsv$V1/.css.txt.tsv$V2)


Histogram of log10(.gitignore.gyp.tsv$V1/.gitignore.gyp.tsv$V2)
Frequency
0
10
20
30
40
−4
−2
0
2
4
log10(.gitignore.gyp.tsv$V1/.gitignore.gyp.tsv$V2)


Histogram of log10(.gitignore.gypi.tsv$V1/.gitignore.gypi.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.gitignore.gypi.tsv$V1/.gitignore.gypi.tsv$V2)


Histogram of log10(.gitignore.h.tsv$V1/.gitignore.h.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.gitignore.h.tsv$V1/.gitignore.h.tsv$V2)


Histogram of log10(.gitignore.js.tsv$V1/.gitignore.js.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.gitignore.js.tsv$V1/.gitignore.js.tsv$V2)


Histogram of log10(.gitignore.md.tsv$V1/.gitignore.md.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.gitignore.md.tsv$V1/.gitignore.md.tsv$V2)


Histogram of log10(.gitignore.py.tsv$V1/.gitignore.py.tsv$V2)
Frequency
0
5
10
15
20
25
−4
−2
0
2
4
log10(.gitignore.py.tsv$V1/.gitignore.py.tsv$V2)


Histogram of log10(.gitignore.sh.tsv$V1/.gitignore.sh.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.gitignore.sh.tsv$V1/.gitignore.sh.tsv$V2)


Histogram of log10(.gitignore.status.tsv$V1/.gitignore.status.tsv$V2)
Frequency
0
1
2
3
4
5
6
−4
−2
0
2
4
log10(.gitignore.status.tsv$V1/.gitignore.status.tsv$V2)


Histogram of log10(.gitignore.txt.tsv$V1/.gitignore.txt.tsv$V2)
Frequency
0
2
4
6
8
10
12
14
−4
−2
0
2
4
log10(.gitignore.txt.tsv$V1/.gitignore.txt.tsv$V2)


Histogram of log10(.gyp.gypi.tsv$V1/.gyp.gypi.tsv$V2)
Frequency
0
10
20
30
40
50
60
70
−4
−2
0
2
4
log10(.gyp.gypi.tsv$V1/.gyp.gypi.tsv$V2)


Histogram of log10(.gyp.h.tsv$V1/.gyp.h.tsv$V2)
Frequency
0
20
40
60
80
100
−4
−2
0
2
4
log10(.gyp.h.tsv$V1/.gyp.h.tsv$V2)


Histogram of log10(.gyp.html.tsv$V1/.gyp.html.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.gyp.html.tsv$V1/.gyp.html.tsv$V2)


Histogram of log10(.gyp.js.tsv$V1/.gyp.js.tsv$V2)
Frequency
0
10
20
30
40
50
60
−4
−2
0
2
4
log10(.gyp.js.tsv$V1/.gyp.js.tsv$V2)


Histogram of log10(.gyp.mailmap.tsv$V1/.gyp.mailmap.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.gyp.mailmap.tsv$V1/.gyp.mailmap.tsv$V2)


Histogram of log10(.gyp.md.tsv$V1/.gyp.md.tsv$V2)
Frequency
0
5
10
15
20
25
30
−4
−2
0
2
4
log10(.gyp.md.tsv$V1/.gyp.md.tsv$V2)


Histogram of log10(.gyp.mk.tsv$V1/.gyp.mk.tsv$V2)
Frequency
0
10
20
30
40
50
−4
−2
0
2
4
log10(.gyp.mk.tsv$V1/.gyp.mk.tsv$V2)


Histogram of log10(.gyp.pbxproj.tsv$V1/.gyp.pbxproj.tsv$V2)
Frequency
0
5
10
15
20
25
−4
−2
0
2
4
log10(.gyp.pbxproj.tsv$V1/.gyp.pbxproj.tsv$V2)


Histogram of log10(.gyp.py.tsv$V1/.gyp.py.tsv$V2)
Frequency
0
10
20
30
40
50
−4
−2
0
2
4
log10(.gyp.py.tsv$V1/.gyp.py.tsv$V2)


Histogram of log10(.gyp.sh.tsv$V1/.gyp.sh.tsv$V2)
Frequency
0
5
10
15
20
25
30
35
−4
−2
0
2
4
log10(.gyp.sh.tsv$V1/.gyp.sh.tsv$V2)


Histogram of log10(.gyp.status.tsv$V1/.gyp.status.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.gyp.status.tsv$V1/.gyp.status.tsv$V2)


Histogram of log10(.gyp.txt.tsv$V1/.gyp.txt.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.gyp.txt.tsv$V1/.gyp.txt.tsv$V2)


Histogram of log10(.gyp.vcproj.tsv$V1/.gyp.vcproj.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.gyp.vcproj.tsv$V1/.gyp.vcproj.tsv$V2)


Histogram of log10(.gypi.h.tsv$V1/.gypi.h.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.gypi.h.tsv$V1/.gypi.h.tsv$V2)


Histogram of log10(.gypi.html.tsv$V1/.gypi.html.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.gypi.html.tsv$V1/.gypi.html.tsv$V2)


Histogram of log10(.gypi.js.tsv$V1/.gypi.js.tsv$V2)
Frequency
0
5
10
15
20
25
−4
−2
0
2
4
log10(.gypi.js.tsv$V1/.gypi.js.tsv$V2)


Histogram of log10(.gypi.json.tsv$V1/.gypi.json.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.gypi.json.tsv$V1/.gypi.json.tsv$V2)


Histogram of log10(.gypi.md.tsv$V1/.gypi.md.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.gypi.md.tsv$V1/.gypi.md.tsv$V2)


Histogram of log10(.gypi.py.tsv$V1/.gypi.py.tsv$V2)
Frequency
0
5
10
15
20
25
30
−4
−2
0
2
4
log10(.gypi.py.tsv$V1/.gypi.py.tsv$V2)


Histogram of log10(.gypi.sh.tsv$V1/.gypi.sh.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.gypi.sh.tsv$V1/.gypi.sh.tsv$V2)


Histogram of log10(.gypi.status.tsv$V1/.gypi.status.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.gypi.status.tsv$V1/.gypi.status.tsv$V2)


Histogram of log10(.gypi.txt.tsv$V1/.gypi.txt.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.gypi.txt.tsv$V1/.gypi.txt.tsv$V2)


Histogram of log10(.h.html.tsv$V1/.h.html.tsv$V2)
Frequency
0
10
20
30
40
50
60
70
−4
−2
0
2
4
log10(.h.html.tsv$V1/.h.html.tsv$V2)


Histogram of log10(.h.in.tsv$V1/.h.in.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.h.in.tsv$V1/.h.in.tsv$V2)


Histogram of log10(.h.js.tsv$V1/.h.js.tsv$V2)
Frequency
0
50
100
150
200
250
−4
−2
0
2
4
log10(.h.js.tsv$V1/.h.js.tsv$V2)


Histogram of log10(.h.m4.tsv$V1/.h.m4.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.h.m4.tsv$V1/.h.m4.tsv$V2)


Histogram of log10(.h.mailmap.tsv$V1/.h.mailmap.tsv$V2)
Frequency
0
1
2
3
4
5
6
7
−4
−2
0
2
4
log10(.h.mailmap.tsv$V1/.h.mailmap.tsv$V2)


Histogram of log10(.h.markdown.tsv$V1/.h.markdown.tsv$V2)
Frequency
0
10
20
30
40
−4
−2
0
2
4
log10(.h.markdown.tsv$V1/.h.markdown.tsv$V2)


Histogram of log10(.h.md.tsv$V1/.h.md.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.h.md.tsv$V1/.h.md.tsv$V2)


Histogram of log10(.h.mk.tsv$V1/.h.mk.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.h.mk.tsv$V1/.h.mk.tsv$V2)


Histogram of log10(.h.pbxproj.tsv$V1/.h.pbxproj.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.h.pbxproj.tsv$V1/.h.pbxproj.tsv$V2)


Histogram of log10(.h.pod.tsv$V1/.h.pod.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.h.pod.tsv$V1/.h.pod.tsv$V2)


Histogram of log10(.h.py.tsv$V1/.h.py.tsv$V2)
Frequency
0
10
20
30
40
50
−4
−2
0
2
4
log10(.h.py.tsv$V1/.h.py.tsv$V2)


Histogram of log10(.h.sh.tsv$V1/.h.sh.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.h.sh.tsv$V1/.h.sh.tsv$V2)


Histogram of log10(.h.status.tsv$V1/.h.status.tsv$V2)
Frequency
0
5
10
15
20
25
30
−4
−2
0
2
4
log10(.h.status.tsv$V1/.h.status.tsv$V2)


Histogram of log10(.h.txt.tsv$V1/.h.txt.tsv$V2)
Frequency
0
5
10
15
20
25
30
−4
−2
0
2
4
log10(.h.txt.tsv$V1/.h.txt.tsv$V2)


Histogram of log10(.h.vcproj.tsv$V1/.h.vcproj.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.h.vcproj.tsv$V1/.h.vcproj.tsv$V2)


Histogram of log10(.html.js.tsv$V1/.html.js.tsv$V2)
Frequency
0
10
20
30
40
50
60
−4
−2
0
2
4
log10(.html.js.tsv$V1/.html.js.tsv$V2)


Histogram of log10(.html.json.tsv$V1/.html.json.tsv$V2)
Frequency
0
10
20
30
40
−4
−2
0
2
4
log10(.html.json.tsv$V1/.html.json.tsv$V2)


Histogram of log10(.html.markdown.tsv$V1/.html.markdown.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.html.markdown.tsv$V1/.html.markdown.tsv$V2)


Histogram of log10(.html.md.tsv$V1/.html.md.tsv$V2)
Frequency
0
10
20
30
40
−4
−2
0
2
4
log10(.html.md.tsv$V1/.html.md.tsv$V2)


Histogram of log10(.html.npmignore.tsv$V1/.html.npmignore.tsv$V2)
Frequency
0
5
10
15
20
25
30
−4
−2
0
2
4
log10(.html.npmignore.tsv$V1/.html.npmignore.tsv$V2)


Histogram of log10(.html.png.tsv$V1/.html.png.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.html.png.tsv$V1/.html.png.tsv$V2)


Histogram of log10(.html.py.tsv$V1/.html.py.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.html.py.tsv$V1/.html.py.tsv$V2)


Histogram of log10(.html.sh.tsv$V1/.html.sh.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.html.sh.tsv$V1/.html.sh.tsv$V2)


Histogram of log10(.html.txt.tsv$V1/.html.txt.tsv$V2)
Frequency
0
20
40
60
−4
−2
0
2
4
log10(.html.txt.tsv$V1/.html.txt.tsv$V2)


Histogram of log10(.html.yml.tsv$V1/.html.yml.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.html.yml.tsv$V1/.html.yml.tsv$V2)


Histogram of log10(.in.sh.tsv$V1/.in.sh.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.in.sh.tsv$V1/.in.sh.tsv$V2)


Histogram of log10(.js.json.tsv$V1/.js.json.tsv$V2)
Frequency
0
20
40
60
80
−4
−2
0
2
4
log10(.js.json.tsv$V1/.js.json.tsv$V2)


Histogram of log10(.js.markdown.tsv$V1/.js.markdown.tsv$V2)
Frequency
0
50
100
150
200
250
−4
−2
0
2
4
log10(.js.markdown.tsv$V1/.js.markdown.tsv$V2)


Histogram of log10(.js.md.tsv$V1/.js.md.tsv$V2)
Frequency
0
10
20
30
40
50
60
70
−4
−2
0
2
4
log10(.js.md.tsv$V1/.js.md.tsv$V2)


Histogram of log10(.js.npmignore.tsv$V1/.js.npmignore.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.js.npmignore.tsv$V1/.js.npmignore.tsv$V2)


Histogram of log10(.js.out.tsv$V1/.js.out.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.js.out.tsv$V1/.js.out.tsv$V2)


Histogram of log10(.js.pbxproj.tsv$V1/.js.pbxproj.tsv$V2)
Frequency
0
2
4
6
8
10
12
14
−4
−2
0
2
4
log10(.js.pbxproj.tsv$V1/.js.pbxproj.tsv$V2)


Histogram of log10(.js.pem.tsv$V1/.js.pem.tsv$V2)
Frequency
0
2
4
6
8
10
12
14
−4
−2
0
2
4
log10(.js.pem.tsv$V1/.js.pem.tsv$V2)


Histogram of log10(.js.png.tsv$V1/.js.png.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.js.png.tsv$V1/.js.png.tsv$V2)


Histogram of log10(.js.py.tsv$V1/.js.py.tsv$V2)
Frequency
0
10
20
30
40
50
−4
−2
0
2
4
log10(.js.py.tsv$V1/.js.py.tsv$V2)


Histogram of log10(.js.sh.tsv$V1/.js.sh.tsv$V2)
Frequency
0
5
10
15
20
25
−4
−2
0
2
4
log10(.js.sh.tsv$V1/.js.sh.tsv$V2)


Histogram of log10(.js.status.tsv$V1/.js.status.tsv$V2)
Frequency
0
10
20
30
40
−4
−2
0
2
4
log10(.js.status.tsv$V1/.js.status.tsv$V2)


Histogram of log10(.js.txt.tsv$V1/.js.txt.tsv$V2)
Frequency
0
10
20
30
40
50
−4
−2
0
2
4
log10(.js.txt.tsv$V1/.js.txt.tsv$V2)


Histogram of log10(.js.vcproj.tsv$V1/.js.vcproj.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.js.vcproj.tsv$V1/.js.vcproj.tsv$V2)


Histogram of log10(.js.yml.tsv$V1/.js.yml.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.js.yml.tsv$V1/.js.yml.tsv$V2)


Histogram of log10(.json.markdown.tsv$V1/.json.markdown.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.json.markdown.tsv$V1/.json.markdown.tsv$V2)


Histogram of log10(.json.md.tsv$V1/.json.md.tsv$V2)
Frequency
0
10
20
30
40
50
60
−4
−2
0
2
4
log10(.json.md.tsv$V1/.json.md.tsv$V2)


Histogram of log10(.json.npmignore.tsv$V1/.json.npmignore.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.json.npmignore.tsv$V1/.json.npmignore.tsv$V2)


Histogram of log10(.json.png.tsv$V1/.json.png.tsv$V2)
Frequency
0
1
2
3
4
5
6
7
−4
−2
0
2
4
log10(.json.png.tsv$V1/.json.png.tsv$V2)


Histogram of log10(.json.sh.tsv$V1/.json.sh.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.json.sh.tsv$V1/.json.sh.tsv$V2)


Histogram of log10(.json.txt.tsv$V1/.json.txt.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.json.txt.tsv$V1/.json.txt.tsv$V2)


Histogram of log10(.json.yml.tsv$V1/.json.yml.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.json.yml.tsv$V1/.json.yml.tsv$V2)


Histogram of log10(.markdown.md.tsv$V1/.markdown.md.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.markdown.md.tsv$V1/.markdown.md.tsv$V2)


Histogram of log10(.md.npmignore.tsv$V1/.md.npmignore.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.md.npmignore.tsv$V1/.md.npmignore.tsv$V2)


Histogram of log10(.md.png.tsv$V1/.md.png.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.md.png.tsv$V1/.md.png.tsv$V2)


Histogram of log10(.md.py.tsv$V1/.md.py.tsv$V2)
Frequency
0
2
4
6
8
10
12
14
−4
−2
0
2
4
log10(.md.py.tsv$V1/.md.py.tsv$V2)


Histogram of log10(.md.sh.tsv$V1/.md.sh.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.md.sh.tsv$V1/.md.sh.tsv$V2)


Histogram of log10(.md.txt.tsv$V1/.md.txt.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.md.txt.tsv$V1/.md.txt.tsv$V2)


Histogram of log10(.md.yml.tsv$V1/.md.yml.tsv$V2)
Frequency
0
5
10
15
−4
−2
0
2
4
log10(.md.yml.tsv$V1/.md.yml.tsv$V2)


Histogram of log10(.npmignore.png.tsv$V1/.npmignore.png.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.npmignore.png.tsv$V1/.npmignore.png.tsv$V2)


Histogram of log10(.npmignore.sh.tsv$V1/.npmignore.sh.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.npmignore.sh.tsv$V1/.npmignore.sh.tsv$V2)


Histogram of log10(.npmignore.txt.tsv$V1/.npmignore.txt.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.npmignore.txt.tsv$V1/.npmignore.txt.tsv$V2)


Histogram of log10(.npmignore.yml.tsv$V1/.npmignore.yml.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.npmignore.yml.tsv$V1/.npmignore.yml.tsv$V2)


Histogram of log10(.pbxproj.py.tsv$V1/.pbxproj.py.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.pbxproj.py.tsv$V1/.pbxproj.py.tsv$V2)


Histogram of log10(.pbxproj.status.tsv$V1/.pbxproj.status.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.pbxproj.status.tsv$V1/.pbxproj.status.tsv$V2)


Histogram of log10(.pbxproj.vcproj.tsv$V1/.pbxproj.vcproj.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.pbxproj.vcproj.tsv$V1/.pbxproj.vcproj.tsv$V2)


Histogram of log10(.pod.sh.tsv$V1/.pod.sh.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.pod.sh.tsv$V1/.pod.sh.tsv$V2)


Histogram of log10(.py.sh.tsv$V1/.py.sh.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.py.sh.tsv$V1/.py.sh.tsv$V2)


Histogram of log10(.py.status.tsv$V1/.py.status.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.py.status.tsv$V1/.py.status.tsv$V2)


Histogram of log10(.py.txt.tsv$V1/.py.txt.tsv$V2)
Frequency
0
2
4
6
8
10
−4
−2
0
2
4
log10(.py.txt.tsv$V1/.py.txt.tsv$V2)


Histogram of log10(.py.vcproj.tsv$V1/.py.vcproj.tsv$V2)
Frequency
0
2
4
6
8
10
12
−4
−2
0
2
4
log10(.py.vcproj.tsv$V1/.py.vcproj.tsv$V2)


Histogram of log10(.sh.status.tsv$V1/.sh.status.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.sh.status.tsv$V1/.sh.status.tsv$V2)


Histogram of log10(.sh.txt.tsv$V1/.sh.txt.tsv$V2)
Frequency
0
5
10
15
20
−4
−2
0
2
4
log10(.sh.txt.tsv$V1/.sh.txt.tsv$V2)


Histogram of log10(.status.vcproj.tsv$V1/.status.vcproj.tsv$V2)
Frequency
0
2
4
6
8
−4
−2
0
2
4
log10(.status.vcproj.tsv$V1/.status.vcproj.tsv$V2)