


Topic - Javascript Basics

Mentor: Sushant Goyal

Date: 27 July 2025

Agenda:

1. Environment Setup
2. Basics of Javascript
3. Alerts in JS
4. Developer Tools Overview
5. Variables and Data Types
6. Operators - Mathematical and Logical



Use ctrl+shift+i or F12 key to open the developer tools

TO open Dev tools: Click on 3 dots -> More Tools -> Developer Tools

Alerts - Notifications for the end user

3 types of alerts:


1. Alert - A notification only
2. Prompt - It will request user to input something
3. Confirm - We are asking the user to give a confirmation

```
// let username = prompt('What is your name')
// if(username) {
//     alert('Hello, ' + username)
// }
// else {
```

```
// alert('You did not enter your name.')  
// }
```

```
let isConfirmed = confirm('Do you want to delete this item?')  
if(isConfirmed) {  
    alert('Item Deleted')  
}  
else {  
    alert('Item not deleted')  
}
```

What is a variable?



2 types of programming languages

1. Strictly typed - JAVA, C++, C
2. Weakly / Loosely typed - PHP, JS, Python

Three ways to declare a variable:

1. var
2. let
3. const

var name = value

let name = value

const name = value

var - reassigned and redeclared

var name = "JS"

var name = true

let - reassign but we can not redeclare

let name = "JS"

let name = true - is not allowed.

name = true

const - which is short form for *CONSTANT*

1. it can not be reassigned or redeclared.

2. When we create a variable using const, we write the variable name in caps.

const ENDPOINT = '/api'

const ENDPOINT='some-endpoint' - is not allowed

ENDPOINT = false - is not allowed

The scope of the variables.

1. if no curly braces - scope is global

2. if curly braces - the scope is defined.

Data Types:

1. Primitive - Numbers, strings, Boolean, Null, undefined, Symbol and BigInt

2. Objects

3. Arrays

Numbers = 1,2,3

BigInt = 1n, 2n, 3n

Strings = "JS", 'JS'

Boolean = true or false -> truthy nature of the expression

Symbol = Symbol('id')

null = no value -> we have declared the variable but no value is stored

undefined = we have declared a variable but we have not assigned a value to it

Objects - which is collection of different types of data.

{

key: value,

key2: value2

}

Arrays - collection of data, index based.

[1,2,"JS"] -> [0,1,2]

[1,2,"JS", [3,4]] - In JS this will work fine

[1,2,"JS"] - it will give an error for strictly typed language

Arithmetic Operators

addition(+), multiplication(*), division(/) and subtraction(-), modulo(%),
repeated multiplication / power operator (**)

(1+3)*2 - BODMAS

Precedence - Multiplication (*, /, %) > Additive (+, -) > Comparison > Logical

Comparison:

1. == - to validate if the value is equal
2. === - to validate if the value and the data type

if 2 == "2" -> return true

if 2 === "2" -> false

Logical Operators

1. && (AND) - left and right both values are true
2. || (OR) - any of the left and right values is true
3. ! (NOT) - if this is not