Berg Trailers

GRAIN TRAILERS

STEEL SERIES

STEEL **TANDEM**

STEEL **TRIDEM**

ALUMINUM SERIES

ALUMINUM **TANDEM**

ALUMINUM **TRIDEM**

bergtrailers.net

Berg Trailers

ABOUT BERG TRAILERS

BUILT FOR THE ROAD. BUILT TO LAST.

Based in Winkler, Manitoba, **Berg Trailers** specializes in commercial trailers designed for demanding transportation and agricultural applications.

From steel and aluminum grain trailers to specialized hauling equipment, our focus is on practical design, durability and dependable performance.

DURABLE CONSTRUCTION

PRACTICAL DESIGN

DEPENDABLE PERFORMANCE

WINKLER, MANITOBA · CANADA

EXPLORE OUR CATALOG

Discover our trailer range, components and technical references.

01 TRAILERS

Steel, Aluminum, Super B & TAG

02 AXLES & SUSPENSION

Axles, Hubs, Brakes & Suspension

03 LANDING GEAR

Diamond Steel & Aluminum

04 TIRES & WHEELS

Longmarch Commercial Tires

05 TARP SYSTEMS

Michel's Select & Maximizer

06 ELECTRICAL SYSTEMS

Sealco & Grote Wiring

07 PARTS & COMPONENTS

Parts catalogs & technical references

// bergtrailers.net

Berg Trailers

AXLES & SUSPENSION

PRODUCT OVERVIEW | DETAILS TO BE ADDED



AXLE / SUSPENSION PRODUCT PHOTO

PRODUCT NAME / MODEL: TO BE CONFIRMED	
MANUFACTURER	To be added
AXLE TYPE / RATING	To be added
SUSPENSION TYPE	To be added

SPECIFICATIONS | PARTS & ASSEMBLY DETAILS

EXPLODED VIEW / TECHNICAL DRAWING

TECHNICAL SPECIFICATIONS

Axle Manufacturer / Model	TBD
Axle Capacity	TBD
Suspension Configuration	TBD
Brake System	TBD
Hub / Wheel End	TBD
Mounting / Dimensions	TBD

PART NUMBERS / BOM

To be added when confirmed.

Images, part numbers and specifications are placeholders.

Berg Trailers

DIAMOND LANDING GEAR

STEEL VERSION

LIGHTWEIGHT & DURABLE SUPPORT FOR YOUR TRAILER

RUGGED & RELIABLE
Heavy-duty construction for long-lasting performance in demanding conditions.

DURABLE FINISH
Heavy-duty coating for extended service life.

75,000 LBS CAPACITY
Provides strong and stable support for loaded trailers.

EASY MAINTENANCE
Simple, serviceable design with readily available components.

GEAR HOUSING
Robust, sealed gearbox for reliable operation.

MOUNTING PLATE
Multiple mounting holes for versatile installation.



FOOT PLATE
Wide, reinforced base for maximum stability and surface area.

PRODUCT SPECIFICATIONS

Product	Diamond Landing Gear – Steel Version
Application	Trailers (Dump, Hopper, Flatdeck, etc.)
Type	Constant mesh gear – 2 speed
Construction	Heavy-Duty Steel
Finish	Heavy-Duty Coating (Black)
Features	Manual Crank Operation Reinforced Bracing Heavy-Duty Mounting Brackets 75,000 lbs Capacity Long Service Life

DIAMOND LANDING GEAR

STEEL VERSION | PARTS CATALOG



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	GT-072	Landing Gear Tube	1
2	A401L-17-UPPER_DEV08_1-1	LANDING GEAR PART	1
3	G3-17-LOWER_2-1	LANDING GEAR PART	1
4	A401L-17-UPPER_DEV08_1-1		1
5	G3-17-LOWER_3-1		1
6	Crank		1
7	GT2368-078	LANDING GEAR STRUT SUPPORT	6
8	GT2308-171	SPACER, GT LANDING GEAR	1
9	GT2308-170	CROSS BRACE LANDING GEAR	2

Berg Trailers

DIAMOND LANDING GEAR

ALUMINUM VERSION

LIGHTWEIGHT & DURABLE SUPPORT FOR YOUR TRAILER



LIGHTWEIGHT & STRONG
High-strength aluminum construction for reduced weight and lasting performance.

DURABLE FINISH
Heavy-duty coating for extended service life.

75,000 LBS CAPACITY
Provides strong and stable support for loaded trailers.

EASY MAINTENANCE
Simple, serviceable design with readily available components.

CRANK HOUSING
Robust, sealed gearbox for reliable operation.



BRACING
Reinforced bracing for maximum strength and stability.

DIAMOND BRACKET
Wide, reinforced base for maximum stability and surface area.

PRODUCT SPECIFICATIONS

Product	Diamond Landing Gear – Aluminum Version
Application	Trailers (Dump, Hopper, Flatdeck, etc.)
Type	Constant mesh gear – 2 speed
Construction	High-Strength Aluminum
Finish	Heavy-Duty Coating
Features	Manual Crank Operation Reinforced Bracing Heavy-Duty Mounting Brackets 75,000 lbs Capacity Long Service Life

BERG DIAMOND LANDING GEAR

EXPLODED ASSEMBLY / PARTS REFERENCE

3D EXPLODED VIEW | 1–12



Balloon numbers refer to the item numbers in the verified assembly BOM below.

PARTS LIST

ITEM	PART NUMBER	DESCRIPTION	QTY
1	100791	AGT, LANDING GEAR, MOUNT, WELDT	2
2	100794	CROSS BRACE, LANDING GEAR, 83-3/16" CTR-CTR	2
3	100795	CROSS BRACE, LANDING GEAR, 41-1/2" CTR-CTR	2
4	100797	AGT-GT, LANDING GEAR, WELDT, SET	1
5	100800	SPACER, AGT LANDING GEAR	1
6	100802	HOLDER, CRANK HOOK, WELDT	1
7	100805	CRANK HOOK, BOLT-ON	1
8	100839	MOUNT BRACKET, FRONT MUDFLAP	1
9	100643	MOUNT PLATE, MUDFLAP	4
10	1000107	MUDFLAP, STD, 24" X 36" X 1/4"	4
11	100792	MOUNT BRACKET, LANDING GEAR	1
12	100792	MOUNT BRACKET, LANDING GEAR	1

For reference only. Verify part numbers, quantities and specifications before ordering.

Berg Trailers

COMMERCIAL TIRE PRODUCT FLYER

LONGMARCH®

COMMERCIAL TIRES

BUILT FOR THE LONG HAUL

Durable & Reliable
Built for heavy-duty commercial use with long service life.

Excellent Traction
Optimized tread design for stability and safety in all conditions.

Fuel Efficiency
Low rolling resistance for better fuel economy.

Retreadable Casing
High-quality construction for multiple retreads.

TIRE PATTERNS

LM216
All-Position / Regional Use

LM508
Drive / High Traction

LM518
Trailer / Long Haul

TIRE SPECIFICATIONS

PATTERN	SIZE	PR	LOAD INDEX	SPEED RATING	APPLICATION
LM216	11R22.5	16	146/143	M (130 km/h)	All-Position / Regional
LM508	11R22.5	16	146/143	M (130 km/h)	Drive / High Traction
LM518	11R22.5	16	146/143	M (130 km/h)	Trailer / Long Haul

COMMERCIAL TIRE
PRODUCT FLYER

SMITH TIRE

COMMERCIAL TIRES

PRODUCT INFORMATION COMING SOON



TIRE PHOTO PLACEHOLDER

TIRE PATTERNS & APPLICATIONS

PATTERN 01

Photo / model
To be confirmed

PATTERN 02

Photo / model
To be confirmed

PATTERN 03

Photo / model
To be confirmed

TIRE SPECIFICATIONS

PATTERN	SIZE	PR	LOAD INDEX	APPLICATION
TBD	TBD	TBD	TBD	TBD

Berg Trailers

Michel's®

SIDE - ROLL GRAIN TARP SYSTEMS

SELECT & MAXIMIZER

FOR ALL TYPES OF GRAIN BODIES

SELECT

The "Original" Side-Rolling Tarpaulin System with a precise fit.

OR

MAXIMIZER

incorporates added width to the fabric to accommodate heaped loads.

"The Truck Tarp Specialist"

Proven Tension Control – Extension springs along with beveled pulleys on both ends of the roll-tube apply constant and uniform tension.

The removable rear end cap/hood, on farm models, is designed to enable full function of the tailgate.

Ridgepole sewn into tarp fabric is standard on farm models (no straps or ridgepole in the way for loading) optional on semi-trailers.

Semi units can have, front or rear cranks that are short or long depending on trailer requirements.

Optional, Flip release tarp stops are available in 3" or 6" offset.

OPTIONS:

- 20 oz. tarp fabric in 16 colors
- 22 oz. tarp fabric in 4 colors
- Standard or reverse roll (standard roll locks closed on the drivers side)
- Reinforced over cross-members
- Fiberglass ridgepole in tarp fabric for added support - Semi's only
- Flip release tarp stops

ELECTRIC OPTIONS

A sealed electric motor, with a cover to shield it from the elements, is attached to an aluminum pivot arm used to rotate the roll-tube to open and close the tarp assembly.

This motor can be operated by a rocker switch (from your cab) or an optional 200 Series Integrated Wireless Remote. Available for all SELECT or MAXIMIZER side-roll tarp systems.

"ONE REMOTE=ENDLESS POSSIBILITIES"

Manufactured By:
MICHEL'S Industries, Ltd.
#3 Entrance Road
P.O. Box 119
St. Gregor, SK. S0K 2A0
PH: (306) 366-2184 FX: (306) 366-2145
Email: sales@michels.ca

Distributed By:

Printed in Canada

Berg Trailers

SEALCO®
Commercial Vehicle Products

WIRING HARNESS & ELECTRICAL COMPONENTS

Trailer Electrical Systems for Grain, Hopper & Super B Trailers

Berg Trailers

SEALCO®
Commercial Vehicle Products

Trailer Wiring Harness Systems

Sealed, heavy-duty modular harnesses designed for commercial trailers. Used on grain, hopper and Super B configurations.

Features

- Molded, sealed connections
- Moisture & corrosion resistant
- Durable, abrasion-resistant loom
- Quick and reliable installation
- OEM quality for heavy-duty use

Typical Applications

Grain Trailers

Hopper Trailers

Super B Trailers

Berg Trailers

SEALCO®
Commercial Vehicle Products

Common Harness Assemblies

Part Number	Description	Image
TM70H	Main Trailer Harness (7-Way, ABS, Air Braked)	
TM71H	Trailer Harness – Non ABS (Light Duty)	
TM72H	Super B – Lead Harness (Front Trailer)	
TM73H	Super B – Pup Harness (Rear Trailer)	
TM74H	Rear Sill Harness (Stop / Tail / Turn / ID / Marker)	

Berg Trailers

SEALCO®
Commercial Vehicle Products

Electrical Components

TM38
Junction Box
(8-Circuit)

TM39
Junction Box
(12-Circuit)

TM5400
7-Way Receptcule
(SAE J560)

TM5240
Molded Connector
(4-Pin)

TM5260
Molded Connector
(6-Pin)

TM5280
Molded Connector
(7-Pin)

LED Marker Lamp
(Amber)

LED Clearance Lamp
(Red)

LED Stop / Tail / Turn
(4" Round)

Berg Trailers

SEALCO® Commercial Vehicle Products

7-Way Connector – Pinout (SAE J560)

Pin	Circuit	Wire Color	Function
1	Ground	White	Common Ground
2	Tail / Running	Black	Tail, Clearance & License Lamps
3	Left Turn	Yellow	Left Turn Signal
4	Stop	Red	Brake Lights
5	Right Turn	Green	Right Turn Signal
6	Auxiliary / ABS	Brown	ABS / Auxiliary Power
7	Reverse / Aux	Blue	Reverse, ABS, or Auxiliary (as required)

Berg Trailers

SEALCO® Commercial Vehicle Products

Wiring Schematic – Air Braked Trailer (Example #1)



Wiring Legend

- Stop / Turn / Tail (Red)
- Tail / Marker (Black)
- Left Turn (Yellow)
- Right Turn (Green)
- ABS / Auxiliary (Brown)
- Ground (White)

Schematic Notes

- Typical air braked trailer harness configuration.
- Includes stop, turn, tail, clearance, ID and ABS wiring.
- Harness routing inside main rail with sealed connectors at all junctions.

Berg Trailers

SEALCO® Commercial Vehicle Products

Wiring Schematic – Super B (Lead & Pup Configuration)



Wiring Legend

- Stop / Turn / Tail (Red)
- Tail / Marker (Black)
- Left Turn (Yellow)
- Right Turn (Green)
- ABS / Auxiliary (Brown)
- Ground (White)

Configuration Notes

- Lead and pup harnesses (TM72H / TM73H) with sealed interconnect.
- Provides lighting and ABS through both trailers.
- Designed for Super B and multi-trailer applications.

Berg Trailers

SEALCO® Commercial Vehicle Products

Harness Routing – Installation Reference

Frame Harness Routing

Junction Box (TM38 / TM39)

Molded Connector (Typical)

Rear Sill Harness & Lighting

Berg Trailers

TAG TRAILERS

bergtrailers.net

SCAN OUR WEBSITE