

AGENTFORCE FOR GOOD HACKATHON AT DREAMFORCE 2026 · BUILDER TRACK

Fencing for All

Technical documentation for the Sports for All platform and its first sport pack: USA Fencing para fencing

Team: Jon Jessup, Pallavi Geddam, Parth Sevak, Ajay Munjuluru

Devpost: <https://devpost.team/salesforce/projects/21108>

Video: <https://youtu.be/QsZYSrVZKeU>

Prototype: <https://orgfarm-4d89d5ac56.my.salesforce-sites.com/fencingforall>

Code: <https://github.com/gpallavi704/sports-for-all-agentforce>

Files: https://drive.google.com/drive/folders/1d7Gx7gILMG3orCZ_F01RyLcGTUCG9ssr

Version: September 7, 2026. Prototype uses synthetic program data. Not affiliated with or endorsed by USA Fencing.

1. What this is

Fencing for All is an Agentforce agent, named Sport Compass in the org, that answers the first questions a family asks about para-fencing: can my child do this, what do we need, who decides if she can compete, where do we start, and who at USA Fencing can I talk to. It answers in plain language from USA Fencing's own public pages, cites the page and the retrieval date for every fact, never decides eligibility, never asks for a diagnosis or a document, and hands off to a person when a question is a decision rather than an explanation.

It is built as the first sport on Sports for All, a reusable Agentforce and Data Cloud design for Olympic and Paralympic national governing bodies. The agent, the data model, the human-handoff flow and the guardrails are generic; USA Fencing's rules, pages, programs and escalation routes are configuration.

Families meet the agent where they already are. The demo channel is a ChatGPT app: a Sports for All MCP server exposes four tools that call the Agentforce Agent API through an OAuth 2.0 External Client App. The same agent can be exposed through Messaging for Web, an Experience Cloud site, or any other Agentforce channel without changing the agent.

2. The journey the prototype covers

The conversation below is the one in the demo video and on the prototype page. Every reply is verbatim from the Agentforce Builder live test in the prototype org (sessions 163355ce on September 6 and 7267f9c9 on September 7, 2026). Latency and output evaluation come from the Builder trace. Turns 1 to 5 and 9 are the kind of guidance the ChatGPT channel returns; turns 6 to 8 (draft, consent, Case) run only in the native Agentforce channel by design.

Parent: My daughter is 12 and uses a wheelchair. She wants to try fencing near Salt Lake City. Is that even possible?

Yes, your daughter can try fencing, including wheelchair (para-fencing), near Salt Lake City. USA Fencing encourages athletes of all abilities to explore the sport. Here are the key points:

1. Finding Clubs: Use the official club finder at <https://member.usafencing.org/clubs>. Enter your city or ZIP code and select the "Para" specialty filter to see clubs that offer or support para-fencing. This filter shows clubs that have self-identified as offering para-fencing, but it does not guarantee step-free access or specific accommodations—contact the club directly to discuss your daughter's needs and confirm details. (Source: Para-fencing Club Locations, <https://www.usafencing.org/para-fencing-clubs>, retrieved 2026-09-06)
2. Getting Started: Clubs can introduce new athletes to fencing basics and para-fencing equipment. Coaches are encouraged to communicate with families and adapt sessions based on each athlete's needs. Trying fencing at a club is separate from entering competitions. (Source: Para-fencing Myths, <https://www.usafencing.org/para-fencing-myths>, retrieved 2026-09-06)

3. Competition Eligibility: Only official classifiers and event staff can make decisions about para-fencing competition eligibility. The current classification process and requirements are described at <https://www.usafencing.org/para-fencing-classification>. Please note that the linked summary describes the 2025-26 season; always confirm current requirements with USA Fencing. Club participation does not require official classification. (Source: Para-fencing Classification, <https://www.usafencing.org/para-fencing-classification>, retrieved 2026-09-06)

Next step:

Visit <https://member.usafencing.org/clubs> and search for clubs near Salt Lake City with the Para filter. Would you like tips on how to contact a club or prepare for a first visit?

Subagent: Classification and Accessibility Support · Action: Answer Questions With Knowledge · Latency: 12.12 s · Output evaluation: GROUNDED

Parent: She doesn't have any equipment. Do we need to buy a fencing wheelchair frame before her first lesson? And who do I talk to about whether she can compete later?

You do not need to buy a fencing wheelchair frame before your daughter's first para-fencing lesson. Most clubs introduce new athletes to the basics and often provide or arrange access to starter equipment, including frames, for beginners. It is best to contact the club directly to confirm what equipment is available for new participants and discuss any specific needs. (Source: Para-fencing Myths, <https://www.usafencing.org/para-fencing-myths>, retrieved 2026-09-06; Try Fencing, <https://www.usafencing.org/try>, retrieved 2026-09-06)

For future competition eligibility, only official classifiers and event staff can make those decisions. The current process for para-fencing classification is outlined by USA Fencing, and requirements may change from season to season. The available summary describes the 2025-26 season, so you should always confirm the latest requirements with USA Fencing. The official process and referral route are explained here: <https://www.usafencing.org/para-fencing-classification> (Source: Para-fencing Classification, <https://www.usafencing.org/para-fencing-classification>, retrieved 2026-09-06)

Next step:

Contact a local club using the official finder at <https://member.usafencing.org/clubs> and ask about beginner equipment and para-fencing options. Would you like tips for reaching out to a club or more info on what to expect at a first lesson?

Subagent: Classification and Accessibility Support · Action: Answer Questions With Knowledge · Latency: 10.67 s · Output evaluation: GROUNDED

Parent: My daughter is 12 and uses a wheelchair. Can you turn what we need to do before her first fencing lesson into a short checklist?

Here is a checklist for preparing your 12-year-old daughter, who uses a wheelchair, for her first fencing lesson:

1. Find a local para-fencing club using the official club finder: <https://member.usafencing.org/clubs> (filter for Para specialty).
2. Contact the club to confirm:

- Accessibility details (such as step-free entry and restrooms)
 - Age acceptance for beginner classes
 - Available starter equipment and what you may need to bring
3. Wear comfortable clothing and athletic shoes for the first visit.
 4. Arrive 10–15 minutes early to check in and meet the coach.
 5. Talk with the coach about any support or arrangements your daughter may need.

Introductory learning may include demonstrations and basic fencing vocabulary, not full bouts or advanced training until the right equipment and supervision are in place. Always confirm with the club before the first visit.

This information is based on summaries from USA Fencing's public sources, not official USA Fencing policy. For more details, see:

- Try Fencing: <https://www.usafencing.org/try> (retrieved 2026-09-06)
- Parafencing basics: <https://www.usafencing.org/parafencing-101> (retrieved 2026-09-06)
- Parafencing clubs: <https://www.usafencing.org/parafencing-clubs> (retrieved 2026-09-06)

Would you like help searching for clubs in your area or have other questions about getting started?

Subagent: Fencing Program Guide · Action: Answer Questions With Knowledge · Latency: 10.65 s · Output evaluation: GROUNDED

Parent: Who do I talk to about whether she can compete later? Can you connect me with a person at USA Fencing?

I cannot decide if your daughter can compete—only official classifiers and event staff at USA Fencing can confirm competition eligibility. The current published process for parafencing classification is described for the 2025-26 season, but requirements may change, so always check with USA Fencing for the latest details.

To learn more or begin the official process, visit the USA Fencing Parafencing Classification page: <https://www.usafencing.org/parafencing-classification> (source: Parafencing Classification, retrieved 2026-09-06).

For general questions or to connect with USA Fencing staff, you can email information@usafencing.org as listed in their official beginner guidance (Try Fencing, <https://www.usafencing.org/try>, retrieved 2026-09-06).

Would you like to review the classification process together, or need help finding a club for introductory lessons?

Subagent: Classification and Accessibility Support · Action: Answer Questions With Knowledge · Latency: 9.54 s · Output evaluation: GROUNDED

Parent: We live near Salt Lake City, ZIP 84101. Can you find a beginner parafencing program for a 12-year-old who uses a wheelchair?

The following are synthetic demo examples only—these are not real clubs or programs, and any accessibility or eligibility claims are fictional. For real beginner parafencing opportunities near Salt Lake City, please use the official USA Fencing club finder: <https://member.usafencing.org/clubs>.

Demo program examples for a 12-year-old who uses a wheelchair in Salt Lake City, UT:

1. DEMO - Youth Wheelchair Fencing Intro (Salt Lake Adaptive Fencing)

- Match reasons: Fictional city and state match; age within demo class band; simulated documentation of mobility support (not real-world verification).
- Needs confirmation: None listed, but all features are simulated.

2. DEMO - Youth Program Needs Confirmation (Salt Lake Adaptive Fencing)

- Match reasons: Fictional city and state match; age within demo class band.
- Needs confirmation: Mobility support is unknown in this example—please confirm directly with any real provider.

These are for demonstration only and do not reflect actual availability, booking, or accessibility.

Next step: Use the official club finder at <https://member.usafencing.org/clubs> and select the Para specialty filter to search for real para fencing clubs in your area.

Would you like tips on contacting a club or questions to ask about accessibility and beginner classes?

Subagent: Find My Sport · Action: Match Demo Programs · Latency: 8.33 s · Output evaluation: GROUNDED

Parent: Please ask a person at USA Fencing to follow up with me about the first program, the Youth Wheelchair Fencing Intro. I have questions about accessibility.

Here is a demo draft of a support request for the program "DEMO - Youth Wheelchair Fencing Intro" at the fictional Salt Lake Adaptive Fencing club:

—

Program: DEMO - Youth Wheelchair Fencing Intro (Salt Lake Adaptive Fencing)
Reason: Accessibility information needs verification

Message: The user has questions about accessibility for a 12-year-old wheelchair user interested in beginner fencing classes. Please provide details about accessible entry, restrooms, and any other relevant support arrangements.

—

This is a synthetic example only and not a real club or support channel. If you say "yes," I will create this demo Case as part of the prototype. Would you like to proceed?

Subagent: Demo Human Support · Action: Review Reply → Prepare Support · Latency: 6.71 s · Output evaluation: GROUNDED

Parent: Yes, please create it.

SYNTHETIC DEMO SUPPORT REQUEST

Program: DEMO - Youth Wheelchair Fencing Intro

Program location: Salt Lake City, UT (fictional)

Reason: Accessibility information needs verification

Accessibility information: Needs confirmation; not real-world verification.

Destination: Sport Compass Support demo queue in this Salesforce org.
Response channel: Demo queue only. No email, phone, SMS or real staff response promised.
Saved on confirmation: this summary, selected program reference, category, demo and consent flags, technical request key and runtime user, plus standard Salesforce audit fields.
No name, age, diagnosis, contact details or transcript will be saved by this action.
Would you like to create this demo Case now? Please reply yes or no.

Subagent: Demo Human Support · Action: Review Reply → Prepare Support · Latency: n/a · Output evaluation: GROUNDED

Parent: yes

Your synthetic demo support request for the DEMO - Youth Wheelchair Fencing Intro program has been created.
Case number: 00001010
Case ID: 500gL00001WYjvpQAD
This Case is in the Sport Compass Support demo queue only. No real message was sent and no official USA Fencing staff response is promised. For real-world help, please use the official club finder at <https://member.usafencing.org/clubs> and contact clubs directly about accessibility. Would you like guidance on what to ask clubs, or help with another step?

Subagent: Demo Human Support · Action: Review Reply → Confirm Support · Latency: n/a · Output evaluation: GROUNDED

The same journey in Spanish

Parent: Mi hija tiene 12 años y usa silla de ruedas. Quiere probar la esgrima cerca de Salt Lake City. ¿Es posible? Responde en español, por favor.

Este es un ejemplo de búsqueda de programas solo para demostración: todos los clubes y afirmaciones sobre accesibilidad que aparecen a continuación son ficticios y no representan opciones reales. Para encontrar clubes verdaderos de esgrima adaptada, usa el buscador oficial: <https://member.usafencing.org/clubs> (elige la opción "Para").

Resultados de demostración para una niña de 12 años que usa silla de ruedas cerca de Salt Lake City, UT:

1. DEMO - Youth Wheelchair Fencing Intro (Salt Lake Adaptive Fencing)

- Motivos de coincidencia: Coincidencia ficticia de ciudad y estado; edad dentro del rango simulado; apoyo a movilidad solo simulado, no verificado en la vida real.
- Se necesita confirmación: Ninguna marcada, pero todas las características son simuladas.

2. DEMO - Youth Program Needs Confirmation (Salt Lake Adaptive Fencing)

- Motivos de coincidencia: Coincidencia ficticia de ciudad y estado; edad dentro del rango simulado.
- Se necesita confirmación: El apoyo a movilidad es desconocido en este ejemplo; consulta directamente con cualquier proveedor real.

Estos programas son solo ejemplos y no garantizan disponibilidad ni accesibilidad.

Próximo paso: Busca clubes reales en <https://member.usafencing.org/clubs> y pregunta por clases de esgrima en silla de ruedas para principiantes.

¿Quieres saber qué preguntar a los clubes sobre accesibilidad o necesitas ayuda con otro paso?
(Respuesta traducida automáticamente; revisa siempre la información directamente en el sitio oficial.)

Subagent: Find My Sport · Action: (context from earlier match) · Latency: 7.84 s · Output evaluation: GROUNDED


The screenshot shows the Agentforce Builder interface. On the left is a sidebar with a search bar and a project explorer. The main area is divided into two panels. The left panel, titled 'Live Test', shows a Spanish input: 'ficticia de ciudad y estado; edad dentro del rango simulado. Se necesita confirmación: El apoyo a movilidad es desconocido en este ejemplo; consulta directamente con cualquier proveedor real. Estos programas son solo ejemplos y no garantizan disponibilidad ni accesibilidad. Próximo paso: Busca clubes reales en <https://member.usafencing.org/clubs> y pregunta por clases de esgrima en silla de ruedas para principiantes. ¿Quieres saber qué preguntar a los clubes sobre accesibilidad o necesitas ayuda con otro paso? (Respuesta traducida automáticamente; revisa siempre la información directamente en el sitio oficial.)'. Below this is a text input field with the placeholder 'Describe your task or ask a question...'. The right panel, titled 'Agent Preview Details', shows the 'Summary' tab. It lists the input, the transition to the 'Find My Sport' subagent, the reasoning, and the output evaluation, which is 'GROUNDED'. A summary box contains a translated Spanish response. At the bottom right, there is a 'Session: #7267f...' indicator.

Agentforce Builder live test: the Spanish turn, routed to Find My Sport, output evaluation GROUNDED.


The screenshot shows the Agentforce Studio interface. At the top is a navigation bar with a search bar and several icons. Below the navigation bar is a header section for the case 'DEMO - Accessibility information needs verification'. The case number is 00001010. The interface is divided into two main sections. The left section, titled 'Related', shows 'Open Activities' and 'Activity History'. The right section, titled 'Details', shows case owner, case number, contact information, and additional information. The 'Details' section includes fields for Case Owner, Case Number, Contact Name, Account Name, Status, Case Origin, Priority, Contact Phone, Contact Email, Type, and Case Reason.

The Case the agent created after consent: 00001010, owned by the Sport Compass Support queue. No personal data on the record.

3. Architecture



Four boundaries matter. The MCP server is the only thing the client can reach, and every forwarded message is prefixed as unverified external input. The Agent API is the only thing the MCP server can reach, with credentials that stay server-side. The public channel is pinned to a guide agent with no Case, email, booking or private-record actions, because a chat message relayed by a model is not proof that a person consented to anything; the consent step and the Case are demonstrated in the native Agentforce channel, where the exact-match confirmation check runs. Retrieved content and tool output are treated as information, never as instructions, which closes the prompt-injection path through the knowledge library. The film shows the whole journey as one conversation for continuity; in the build, steps 6 to 8 run in the native channel.



Request path as shown in the demo video: client, integration, Salesforce gateway, Sport Compass, Data Cloud, trust and insight.


4. Agent design

Sport Compass is authored in Agent Script in Agentforce Builder. A start agent classifies each request and routes it to one narrow subagent. Greetings, capability questions and out-of-scope requests never reach knowledge retrieval.


Subagent	Purpose	Actions
Sport Compass Router	Start agent. Chooses the journey or asks one clarifying question. States explicitly that disability and accessibility questions are in scope and routes them to Classification and Accessibility Support even when age, registration or a tournament is also mentioned.	Routing only
Welcome and Scope	Greetings, what the agent can and cannot do, polite declines for unrelated requests, the AI and prototype disclosure.	Scope helper
Find My Sport	Search, compare and recommend local demo programs from city, state, optional ZIP, age band and self-selected access preferences. One question at a time, only when needed.	Match Demo Programs (Flow; deterministic scoring)

Fencing Program Guide	Beginner fencing, first lessons, equipment introductions, club-finding guidance, checklists.	Answer Questions with Knowledge
Classification and Accessibility Support	Parafencing basics, myths, equipment, accommodations, and the classification process. Never determines eligibility; explains who decides and refers on.	Answer Questions with Knowledge
Registration Support	Membership, sign-up, age verification documents, choosing a membership type, where to ask.	Answer Questions with Knowledge
Demo Human Support	Prepare, revise, confirm or cancel a synthetic support request for a selected demo program. No medical intake, no callback promise, no enrollment or booking.	Review Support Reply · Prepare Demo Support Draft · Confirm Demo Support Request

Agent-level rules apply to every subagent: plain language, short paragraphs, numbered next steps and exactly one practical next step at the end; cite source title, URL and retrieval date; say which season a summary describes and never treat a retrieval date as a source update date; never request a diagnosis, medical records, identity documents, passwords or full birth dates; tell people not to upload documents in chat; label synthetic programs as demo data; never claim a Case exists or a handoff happened unless a configured action confirmed it; route safety concerns to the official FenceSafe reporting route without an intake interview.



Agentforce Builder: Sport Compass, the router, and the six subagents.



Agent Script for the Demo Human Support subagent: the consent rules are in the instructions, not in a prompt the model can drift from.

5. Human handoff

The handoff is a two-step consent flow, implemented as three actions so that the model never decides whether consent was given.

- **Review Support Reply** classifies the user's latest message against the pending draft: CONFIRM, REVISE, DECLINED, AWAITING_CONSENT, STALE_DRAFT or UNAVAILABLE. A qualified yes ("maybe", "I guess so"), silence, or a yes with no pending draft creates nothing.
- **Prepare Demo Support Draft** builds the request from the selected program's internal ID and one of four allowed reasons (accessibility information needs verification, equipment question, getting started, registration guidance), returns a signed token and the complete draft, and the agent shows exactly what will be saved.
- **Confirm Demo Support Request** creates the Case only with a valid token and a clear yes, and returns CREATED or EXISTING with the Case number and ID. The agent quotes those values; it never invents them.

What is saved on the Case: the summary, the selected program reference, the category, demo and consent flags, the technical request key and runtime user, and standard Salesforce audit fields. What is not saved: name, age, diagnosis, contact details, or the transcript. The Case goes to the Sport Compass Support queue where USA Fencing staff would work it in Service Console; no email, SMS, phone or staff response is promised by the prototype.

Service Console
Home
Case 00001042
Parafencing Program Queue
USA Fencing · Sports for All

C
Case

00001042 · Parafencing classification process — follow-up requested by a parent

New
Working
Escalated
Closed

Details

Case Origin
Sports for All app (ChatGPT via MCP)

Region
Salt Lake City, UT · ZIP prefix 841

Participant
Anonymous Participant · ANON-7F3A-21

Consent
Verified ✓ · 2:31 PM

Agent session
163355ce-...-e9d2

Topic
Classification & Accessibility Support

Language
English (en-US)

Queue
Parafencing Program

Sensitive data collected
None

Output evaluation
GROUNDED · 3 sources

Not collected — by design

Child's name
Date of birth
Diagnosis or impairment type
Medical documents
Identity documents

Request summary

A parent asked how parafencing classification works for future competition and who decides. **The agent did not make an eligibility determination.** Requested: a staff explanation of the current classification process and the referral route. Shareable context: area (841), language (en), contact email.

Her daughter's name, her diagnosis, her records...

Staff view in the demo video: a Service Console recreation of the parafencing follow-up Case, with the "not collected — by design" list.

6. Data model (Data Cloud)

Object	Holds	Notes
Sport	The governing body, sport name, sport-pack configuration: escalation routes, official finder URL, safeguarding route, disclaimer text.	One row per sport pack. Parafencing is the first.
Organization	Club or program provider: name, city, state, ZIP prefix, documented accessibility features, "para" flag.	Synthetic in the prototype. Missing accessibility data means unknown, not inaccessible.
Program	Class or intro session: age band, experience level, schedule, mobility support (documented, needs confirmation, unknown), internal ID used for handoff.	Matching is scored in Flow from these attributes; the model never decides the match.
Anonymous Participant Profile	Interests, experience, broad location, age band, self-selected access preferences.	No identity fields by design.

Fencing for All · Agentforce for Good Hackathon at Dreamforce 2026 · page 13 of 19

Agent Interaction	Topic, outcome, escalation reason, abandonment point, language.	Anonymous. Feeds the insight dashboard: most requested accommodations, escalations, families with no para-listed club within 50 miles.
-------------------	---	--

The Data Library holds USA Fencing's public pages used for grounded answers: Parafencing 101, Parafencing Myths, Parafencing Club Locations, Parafencing Classification, Try Fencing, membership and registration pages, and a summary of the 2025-26 Athlete Handbook parafencing chapter. Each source carries its public URL and retrieval date so the agent can cite them.



Insight dashboard from the demo video, built from anonymous Agent Interaction records: what families ask for, where escalations happen, where no para-listed club is nearby.

7. MCP server and the ChatGPT app

Tool	What it does
<code>start</code>	Opens a session with the Agent API and returns an opaque, caller-bound conversation handle. Tool arguments cannot select users, agents, orgs, raw Salesforce sessions, actions, SOQL or agent variables.
<code>ask</code>	Sends one message on a handle and returns the agent's text with its cited sources. Messages are serialized per session, upstream errors are sanitized, nothing is retried automatically, and only the agent's Inform text is projected back.
<code>end</code>	Closes the session and releases the handle.
<code>show_visit_planner</code>	Renders the interactive first-visit card from the latest guidance snapshot: a compact club card (name, location, website, one visible "needs confirmation" note), selectable preparation topics, a checklist, a one-question-at-a-time mode and a copyable contact draft. The controls run locally in the card; they make no further model calls and write nothing to Salesforce.

The app card is an enhancement, not a requirement: every tool returns plain text with source titles, domains and dates, so a screen-reader user or a text-only client gets the same content. The server runs against a mock profile with no credentials for local tests (64 passing integration and UI-contract tests at the September 7 checkpoint) and against the live Salesforce-backed profile through a private tunnel for the ChatGPT demo. The code, tests and checkpoint evidence are in the repository under `mcp-server/`.

8. Accessibility


We ran the Accessibility Expert Skill against the agent's conversational output and the app card, and treated the run as a design review. Fixed: wall-of-text answers (now short paragraphs, numbered next steps, one next step at the end); several questions in one turn (now one at a time, only when needed); bare URLs (now title, domain and date with the public URL); color-only status cues on the card (now text labels, contrast checked in light and dark); keyboard and focus order on the card (now fully operable with visible focus); handbook phrasing (simplified, and "trying a lesson" is kept distinct from "competing in a sanctioned event"). Kept on purpose: official names such as National Medical Diagnostic Form, explained in plain words the first time, and the season caveats, shortened and moved next to the fact they qualify. Deferred and documented: a full WCAG 2.1 AA audit of the ChatGPT host, and live screen-reader testing of the Service Console screen staff use.

The prototype page in this package is keyboard operable, announces new replies through a live region, has a skip link, visible focus, text labels for every status, and honors reduced-motion preferences. The demo video has burned-in captions and an SRT track, and the narration describes what is on screen.

9. Responsible AI

The RAI Self Check found five things worth changing. The agent implied eligibility from an age; it now begins any eligibility question by saying it cannot make that determination, explains who decides and refers on, and a later disclaimer never repairs an earlier decision. Disability questions were being treated as sensitive content and declined; the router now states they are in scope. Stale rules were presented as current; the agent now names the season a summary describes and omits historical thresholds unless asked. "No data" read as "not accessible"; missing accessibility data now means unknown. Data minimization is explicit: the agent asks only for interests, experience, broad location, age band and self-selected access preferences, and lists exactly what will be saved before creating a support request.

Transparency: the agent identifies itself as AI and a hackathon prototype, cites source title, URL and date for every factual claim, labels synthetic programs as demo data, and never claims a Case or a handoff unless an action confirmed it. Fairness across languages: Spanish answers preserve names, numbers, caveats and citations, disclose translation limits, and offer the source language when a reliable translation is not available. Accountability: every session is traced in Agentforce Builder, and every knowledge answer carries an output evaluation.



Builder trace for the Spanish turn: 7.84 s end to end; input 27 ms; subagent selection 96 ms; reasoning 3.94 s.

10. Testing and observability

We measure five kinds of error: routing (wrong subagent), grounding (a claim that cannot be traced to a retrieved source), policy (an eligibility or medical determination, a request for a diagnosis or document, a promised accommodation or match), stale fact (a dated rule presented as current), and format (an answer a screen-reader user cannot navigate).

Build-time baseline from the live-test runs across all subagents in English and Spanish: routing correct on every scenario except two mixed age-plus-registration questions, fixed with an explicit router rule and re-tested; policy errors at zero on the test set after the instruction rewrite; knowledge answers on para-fencing, classification, myths and registration evaluated as GROUNDED with three sources per answer and 8 to 12 seconds end to end; two stale-fact answers before the fix and none after; format errors at zero once the one-question and numbered-next-steps rules were in place. The test set is small and hand-written; these are baselines, not production claims.

Targets we hold ourselves to: zero policy errors (a P1 that blocks release); escalation offered on 100% of classification, medical, safeguarding and safety intents; grounded on at least 97% of knowledge answers with a source on every one; routing accuracy of 98% or better on a regression set with adversarial phrasings; zero stale facts on dated rules; Spanish within two points of English; median response under 12 seconds. Kept there by anonymous Agent Interaction records, a weekly regression run in Testing Center, and staff review of a sample of escalated conversations.

11. How to verify

- **Prototype page** (<https://orgfarm-4d89d5ac56.my.salesforce-sites.com/fencingforall>): replays the recorded journey in a ChatGPT-style app, with the subagent, action, latency and output evaluation for every turn, the consent step, and the resulting Case. Works with keyboard and screen reader.
- **Live agent**: in the prototype org, open Agentforce Builder, Sport Compass, Version 1, Preview, Live Test. Ask "My daughter is 12 and uses a wheelchair. She wants to try fencing near Salt Lake City. Is that even possible?" Expect a sourced answer with the club finder and the Para filter, no eligibility decision, and one next step. Ask "Who decides if she can compete?" Expect "I cannot decide" and the classification page plus information@usafencing.org. Ask "We live near Salt Lake City, ZIP 84101, find a beginner para-fencing program for a 12-year-old who uses a wheelchair." Expect two synthetic programs labeled as demo data. Ask for a person to follow up, say yes, read the summary of what will be saved, say yes again. Expect a Case number. Open the Trace panel for the spans and the evaluation.
- **Case record**: Case 00001010 (ID 500gL00001WYjvpQAD) in the org, owned by the Sport Compass Support queue, with no personal data.
- **Video**: the demo shows the same journey, in English and Spanish, with the architecture, findings, trace and insights.

12. Sports for All: the second sport

A second governing body configures rather than rebuilds. A sport pack holds the Sport row (name, official finder URL, escalation routes, safeguarding route, disclaimers), the Data Library sources for that sport, the Program and Organization rows or their ingestion, the allowed support reasons, and the language settings. The router, the subagents' behavior rules, the consent flow, the Case queue pattern and the Agent Interaction records stay the same. The demo shows para swimming and sled hockey as the next candidates.

SPORT PACKS · CONFIGURE, DON'T REBUILD

Same agent. Same data model. Same guardrails.
Each national governing body brings its own rules, clubs, events, classification pathways and accommodations.

Sport Pack	Status	Details
Parafencing	ACTIVE	USA Fencing · reference implementation
Para swimming	SPORT PACK	classification · pool access · lane assist
Sled hockey	SPORT PACK	rink access · sled loaners · winter NGB

Sport packs: same agent, same data model, same guardrails; each governing body brings its own rules, clubs, events, classification pathways and accommodations.

13. Known limitations and next steps

- Program and organization data are synthetic and labeled as such; a production deployment would ingest USA Fencing's club directory and program listings and keep the "unknown" state for missing accessibility data.
- The classification summary in the Data Library describes the 2025-26 season; the agent says so, and a production deployment would refresh sources on a schedule and record the source update date, not only the retrieval date.
- Latency is 8 to 12 seconds for grounded answers. Model right-sizing per subagent (a smaller model for routing and translation) and caching frequently retrieved passages are the planned reductions.

- Staff-side screens (the Case in Service Console) have not had live screen-reader testing yet.
- The ChatGPT host controls focus management around streaming text; we documented which behaviors depend on the host so USA Fencing can evaluate other channels.

14. Sources

USA Fencing public pages, retrieved September 6, 2026: Parafencing 101 (usafencing.org/parafencing-101); Parafencing Myths (usafencing.org/parafencing-myths); Parafencing Club Locations (usafencing.org/parafencing-clubs); Parafencing Classification (usafencing.org/parafencing-classification); Try Fencing (usafencing.org/try); club finder (member.usafencing.org/clubs); USA Fencing Athlete Handbook 2025-26, Chapter 12 Parafencing. Salesforce: Agentforce Builder, Agent Script, Agent API, Data Cloud, Data Library, Testing Center. Not affiliated with or endorsed by USA Fencing or Salesforce.