Table of Contents

- Flavors of Java Concurrency
- Resilience is by design
- Java Concurrency Under the Hood
- Getting Started with Minecraft Modding
- Value in Relationships – How Graphs make databases fun again
- So why would I use a distributed database like Apache Cassandra?
- Live From Devoxx UK Hackergarten: From vJUG virtuality to Devoxx UK real
- Live From Devoxx UK: Apache TomEE from Dev to Ops
- State of the art data access with Spring Data
- Gradle: hot or not?
- Java byte code in practice
- Effective IDE Usage
- Building “Bootiful” Microservices with Spring Cloud
- Architecting Large Enterprise Java Projects
- JavaLand Session: How is Java/JVM built?
- JavaLand Session: What’s coming in Java.Next?
- Building Modular Java Applications in the Cloud
- Java Memory Model Pragmatics
- The Live Reflection Madness
- Package your Java EE application using Docker and Kubernetes
- jOOQ: Get Back in Control of Your SQL
- Java and the Wave Glider, by James Gosling
- Scala for Java Developers
- Kotlin for Java Developers
- Ceylon for Java Developers
- Groovy for Java Developers
- Building the Internet of Things with Java
- Reactive Programming: Creating highly responsive applications
- Shaping Java’s future & vJUG party!
- HTML5, AngularJS, Groovy, Java and MongoDB all together – what could go wrong?
- Opinionated JavaFX 8
- 3 years of backend testing at Shazam [the stuff we got wrong]
- Pragmatic Functional Refactoring with Java 8
- Highly Strung: Understanding your Type System
- Testing and Refactoring Legacy Code
- vJUG panel: Review of 2164 Survey Responses on Java Tools and Technology
- Java Classloaders: The good, the bad and the WTF.
- vJUG Panel: What do the Oracle/Google shenanigans mean to the Java Developer?
- Netty – The async event-driven network application framework
- Evolving code without breaking compatibility
- Building Bootiful Applications with Spring Boot
- Java 8 Parallel Streams Workshop
- Project Lambda: Functional Prog. Constructs and Simpler Concurrency in Java SE 8
- WebSocket Applications using Java EE 7
- Comparing JVM Web Frameworks
- 55 New Features in Java SE 8
- How To Do Kick-Ass Software Development
- Getting started with Java EE 7
- Don’t be that guy! Developer Security Awareness
- Drive-by Contributions
- Design is a Process, not a Document

Flavors of Java Concurrency



Writing concurrent code that is also correct is unbelievably hard. Naturally, humanity has developed a number of approaches to handle concurrency in the code, starting from basic threads that follow the hardware way to do concurrency to higher level primitives like fibers and work-stealing solutions. But which approach is the best for you?

http://virtualjug.com/?p=1827

Resilience is by design

Resilience; most developers understand what the word means, at least superficially, but way too many lack a deeper understanding of what it really means in the context of the system that they are working on now. I find it really sad to see, since understanding and managing failure is more important today than ever. Outages are incredibly costly—for many definitions of cost—and can sometimes take down whole businesses. In this talk we will explore the essence of resilience. What does it really mean? What is its mechanics and characterizing traits? How do other sciences and industries manage it? We will see that everything hints at the same conclusion; there is no “happy path”, failure is an option and resilience is by design. In this talk we will explore how.

http://virtualjug.com/?p=1807

Java Concurrency Under the Hood



In this age when parallelism matters, being able to write proper concurrent code is paramount. While Java hides lots of implementation details by its ‘Write Once, Run Anywhere’ motto, all abstractions will eventually leak. When they do, you will have to go deeper and see how that thing actually works.

VJUG

http://virtualjug.com/?p=1799

Getting Started with Minecraft Modding



Press 'E' to open your inventory.

Potato

<Player84> potato

Example 4. Main file after registering Chat Items

In this session, we’ll show parents and kids how to get started building Minecraft mods with Minecraft Forge. We’ll show you how to setup your computer with little fuss, as well as walk you through the process of creating your first mod. You’ll also learn essential Java programming skills. If you’re a kid searching for new ways to have fun with the game, or a parent looking to nurture your kids’ creativity through code, you won’t want to miss this exciting, hands-on tutorial.

http://virtualjug.com/?p=1794

Value in Relationships – How Graphs make databases fun again



Looking at the world around us – society, social, science, economy and tech we can't see any isolated pieces of information. Instead everything is densely connected and a lot of the valuable information lives in the relationships between your entities.In the past and present databases always had a hard time to manage highly connected and semi-structured information in an efficient manner.

VJUG

http://virtualjug.com/?p=1745

So why would I use a distributed database like Apache Cassandra?



A new “database” seems to appear every other week. Most of them are “NoSQL” so they must be cool. All these new tools make it really hard for developers to cut through the fluff and know which type of data store to use and why.

http://virtualjug.com/?p=1716

Live From Devoxx UK Hackergarten: From vJUG virtuality to Devoxx UK real



One dev: Did you know what happened at a recent Java conference few months ago ?

VJUG

http://virtualjug.com/?p=1714

Live From Devoxx UK: Apache TomEE from Dev to Ops


Terminal Shell Edit View Window Help
Thu 7:33 PM David Blevins
dev2ops — dblevins@bear:~ — curl — 90×24
dev2ops
dblevins@bear:~ — curl
sabot

```
lue","r":0}}orange{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b":255,
me":"blue","r":0}}orange{"color":{"b":255,"g":0,"name":"blue","r":0}}orange{"color":{"b":2
55,"g":0,"name":"blue","r":0}}{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b":2
55,"g":0,"name":"blue","r":0}}orange{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":
{"b":255,"g":0,"name":"blue","r":0}}orange{"color":{"b":255,"g":0,"name":"blue","r":0}}{"c
olor":{"b":255,"g":0,"name":"blue","r":0}}orange{"color":{"b":255,"g":0,"name":"blue","r":
0}}orange{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b":255,"g":0,"name":"blue
","r":0}}{"color":{"b":255,"g":0,"name":"blue","r":0}}orangeorange{"color":{"b":255,"g":0,
"name":"blue","r":0}}{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b":255,"g":0,
"name":"blue","r":0}}{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b":255,"g":0,
"name":"blue","r":0}}orangeorange{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b
":255,"g":0,"name":"blue","r":0}}{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b
":255,"g":0,"name":"blue","r":0}}orange{"color":{"b":255,"g":0,"name":"blue","r":0}}orange
{"color":{"b":255,"g":0,"name":"blue","r":0}}orange{"color":{"b":255,"g":0,"name":"blue","
r":0}}{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b":255,"g":0,"name":"blue","
r":0}}orange{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b":255,"g":0,"name":"b
lue","r":0}}orange{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b":255,"g":0,"na
me":"blue","r":0}}orange{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b":255,"g"
:0,"name":"blue","r":0}}orange{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b":2
55,"g":0,"name":"blue","r":0}}orange{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":
{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":
{"b":255,"g":0,"name":"blue","r":0}}orangeorange{"color":{"b":255,"g":0,"name":"blue","r":
0}}orange{"color":{"b":255,"g":0,"name":"blue","r":0}}{"color":{"b":255,"g":0,"name":"blue
","r":0}}
```

Apache TomEE is the Java EE distribution of Apache Tomcat. This live vJUG session goes beyond the basics and explores some fun features both TomEE-specific and JavaEE-portable for supercharging your application development, runtime and maintenance. Have a huge pile of DAOs? Use TomEE’s abstract bean concept. Need to configure your application for many different environments? CDI and portable-extensions to the rescue. Want to create secured microservice distributions without any fuss? Nothing beats the TomEE Maven Plugin. Looking for a way to get detailed stats from your code? Hello annotation-driven monitoring support. Ever wish you could make your own management API? Check out the portable SSH Connector.The perfect session for any TomEE or Java EE enthusiast looking for cool toys for both developer and operations bliss.

http://virtualjug.com/?p=1711

State of the art data access with Spring Data



```
@Autowired CustomerRepository customers;

Customer dave, carter, leroi;
Address davesAddress, cartersAddress, leroisAddress;

@Before
public void setUp() {

  dave = new Customer("Dave", "Matthews");
  dave.setAddress(new Address("street", "zipCode", "city"));

  carter = new Customer("Carter", "Beauford");
  carter.setAddress(new Address("street", "zipCode", "city"));

  leroi = new Customer("Leroi", "Moore");
  leroi.setAddress(new Address("street", "anotherZipCode", "city"));
}

@Test
public void storesCustomer() {
```

Even with the invention of JPA, implementing data-access layers in Java has been a tedious job for developers, often resulting in a lot of boilerplate code. Spring Data is an umbrella project that provides a convenient and consistent interface-based programming model to implement repositories. It can be used on top of JPA as well as NoSQL stores like MongoDB and Neo4j.

http://virtualjug.com/?p=1709

Gradle: hot or not?

Maven has been the preferred build tool of many Java based projects for years however times are a-changing, there’s a new build tool in town and it promises to speed up build times, deliver build consistency, easier CI setup, extensibility and more. This tool is Gradle. Prominent open source projects have switched to Gradle already; organizations around the world are evaluating it too or made the switch already. So what makes Gradle tick? Join us to figure out the details! After all, it’s not a “should I change to Gradle” question, rather “_when_ should I change to Gradle”.

VJUG

http://virtualjug.com/?p=1704

Java byte code in practice



INVOKESTATIC *pkg/Bar foo ()V*
Invokes a static method.

INVOKEVIRTUAL *pkg/Bar foo ()V*
Invokes the most-specific version of an inherited method on a non-interface class.

INVOKESPECIAL *pkg/Bar foo ()V*
Invokes a super class's version of an inherited method.
Invokes a "constructor method".
Invokes a private method.
Invokes an interface default method (Java 8).

INVOKEINTERFACE *pkg/Bar foo ()V*
Invokes an interface method.
(Similar to INVOKEVIRTUAL but without virtual method table index optimization.)

INVOKEDYNAMIC *foo ()V bootstrap*
Queries the given *bootstrap method* for locating a method implementation at runtime.
(`MethodHandle`: Combines a specific method and an `INVOKE*` instruction.)

At first glance, Java byte code can appear to be some low level magic that is both hard to understand and effectively irrelevant to application developers. However, neither is true. With only little practice, Java byte code becomes easy to read and can give true insights into the functioning of a Java program. In this talk, we will cast light on compiled Java code and its interplay with the Java virtual machine. In the process, we will look into the evolution of byte code over the recent major releases with features such as dynamic method invocation which is the basis to Java 8 lambda expressions. Finally, we will learn about tools for the run time generation of Java classes and how these tools are used to build modern frameworks and libraries. Among those tools, I present Byte Buddy, an open source tool of my own efforts and an attempt to considerably simplify run time code generation in Java. (http://bytebuddy.net)

http://virtualjug.com/?p=1673

Effective IDE Usage



```
        System.out.println(str);
    }

    // TODO 1234 some error with Color Convert
    public static void createDemoFrame(Surface surface
        final DemoPanel dp = new DemoPanel(surface);
        Frame f = new Frame("Java2D Demo - " + surface
        f.addWindowListener(new WindowAdapter() {
            public void windowClosing(WindowEvent e) {
                System.exit(0);
            }

            public void windowDeiconified(WindowEvent
                dp.start();
            }

            public void windowIconified(WindowEvent e)
```

No consoles to display at this time.

You don’t want your IDE to propose java.awt.List as import when you need java.util.List? This talk will show you how to get rid of the proposal and how to use your IDE effectively to concentrate on your work.

http://virtualjug.com/?p=1658

Building "Bootiful" Microservices with Spring Cloud



We get it already! Microservices help you build smaller, singly-focused services, quicker. They scale out. They're more agile because individual teams can deliver them at their own pace. They work well in the cloud because they're smaller, and benefit from elastic, horizontal scaling. But what about the complexity? There's a cost associated with adding services and coordinating the interactions between them. In this talk, we'll look at Spring Cloud, which builds atop Spring Boot and the Netflix OSS stack, and see how it lets you easily integrate service-discovery, security, reliability patterns like the circuit breaker, and centralized and journaled property configuration (and more) to build resilient microservices that scale.

http://virtualjug.com/?p=1552

Architecting Large Enterprise Java Projects



In the past I've been building component oriented applications with what I had at hand. Mostly driven by the features available in the Java EE standard to be "portable" and easy to use. Looking back this has been a perfect fit for many customers and applications. With an increasing demand for highly integrated applications which use already available services and processes from all over the place (departmental, central or even cloud services) this approach starts to feel more and more outdated. And this feel does not come from a technology perspective but from all the requirements around it. Having this in mind this post is the starting point of a series of how-to's and short tutorials which aim to showcase some more diverse ways of building (Java EE) applications that fit better into today's requirements and landscapes.

http://virtualjug.com/?p=1546

JavaLand Session: How is Java/JVM built?


satyasai@satyasai: ~/sources/jdk9/buil...
satyasai@satyasai: ~/sources/jdk9
tree -fiL 5 java.base/share/class
24 Mar 15:18:56
I AM A NIGHTHACKER
NIGHTHACKING.COM
Java
1995–2015
20 YEARS
www.javaland.eu

```
    ├── java.base/share/classes/java/util/function/IntToDoubleFunction.java
    ├── java.base/share/classes/java/util/function/IntToLongFunction.java
    ├── java.base/share/classes/java/util/function/IntUnaryOperator.java
    ├── java.base/share/classes/java/util/function/LongBinaryOperator.java
    ├── java.base/share/classes/java/util/function/LongConsumer.java
    ├── java.base/share/classes/java/util/function/LongFunction.java
    ├── java.base/share/classes/java/util/function/LongPredicate.java
    ├── java.base/share/classes/java/util/function/LongSupplier.java
    ├── java.base/share/classes/java/util/function/LongToDoubleFunction.java
    ├── java.base/share/classes/java/util/function/LongToIntFunction.java
    ├── java.base/share/classes/java/util/function/LongUnaryOperator.java
    ├── java.base/share/classes/java/util/function/ObjDoubleConsumer.java
    ├── java.base/share/classes/java/util/function/ObjIntConsumer.java
    ├── java.base/share/classes/java/util/function/ObjLongConsumer.java
    ├── java.base/share/classes/java/util/function/package-info.java
    ├── java.base/share/classes/java/util/function/Predicate.java
    ├── java.base/share/classes/java/util/function/Supplier.java
    ├── java.base/share/classes/java/util/function/ToDoubleBiFunction.java
    ├── java.base/share/classes/java/util/function/ToDoubleFunction.java
    ├── java.base/share/classes/java/util/function/ToIntBiFunction.java
    ├── java.base/share/classes/java/util/function/ToIntFunction.java
    ├── java.base/share/classes/java/util/function/ToLongBiFunction.java
    ├── java.base/share/classes/java/util/function/ToLongFunction.java
    └── java.base/share/classes/java/util/function/UnaryOperator.java
├── java.base/share/classes/java/util/GregorianCalendar.java
├── java.base/share/classes/java/util/HashMap.java
├── java.base/share/classes/java/util/HashSet.java
├── java.base/share/classes/java/util/Hashtable.java
├── java.base/share/classes/java/util/IdentityHashMap.java
├── java.base/share/classes/java/util/IllegalFormatCodePointException.java
├── java.base/share/classes/java/util/IllegalFormatConversionException.java
├── java.base/share/classes/java/util/IllegalFormatException.java
├── java.base/share/classes/java/util/IllegalFormatFlagsException.java
├── java.base/share/classes/java/util/IllegalFormatPrecisionException.java
├── java.base/share/classes/java/util/IllegalFormatWidthException.java
├── java.base/share/classes/java/util/IllformedLocaleException.java
├── java.base/share/classes/java/util/InputMismatchException.java
├── java.base/share/classes/java/util/IntSummaryStatistics.java
├── java.base/share/classes/java/util/
--More--
```

Mr Webber developer and **Ms Janet Java developer** are both developers who are interested in broadening their know-how of the Java platform. **Mr Webber developer** shares with **Ms Janet Java developer** conservations about Javaland, vJUG, Nighthacking and Adopt OpenJDK – a preview of their conversation.

http://virtualjug.com/?p=1533

JavaLand Session: What's coming in Java.Next?


NightHacking from JavaLand
Adopt a JSR vJUG
Simon, Heather, Andres, Ed, Anatole
Java 20 YEARS

Stage
by Committee
List of All JSRs

My JCP

User ID: username
Password:

Register for Site
Having problems logging in?

JCP Info

About JCP
Get Involved
Community Resources

The materials on this page are provided by the Spec Lead of this JSR for ev
These materials are not final, and are subject to change as the JSR progress

Planning and Timeline

- Final Release is targeted until end of March 2015.
- Proposed Final Draft (version 1.0-RC3) has been sent to PMO at beginning of March 2015
- Did smaller bugfix and enhancements versions, based on user feedback (versions 0.9, 1.0-RC1, 1.0-RC2).

If you any questions just drop a mail on the JSR's public mailing list jcurrency_mail@javamoney.java.net or the spec lead atsticks@java.net.

JSR Resources

- Project Wiki: http://java.net/projects/javamoney/
- Public Mailing List: jcurrency_mail@javamoney.java.net
- Discussions Archive: https://java.net/projects/javamoney/lists/jcurrency_mail/archive
- Source Code Repository: https://github.com/JavaMoney/javamoney
- ue Tracker:

This session will take place live from the Javaland conference in Germany on the Nighthacking stage! Learn from **Heather VanCura** how you can take part in Java technology by Adopting a JSR. This session give a brief overview of the Adopt-a-JSR program and how to participate through the Virtual JUG. We will meet and discuss with three current JCP Spec Leads to find out how their JSRs could benefit from vJUG Adopt-a-JSR participation.

vJUG

http://virtualjug.com/?p=1532

Building Modular Java Applications in the Cloud



```
gin:\
aQute.bnd.deployer.repository.LocalIndexedRepo; name=Release;
aQute.bnd.deployer.repository.LocalIndexedRepo; name=Local;
aQute.bnd.deployer.repository.FixedIndexedRepo; name=Bndtools Hub;
aQute.bnd.deployer.repository.FixedIndexedRepo; name=Amdatu Depend
aQute.bnd.deployer.repository.FixedIndexedRepo; name=Amdatu Snapsh
aQute.bnd.deployer.repository.FixedIndexedRepo; name=Amdatu Releas
aQute.lib.deployer.FileRepo;                    name=Build;

easerepo: Release
```

Modularity is an architectural theme that you'll hear about more and more. Being able to deal with change in a codebase is not something trivial and requires some serious thought. In this talk I will show you that it is actually pretty easy to achieve a modular architecture using OSGi, and the right set of tools. Of course everything will be demonstrated using live coding!

http://virtualjug.com/?p=1436

Java Memory Model Pragmatics


SC-DRF: Roach Motel

One interpretation of the model allows for a simple class of optimizations, «Roach Motel»

Slide 69/116. Copyright © 2014, Oracle and/or its affiliates. All rights reserved.

The Java Memory Model is the most complicated part of Java spec that must be understood by at least library and runtime developers. Unfortunately, it is worded in such a way that it takes a few senior guys to decipher it for each other.

http://virtualjug.com/?p=1388

The Live Reflection Madness

Heinz likes to compare reflection to opium. Not the perfume. The drug. In this live coding session, he will start by showing some of the powerful features available to us in Java.

http://virtualjug.com/?p=1347

Package your Java EE application using Docker and Kubernetes



Docker simplifies software delivery by making it easy to build and share images that contain your application's operating system. It packages your application and infrastructure together, managed as one component.

http://virtualjug.com/?p=1343

jOOQ: Get Back in Control of Your SQL



NoSQL? No, SQL!

A history of databases in No-tation

1970: NoSQL = We have no SQL

1980: NoSQL = Know SQL

2000: NoSQL = No SQL!

2005: NoSQL = Not only SQL

2013: NoSQL = No, SQL!

(R)DB(MS)

Seen at the O'Reilly Strata Conf:
History of NoSQL by Mark Madsen. Picture published by Edd Dumbill

Copyright (c) 2009-2014 by Data Geekery GmbH. Slides licensed under CC BY SA 3.0

SQL is a powerful and highly expressive language for queries against relational databases. SQL is established, standardised and hardly challenged by alternative querying languages.

http://virtualjug.com/?p=1337

Java and the Wave Glider, by James Gosling

IRC logs be be found here.

http://virtualjug.com/?p=1325

Scala for Java Developers



```
scala> List(1,2,3)
res3: List[Int] = List(1, 2, 3)

scala> List.apply(1,2,3)
res4: List[Int] = List(1, 2, 3)

scala> :quit
(trusty)dick@localhost:~/dev/Scala/Demo$ vi OptionDemo.scala
(trusty)dick@localhost:~/dev/Scala/Demo$ scala
Welcome to Scala version 2.11.4 (Java HotSpot(TM) 64-Bit Server VM, Java 1.7.0_7
2).
Type in expressions to have them evaluated.
Type :help for more information.

scala> :load OptionDemo.scala
Loading OptionDemo.scala...
o1: Option[Int] = Some(6)
o2: Option[Int] = Some(7)
o3: Option[Int] = None
r1: Option[Int] = Some(42)
r2: Option[Int] = None
r3: Option[Int] = None
r4: Option[Int] = Some(42)

scala> 
```

– What are the major advantages/features Scala provides
– Why should someone move from Java to Scala
– What is the future direction of Scala

http://virtualjug.com/?p=1302

Kotlin for Java Developers



```
package kotlin.properties

public trait ReadOnlyProperty<in R, out T> {
    public fun get(thisRef: R, desc: PropertyMetadata): T
}

public trait ReadWriteProperty<in R, T> {
    public fun get(thisRef: R, desc: PropertyMetadata): T
    public fun set(thisRef: R, desc: PropertyMetadata, value: T)
}

public object Delegates {
    public fun notNull<T: Any>(): ReadWriteProperty<Any?, T> = NotNullVar()

    public fun lazy<T>(initializer: () -> T): ReadOnlyProperty<Any?, T> = LazyVal(initializer)
    public fun blockingLazy<T>(lock: Any? = null, initializer: () -> T): ReadOnlyProperty<Any?, T>

    public fun observable<T>(initial: T, onChange: (desc: PropertyMetadata, oldValue: T, newValue:
        return ObservableProperty<T>(initial) { (desc, old, new) ->
            onChange(desc, old, new)
```

```
/Library/Java/JavaVirtualMachines/jdk1.8.0.jdk/Contents/Home/bin/java ...
CustomerKotlin(name=Joe, email=joe@gmail.com, country=Spain)
The same

Process finished with exit code 0
```

IntelliJ IDEA File Edit View Navigate Code Analyze Refactor Build Run Tools VCS Window Help
11 Dec 18:41 Hadi Hariri
properties/Delegation.kt - [KotlinJavaRuntime] - demos - [~/Dropbox/Presentations/kotlin/code/vjug]
demo.customersKotlin.CustomersKotlinPackage
Delegation.kt
vjug [demos]
.idea
lib
out
src
Collections.kt
Conventions.kt
Customer
CustomerKotlin.kt
DelegatedProperties.kt
Delegation.kt
Enums.kt
Exceptions.kt
Extensions.kt
Invokes.kt
Iteration.kt
Lambdas.kt
LotOfFunctions.kt
LotsOfFunctions
Nulls.kt
Run demo.customersKotlin.CustomersKotlinPackage
Navigate → Declaration via ⌘B (Ctrl+B for Win/Linux)
4 files committed: Code Ready (7 minutes ago)
7:14 LF UTF-8 Git: master

– What are the major advantages/features Kotlin provides
– Why should someone move from Java to Kotlin
– What is the future direction of Kotlin

VJUG

http://virtualjug.com/?p=1297

Ceylon for Java Developers



– What are the major advantages/features Ceylon provides
– Why should someone move from Java to Ceylon
– What is the future direction of Ceylon

http://virtualjug.com/?p=1294

Groovy for Java Developers



Closures — Closures vs Java 8 lambdas?

```
IntStream.range(1, 100).forEach(s -> System.out.println(s));

Files.lines(Paths.get('README.adoc'))
     .map(it -> it.toUpperCase())
     .forEach(it -> System.out.println(
```

```
IntStream.range(1, 100).forEach { println it }

Files.lines(Paths.get('README.adoc'))
     .map { it.toUpperCase() }
     .forEach { println it }
```

Speaker: Guillaume Laforge

http://virtualjug.com/?p=1288

Building the Internet of Things with Java



It may seem hard to get started with the Internet of Things (IoT) with so many technologies, protocols, hardware platforms, involved. In this session, Benjamin Cabé from the Eclipse Foundation will cover all you need to know

http://virtualjug.com/?p=1195

Reactive Programming: Creating highly responsive applications



```
✓let's query for a stock price
✓issues

Exercise 2:
✓An observable stream of data

Exercise 3:
✓Unsubscribing

Exercise 4:
✓Handle failure
-What happens on error
-options:
  -onErrorResumeNext

Exercise 5:
-skip, take select values

Exercise 6:
-asynchronous clients
  - subscribeOn
```

Reactive Programming in gaining a lot of attention recently, but what is it? It is a culmination of a lot of good ideas developed over the years, but brought together by the forces of recent developments

http://virtualjug.com/?p=1193

Shaping Java’s future & vJUG party!



Shaping Java’s future & vJUG party!

http://virtualjug.com/?p=1191

HTML5, AngularJS, Groovy, Java and MongoDB all together – what could go wrong?



```
<!DOCTYPE html
<html lang="e
<head>
    <title>Tr
    <link rel
    <meta nam
</head>
<body>
<div ng-contr
    <div clas
        <label
        <sele
    </div>
    <div clas
        <label
        <sele
    </div>
    <div clas
        <label
        <input
    </div>

</div>

<script type="
<script type="
</body>
</html>
```

```
rm-control"></select>
```

localhost:8080/coffee.html

6 requests | 146KB transferred | 360 ms (load: 255 ms, DOMContentLoaded: 255 ms)

Model: Google Nexus 5
Resolution: 360 × 640
Device pixel ratio: 3
☑ Emulate mobile
☑ Enable text autosizing
☑ Shrink to fit

Compilation completed successfully in 4 sec (moments ago)

Chrome File Edit View History Bookmarks Window Help
Trisha's Awesome Web Ap
Drink
Size
Your name
Elements Network Sources Timeline Profiles Resources Audits Console
Preserve log
Disable cache
Console Search Emulation Rendering
Device
Media
Network
Sensors
Reset
Run TODO CheckStyle Terminal Version Control Changes Java Enterprise
Event Log
Trisha

Speaker: Trisha Gee

http://virtualjug.com/?p=1188

Opinionated JavaFX 8



```
---
[INFO] Using following parameters for creating project from Archetype: igniter:1
.9.2
[INFO] ----------
---
[INFO] Parameter: g
[INFO] Parameter: a
[INFO] Parameter: v
[INFO] Parameter: p
[INFO] Parameter: p
[INFO] Parameter: p
[INFO] Parameter: v
[INFO] Parameter: g
[INFO] Parameter: a
[INFO] project crea                                              kspaces/junk/
newesthack
[INFO] ------------------------------------------------------------------------
[INFO] BUILD SUCCESS
[INFO] ------------------------------------------------------------------------
[INFO] Total time: 24.904 s
[INFO] Finished at: 2014-08-27T18:52:02+01:00
[INFO] Final Memory: 12M/305M
[INFO] ------------------------------------------------------------------------
→ junk
```

Speaker: Adam Bien

http://virtualjug.com/?p=1157

3 years of backend testing at Shazam [the stuff we got wrong]


Google+
I had a problem so I thought to use Java
Now I have a ProblemFactory

Speaker: Colin Vipurs

http://virtualjug.com/?p=1155

Pragmatic Functional Refactoring with Java 8

Scenario: be able to link together train journeys to form longer journeys.

Speakers: Richard Warburton & Raoul-Gabriel Urma

http://virtualjug.com/?p=1152

Highly Strung: Understanding your Type System


Archive
What If?
Blag
Store
About
xkcd
A webcomic of romance, sarcasm, math, and language.
I'm going on a book tour! Click here for a list of stops.
Or click anywhere—this whole image is one link because I've never gotten the hang of HTML imagemaps.
Exploits of a Mom
|< < Prev Random Next > >|
Hi, this is your son's school. We're having some computer trouble.
Oh, dear – did he break something?
In a way–
Did you really name your son Robert'); DROP TABLE Students;-- ?
Oh, yes. Little Bobby Tables, we call him.
Well, we've lost this year's student records. I hope you're happy.
And I hope you've learned to sanitize your database inputs.
Permanent link to this comic: http://xkcd.com/327/
Image URL (for hotlinking/embedding): http://imgs.xkcd.com/comics/exploits_of_a_mom.png

Highly Strung: Understanding your Type System

VJUG

http://virtualjug.com/?p=1121

Testing and Refactoring Legacy Code



```
Sandros-MacBook-Pro:trip-service-kata sandromancuso$ git st
 M java/trip-service-kata/src/main/java/org/craftedsw/tripservicekata/trip/TripService.java
 M java/trip-service-kata/src/test/java/org/craftedsw/tripservicekata/trip/TripServiceTest.java
Sandros-MacBook-Pro:trip-service-kata sandromancuso$ git cm "Unit tests created for TripService"
[vjug_test 9f444fa] Unit tests created for TripService
 2 files changed, 79 insertions(+), 2 deletions(-)
Sandros-MacBook-Pro:trip-service-kata sandromancuso$ git st
 M java/trip-service-kata/src/test/java/org/craftedsw/tripservicekata/trip/TripServiceTest.java
?? java/trip-service-kata/src/test/java/org/craftedsw/tripservicekata/trip/UserBuilder.java
Sandros-MacBook-Pro:trip-service-kata sandromancuso$ git add .
Sandros-MacBook-Pro:trip-service-kata sandromancuso$ git cm "UserBuilder cr
```

```java
    private class TestableTripService extends TripService {

        @Override
        protected User loggedInUser() {
            return loggedInUser;
        }
```

```java
    protected User loggedInUser() {
        return UserSession.getInstance().getLoggedUs
    }

}
```

1 test cases ran at 5:37:16 PM

Speaker: Sandro Mancuso

http://virtualjug.com/?p=993

vJUG panel: Review of 2164 Survey Responses on Java Tools and Technology



Speakers: Arun Gupta, Josh Long, Marcus Lagergren, Alex Snaps, David Blevins & Oliver White (Moderator). We look at the recent explosive publication of RebelLabs' "Java Tools and Technologies Landscape for 2014", a beautifully-designed, 56-page snapshot of what over 2000 Java developers from around the world are using in their daily development.

http://virtualjug.com/?p=938

Java Classloaders: The good, the bad and the WTF.



```
import java.io.IOException;

public class Test2 extends HttpServlet {
```

```
Simons-MacBook-Air:lib maples$ ls
cl-demo-jar.jar
Simons-MacBook-Air:lib maples$ jar -tvf cl-demo-jar.jar
    25 Tue Sep 08 10:10:00 BST 2009 META-INF/MANIFEST.MF
   240 Tue Sep 08 10:09:54 BST 2009 Util2.class
   345 Tue Sep 08 10:09:54 BST 2009 Util3.class
Simons-MacBook-Air:lib maples$ jar -xvf Util2.class cl-demo-jar.jar
java.io.FileNotFoundException: Util2.class (No such file or directory)
        at java.util.zip.ZipFile.open(Native Method)
        at java.util.zip.ZipFile.<init>(ZipFile.java:220)
        at java.util.zip.ZipFile.<init>(ZipFile.java:150)
        at java.util.zip.ZipFile.<init>(ZipFile.java:121)
        at sun.tools.jar.Main.extract(Main.java:956)
        at sun.tools.jar.Main.run(Main.java:303)
        at sun.tools.jar.Main.main(Main.java:1233)
Simons-MacBook-Air:lib maples$ jar -xvf cl-demo-jar.jar Util2.class
 inflated: Util2.class
Simons-MacBook-Air:lib maples$ ls
Util2.class     cl-demo-jar.jar
Simons-MacBook-Air:lib maples$ javap -private Util2
Compiled from "Util2.java"
public class Util2 {
  public Util2();
}
Simons-MacBook-Air:lib maples$
```

Speaker: Simon Maple.

http://virtualjug.com/?p=936

vJUG Panel: What do the Oracle/Google shenanigans mean to the Java Developer?



Speaker(s): Bruno Souza, Martijn Verburg and Hildeberto Mendonça, Lukas Eder & Michael Rice. (Moderated by Simon Maple)

http://virtualjug.com/?p=865

Netty – The async event-driven network application framework



Netty – The async event-driven network application framework

file:///Users/norman/Documents/workspace-intellij/blog.normanmaurer.me/.presentations/2014-vjug-netty/slides.html#28.0

EventLoop - Someone needs to do the heavy work

http://www.flickr.com/photos/stavos52093/9645884201/

Speaker: Norman Maurer.

http://virtualjug.com/?p=862

Evolving code without breaking compatibility


Even If You Follow All the Rules...
module B
Library 1.0
module A
CloudBees
©2013 CloudBees, Inc. All Rights Reserved
Kohsuke

Speaker: Kohsuke Kawaguchi

http://virtualjug.com/?p=159

Building Bootiful Applications with Spring Boot



```
@EnableResourceServer
protected static class ResourceServer extends ResourceServerConfigurerAdapter {

    @Override
    public void configure(HttpSecurity http) throws Exception {

        http
                .requestMatchers().antMatchers("/*", "/admin/beans").and()
                .authorizeRequests()
                .anyRequest().access("#oauth2.hasScope('read')");

    }

    @Override
    public void configure(OAuth2ResourceServerConfigurer resources) throws Exception {
        resources.resourceId(CRM_RESOURCE_ID);
    }

}

@Configuration
@EnableAuthorizationServer
protected static class OAuth2Config extends AuthorizationServerConfigurerAdapter {

    @Autowired
    private AuthenticationManager authenticationManager;

    @Override
    public void configure(OAuth2AuthorizationServerConfigurer oauthServer) throws Exception {
        oauthServer.authenticationManager(authenticationManager);
    }

    @Override
    public void configure(ClientDetailsServiceConfigurer clients) throws Exception {
```

Speaker: Josh Long

http://virtualjug.com/?p=157

Java 8 Parallel Streams Workshop



```java
public class Workshop {
    static List<String> strings = Arrays.asList("alfa", "bravo", "charlie",
        "delta", "echo", "foxtrot", "golf", "hotel", "india", "juliet");
    public static final long LIMIT = 100_000_000L;

    public static void main(String[] args) {
        List<Integer> list1 = Collections.synchronizedList(new ArrayList<>());
        List<Integer> list2 =
            IntStream.range(0, 20)
                     .parallel()
                     .boxed()
                     .peek(i -> list1.add(i))
                     .collect(toList());
        System.out.println(list1);
        System.out.println(list2);
    }
```

```
run:
[5, 6, 8, 9, 7, 2, 3, 4, 0, 1, 17, 18, 19, 15, 16, 10, 11, 13, 14, 12]
[0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19]
BUILD SUCCESSFUL (total time: 2 seconds)
```

Speaker: Stuart Marks.

http://virtualjug.com/?p=155

Project Lambda: Functional Prog. Constructs and Simpler Concurrency in Java SE 8



Internal Iteration With Lambdas

```
SomeList<Student> students = ...
double highestScore =
  students.stream()
          .filter(Student s -> s.getGradYear() == 2011)
          .map(Student s -> s.getScore())
          .max();
```

Google+
12 | Copyright © 2012, Oracle and/or its affiliates. All rights reserved. |
Java
ORACLE

Speaker: Simon Ritter.

http://virtualjug.com/?p=153

WebSocket Applications using Java EE 7



Speaker: Arun Gupta.

http://virtualjug.com/?p=151

Comparing JVM Web Frameworks

Google+
JavaScript MVC Frameworks
The Top 10 Javascript MV
codebrief.com/2012/01/the-top-10-javascript-mvc-frameworks-reviewed/
CodeBrief
Archives
Projects
RSS

The Top 10 Javascript MVC Frameworks Reviewed

Jan 13th, 2012

UPDATE 1/14/2012: *Added Batman.js and Angular.js due to popular demand and because they looked impressive.*

Over the last several months I have been in a constant search for the perfect javascript MVC framework. Driven by a dire need for the right level of abstraction and features, I have tried out - some more cursorily than others - every framework I could get my hands on. Here lies a brief synopsis of each framework. Lastly, I share the framework which I ultimately decided on.

Specifically, the following four features are very important to me:

- **UI Bindings** - I'm not just talking about templates, I'm talking about a declarative approach to automatically updating the view layer when the underlying model changes. Once you have used a framework (such as Flex) that supports UI bindings, you can never go back.
- **Composed Views** - Like all software developers, I enjoy creating modular reusable code.

About

This is the personal blog of Gordon L. Hempton: a hacker and self-proclaimed designer located in Seattle, WA. Co-Founder of GroupTalent.

Related Posts

- Ember.js Analytics Integration
- Hacking the CoffeeScript Redux Compiler
- Anatomy of an Ember.js App Part I Redux: Routing and Outlets
- The Twelve Hacker Archetypes
- Make the Most of Your Routes

© 2014 Raible Designs

43

Speaker: Matt Raible

http://virtualjug.com/?p=149

55 New Features in Java SE 8



Small Changes

- Microsoft Services For UNIX (MS-SFU) Kerberos 5 extensions
  - Enhanced Microsoft interoperability
- TLS Server Name Indication (SNI) extension
  - More flexible secure virtual hosting, virtual-machine infrastructure
- PKCS#11 crypto provider for 64-bit Windows
  - Allow use of widely available native libraries
- Stronger algorithms for password-based encryption
  - Researchers and hackers move on
- Overhaul JKS-JCEKS-PKCS12 keystores
  - Simplify interacting with Java SE keystores for cryptographic applications

33 | Copyright © 2012, Oracle and/or its affiliates. All rights reserved. |

Speaker: Simon Ritter

http://virtualjug.com/?p=147

How To Do Kick-Ass Software Development

Speaker: Sven Peters

http://virtualjug.com/?p=144

Getting started with Java EE 7



Google+

Java API for RESTful Web Services 2.0

Client API

Message Filters and Entity Interceptors

Asynchronous Processing – Server and Client

Common Configuration

19

Presenter: Arun Gupta.

http://virtualjug.com/?p=142

Don’t be that guy! Developer Security Awareness

Google+
getConnection
connection.create
ectSQL = "SELECT
statement.exec
26
M.Eisele - @myfear - http://blog.eisele.net
© msg Applied Technology Research, December 2013

Presenter(s): Markus Eisele.

http://virtualjug.com/?p=139

Drive-by Contributions


keep format of readme mo
GitHub Foundations
New File
GitHub, Inc. [US] https://github.com/brntbeer/toml-shell-generator/new/master

```
Copyright (c) [year] [fullname]

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
```

Commit summary: Create LICENSE.md

Presenter(s): Brent Beer & Matthew McCullough.

http://virtualjug.com/?p=137

Design is a Process, not a Document



```
> What do you want
  to do?
> _
```

Presenter(s): Trisha Gee.

http://virtualjug.com/?p=132