

CSM500 Project: Test Plan	Tester Willow P	Test Date Sept 13 2026
---------------------------	-----------------	------------------------

Reference Data

Nurse chath / nurse1 Admin lcuddy / admin	Physician ghouse / doctor rchase / csm500 dramoray / joey	Medical Office Assistant (MOA) mma1 / csm500 mma2 / csm500 Other Non-Clinical pporter / csm500
--	---	--

If FAIL, please describe what happened.

IF I log in on a different tab it switches who I'm logged in
as on the previous Tab A user becomes Tab B (most recent) user
✓ out of scope

1. Use Case: 1.0 Login

1.1. Invalid Username and Password fails

- Using the login screen, enter an **INVALID** username and password
- Expected Result:** The system should reject the username/password and not log in. ✓
- Actual Result:** PASS FAIL

can't click out of admit ~~into~~ current patient tab (names) ✓
into

1.2. Invalid Password fails

- Using the login screen, enter a valid username, but an **INVALID** password
- Expected Result:** The system should reject the username/password and not log in. ✓
- Actual Result:** PASS FAIL

1.3. Valid Username and Password succeeds

- Using the login screen, login as **an MOA**, using a valid password

can't use 'indescription for details (mental health and wellness details) ✓
↳ ex: he's

CSM500 Project: Test Plan	Tester	Test Date
---------------------------	--------	-----------

- **Expected Result:** The system should reject the username/password and not log in.
- **Actual Result:** PASS FAIL

1.4. View List of Patients

After login, the user is shown a list of patients in their facility

- **1) Expected Result:** The system shows high level details of one or more patients. ✓
- **Actual Result:** PASS FAIL
- **2) Expected Result:** The left-hand menu displays one or more patients ✓
- **Actual Result:** PASS FAIL
- **3) Expected Result:** The left -hand menu displays an Admit Patient menu option X → Chath nurse 1
↳ pops up when in another Patient file
- unreproducible
- **Actual Result:** PASS FAIL ✓
- **4) Expected Result:** The username is displayed on the bottom-left of the screen ✓
- **Actual Result:** PASS FAIL
- **5) Expected Result:** One or more "shortcut" blue buttons are displayed at the bottom of the screen.
- **Actual Result:** PASS FAIL
↳ not sure which buttons this is referring to ✓

CSM500 Project: Test Plan	Tester		Test Date	
---------------------------	--------	--	-----------	--

2. Use Case: 2.0 Admission

2.1. View the Admit New Patient option

1. The Admit New Patient option is at the bottom of the left-hand menu, but should only be visible to MOAs, NOT clinical users.
- **Expected Result:** The Admit New Patient option should only be present for MOAs and not present for a clinical user. If the option is present for a Clinical user, or not present for an MOA, the test has FAILED.

- **Actual Result:** PASS FAIL X - nurse, joey (doesn't show up at all), rchase, g house

2.2. Admit a new Patient

↳ can admit as pporter using tricks described on other page ✓

1. Use the Admit New Patient option at the bottom of the left-hand menu, to initiate a new patient admission

- **Expected Result:** The system should redirect the user to the Admit Patient screen. ✓
- **Actual Result:** PASS FAIL

2.3. Enter new Patient data, only partially valid

1. Use the form to enter the admission data for a patient. Do NOT follow all of the data entry format guidelines.
E.g. Patient First and Last name are required, Birthdate has a specific date format, PHN must be a 10-digit numeric
2. Click the Save button.

- **Expected Result:** The system should reject the data and present a red error message.

- **Actual Result:** PASS FAIL X → I can admit even if PHN is hash tags

9###x10 works

↑ starting w/ 9 ✓

↳ can admit patient for dates that don't exist ✓

CSM500 Project: Test Plan	Tester		Test Date	
---------------------------	--------	--	-----------	--

2.4. Enter new Patient data, valid data only

1. Use the form to enter the admission data for a patient. Follow the guidelines and submit.
2. Click the Save button.

- **Expected Result:** The system should accept the data and save the patient's admission data. The user should be redirected back to the Patient Details screen, with the new patient showing on the list.

- **Actual Result:** PASS FAIL

X not re-directed, not updated list ✓ functionality changed after round 1 testing

2.5. Confirm display of user on Patient List screen

1. Navigate to the patient list screen

- **Expected Result:** The new patient should be present in the list.
- **Actual Result:** PASS FAIL

X ←

3. Use Case: 4.0 Order Entry

3.1. View option to add a non-clinical order – MOA or Admin only

1. Navigate into a patient's detail screen. This looks like a "Treatments, Prescriptions and Medication" screen.
2. A drop down should be present, allowing entry of items such as "Documentation" and "Patient Transfer". Next to it is an Add/Request button.
3. The drop down should NOT present any options such as: bloodwork, surgeries, bandaging.
 - If you see a clinical item (something a doctor or nurse would do), this test has FAILED.

- **Expected Result:** The system should only show non-clinical items that can be added.
- **Actual Result:** PASS FAIL

X - can see bloodwork bandage surgery as cuddy ✓

CSM500 Project: Test Plan	Tester		Test Date	
---------------------------	--------	--	-----------	--

3.2. Add a non-clinical order to an existing patient – MOA or Admin only

1. Stay on the patient's details screen
2. Select an item from the dropdown list
3. Take note of the item you select: you can note it here Allergies ✓
4. Click the Add/Request button

- **Expected Result:** The system should add the non-clinical item and you should be redirected to a screen named the same as the item you selected. E.g. if "Documents" was selected, the screen you are displayed should say "Documents" ✓
- **Actual Result:** PASS FAIL

3.3. View option to add a clinical order – Clinical user or Admin only

4. Navigate into a patient's detail screen. This looks like a "Treatments, Prescriptions and Medication" screen.
5. A drop down should be present, allowing entry of non-clinical items such as bloodwork, surgeries and bandaging. Next to it is an Add/Request button.
6. The drop down should NOT present any options such as: Patient Transfer, Documentation.
 - If you see a non-clinical item (something an MOA or Housekeeper would do), this test has FAILED.

- **Expected Result:** The system should only show non-clinical items that can be added.
- **Actual Result:** PASS FAIL ✓ ~~✗~~ Admin can't see it but porter can ✓

CSM500 Project: Test Plan	Tester		Test Date	
---------------------------	--------	--	-----------	--

3.4. Add a clinical order to an existing patient – Clinical user or Admin only

5. Stay on the patient's details screen
6. Select an item from the dropdown list
7. Take note of the item you select: you can note it here *Other*
8. Click the *Add/Request* button

- **Expected Result:** The system should add the clinical item and you should be redirected to a screen named the same as the item you selected. E.g. if "Bloodwork" was selected, the screen you are displayed should say "Bloodwork".
- **Actual Result:** PASS FAIL 

3.5. Update the base detail of a patient order

1. Stay on the patient details screen
2. Update the Description and Notes, status, location and Assigned to field.
3. Click the *Save* button

- **Expected Result:** The system should update the fields to what you set and return you to the same screen again. Data should not have been lost or "reverted" to what it was before you clicked *Save*.
- **Actual Result:** PASS FAIL 
~~the system should not revert the data back to the original state~~

CSM500 Project: Test Plan	Tester		Test Date	
---------------------------	--------	--	-----------	--

3.6. Use an Order shortcut buttons (Order Details screen)

1. After performing several actions, at least one short cut button should be available on the bottom of the Patient Details screen:



- If there are no buttons like those above shown, this test has FAILED. ✓
- 2. Note the button you will click. You can note it: here (+) Other
- 3. Click one of the buttons
- **Expected Result:** The system should redirect the user to a screen appropriate for the button you selected. For example if you clicked (+)Documents, an order screen for Documents should be presented.
 - If the button does not work, or the user is redirected to something unexpected, this test has FAILED.
- **Actual Result:** PASS FAIL ✓

3.7. Use an Measures shortcut buttons (Order List screen)

4. After performing several actions, at least one short cut button should be available on the bottom of the Order Details screen:



- If there are no buttons like those above shown, this test has FAILED.
- 5. Note the button you will click. You can note it: here
- 6. Click one of the buttons


missing
one of
these
I only got a
button for
(+) others
✓

CSM500 Project: Test Plan	Tester		Test Date	
---------------------------	--------	--	-----------	--

- **Expected Result:** The system should redirect the user to a screen appropriate for the button you selected. For example if you clicked (+)Documents, an order screen for Documents should be presented.
 - If the button does not work, or the user is redirected to something unexpected, this test has FAILED.
- **Actual Result:** PASS FAIL ✓

3.8. Add a new Measure

1. There should be a plus button  that can be clicked. If not, this test has FAILED.
2. Click the button and you should see a section with several other fields appear:



The screenshot shows a dark-themed form with the following elements:

- A dropdown menu on the left with 'Blood Glucose' and a downward arrow.
- A label 'Value' above a text input field.
- A label 'Note' above a larger text input field.
- Two buttons on the right: 'Add' and 'Cancel'.

- If this does not appear, this test has FAILED.
 - If the dropdown list is empty, this test has FAILED. ✓
3. Click the *Cancel* button.
- **Expected Result:** The section should disappear again. If you re-click, the section should re-appear.
 - **Actual Result:** PASS FAIL ✓

CSM500 Project: Test Plan	Tester		Test Date	
---------------------------	--------	--	-----------	--

3.9. Update an existing Measure (not yet saved)

1. Click the plus button  , change the drop down, update the Value and Note
 2. Click the Add button
- **Expected Result:** The data should be saved to the database and the screen should refresh with the data you saved. No fields should "revert" to the contents prior to what you entered. The field will reappear as a read-only screen, with an *Edit* button.
 - **Actual Result:** PASS FAIL ~~XXXXXXXXXXXX~~ ✓ works

3.10. Update an existing Measure (that has been saved)

1. Click the Edit button of a measure. change the drop down, update the Value and Note
 2. Click the Update button
- **Expected Result:** The data should be saved to the database and the screen should refresh with the data you saved. No fields should "revert" to the contents prior to what you entered. The field will reappear as a read-only screen, with an *Edit* button.
 - **Actual Result:** PASS FAIL ✓

3.11. Check Measure dropdown list contents

1. During the Edit button of a measure, check the contents of the drop down to make sure they are reasonable. For example, an Allergy item should not be suggesting eye colour, or *Do Not Resuscitate* as a measurement.
- **Expected Result:** The data in the dropdown should make sense for the type selected (check with developer)
 - **Actual Result:** PASS FAIL ✓

↳ tested bandage + mental health

CSM500 Project: Test Plan	Tester		Test Date	
---------------------------	--------	--	-----------	--

3.12. View updated Orders after closing Patient Order screen

1. From the Patient Order screen, click the Close button, next to the Save button

• **Expected Result:**

- The user is redirected to the Patient Details screen, showing all the orders. If the screen does not redirect or redirect elsewhere, this test has FAILED.
- If any orders (Bloodwork, Documents, Patient Transfer etc) that were added should be present. If the orders added (following a Save) are not present, the test has FAILED.
- If the data for saved order is not correct (e.g. an order was saved with a state of "Complete", but does not show that now), this test has FAILED.

• **Actual Result:** PASS FAIL

4. Use Case: 6.0 Discharge

4.1. Discharge an existing Patient

1. View a patient's details. Take note of who it is or write it here.

2. Click the Discharge button

• **Expected Result:** The system should redirect the user to the Discharge Patient screen for the patient you selected.

• **Actual Result:** PASS FAIL

4.2. Enter discharge data, only partially valid

1. Use the form to enter the discharge data for a patient. Do NOT follow all of the guidelines for data entry.

2. Click the Save button

• **Expected Result:** The system should reject the data and present a red error message.

• **Actual Result:** PASS FAIL

CSM500 Project: Test Plan	Tester		Test Date	
---------------------------	--------	--	-----------	--


4.3. Enter discharge, valid data only

1. Use the form to enter the discharge data for a patient. Follow the guidelines and submit.
 2. Click the Save button.
- **Expected Result:** The system should accept the data and save the patient's discharge data. The user should be redirected back to the Patient List screen, and the discharged patient should not be present.
 - **Actual Result:** PASS FAIL ✓

5. Use Case: 7.0 Natural Language (NL) Prompt

5.1. Prompt from Patient Listing screen: Admit patient (no name)

1. Navigate to the Patient Listing Screen
 2. Perform a natural language query including a phrase such as “admit”. Do NOT include the name of a patient that is currently in the system
 3. The prompt returns at least one option, including *Admit New Patient* (actual wording may include a patient name)
 4. Click the button
- **Expected Result:**
 - for MOAs/Admins: the system should redirect to the *Admit New Patient* screen
 - for other roles: the system should NOT present an *Admit New Patient* option, but may present another alternative
 - if the prompt does not return an *Admit New Patient* option, this test has FAILED.
 - **Actual Result:** PASS FAIL



CSM500 Project: Test Plan	Tester	Test Date
---------------------------	--------	-----------

5.2. Prompt from Patient Listing screen: Discharge patient (no name)

1. Navigate to the Patient Listing Screen
 2. Perform a natural language query including a phrase such as “discharge”. Do NOT include the name of a patient that is currently in the system
 3. The prompt returns at least one option, including *Discharge Patient* (actual wording may include a patient name)
 4. Click the button
- **Expected Result:**
 - for MOAs/Admins: the system should present a *Discharge Patient* option, but may present another alternative
 - for other roles: the system should NOT present a *Discharge Patient* option, but may present another alternative
 - if the prompt does not return a *Discharge Patient* option, this test has FAILED.
 - **Actual Result:** PASS FAIL X admin - no discharge button ✓

5.3. Prompt from Patient Listing screen: a **non-clinical** command (name a current patient)

1. Navigate to the Patient Listing Screen
 2. Perform a natural language query including a phrase such as “transfer”. Include the exact name of a patient currently in the system.
 3. The prompt returns at least one option (actual wording may include a patient name) which is non-clinical
 4. Click the button
- **Expected Result:**
 - the system should present at least one option. If no options are presented, this test has FAILED.
 - clicking the button takes you to an appropriate screen for the command, which could include an Order for that specific patient. If a button is presented but does not actually work, this test has FAILED.
 - **Actual Result:** PASS FAIL
works for admin, not nurse 1 ✓
no options for printer ✓


CSM500 Project: Test Plan	Tester	Test Date
---------------------------	--------	-----------

5.4. Prompt from Patient Listing screen: a **clinical** command (name a current patient)

1. Navigate to the Patient Listing Screen
 2. Perform a natural language query including a phrase such as “bandage”. Include the exact name of a patient currently in the system.
 3. The prompt returns at least one option (actual wording may include a patient name) which appears to be clinical
 4. Click the button
- **Expected Result:**
 - for MOAs: the system may or may not present at least one option
 - for all clinical users: the system should present at least one option. If a clinical user has no options presented, this test has FAILED.
 - clicking the button takes you to an appropriate screen for the command, which could include an Order for that specific patient. If a button is presented but does not actually work, this test has FAILED.
 - **Actual Result:** PASS FAIL ✓ bandage Kate Beaton leads to admit transfer or discharge her cas admin) → expected, not ideal

5.5. Prompt from any screen: a **non-clinical** command (do not name a patient)

5. Navigate to any screen
 6. Perform a natural language query including a phrase such as “transfer”. Do not include a patient name.
 7. The prompt returns at least one option which is non-clinical
 8. Click the button
- **Expected Result:**
 - the system should present at least one option. If no options are presented, this test has FAILED.
 - clicking the button takes you to an appropriate screen for the command, which could include an Order for that specific patient. If a button is presented but does not actually work, this test has FAILED.
 - **Actual Result:** PASS FAIL



CSM500 Project: Test Plan	Tester		Test Date	
---------------------------	--------	--	-----------	--

5.6. Prompt from any screen: a **clinical** command (do not name a patient)

- 5. Navigate to any screen
- 6. Perform a natural language query including a phrase such as “bandage”. Do not include a patient name.
- 7. The prompt returns at least one option which appears to be clinical
- 8. Click the button
- **Expected Result:**
 - for MOAs: the system may or may not present at least one option. If a non-clinical user has a clinical option presented, this test has FAILED. ✓
 - for all clinical users: the system should present at least one option. If a clinical user has no options presented, this test has FAILED. ✓
 - clicking the button takes you to an appropriate screen for the command, which could include an Order for that specific patient. If a button is presented but does not actually work, this test has FAILED.
- **Actual Result:** PASS FAIL
→ no patient though but doesn't work

6. Use Case: 8.0 Logout

6.1. Log out of the system

- Using the Log out left-hand menu option, exit the system
- **Expected Result:** The system should send the user back to the Login screen. They must log in again in order to continue working.
- **Actual Result:** PASS FAIL ✓