

Regular Expression Basics

.	Any character except newline
a	The character a
ab	The string ab
a b	a or b
a*	0 or more a's
\	Escapes a special character

Regular Expression Quantifiers

*	0 or more
+	1 or more
?	0 or 1
{2}	Exactly 2
{2, 5}	Between 2 and 5
{2,}	2 or more
(,5}	Up to 5

Default is greedy. Append ? for reluctant.

Regular Expression Groups

(...)	Capturing group
(?P<Y>...)	Capturing group named Y
(?:...)	Non-capturing group
\Y	Match the Y'th captured group
(?P=Y)	Match the named group Y
(?#...)	Comment

Regular Expression Character Classes

[ab-d]	One character of: a, b, c, d
[^ab-d]	One character except: a, b, c, d
[\b]	Backspace character
\d	One digit
\D	One non-digit
\s	One whitespace
\S	One non-whitespace
\w	One word character
\W	One non-word character

Regular Expression Assertions

^	Start of string
\A	Start of string, ignores m flag
\$	End of string
\Z	End of string, ignores m flag
\b	Word boundary
\B	Non-word boundary
(?=...)	Positive lookahead
(?!...)	Negative lookahead
(?<=...)	Positive lookbehind
(?<!...)	Negative lookbehind
(?())	Conditional

Regular Expression Flags

i	Ignore case
m	^ and \$ match start and end of line
s	. matches newline as well
x	Allow spaces and comments
L	Locale character classes
u	Unicode character classes
(?iLmsux)	Set flags within regex

Regular Expression Special Characters

\n	Newline
\r	Carriage return
\t	Tab
\YYY	Octal character YYY
\xYY	Hexadecimal character YY

Regular Expression Replacement

\g<0>	Insert entire match
\g<Y>	Insert match Y (name or number)
\Y	Insert group numbered Y