

United States Department of Agriculture

Agricultural Research Service

Home and Garden Bulletin Number 72

# **Nutritive Value** of Foods



United States Department of Agriculture

Agricultural Research Service

Home and Garden Bulletin Number 72

## **Nutritive Value** of Foods

Susan E. Gebhardt and Robin G. Thomas

#### **Abstract**

Gebhardt, Susan E., and Robin G. Thomas. 2002. Nutritive Value of Foods. U.S. Department of Agriculture, Agricultural Research Service, Home and Garden Bulletin 72

This publication gives in tabular form the nutritive values for household measures of commonly used foods. It was first published in 1960; the last revision was published in 1991. In this revision, values for total dietary fiber have been added and phosphorus values have been removed. Values are reported for water; calories; protein; total fat; saturated, monounsaturated, and polyunsaturated fatty acids; cholesterol; carbohydrate; total dietary fiber; calcium; iron; potassium; sodium; vitamin A in IU and RE units; thiamin; riboflavin; niacin; and ascorbic acid (vitamin C). Data are from the U.S. Department of Agriculture Nutrient Database for Standard Reference, Release 13.

Keywords: ascorbic acid, calcium, calories, cholesterol, dietary fiber, fatty acids, foods, iron, niacin, nutrient composition, nutrient data, potassium, protein, riboflavin, salt, sodium, total fat, vitamin A

Mention of trade names, commercial products, or companies in this publication is solely for the purpose of providing specific information and does not imply recommendation or endorsement by the U.S. Department of Agriculture over others not mentioned.

Revised October 2002

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Office of Civil Rights, Room 326-W, Whitten Building, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer

#### Contents

Ac	knowledgments	1V
Ab	breviations	V
Int	roduction	1
Fu	rther information	1
Lit	erature cited	2
_		
	bles	_
1	Equivalents by volume and weight	
2	Tips for estimating amount of food consume	
3	Yield of cooked meat per pound of raw meat as purchased	
4	Recommended daily dietary intakes	
5	Food sources of additional nutrients	
6	Daily values	9
7	Amount of total fat that provides 30 percent of calories and	
	saturated fat that provides 10 percent	
8	Caffeine values	
9	Nutritive value of the edible part of food	12
	Beverages	14
	Dairy products	16
	Eggs	22
	Fats and oils	22
	Fish and shellfish	26
	Fruits and fruit juices	28
	Grain products	36
	Legumes, nuts, and seeds	52
	Meat and meat products	56
	Mixed dishes and fast foods	60
	Poultry and poultry products	66
	Soups, sauces, and gravies	68
	Sugars and sweets	
	Vegetables and vegetable products	
	Miscellaneous items	
Inc	lex for table 9	90

#### **Acknowledgments**

The following people deserve special thanks for their roles in this project:

Joanne M. Holden, research leader, Nutrient Data Laboratory

Food specialists of the Nutrient Data Laboratory, all of whom contributed data for the various food groups: Rena Cutrufelli, Vincent De Jesus, Jacob Exler, David Haytowitz, Gwen Holcomb, Juliette Howe, Linda Lemar, Pamela Pehrsson, and Bethany Showell

Dr. Mark Kantor, associate professor and extension specialist, University of Maryland, College Park; Lisa Lachenmayr, extension educator, Maryland Cooperative Extension—Prince George's County; and Kristin Marcoe, nutritionist, USDA Center for Nutrition Policy and Promotion, each of whom reviewed the manuscript and provided helpful comments.

#### **Abbreviations**

dia diameter fl oz fluid ounce gram g

kilocalorie (commonly known as calories) International Units kcal


IU

pound lb microgram μg milligram mg milliliter ml not available NA

ΟZ ounce pkg package

retinol equivalent RE

square sq tbsp tablespoon Tr trace tsp teaspoon



#### **Nutritive Value of Foods**

by Susan E. Gebhardt and Robin G. Thomas, U.S. Department of Agriculture, Agricultural Research Service, Nutrient Data Laboratory, Beltsville, Maryland

#### Introduction

An 8-oz glass of milk, a 3-oz slice of cooked meat, an apple, a slice of bread. What food values does each contain? How much cooked meat will a pound of raw meat yield? How much protein should a healthy 14-year-old boy get each day?

Consumers want ready answers to questions like these so they can plan nutritious diets for themselves and their families. Also, nutritionists, dietitians, and other health professionals use this type of information in their daily work.

In response, the U.S. Department of Agriculture published the first edition of this bulletin in 1960. USDA nutrition researchers have revised it many times since to reflect our expanded knowledge, to add or subtract specific values, and to update the ever-growing list of available, commonly used foods.

#### **Further Information**

The USDA Nutrient Database for Standard Reference is a more technical compilation of nutrient information, with data for a much more extensive list of foods and nutrients than this publication provides. It is revised regularly and published on the USDA Nutrient Data Laboratory (NDL) web site, <www.nal.usda.gov/fnic/foodcomp>. It replaces USDA's Agriculture Handbook 8, "Composition of Foods. . .Raw, Processed, Prepared," commonly referred to as "Handbook 8," and its revised sections, which are out of print. Special-interest tables—such as Isoflavone Content of Foods—are also published on the NDL web site.

The USDA Nutrient Database for Standard Reference and special-interest tables produced by NDL are also available on CD-ROM from the U.S. Government Printing Office (GPO). See the back of the title page for contact information.

Other nutrition publications that may be useful include "Nutrition and Your Health: Dietary Guidelines for Americans," USDA Home and Garden Bulletin 232; "Making Healthy Food Choices," USDA Home and Garden Bulletin 250; and "Check It Out: The Food Label, the Pyramid, and You," USDA Home and Garden Bulletin 266. These publications may also be purchased from GPO. See the back of the title page for contact information.

The Dietary Guidelines for Americans and the Food Guide Pyramid can be found on USDA's Center for Nutrition Policy and Promotion web site, <a href="http://www.usda.gov/cnpp">http://www.usda.gov/cnpp</a>, or write to them at 3101 Park Center Dr., Room 1064, Alexandria, VA 22302-1594. Food label and other nutrition information can be found on the Food and Drug Administration's Center for Food Safety and Applied Nutrition web site, <a href="http://www.cfsan.fda.gov/label.html">http://www.cfsan.fda.gov/label.html</a>, or write to them at 200 C Street, SW, Washington, DC 20204.

Full texts of the Recommended Dietary Allowances and each volume of Dietary Reference Intakes are available from the National Academy Press, at www.nap.edu or 888-624-8373 (toll free).

For more information about food and nutrition, visit the USDA-ARS National Agricultural Library's Food and Nutrition Information Center <a href="http://www.nal.usda.gov/fnic/">http://www.nal.usda.gov/fnic/</a>, or contact them at 10301 Baltimore Ave., Room 304, Beltsville, MD 20705-2351, Phone: 301-504-5719, Fax: 301-504-6409, TTY: 301-504-6856, e-mail: fnic@nal.usda.gov. Another source of information on the Internet is <a href="https://www.nutrition.gov">www.nutrition.gov</a>.

#### **Literature Cited**

American Institute for Cancer Research. 2001. The New American Plate. On the American Institute for Cancer Research web site <www.aicr.org>, page URL: <a href="http://www.aicr.org/nap2.htm">http://www.aicr.org/nap2.htm</a> (February 5, 2002).

Schuster, Ellen, compiler. 1997. Making Sense of Portion Sizes. On the Oregon State University Extension Family & Community Development web site <a href="http://osu.orst.edu/dept/ehe/nutrition.htm">http://osu.orst.edu/dept/ehe/nutrition.htm</a>, page URL: <a href="http://osu.orst.edu/dept/ehe/nu\_n&f\_ms.htm">http://osu.orst.edu/dept/ehe/nu\_n&f\_ms.htm</a>> (February 5, 2002).

Standing Committee on the Scientific Evaluation of Dietary Reference Intakes, Food and Nutrition Board, Institute of Medicine. 1997. Dietary Reference Intakes for Calcium, Phosphorus, Magnesium, Vitamin D, and Fluoride. National Academy Press, Washington, D.C.

\_\_\_\_\_\_. 1998. Dietary Reference Intakes for Thiamin, Riboflavin, Niacin, Vitamin B6, Folate, Vitamin B12, Pantothenic Acid, Biotin, and Choline. National Academy Press, Washington, D.C.

\_\_\_\_\_\_. 2000. Dietary Reference Intakes for Vitamin C, Vitamin E, Selenium, and Carotenoids. National Academy Press, Washington, D.C.

Subcommittee on the Tenth Edition of the RDAs, Food and Nutrition Board, Commission on Life Sciences, National Research Council. 1989. Recommended Dietary Allowances, 10th ed. National Academy Press, Washington, D.C.

U.S. Department of Agriculture, Agricultural Research Service. 2000. USDA Nutrient Database for Standard Reference, Release 13. The Service, Washington, D.C

U.S. Department of Agriculture and U.S. Department of Health and Human Services. 2000. Nutrition and Your Health: Dietary Guidelines for Americans, 5th ed. USDA and DHHS, Home and Garden Bulletin 232.

U.S. Food and Drug Administration. 1999. Food Labeling. Code of Federal Regulations, Title 21, part 101. [Available on the U.S. Government Printing Office web site <a href="http://www.access.gpo.gov/">http://www.access.gpo.gov/</a>, 21CFR101 URL: http://www.access.gpo.gov/nara/cfr/waisidx\_99/21cfr101\_99.html> (February 5, 2002)].

#### Table 1. Equivalents by Volume and Weight

This table contains some helpful volume and weight equivalents. Following is an example that illustrates how you can use the table:

Example. For milk, the nutrient profile covers a 1-cup serving (see page 20, table 9). Let's say you use 2 tablespoons of milk in your coffee. In table 1, you see that 1 cup equals 16 tablespoons, so the 2 tablespoons you consume are two-sixteenths or one-eighth of 1 cup. To find out the nutritive value of the amount you actually consume—2 tablespoons—you need to divide the nutrient values listed for milk by 8.

#### Volume

1 gallon (3.786 liters; 3,786 ml) 4 quarts
1 quart (0.946 liter; 946 ml) 4 cups or 2 pints
1 cup (237 ml) 8 fluid ounces, ½ pint, or
16 tablespoons
2 tablespoons (30 ml) 1 fluid ounce
1 tablespoon (15 ml) 3 teaspoons
1 pint 2 cups

#### Weight

1 pound (16 ounces) 453.6 grams 1 ounce 28.35 grams 3½ ounces 100 grams

#### **Table 2. Tips for Estimating Amount of Food Consumed**

This table lists some handy tips to help you estimate the amount of food you eat when you cannot measure or weigh it.

#### **Breads and grains**

½ cup cooked cereal, pasta, rice volume of cupcake wrapper or half a baseball

4-oz bagel (large) diameter of a compact disc (CD)

medium piece of cornbread medium bar of soap

Fruits and vegetables

medium apple, orange, peach tennis ball

½ cup dried fruit golf ball or scant handful for average adult

½ cup fruit or vegetable half a baseball 1 cup broccoli light bulb medium potato computer mouse

1 cup raw leafy greens baseball or fist of average adult

6 asparagus spears, 7 or 8 baby carrots or ½ cup

carrot sticks, or a medium ear of corn

Meat, fish, and poultry, cooked

about 3 tbsp meat or poultry 1 oz small chicken drumstick or thigh 2 ozaverage deck of cards, palm of average 3 oz

adult's hand, half of a whole, small chicken

breast, medium pork chop

Cheese

1 oz hard cheese average person's thumb, 2 dominoes, 4 dice

Other

2 tbsp peanut butter Ping-Pong ball

level handful for average adult ¹⁄₃ cup nuts

half a baseball or base of computer mouse ½ cup

1 cup tennis ball or fist of average adult

Note: The serving size indicated in the Food Guide Pyramid and on food labels is a standardized unit of measure and may not represent the portion of food a person actually eats on one occasion.

Sources: Schuster (1997), American Institute of Cancer Research (2001).

## Table 3. Yield of Cooked Meat per Pound of Raw Meat as Purchased

From the time it is purchased to the time it is eaten, meat undergoes certain losses. These include evaporation of moisture and loss of fat in the drippings during cooking and removal of parts such as bone, gristle, and fat before or after cooking.

This table shows, for several retail cuts, the yield of cooked meat from 1 pound of raw meat. Yield is given as ounces of:

Cooked meat with bone and fat Cooked lean and fat Cooked lean only Among the factors influencing meat yield is the proportion of fat and lean. Many cuts have an outside layer of fat extending all or part way around. The thickness of this fat layer varies depending on the cutting and trimming practices in the market. The information on yield in table 3 and on nutritive value in table 9 applies to retail cuts trimmed according to typical market practices. Deposits of fat within a cut may be extensive. They are not usually affected by retail trimming but may be discarded after cooking.

Table 3. Yield of Cooked Meat per Pound of Raw Meat as Purchased

Retail cut and method of cooking	Parts weighed	Yield after cooking, less drippings Weight (oz)
Chops or steaks for broiling or frying		
With bone and relatively large amount fat, such as pork or lamb chops; beef rib; sirloin, or porterhouse steaks	Lean, bone, and fat Lean and fat Lean only	10-12 7-10 5-7
•	•	
Without bone and with very little fat, such as round of beef or veal steaks	Lean and fat Lean only	12-13 9-12
Ground meat for broiling or frying, such as beef, lamb, or pork patties	Patties	9-13
Roast for oven cooking (no liquid added)		
With bone and relatively large amount of fat, such as beef rib, loin, chuck; lamb shoulder, leg; pork, fresh or cured	Lean, bone, and fat Lean and fat Lean only	10-12 8-10 6-9
Without bone	Lean and fat Lean only	10-12 7-10
Cuts for pot roasting, simmering, braising, stewing		
With bone and relatively large amount of fat, such as beef chuck, pork shoulder	Lean, bone, and fat Lean and fat	10-11 8-9
	Lean only	6-8
Without bone and with relatively small amount of fat, such as trimmed beef, veal	Lean with adhering fat	9-11

## Table 4. Recommended Daily Dietary Intakes

Table 4 shows recommended daily levels of calories and several nutrients essential for maintenance of good nutrition in healthy, normally active persons. The Recommended Dietary Allowances (RDAs) are currently being revised by the National Academy of Sciences. The new recommendations are called Dietary Reference Intakes (DRIs) and include two sets of values that serve as goals for nutrient intake-RDAs and Adequate Intakes (AIs). The right side of table 4 presents the DRIs published in 1997-2000, with AIs indicated by a dagger (†). The left side of the table includes the 1989 RDAs. More detailed information about DRIs may be obtained from the table's sources (see note at end of table). Table 4 includes only the nutrients contained in table 9.

Table 4. Recommended Daily Dietary Intakes

1989 Reco	mmended Di	etary Allow	1989 Recommended Dietary Allowances (RDA)			2000 Dietary	2000 Dietary Reference Intakes (DRI)	ntakes (DRI)		
Life-Stage Group	Energy* (kcal)	Protein (g)	Vitamin A (µg RE)	<b>Iron</b> (mg)	Life-Stage Group	<b>Calcium</b> † (mg)	<b>Thiamin</b> (mg)	Riboflavin (mg)	Niacin‡ (mg)	Vitamin C (mg)
Infants (mo)					Infants (mo)					
, 9-0	650	13	375	9	, 9-0	210	0.2‡	0.3‡	2‡	40‡
7-12	850	14	375	10	7-12	270	0.3‡	0.4	<del>†</del> 4	50‡
Children (yr)					Children (yr)					
1-3	1300	16	400	10	1-3	500	0.5	0.5	9	15
4-6	1800	24	500	10	4-8	800	9.0	9.0	~	25
7-10	2000	28	700	10						
Males (yr)					Males (yr)					
11-14	2500	45	1000	12	9-13	1300	6.0	6.0	12	45
15-18	3000	59	1000	12	14-18	1300	1.2	1.3	16	75
19-24	2900	58	1000	10	19-30	1000	1.2	1.3	16	06
25-50	2900	63	1000	10	31-50	1000	1.2	1.3	16	06
51+	2300	63	1000	10	51-70	1200	1.2	1.3	16	06
					>70	1200	1.2	1.3	16	06
Females (yr)					Females (yr)					
11-14	2200	46	800	15	9-13	1300	6.0	6.0	12	45
15-18	2200	44	800	15	14-18	1300	1.0	1.0	14	65
19-24	2200	46	800	15	19-30	1000	1.1	1.1	14	75
25-50	2200	50	800	15	31-50	1000	1.1	1.1	14	75
51+	1900	50	800	10	51-70	1200	1.1	1.1	14	75
					>70	1200	1.1	1.1	14	75
Pregnancy					Pregnancy					
	+300	09	800	30	$\leq$ 18 yr	1300	1.4	1.4	18	80
					19-50 yr	1000	1.4	1.4	18	85
Lactation					Lactation					
1st 6 mo	+500	65	1300	15	$\leq$ 18 yr	1300	1.4	1.6	17	115
2nd 6 mo	+500	62	1200	15	19-50 yr	1000	1.4	1.6	17	120

<sup>\*</sup> Energy needs shown are based on average size and light-to-moderate activity levels. Individual needs may vary because of sedentary or more physically active lifestyle and/or smaller or larger body size.

Note: RDAs and DRIs should not be confused with reference values for food labels established by the U.S. Food and Drug Administration, as follows: vitamin A = 5,000 IU; iron = 18 mg; calcium = 1,000 mg; thiamin = 1.5 mg; riboflavin = 1.7 mg; vitamin C = 60 mg.

Sources: Adapted, with permission, from Subcommittee on the Tenth Edition of the RDAs (1989) and Standing Committee on the Scientific Evaluation of Dietary Reference Intakes (1997, 1998, 2000).

<sup>†</sup> Values represent Adequate Intake.

<sup>‡</sup> Expressed as niacin equivalents. 1 mg niacin = 60 mg tryptophan; 0-6 months = preformed niacin, not niacin equivalents.

### Table 5. Food Sources of Additional Nutrients

Table 5 lists foods that are of special value in supplying six vitamins and four minerals not shown in tables 4 and 9. Foods are considered to be of special value as a nutrient source if the food serving is high in the nutrient compared with other foods.

#### Vitamins

Vitamin B-6 Bananas Fish (most) Liver Meat

Nuts and seeds

Potatoes and sweetpotatoes

**Poultry** 

Whole-grain and fortified cereals

Vitamin B-12

Eggs

Fish and shellfish Fortified cereals

Meat

Milk and milk products

Organ meats

Vitamin D
Egg yolk
Fortified cereals
Fortified milk
Liver

Vitamin E
Margarine
Nuts and seeds

High-fat fish

Peanuts and peanut butter

Vegetable oils Wheat germ

Whole-grain and fortified cereals

**Folate** 

Dark green vegetables Dry beans, peas, and lentils Enriched grain products

Fortified cereals

Liver

Orange juice Wheat germ Yeast Vitamin K Broccoli

Brussels sprouts

Cabbage

Leafy green vegetables

Mayonnaise

Soybean, canola, and olive oils

#### **Minerals**

*Iodine*Iodized salt

Saltwater fish and shellfish

Magnesium

Cocoa and chocolate

Dark green vegetables (most) Dry beans, peas, and lentils

Fish

Nuts and seeds

Peanuts and peanut butter

Whole grains

Phosphorus

Dry beans, peas, and lentils

Eggs Fish Meat

Milk and milk products

Nuts and seeds Poultry Whole grains

Zinc

Dry beans, peas, and lentils

Meat Poultry Seeds Shellfish

Whole-grain and fortified cereals

#### **Table 6. Daily Values**

Daily Values have been established by the Food and Drug Administration as references to help consumers use information on food labels to plan a healthy overall diet. The Daily Values provide a reliable guide for most people. It is helpful to know that a 2,000-calorie level is about right for moderately active women, teenage girls, and sedentary men, and 2,500 calories is the target level for many men, teenage boys, and active women.

Many older adults, children, and sedentary women need fewer than 2,000 calories a day and may want to select target levels based on 1,600 calories a day. Some active men and teenage boys and very active women may want to select target levels based on 2,800 calories per day. The Daily Values for sodium and cholesterol are the same for everyone, regardless of total calories consumed, so you do not have to make adjustments based on your caloric needs.

NutrientCalories2,000Total fat*Less than65 gSaturated fat†Less than20 gCholesterolLess than300 mgSodiumLess than2,400 mgTotal carbohydrate300 gDietary fiber25 g	
Saturated fat† Less than 20 g Cholesterol Less than 300 mg Sodium Less than 2,400 mg Total carbohydrate 300 g	2,500
CholesterolLess than300 mgSodiumLess than2,400 mgTotal carbohydrate300 g	80 g
Sodium Less than 2,400 mg Total carbohydrate 300 g	25 g
Total carbohydrate 300 g	300 mg
•	2,400 mg
Dietary fiber	375 g
Dictary from 23 g	30 g
Potassium 3,500 mg	3,500 mg

<sup>\*</sup> Total fat values are based on 30 percent of calories.

Note. Your Daily Values may be higher or lower depending on your calorie needs. The Daily Values are based on expert dietary advice about how much, or how little, of some key nutrients you should eat each day, depending on whether you eat 2,000 or 2,500 calories a day.

Source: U.S. Food and Drug Administration (1999)

<sup>†</sup> Saturated fat values are based on 10 percent of calories.

## Table 7. Amount of Total Fat That Provides 30 Percent of Calories and Saturated Fat That Provides 10 Percent

Several scientific groups suggest that Americans moderate the amount of fat in their diets. Some recommend that fat be limited to amounts that will provide no more than 30 percent of calories. Table 7 lists the amount of fat that provides 30 percent of calories for diets at different total daily calorie levels. For example, a woman wishing to moderate

her fat intake to 30 percent of her 2,000-calorie diet is advised to select foods that total no more than 65 grams of fat per day. She can use table 9 to estimate the grams of fat in the foods she eats.

Table 7 also shows the amount of saturated fat that provides 10 percent of calories for diets at several different daily calorie levels. The amounts of saturated fat are given in upper limits because of that type of fat's ability to raise blood cholesterol levels.

Table 7. Amount of Total Fat That Provides 30 Percent of Calories and Saturated Fat That Provides 10 Percent

Total calories per day	Total fat (g) (no more than 30% of total calories)	Saturated fat (g) (no more than 10% of total calories)
1,600	53	18
2,000*	65	20
2,200	73	24
2,500*	80	25
2,800	93	31

Percent Daily Values on Nutrition Facts Labels are based on a 2,000-calorie diet. Values for 2,000 and 2,500 calories are rounded to the nearest 5 g to be consistent with the label.

Source: U.S. Department of Agriculture and Department of Health and Human Services (2000).

#### **Table 8. Caffeine Values**

Caffeine is a compound found mostly in coffee, tea, cola, cocoa, chocolate, and in foods containing these. Table 8 lists the amounts of caffeine found in these beverages and foods.

Food	Serving size	Caffeine (mg)
Beverages		
Chocolate milk, includes malted milk	8 fl oz	5-8
Chocolate shake	16 fl oz	8
Cocoa, prepared from powder		
Regular	6 fl oz	4-6
Sugar-free	6 fl oz	15
Coffee, regular		
Brewed	6 fl oz	103
Prepared from instant	6 fl oz	57
Coffee, decaffeinated		
Brewed	6 fl oz	2
Prepared from instant	6 fl oz	2
Coffee liqueur	1.5 fl oz	14
Cola or pepper-type, with caffeine	12 fl oz	37
Diet cola, with caffeine	12 fl oz	50
Tea, regular		
Brewed	6 fl oz	36
Instant, prepared	8 fl oz	26-36
Tea, chamomile	6 fl oz	0
Tea, decaffeinated, brewed	6 fl oz	2
Chocolate Foods	1 (1 )	<b>7</b> 0
Baking chocolate, unsweetened	1 square (1 oz)	58
Brownies	1	1-3
Candies	1 45 . 1	20
Dark chocolate	1.45-oz bar	30
Milk chocolate bar	1.55-oz bar	11
Semisweet chocolate chips	1/4 cup	26-28
Chocolate with other ingredients (nuts, crisped rice, etc.)	about 1.5 oz	3-11
Cereal (containing cocoa)	1 oz	1
Cocoa powder, unsweetened	1 tbsp	12
Cookies (chocolate chip, devil's food, chocolate sandwich)	1	1
Chocolate cupcake with chocolate frosting	1	1-2
Frosting	½ pkg	1-2
	(2 tbsp)	2.2
Fudge	1 piece	2-3
<b>Y</b> (0	(about <sup>3</sup> / <sub>4</sub> oz)	
Ice cream/frozen yogurt	¹∕2 cup	2
Pudding	1/	2
Prepared from dry mix	½ cup	3
Ready-to-eat	4 oz	6
Syrup		
Thin-type	1 tbsp	3
Fudge-type	1 tbsp	1

Source: U.S. Department of Agriculture, Agricultural Research Service (2000).

### Table 9. Nutritive Value of the Edible Part of Food

Table 9 lists the nutritive values of foods commonly consumed in the United States and makes up the bulk of this publication. The data source is USDA Nutrient Database for Standard Reference, Release 13 (U.S. Department of Agriculture, Agricultural Research Service 2000). See Further Information for more about this database. Most differences in values between this table and the Standard Reference are due to rounding.

Foods are grouped under the following headings: Beverages Dairy products Eggs Fats and oils Fish and shellfish Fruits and fruit juices Grain products Legumes, nuts, and seeds Meat and meat products Mixed dishes and fast foods Poultry and poultry products Soups, sauces, and gravies Sugars and sweets Vegetables and vegetable products Miscellaneous items.

Most of the foods listed are in ready-to-eat form. Some are basic products widely used in food preparation, such as flour, oil, and cornmeal. Most snack foods, a separate food group in the Standard Reference, are found under Grain Products.

Measures and weights. The approximate measure given for each food is in cups, ounces, pounds, some other well-known unit, or a piece of a specified size. The measures do not necessarily represent a serving, but the unit given may be used to calculate a variety of serving sizes. For example, nutrient values are given for 1 cup of applesauce. If the serving you consume is ½ cup, divide the values by 2 or multiply by 0.5.

For fluids, the cup measure refers to the standard measuring cup of 8 fluid ounces. The ounce is one-sixteenth of a pound, unless "fluid ounce" is indicated. The weight of a fluid ounce varies

according to the food. If the household measure of a food is listed as 1 ounce, the nutrients are based on a weight of 28.35 grams, rounded to 28 grams in the table. All measure weights are actual weights or rounded to the nearest whole number. See table 2, Tips for Estimating Amount of Food Consumed, for help in determining the size of the portion you actually eat or drink.

The table gives the weight in grams for an approximate measure of each food. The weight applies to only the edible portion (part of food normally eaten), such as the banana pulp without the peel. Some poultry descriptions provide weights for the whole part, such as a drumstick, including skin and/or bone. Keep in mind that the nutritive values are only for the edible portions indicated in the description. For example, item 877, roasted chicken drumstick, indicates a weight of 2.9 oz (82 grams) with the bone and skin. But note that the weight of one drumstick, meat only, is listed as 44 grams (about 1½ oz). So the skin and bone equal 38 grams (82 minus 44). Nutrient values are always given for the gram weight listed in the column Weight—in this case, 44 grams.

Food values. Values are listed for water; calories; protein; total fat; saturated, monounsaturated, and polyunsaturated fatty acids; cholesterol; carbohydrate; total dietary fiber; four minerals (calcium, iron, potassium, and sodium); and five vitamins (vitamin A, thiamin, riboflavin, niacin, and ascorbic acid, or vitamin C). Water content is included because the percentage of moisture is helpful for identification and comparison of many food items. For example, to identify whether the cocoa listed is powder or prepared, you could check the water value, which is much less for cocoa powder. Values are in grams or milligrams except for water, calories, and vitamin A.

Food energy is reported as calories. A calorie is the unit of measure for the amount of energy that protein, fat, and carbohydrate furnish the body. Alcohol also contributes to the calorie content of alcoholic beverages. The official unit of measurement for food energy is actually kilocalories (kcal), but the term "calories" is commonly used in its place. In fact, "calories" is used on the food label.

Vitamin A is reported in two different units: International Units (IU) are used on food labels and in the past for expressing vitamin A activity; Retinol Equivalents (RE) are the units released in 1989 by the Food and Nutrition Board for expressing the RDAs for vitamin A.

Values for calories and nutrients shown in table 9 are the amounts in the part of the item that is customarily eaten—corn without cob, meat without bones, and peaches without pits. Nutrient values are averages for products presented here. Values for some nutrients may vary more widely for specific food items. For example, the vitamin A content of beef liver varies widely, but the values listed in table 9 represent an average for that food.

In some cases, as with many vegetables, values for fat may be trace (Tr), yet there will be numerical values listed for some of the fatty acids. The values for fat have been rounded to whole numbers, unless they are between 0 and 0.5; then they are listed as trace. This definition of trace also applies to the other nutrients in table 9 that are rounded to whole numbers.

Other uses of "trace" in table 9 are:

- For nutrients rounded to one decimal place, values falling between 0 and 0.05 are trace.
- For nutrients rounded to two decimal places, values falling between 0 and 0.005 are trace.

Thiamin, riboflavin, niacin, and iron values in enriched white flours, white bread and rolls, cornmeals, pastas, farina, and rice are based on the current enrichment levels established by the Food and Drug Administration. Enrichment levels for riboflavin in rice were not in effect at press time and are not used in table 9. Enriched flour is used in most home-prepared and commercially prepared baked goods.

Niacin values given are for preformed niacin that occurs naturally in foods. The values do not include additional niacin that may be formed in the body from tryptophan, an essential amino acid in the protein of most foods.

Nutrient values for many prepared items were calculated from the ingredients in typical recipes. Examples are biscuits, cornbread, mashed potatoes,

white sauce, and many dessert foods. Adjustments were made for nutrient losses during cooking.

Nutrient values for toast and cooked vegetables do not include any added fat, either during preparation or at the table. Cutting or shredding vegetables may destroy part of some vitamins, especially ascorbic acid. Since such losses are variable, no deduction has been made.

Values for cooked dry beans, vegetables, pasta, noodles, rice, cereal, meat, poultry, and fish are without salt added. If hot cereals are prepared with salt, the sodium content ranges from about 324-374 mg for Malt-O-Meal, Cream of Wheat, and rolled oats. The sodium value for corn grits is about 540 mg; sodium for Wheatena is about 238 mg. Sodium values for canned vegetables labeled as "no salt added" are similar to those listed for the cooked vegetables.

The mineral contribution of water was not considered for coffee, tea, soups, sauces, or concentrated fruit juices prepared with water. Sweetened items contain sugar unless identified as artificially sweetened.

Several manufactured items—including some milk products, ready-to-eat breakfast cereals, imitation cream products, fruit drinks, and various mixes—are included in table 9. Such foods may be fortified with one or more nutrients; the label will describe any fortification. Values for these foods may be based on products from several manufacturers, so they may differ from the values provided by any one source. Nutrient values listed on food labels may also differ from those in table 9 because of rounding on labels.

Nutrient values represent meats after they have been cooked and drained of the drippings. For many cuts, two sets of values are shown: meat including lean and fat parts, and lean meat from which the outer fat layer and large fat pads have been removed either before or after cooking.

In the entries for cheeseburger and hamburger in Mixed Dishes and Fast Foods, "condiments" refers to catsup, mustard, salt, and pepper; "vegetables" refers to lettuce, tomato, onion, and pickle; "regular" is a 2-oz patty, and large is a 4-oz patty (precooked weight).

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	;
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
Bev	erages									
	Alcoholic									
	Beer	1.5 %								
1	Regular			92	146	1	0	0.0	0.0	0.0
2	Light	. 12 fl oz	354	95	99	1	0	0.0	0.0	0.0
2	Gin, rum, vodka, whiskey	1 7 0	10	<b>67</b>	07	0	0	0.0	0.0	0.0
3	80 proof			67	97	0	0	0.0	0.0	0.0
4	86 proof			64	105	0	0	0.0	0.0	0.0
5	90 proof			62	110	0	0	0.0	0.0	0.0
6	Liqueur, coffee, 53 proof Mixed drinks, prepared from recipe	. 1.5 fl oz	52	31	175	Tr	Tr	0.1	Tr	0.1
7	Daiquiri	2 fl oz	60	70	112	Tr	Tr	Tr	Tr	Tr
8	Pina colada			65	262	1	3	1.2	0.2	0.5
Ü	Wine Dessert	. 1.5 11 62		0.5	202	•	3	1.2	0.2	0.0
9	Dry	. 3.5 fl oz	103	80	130	Tr	0	0.0	0.0	0.0
10	Sweet			73	158	Tr	0	0.0	0.0	0.0
	Table									
11	Red	. 3.5 fl oz	103	89	74	Tr	0	0.0	0.0	0.0
12	White	. 3.5 fl oz	103	90	70	Tr	0	0.0	0.0	0.0
	Carbonated*									
13	Club soda	. 12 fl oz	355	100	0	0	0	0.0	0.0	0.0
14	Cola type	. 12 fl oz	370	89	152	0	0	0.0	0.0	0.0
	Diet, sweetened with aspartame									
15	Cola	. 12 fl oz	355	100	4	Tr	0	0.0	0.0	0.0
16	Other than cola or									
	pepper type	. 12 fl oz	355	100	0	Tr	0	0.0	0.0	0.0
17	Ginger ale	. 12 fl oz	366	91	124	0	0	0.0	0.0	0.0
18	Grape	. 12 fl oz	372	89	160	0	0	0.0	0.0	0.0
19	Lemon lime			90	147	0	0	0.0	0.0	0.0
20	Orange			88	179	0	0	0.0	0.0	0.0
21	Pepper type			89	151	0	Tr	0.3	0.0	0.0
22	Root beer	. 12 fl oz	370	89	152	0	0	0.0	0.0	0.0
	Chocolate flavored									
	beverage mix									
23	Powder			1	75	1	1	0.4	0.2	Tr
24	Prepared with milk	. 1 cup	266	81	226	9	9	5.5	2.6	0.3
	Cocoa									
	Powder containing nonfat									
2.5	dry milk	2.1	20	2	100	2		0.7	0.4	m
25	Powder	. 3 heaping tsp	28	2	102	3	1	0.7	0.4	Tr
26	Prepared (6 oz water plus 1		207	0.6	102	2		0.7	0.4	TD.
	oz powder) Powder containing nonfat dry		206	86	103	3	1	0.7	0.4	Tr
27	milk and aspartame	1/1	- 15	2	40	4	т.,	0.2	0.1	т.,
27	Propered (6 oz weter plus 1	. 72-02 envelop	13عا	3	48	4	Tr	0.3	0.1	Tr
28	Prepared (6 oz water plus 1	1	102	02	10	4	т.,	0.2	0.1	т.,
	envelope mix)	. 1 Serving	192	92	48	4	Tr	0.3	0.1	Tr
29	Coffee	6 fl oz	170	99	А	т	Λ	Т	0.0	T.
	Brewed				4 5	Tr	0 Tr	Tr	0.0	Tr 0.1
30 31	Espresso  Instant, prepared (1 rounded tsp powder plus 6 fl oz	. ∠ 11 OZ	00	98	3	Tr	Tr	0.1	0.0	0.1
	water)	. 6 fl oz	179	99	4	Tr	0	Tr	0.0	Tr

<sup>\*</sup>Mineral content varies depending on water source.

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodium (mg)	Vitar (IU)	min A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
0	13 5	0.7 0.0	18 18	0.1 0.1	89 64	18 11	0 0	0	0.02 0.03	0.09 0.11	1.6 1.4	0 0	1 2
0	0 Tr	0.0 0.0	0 0	Tr Tr	1 1	Tr Tr	0 0	0	Tr Tr	Tr Tr	Tr Tr	0 0	3 4
0	0 24	0.0 0.0	0 1	Tr Tr	1 16	Tr 4	0	0	Tr Tr	Tr 0.01	Tr 0.1	0	5 6
0	4 40	0.0 0.8	2 11	0.1 0.3	13 100	3 8	2 3	0 0	0.01 0.04	Tr 0.02	Tr 0.2	1 7	7 8
0 0	4 12	0.0 0.0	8 8	0.2 0.2	95 95	9 9	0	0 0	0.02 0.02	0.02 0.02	0.2 0.2	0 0	9 10
0 0	2 1	0.0 0.0	8 9	0.4 0.3	115 82	5 5	0	0 0	0.01 Tr	0.03 0.01	0.1 0.1	0 0	11 12
0 0	0 38	0.0 0.0	18 11	Tr 0.1	7 4	75 15	0 0	0	0.00 0.00	0.00	0.0 0.0	0 0	13 14
0	Tr	0.0	14	0.1	0	21	0	0	0.02	0.08	0.0	0	15
0 0 0 0	0 32 42 38	0.0 0.0 0.0 0.0	14 11 11 7	0.1 0.7 0.3 0.3	7 4 4 4	21 26 56 40	0 0 0 0	0 0 0 0	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00	0.0 0.0 0.0 0.1	0 0 0 0	16 17 18 19
0 0 0	46 38 39	0.0 0.0 0.0	19 11 19	0.2 0.1 0.2	7 4 4	45 37 48	0 0 0	0 0 0	0.00 0.00 0.00	0.00 0.00 0.00	0.0 0.0 0.0	0 0 0	20 21 22
0 32	20 31	1.3 1.3	8 301	0.7 0.8	128 497	45 165	4 311	Tr 77	0.01 0.10	0.03 0.43	0.1 0.3	Tr 2	23 24
1	22	0.3	92	0.3	202	143	4	1	0.03	0.16	0.2	1	25
2	22	2.5	97	0.4	202	148	4	0	0.03	0.16	0.2	Tr	26
1	9	0.4	86	0.7	405	168	5	1	0.04	0.21	0.2	0	27
2	8	0.4	90 4	0.7	405 96	173	4 0	0	0.04	0.21	0.2	0	28 29
0	1	0.0	1	0.1	69	8	0	0	Tr	0.00	3.1	Tr	30
0	1	0.0	5	0.1	64	5	0	0	0.00	Tr	0.5	0	31

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	
Food	Food Bosonintion	Measure of edible	Weight	Water	Calories		Total fat	Satu- rated	Mono- unsatu- rated	Poly- unsatu- rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
Bev	rerages (continued)									
	Fruit drinks, noncarbonated, canned or bottled, with									
32	added ascorbic acid Cranberry juice cocktail	8 fl oz	253	86	144	0	Tr	Tr	Tr	0.1
33	Fruit punch drink			88	117	0	0	Tr	Tr	Tr
34	Grape drink			88	113	0	0	Tr	0.0	Tr
35	Pineapple grapefruit juice									
	drink	. 8 fl oz	250	88	118	1	Tr	Tr	Tr	0.1
36	Pineapple orange juice									
	drink	. 8 fl oz	250	87	125	3	0	0.0	0.0	0.0
27	Lemonade									
37	Frozen concentrate, prepared	Q fl 07	248	89	99	Tr	0	Tr	Tr	Tr
	Powder, prepared with water	. 6 II 0Z	240	0,7	77	11	U	11	11	11
38	Regular	. 8 fl oz	266	89	112	0	0	Tr	Tr	Tr
39	Low calorie, sweetened									
	with aspartame	. 8 fl oz	237	99	5	0	0	0.0	0.0	0.0
	Malted milk, with added nutrients									
40	Chocolate	21	21	2	75		1	0.4	0.2	0.1
40 41	Propered			3 81	75 225	1 9	1 9	0.4 5.5	0.2 2.6	0.1 0.4
41	Prepared Natural	. 1 cup	203	01	223	9	9	5.5	2.0	0.4
42	Powder	4-5 heaping to	sp21	3	80	2	1	0.3	0.2	0.1
43	Prepared			81	231	10	9	5.4	2.5	0.4
	Milk and milk beverages. See Dairy Products.	1								
44	Rice beverage, canned (RICE DREAM)	. 1 cup	245	89	120	Tr	2	0.2	1.3	0.3
	Soy milk. See Legumes, Nuts, and Seeds. Tea									
	Brewed									
45	Black Herb	. 6 fl oz	178	100	2	0	0	Tr	Tr	Tr
46	Chamomile	6 fl oz	178	100	2	0	0	Tr	Tr	Tr
47	Other than chamomile			100	2	0	0	Tr	Tr	Tr
	Instant, powder, prepared									
48	Unsweetened	. 8 fl oz	237	100	2	0	0	0.0	0.0	0.0
49	Sweetened, lemon flavor	. 8 fl oz	259	91	88	Tr	0	Tr	Tr	Tr
50	Sweetened with saccharin,				_					_
51	lemon flavor			99	5 0	0	0	0.0	0.0	Tr 0.0
31	Water, tap	. 8 11 0Z	237	100	U	0	0	0.0	0.0	0.0
Dai	ry Products									
	Butter. See Fats and Oils.									
	Cheese Natural									
52	Blue	. 1 oz	28	42	100	6	8	5.3	2.2	0.2
53	Camembert (3 wedges per	. 1 02	20	-т∠	100	U	U	5.5	2.2	0.2
	4-oz container)	. 1 wedge	38	52	114	8	9	5.8	2.7	0.3
	Cheddar	-								
54	Cut pieces			37	114	7	9	6.0	2.7	0.3
55	Cl 1.1 1	1 cubic inch		37	68	4	6	3.6	1.6	0.2
56	Shredded	. 1 cup	113	37	455	28	37	23.8	10.6	1.1

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodiui (mg)	n <u>Vit</u> (IU)	amin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
<u> </u>	(0)	(0)	· •					, ,		<u> </u>		. 0/	
0	36	0.3	8	0.4	46	5	10	0	0.02	0.02	0.1	90	32
0	30 29	0.2 0.0	20 8	0.5 0.4	62 13	55 15	35 3	2	0.05 0.01	0.06 0.01	0.1 0.1	73 85	33 34
0	29	0.3	18	0.8	153	35	88	10	0.08	0.04	0.7	115	35
0	30	0.3	13	0.7	115	8	1,328	133	0.08	0.05	0.5	56	36
0	26	0.2	7	0.4	37	7	52	5	0.01	0.05	Tr	10	37
0	29	0.0	29	0.1	3	19	0	0	0.00	Tr	0.0	34	38
0	1	0.0	50	0.1	0	7	0	0	0.00	0.00	0.0	6	39
1	18	0.2	93	3.6	251	125	2,751	824	0.64	0.86	10.7	32	40
34	29	0.3	384	3.8	620	244	3,058	901	0.73	1.26	10.9	34	41
4 34	17 28	0.1 0.0	79 371	3.5 3.6	203 572	85 204	2,222 2,531	668 742	0.62 0.71	0.75 1.14	10.2 10.4	27 29	42 43
0	25	0.0	20	0.2	69	86	5	0	0.08	0.01	1.9	1	44
0	1	0.0	0	Tr	66	5	0	0	0.00	0.02	0.0	0	45
0	Tr Tr	0.0 0.0	4 4	0.1 0.1	16 16	2 2	36 0	4	0.02 0.02	0.01 0.01	0.0	0	46 47
0	Tr	0.0		Tr	47	7	0			Tr	0.0	0	48
0	22	0.0	5 5	0.1	49	8	0	0	0.00	0.05	0.1	0	49
0 0	1 0	0.0 0.0	5 5	0.1 Tr	40 0	24 7	0	0	0.00 0.00	0.01 0.00	0.1 0.0	0	50 51
21	1	0.0	150	0.1	73	396	204	65	0.01	0.11	0.3	0	52
27	Tr	0.0	147	0.1	71	320	351	96	0.01	0.19	0.2	0	53
30 18	Tr Tr	0.0	204 123	0.2	28 17	176 105	300 180	79 47	0.01 Tr	0.11	Tr Tr	0	54 55
119	1	0.0	815	0.8	111	701	1,197	314	0.03	0.42	0.1	0	56

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
Dair	y Products (continue	ed)								
	Cheese (continued)	-								
	Natural (continued)									
	Cottage									
	Creamed (4% fat)									
57	Large curd	1 cup	225	79	233	28	10	6.4	2.9	0.3
58	Small curd			79	217	26	9	6.0	2.7	0.3
59	With fruit			72	279	22	8	4.9	2.2	0.2
60	Low fat (2%)	1 cup	226	79	203	31	4	2.8	1.2	0.1
61	Low fat (1%)	1 cup	226	82	164	28	2	1.5	0.7	0.1
62	Uncreamed (dry curd,									
	less than ½% fat)	1 cup	145	80	123	25	1	0.4	0.2	Tr
	Cream									
63	Regular			54	99	2	10	6.2	2.8	0.4
64		1 tbsp	15	54	51	1	5	3.2	1.4	0.2
65	Low fat	1 tbsp	15	64	35	2	3	1.7	0.7	0.1
66	Fat free	1 tbsp	16	76	15	2	Tr	0.1	0.1	Tr
67	Feta			55	75	4	6	4.2	1.3	0.2
68	Low fat, cheddar or colby	1 oz	28	63	49	7	2	1.2	0.6	0.1
	Mozzarella, made with									
69	Whole milk	1 oz	28	54	80	6	6	3.7	1.9	0.2
70	Part skim milk (low									
	moisture)	1 oz	28	49	79	8	5	3.1	1.4	0.1
71	Muenster			42	104	7	9	5.4	2.5	0.2
72	Neufchatel	1 oz	28	62	74	3	7	4.2	1.9	0.2
73	Parmesan, grated	1 cup	100	18	456	42	30	19.1	8.7	0.7
74		1 tbsp	5	18	23	2	2	1.0	0.4	Tr
75		1 oz	28	18	129	12	9	5.4	2.5	0.2
76	Provolone	1 oz	28	41	100	7	8	4.8	2.1	0.2
	Ricotta, made with									
77	Whole milk			72	428	28	32	20.4	8.9	0.9
78	Part skim milk			74	340	28	19	12.1	5.7	0.6
79	Swiss	1 oz	28	37	107	8	8	5.0	2.1	0.3
	Pasteurized process cheese									
	American									
80	Regular			39	106	6	9	5.6	2.5	0.3
81	Fat free			57	31	5	Tr	0.1	Tr	Tr
82	Swiss	1 oz	28	42	95	7	7	4.5	2.0	0.2
83	Pasteurized process cheese									
	food, American	1 oz	28	43	93	6	7	4.4	2.0	0.2
84	Pasteurized process cheese					_				
	spread, American	1 oz	28	48	82	5	6	3.8	1.8	0.2
	Cream, sweet									
85	Half and half (cream					_				
	and milk)	•		81	315	_7	28	17.3	8.0	1.0
86		1 tbsp		81	20	Tr	2	1.1	0.5	0.1
87	Light, coffee, or table	-		74	469	6	46	28.8	13.4	1.7
88		1 tbsp	15	74	29	Tr	3	1.8	0.8	0.1
	Whipping, unwhipped (volume about double when whipped)									
89	Light	1 cup	239	64	699	5	74	46.2	21.7	2.1
90	g	1 cup 1 tbsp		64	44	Tr	5	2.9	1.4	0.1
91	Heavy	_		58	821	5	88	54.8	25.4	3.3
92		1 tbsp		58	52	Tr	6	3.5	1.6	0.2
93	Whipped topping	1 tosp		50	32	11	U	٥.٥	1.0	5.2
,,	(pressurized)	1 cun	60	61	154	2	13	8.3	3.9	0.5
94	(Pressarized)	1 cup 1 tbsp		61	8	Tr	1	0.4	0.2	Tr
<b>у</b> т		1 100p		01	J	11	1	0.7	0.2	

Choles- terol	hydrate	•			Potas- sium	Sodium		tamin A	Thiamin			Ascor- bic acid	Food
(mg)	(g)	fiber (g	) (mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
34	6	0.0	135	0.3	190	911	367	108	0.05	0.37	0.3	0	57
31	6	0.0	126	0.3	177	850	342	101	0.04	0.34	0.3	0	58
25	30	0.0	108	0.2	151	915	278	81	0.04	0.29	0.2	0	59
19 10	8 6	$0.0 \\ 0.0$	155 138	0.4 0.3	217 193	918 918	158 84	45 25	0.05 0.05	0.42 0.37	0.3 0.3	0	60 61
10	3	0.0	46	0.3	47	19	44	12	0.04	0.21	0.2	0	62
31	1	0.0	23	0.3	34	84	405	108	Tr	0.06	Tr	0	63
16	Tr	0.0	12	0.2	17	43	207	55	Tr	0.03	Tr	0	64
8	1	0.0	17	0.3	25	44	108	33	Tr	0.04	Tr	0	65
1	1	0.0	29	Tr	25	85	145	44	0.01	0.03	Tr	0	66
25 6	1 1	$0.0 \\ 0.0$	140 118	0.2 0.1	18 19	316 174	127 66	36 18	0.04 Tr	0.24 0.06	0.3 Tr	0	67 68
22	1	0.0	147	0.1	19	106	225	68	Tr	0.07	Tr	0	69
15	1	0.0	207	0.1	27	150	199	54	0.01	0.10	Tr	0	70
27	Tr	0.0	203	0.1	38	178	318	90	Tr	0.09	Tr	0	71
22 79	1 4	$0.0 \\ 0.0$	21 1,376	0.1 1.0	32 107	113 1,862	321 701	85 173	Tr 0.05	0.06 0.39	Tr 0.3	0	72 73
4	Tr	0.0	69	Tr	5	93	35	9	Tr	0.02	Tr	0	74
22	1	0.0	390	0.3	30	528	199	49	0.01	0.11	0.1	0	75
20	1	0.0	214	0.1	39	248	231	75	0.01	0.09	Tr	0	76
124	7	0.0	509	0.9	257		1,205	330	0.03	0.48	0.3	0	77
76 26	13	0.0	669	1.1	308		1,063	278	0.05	0.46	0.2	0	78 79
26	1	0.0	272	Tr	31	74	240	72	0.01	0.10	Tr	0	19
27	Tr	0.0	174	0.1	46	406	343	82	0.01	0.10	Tr	0	80
2	3	0.0	145	0.1	60	321	308	92	0.01	0.10	Tr	0	81
24	1	0.0	219	0.2	61	388	229	65	Tr	0.08	Tr	0	82
18	2	0.0	163	0.2	79	337	259	62	0.01	0.13	Tr	0	83
16	2	0.0	159	0.1	69	381	223	54	0.01	0.12	Tr	0	84
89	10	0.0	254	0.2	314	98	1,050	259	0.08	0.36	0.2	2	85
6	1	0.0	16	Tr	19	6	65	16	0.01	0.02	Tr	Tr	86
159	9	0.0	231	0.1	292		1,519	437	0.08	0.36	0.1	_2	87
10	1	0.0	14	Tr	18	6	95	27	Tr	0.02	Tr	Tr	88
265	7	0.0	166	0.1	231	82	2,694	705	0.06	0.30	0.1	1	89
17	Tr	0.0	10	Tr	15	5	169	44	Tr	0.02	Tr	Tr	90
326	7	0.0	154	0.1	179		3,499	1,002	0.05	0.26	0.1	1	91
21	Tr	0.0	10	Tr	11	6	221	63	Tr	0.02	Tr	Tr	92
46	7	0.0	61	Tr	88	78	506	124	0.02	0.04	Tr	0	93
2	Tr	0.0	3	Tr	4	4	25	6	Tr	Tr	Tr	0	94

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
Daiı	ry Products (continue	d)								
	Cream, sour									
95	Regular	1 cup	230	71	493	7	48	30.0	13.9	1.8
96	8	1 tbsp		71	26	Tr	3	1.6	0.7	0.1
97	Reduced fat	1 tbsp	15	80	20	Tr	2	1.1	0.5	0.1
98	Fat free			81	12	Tr	0	0.0	0.0	0.0
	Cream product, imitation (made with vegetable fat) Sweet Creamer									
99		1 than	15	77	20	Tr	1	0.3	1.1	Tr
100	Liquid (frozen) Powdered	•		2	11	Tr	1	0.3	Tr	Tr
100	Whipped topping	1 tsp		2	11	11	1	0.7	11	11
101	Frozen	1 cup	75	50	239	1	19	16.3	1.2	0.4
102	1 TOZCII	1 tbsp		50	13	Tr	1	0.9	0.1	Tr
102	Powdered, prepared with	1 tosp	4	30	13	11	1	0.9	0.1	11
103	whole milk	1 cup	80	67	151	3	10	8.5	0.7	0.2
104	whole link	1 tbsp		67	8	Tr	Tr	0.4	Tr	Tr
105	Pressurized	•		60	184	11	16	13.2	1.3	0.2
106	1 Tessurized	1 tbsp		60	11	Tr	10	0.8	0.1	Tr
107	Sour dressing (filled cream	т созр		00		- 11		0.0	0.1	
107	type, nonbutterfat)	1 cun	235	75	417	8	39	31.2	4.6	1.1
108	type, nonoutterfut)	1 tbsp		75	21	Tr	2	1.6	0.2	0.1
100	Frozen dessert	т соор		, 0			_	1.0	V. <b>-</b>	0.1
	Frozen yogurt, soft serve									
109	Chocolate	½ cup	72	64	115	3	4	2.6	1.3	0.2
110	Vanilla			65	114	3	4	2.5	1.1	0.2
	Ice cream	, = F					•			
	Regular									
111	Chocolate	½ cup	66	56	143	3	7	4.5	2.1	0.3
112	Vanilla			61	133	2	7	4.5	2.1	0.3
113	Light (50% reduced fat),	1								
	vanilla	½ cup	66	68	92	3	3	1.7	0.8	0.1
114	Premium low fat,									
	chocolate	½ cup	72	61	113	3	2	1.0	0.6	0.1
115	Rich, vanilla			57	178	3	12	7.4	3.4	0.4
116	Soft serve, french vanilla			60	185	4	11	6.4	3.0	0.4
117	Sherbet, orange	½ cup	74	66	102	1	1	0.9	0.4	0.1
	Milk									
	Fluid, no milk solids added									
118	Whole (3.3% fat)	1 cup	244	88	150	8	8	5.1	2.4	0.3
119	Reduced fat (2%)	1 cup	244	89	121	8	5	2.9	1.4	0.2
120	Lowfat (1%)			90	102	8	3	1.6	0.7	0.1
121	Nonfat (skim)	1 cup	245	91	86	8	Tr	0.3	0.1	Tr
122	Buttermilk	1 cup	245	90	99	8	2	1.3	0.6	0.1
	Canned									
123	Condensed, sweetened	1 cup	306	27	982	24	27	16.8	7.4	1.0
	Evaporated									
124	Whole milk			74	339	17	19	11.6	5.9	0.6
125	Skim milk	1 cup	256	79	199	19	1	0.3	0.2	Tr
	Dried	_								
126	Buttermilk	1 cup	120	3	464	41	7	4.3	2.0	0.3
127	Nonfat, instant, with added	_					_			_
	vitamin A	1 cup	68	4	244	24	Tr	0.3	0.1	Tr
	Milk beverage									
100	Chocolate milk (commercial)		2.50	02	200	0	0	- a	2.7	0.2
128	Whole	•		82	208	8	8	5.3	2.5	0.3
129	Reduced fat (2%) Lowfat (1%)			84 85	179 158	8 8	5 3	3.1 1.5	1.5 0.8	0.2 0.1
130										

<sup>\*</sup>The vitamin A values listed for imitation sweet cream products are mostly from beta-carotene added for coloring.

Choles-	Carbo- hydrate	Total dietary	Calcium	Iron	Potas- sium	Sodium	ı Vita	amin A	Thiamin	Ribo- flavin	Niacin	Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
102	10	0.0	268	0.1	331		1,817	449	0.08	0.34	0.2	2	95
5	1	0.0	14	Tr	17	6	95	23	Tr	0.02	Tr	Tr	96
6	1	0.0	16	Tr	19	6	68	17	0.01	0.02	Tr	Tr	97
1	2	0.0	20	0.0	21	23	100	13	0.01	0.02	Tr	0	98
0	2	0.0	1	Tr	29	12	13*	1*	0.00	0.00	0.0	0	99
0	1	0.0	Tr	Tr	16	4	4	Tr	0.00	Tr	0.0	0	100
0	17	0.0	5	0.1	14	19	646*	65*	0.00	0.00	0.0	0	101
0	1	0.0	Tr	Tr	1	1	34*	3*	0.00	0.00	0.0	0	102
8	13	0.0	72	Tr	121	53	289*	39*	0.02	0.09	Tr	1	103
Tr	1	0.0	4	Tr	6	3	14*	2*	Tr	Tr	Tr	Tr	104
0 0	11 1	0.0 0.0	4 Tr	Tr Tr	13 1	43 2	331* 19*	33* 2*	0.00 0.00	$0.00 \\ 0.00$	0.0 0.0	0	105 106
13	11	0.0	266	0.1	380	113	24	5	0.09	0.38	0.2	2	107
13	1	0.0	14	Tr	19	6	1	Tr	Tr	0.38	Tr	Tr	107
4	18	1.6	106	0.9	188	71	115	31	0.03	0.15	0.2	Tr	109
1	17	0.0	103	0.2	152	63	153	41	0.03	0.16	0.2	1	110
22	19	0.8	72	0.6	164	50	275	79	0.03	0.13	0.1	Tr	111
29	16	0.0	84	0.0	131	53	270	79 77	0.03	0.15	0.1	Tr	111
9	15	0.0	92	0.1	139	56	109	31	0.04	0.17	0.1	1	113
7 45	22	0.7	107	0.4	179	50	163	47 126	0.02	0.13	0.1	1	114
45 78	17 19	$0.0 \\ 0.0$	87 113	Tr 0.2	118 152	41 52	476 464	136 132	0.03 0.04	0.12 0.16	0.1 0.1	1 1	115 116
4	22	0.0	40	0.2	71	34	56	10	0.04	0.16	Tr	2	117
33	11	0.0	291	0.1	370	120	307	76	0.09	0.40	0.2	2	118
18	12	0.0	297	0.1	377	122	500	139	0.10	0.40	0.2	2	119
10	12	0.0	300	0.1	381	123	500	144	0.10	0.41	0.2	2	120
4 9	12 12	$0.0 \\ 0.0$	302 285	0.1 0.1	406 371	126 257	500 81	149 20	0.09 0.08	0.34 0.38	0.2 0.1	2 2	121 122
104	166	0.0	868	0.6	1,136		1,004	248	0.28	1.27	0.6	8	123
74	25	0.0	657	0.5	764	267	612	136	0.12	0.80	0.5		124
74 9	25 29	0.0	741	0.3	849	267 294	1,004	300	0.12	0.80	0.3	5 3	124
83	59	0.0	1,421	0.4	1,910	621	262	65	0.47	1.89	1.1	7	126
12	35	0.0	837	0.2	1,160		1,612	483	0.28	1.19	0.6	4	127
12	55	0.0	031	0.2	1,100	5,5	-,012	103	0.20	1.17	0.0	7	141
31	26	2.0	280	0.6	417	149	303	73	0.09	0.41	0.3	2	128
17	26	1.3	284	0.6	422	151	500	143	0.09	0.41	0.3	2	129
7	26	1.3	287	0.6	426	152	500	148	0.10	0.42	0.3	2	130

Table 9. Nutritive Value of the Edible Part of Food

Products   Products	I able	5. Nutitive value of the Edible	T uit of I oou						Fatty acids				
Dairy Products (continued)   Milk beverage (continued)   1 cup	Food			Weight	Water	Calories			Satu-	Mono- unsatu-	Poly- unsatu-		
Milk heverage (cominued)   13   Eggang (commercial)   1   1   1   1   1   1   1   1   1	No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)		
Segrog (commercial)   1 cup	Daiı	,	ed)										
132   Chocolate	131	Eggnog (commercial)	1 cup	254	74	342	10	19	11.3	5.7	0.9		
133	132		10.6 fl.oz	300	72	356	Q	8	5.0	23	0.3		
Made with lowfat milk		Vanilla Sherbet. See Dairy Products, frozen dessert.											
134		With added milk solids											
Made with nonfat milk   Popular	134		8-oz container	227	74	231	10	2	1.6	0.7	0.1		
136	135		8-oz container	227	85	144	12	4	2.3	1.0	0.1		
137   Plain	126		0	227	75	212	10	т.,	0.2	0.1	т.,		
Without added milk solids  Made with whole milk, plain													
Plain		Without added milk solids	8-02 container	221	83	127	13	11	0.3	0.1	11		
Eggs   Figs		plainMade with nonfat milk,	8-oz container	227	88	139	8	7	4.8	2.0	0.2		
Figs   Raw		*	8-oz container	227	87	98	9	Tr	0.3	0.1	Tr		
Figs   Raw	Eac	IS											
Raw	55												
140   Whole													
142	140	Whole	1 medium	44	75	66	5	4	1.4	1.7	0.6		
143   White	141		1 large	50	75	75	6	5	1.6	1.9	0.7		
144    Yolk								6		2.2	0.8		
Cooked, whole													
with salt.         1 large.         46         69         92         6         7         1.9         2.7         1.3           146         Hard cooked, shell         removed.         1 large.         50         75         78         6         5         1.6         2.0         0.7           147         1 cup,         chopped.         .136         75         211         17         14         4.4         5.5         1.9           148         Poached, with salt.         1 large.         50         75         75         6         5         1.5         1.9         0.7           149         Scrambled, in margarine, with whole milk, salt.         1 large.         61         73         101         7         7         2.2         2.9         1.3           150         Egg substitute, liquid         ½ cup.         63         83         53         8         2         0.4         0.6         1.0           Fats and Oils           Butter (4 sticks per lb)         1 tisk         .113         16         813         1         92         57.3         26.6         3.4           152         1 tisp         .5         16<		Cooked, whole	1 large	17	49	59	3	5	1.6	1.9	0.7		
removed	143		1 large	46	69	92	6	7	1.9	2.7	1.3		
147	146	*	1 large	50	75	78	6	5	1.6	2.0	0.7		
148 Poached, with salt	147		1 cup,										
Scrambled, in margarine, with whole milk, salt	1.40	Deceled sold sold											
Fats and Oils  Butter (4 sticks per lb)  151 Salted 1 tbsp 14 16 102 Tr 12 7.2 3.3 0.4 153 Lard 1 stick 113 18 813 1 92 57.3 26.6 3.4 155 Lard 1 cup 205 0 1,849 0 205 80.4 92.5 23.0 156 Regular (about 80% fat)  157 Hard (4 sticks per lb) 1 stick 113 16 815 1 91 17.9 40.6 28.8 159 1 tsp 15 16 34 Tr 4 0.7 1.7 1.2 160 Soft 1 cup 227 16 1,626 2 183 31.3 64.7 78.5			I large	50	/5	/5	6	5	1.5	1.9	0.7		
Fats and Oils  Butter (4 sticks per lb)  151 Salted		with whole milk, salt	1 large	61						2.9	1.3		
Butter (4 sticks per lb)  151 Salted	150	Egg substitute, liquid	½ cup	63	83	53	8	2	0.4	0.6	1.0		
151     Salted     1 stick     113     16     813     1     92     57.3     26.6     3.4       152     1 tbsp     14     16     102     Tr     12     7.2     3.3     0.4       153     1 tsp     .5     16     36     Tr     4     2.5     1.2     0.2       154     Unsalted     1 stick     113     18     813     1     92     57.3     26.6     3.4       155     Lard     1 cup     205     0     1,849     0     205     80.4     92.5     23.0       156     1 tbsp     13     0     115     0     13     5.0     5.8     1.4       Margarine, vitamin A-fortified, salt added Regular (about 80% fat)     1     157     Hard (4 sticks per lb)     1 stick     113     16     815     1     91     17.9     40.6     28.8       158     1 tbsp     14     16     101     Tr     11     2.2     5.0     3.6       159     1 tsp     5     16     34     Tr     4     0.7     1.7     1.2       160     Soft     1 cup     227     16     1,626     2     183     31.3     31.3     64.	Fats	s and Oils											
152       1 tbsp       14       16       102       Tr       12       7.2       3.3       0.4         153       1 tsp       5       16       36       Tr       4       2.5       1.2       0.2         154       Unsalted       1 stick       113       18       813       1       92       57.3       26.6       3.4         155       Lard       1 cup       205       0       1,849       0       205       80.4       92.5       23.0         156       1 tbsp       13       0       115       0       13       5.0       5.8       1.4         Margarine, vitamin A-fortified, salt added Regular (about 80% fat)       81       1       91       17.9       40.6       28.8         157       Hard (4 sticks per lb)       1 stick       113       16       815       1       91       17.9       40.6       28.8         158       1 tbsp       14       16       101       Tr       11       2.2       5.0       3.6         159       1 tsp       5       16       34       Tr       4       0.7       1.7       1.2         160       Soft       1 cup													
153     1 tsp      5     16     36     Tr     4     2.5     1.2     0.2       154     Unsalted      1 stick      113     18     813     1     92     57.3     26.6     3.4       155     Lard      1 cup      205     0     1,849     0     205     80.4     92.5     23.0       156     1 tbsp      13     0     115     0     13     5.0     5.8     1.4       Margarine, vitamin A-fortified, salt added Regular (about 80% fat)       157     Hard (4 sticks per lb)      1 stick      113     16     815     1     91     17.9     40.6     28.8       158     1 tbsp      14     16     101     Tr     11     2.2     5.0     3.6       159     1 tsp      5     16     34     Tr     4     0.7     1.7     1.2       160     Soft      1 cup      227     16     1,626     2     183     31.3     64.7     78.5		Salted											
154 Unsalted			•										
155 Lard     1 cup     205     0     1,849     0     205     80.4     92.5     23.0       156     1 tbsp     13     0     115     0     13     5.0     5.8     1.4       Margarine, vitamin A-fortified, salt added Regular (about 80% fat)       157     Hard (4 sticks per lb)     1 stick     113     16     815     1     91     17.9     40.6     28.8       158     1 tbsp     14     16     101     Tr     11     2.2     5.0     3.6       159     1 tsp     5     16     34     Tr     4     0.7     1.7     1.2       160     Soft     1 cup     227     16     1,626     2     183     31.3     64.7     78.5		TT 1. 1	•										
1 tbsp													
Margarine, vitamin A-fortified, salt added Regular (about 80% fat)  157 Hard (4 sticks per lb)		Lard											
157     Hard (4 sticks per lb)     1 stick     113     16     815     1     91     17.9     40.6     28.8       158     1 tbsp     14     16     101     Tr     11     2.2     5.0     3.6       159     1 tsp     5     16     34     Tr     4     0.7     1.7     1.2       160     Soft     1 cup     227     16     1,626     2     183     31.3     64.7     78.5	130	salt added	т юѕр	13	U	113	Ü	13	5.0	3.6	1.4		
158     1 tbsp14     16     101     Tr     11     2.2     5.0     3.6       159     1 tsp5     16     34     Tr     4     0.7     1.7     1.2       160     Soft	157		1 stick	112	16	815	1	Ω1	17.0	40.6	28.8		
159 1 tsp		11aiu (4 sucks pei 10)											
160 Soft													
*		Soft											
			-										

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodium (mg)	Vi (IU)	tamin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
149	34	0.0	330	0.5	420	138	894	203	0.09	0.48	0.3	4	131
32 37	63 56	0.9 0.0	396 457	0.9 0.3	672 572	333 299	258 357	63 88	0.14 0.09	0.67 0.61	0.4 0.5	0	132 133
10 14	43 16	0.0 0.0	345 415	0.2 0.2	442 531	133 159	104 150	25 36	0.08 0.10	0.40 0.49	0.2 0.3	1 2	134 135
5 4	43 17	0.0 0.0	345 452	0.2 0.2	440 579	132 174	16 16	5 5	0.09 0.11	0.41 0.53	0.2 0.3	2 2	136 137
29	11	0.0	274	0.1	351	105	279	68	0.07	0.32	0.2	1	138
5	17	0.0	325	0.3	402	134	0	0	0.08	0.37	0.2	2	139
187 213 247 0 213	1 1 1 Tr Tr	0.0 0.0 0.0 0.0 0.0	22 25 28 2 23	0.6 0.7 0.8 Tr 0.6	53 61 70 48 16	55 63 73 55 7	279 318 368 0 323	84 96 111 0 97	0.03 0.03 0.04 Tr 0.03	0.22 0.25 0.29 0.15 0.11	Tr Tr Tr Tr Tr	0 0 0 0	140 141 142 143 144
211	1	0.0	25	0.7	61	162	394	114	0.03	0.24	Tr	0	145
212	1	0.0	25	0.6	63	62	280	84	0.03	0.26	Tr	0	146
577 212	2 1	0.0 0.0	68 25	1.6 0.7	171 60	169 140	762 316	228 95	0.09 0.02	0.70 0.22	0.1 Tr	0	147 148
215 1	1 Tr	0.0 0.0	43 33	0.7 1.3	84 208	171 112	416 1,361	119 136	0.03 0.07	0.27 0.19	Tr 0.1	Tr 0	149 150
248 31 11 248 195 12	Tr Tr Tr Tr 0	0.0 0.0 0.0 0.0 0.0 0.0	27 3 1 27 Tr Tr	0.2 Tr Tr 0.2 0.0 0.0	29 4 1 29 Tr Tr	117 41	3,468 434 153 3,468 0	855 107 38 855 0	0.01 Tr Tr 0.01 0.00 0.00	0.04 Tr Tr 0.04 0.00 0.00	Tr Tr Tr Tr 0.0 0.0	0 0 0 0 0	151 152 153 154 155 156
0 0 0 0	1 Tr Tr 1 Tr	0.0 0.0 0.0 0.0 0.0	34 4 1 60 1	0.1 Tr Tr 0.0 0.0	48 6 2 86 2	132 44	4,050 500 168 3,106 168	906 112 38 1,814 38	0.01 Tr Tr 0.02 Tr	0.04 0.01 Tr 0.07 Tr	Tr Tr Tr Tr Tr	Tr Tr Tr Tr Tr	157 158 159 160 161

Table 9. Nutritive Value of the Edible Part of Food

								Fatty acids				
Food		Measure of edible	Weight	Water	Calories	Pro- tein	Total fat	Satu-	Mono- unsatu- rated	Poly- unsatu- rated		
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)		
Fats	s and Oils (continued	l)										
	Margarine, vitamin A-fortified, salt added (continued)											
162	Spread (about 60% fat) Hard (4 sticks per lb)	1 stick	115	37	621	1	70	16.2	29.9	20.8		
163	Hard (4 sticks per 10)	1 tbsp		37	76	Tr	9	2.0	3.6	2.5		
164		1 tosp	_	37	26	Tr	3	0.7	1.2	0.9		
165	Soft			37	1,236	1	139	29.3	72.1	31.6		
166	5011	1 tsp		37	26	Tr	3	0.6	1.5	0.7		
167	Spread (about 40% fat)	•		58	801	1	90	17.9	36.4	32.0		
168	Spread (acout 1070 rat)	1 tsp		58	17	Tr	2	0.4	0.8	0.7		
169	Margarine butter blend	•		16	811	1	91	32.1	37.0	18.0		
170	8	1 tbsp		16	102	Tr	11	4.0	4.7	2.3		
	Oils, salad or cooking	•										
171	Canola	. 1 cup	218	0	1,927	0	218	15.5	128.4	64.5		
172		1 tbsp	14	0	124	0	14	1.0	8.2	4.1		
173	Corn	. 1 cup	218	0	1,927	0	218	27.7	52.8	128.0		
174		1 tbsp	14	0	120	0	14	1.7	3.3	8.0		
175	Olive	. 1 cup	216	0	1,909	0	216	29.2	159.2	18.1		
176		1 tbsp	14	0	119	0	14	1.8	9.9	1.1		
177	Peanut	. 1 cup	216	0	1,909	0	216	36.5	99.8	69.1		
178		1 tbsp		0	119	0	14	2.3	6.2	4.3		
179	Safflower, high oleic	. 1 cup	218	0	1,927	0	218	13.5	162.7	31.3		
180		1 tbsp		0	120	0	14	0.8	10.2	2.0		
181	Sesame			0	1,927	0	218	31.0	86.5	90.9		
182		1 tbsp		0	120	0	14	1.9	5.4	5.7		
183	Soybean, hydrogenated			0	1,927	0	218	32.5	93.7	82.0		
184		1 tbsp	14	0	120	0	14	2.0	5.8	5.1		
185	Soybean, hydrogenated and	1	210	0	1.027	0	210	20.2	64.2	1040		
100	cottonseed oil blend			0	1,927	0	218	39.2	64.3	104.9		
186	Cumflorren	1 tbsp		$0 \\ 0$	120	0	14	2.4 22.5	4.0	6.5 143.2		
187 188	Sunflower	•		0	1,927 120	0	218 14	1.4	42.5 2.7	8.9		
100	Salad dressings	1 tbsp	14	U	120	U	14	1.4	2.1	0.9		
	Commercial											
	Blue cheese											
189	Regular	1 then	15	32	77	1	8	1.5	1.9	4.3		
190	Low calorie			80	15	1	1	0.4	0.3	0.4		
170	Caesar	. т совр		00	13			0.1	0.5	0.1		
191	Regular	. 1 tbsp	15	34	78	Tr	8	1.3	2.0	4.8		
192	Low calorie			73	17	Tr	1	0.1	0.2	0.4		
	French	1										
193	Regular	. 1 tbsp	16	38	67	Tr	6	1.5	1.2	3.4		
194	Low calorie			69	22	Tr	1	0.1	0.2	0.6		
	Italian	•										
195	Regular	. 1 tbsp	15	38	69	Tr	7	1.0	1.6	4.1		
196	Low calorie	. 1 tbsp	15	82	16	Tr	1	0.2	0.3	0.9		
	Mayonnaise											
197	Regular			15	99	Tr	11	1.6	3.1	5.7		
198	Light, cholesterol free	. 1 tbsp	15	56	49	Tr	5	0.7	1.1	2.8		
199	Fat free	. 1 tbsp	16	84	12	0	Tr	0.1	0.1	0.2		
	Russian											
200	Regular			35	76	Tr	8	1.1	1.8	4.5		
201	Low calorie	. 1 tbsp	16	65	23	Tr	1	0.1	0.1	0.4		
	Thousand island	4.3				_	_	a -				
202	Regular			46	59	Tr	6	0.9	1.3	3.1		
203	Low calorie	. 1 tbsp	15	69	24	Tr	2	0.2	0.4	0.9		

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodiı (mg)	ım <u>Vi</u> (IU)	tamin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
0	0	0.0	24	0.0	34	1,143	4,107	919	0.01	0.03	Tr	Tr	162
0	0	0.0	3	0.0	4	139	500	112	Tr	Tr	Tr	Tr	163
0	0	0.0	1	0.0	1	48	171	38	Tr	Tr	Tr	Tr	164
0 0	$0 \\ 0$	$0.0 \\ 0.0$	48 1	$0.0 \\ 0.0$	68 1	2,276 48	8,178 171	1,830 38	0.02 Tr	0.06 Tr	Tr Tr	Tr Tr	165 166
0	1	0.0	41	0.0	59	2,226	8,285	38 1,854	0.01	0.05	Tr	Tr	167
0	Tr	0.0	1	0.0	1	46	171	38	Tr	Tr	Tr	Tr	168
99	1	0.0	32	0.1	41	1,014	4,035	903	0.01	0.04	Tr	Tr	169
12	Tr	0.0	4	Tr	5	127	507	113	Tr	Tr	Tr	Tr	170
0	0	0.0	0	0.0	0	0	0	0	0.00	0.00	0.0	0	171
0 0	$0 \\ 0$	$0.0 \\ 0.0$	0	$0.0 \\ 0.0$	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$	0	$0.00 \\ 0.00$	$0.00 \\ 0.00$	$0.0 \\ 0.0$	0	172 173
0	0	0.0	0	0.0	0	0	0	0	0.00	0.00	0.0	0	173
Ö	0	0.0	Tr	0.8	0	Tr	0	0	0.00	0.00	0.0	0	175
0	0	0.0	Tr	0.1	0	Tr	0	0	0.00	0.00	0.0	0	176
0	0	0.0	Tr	0.1	Tr	Tr	0	0	0.00	0.00	0.0	0	177
0	0	0.0	Tr	Tr	Tr	Tr	0	0	0.00	0.00	0.0	0	178
0	0	0.0	0	0.0	0	0	0	0	0.00	0.00	0.0	0	179
0 0	$0 \\ 0$	$0.0 \\ 0.0$	0	$0.0 \\ 0.0$	$0 \\ 0$	0	$0 \\ 0$	0	$0.00 \\ 0.00$	0.00 $0.00$	$0.0 \\ 0.0$	0	180 181
0	0	0.0	0	0.0	0	0	0	0	0.00	0.00	0.0	0	182
Ö	0	0.0	0	0.0	0	Ö	0	0	0.00	0.00	0.0	0	183
0	0	0.0	0	0.0	0	0	0	0	0.00	0.00	0.0	0	184
0	0	0.0	0	0.0	0	0	0	0	0.00	0.00	0.0	0	185
0 0	$0 \\ 0$	$0.0 \\ 0.0$	$0 \\ 0$	$0.0 \\ 0.0$	$0 \\ 0$	$0 \\ 0$	$0 \\ 0$	0	$0.00 \\ 0.00$	$0.00 \\ 0.00$	$0.0 \\ 0.0$	0	186 187
0	0	0.0	0	0.0	0	0	0	0	0.00	0.00	0.0	0	188
3	1	0.0	12	Tr	6	167	32	10	Tr	0.02	Tr	Tr	189
Tr	Tr	0.0	14	0.1	1	184	2	Tr	Tr	0.02	Tr	Tr	190
Tr	Tr	Tr	4	Tr	4	158	3	Tr	Tr	Tr	Tr	0	191
Tr	3	Tr	4	Tr	4	162	3	Tr	Tr	Tr	Tr	0	192
0	3	0.0	2	0.1	12	214	203	20	Tr	Tr	Tr	0	193
0	4	0.0	2	0.1	13	128	212	21	0.00	0.00	0.0	0	194
0 1	1 1	0.0 Tr	1 Tr	Tr Tr	2 2	116 118	11 0	4	Tr 0.00	Tr 0.00	Tr 0.0	$0 \\ 0$	195 196
8 0	Tr	0.0	2	0.1	5	78 107	39 18	12	0.00	$0.00 \\ 0.00$	Tr	0	197
0	1 2	0.0 0.6	0	$0.0 \\ 0.0$	10 15	107 190	18 0	2 0	$0.00 \\ 0.00$	0.00	$0.0 \\ 0.0$	0	198 199
3	2	0.0	3	0.1	24	133	106	32	0.01	0.01	0.1	1	200
1	4	Tr	3	0.1	26	141	9	3	Tr	Tr	Tr	1	201
4	2	0.0	2	0.1	18	109	50	15	Tr	Tr	Tr	0	202
2	2	0.2	2	0.1	17	153	49	15	Tr	Tr	Tr	0	203

									Fatty acids	
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu rated (g)
Fate	s and Oils (continued	1/								
ı aı.	•	4)								
	Salad dressings (continued) Prepared from home recipe									
204	Cooked, made with									
204	margarine	1 then	16	69	25	1	2	0.5	0.6	0.3
205	French			24	88	Tr	10	1.8	2.9	4.7
206	Vinegar and oil			47	70	0	8	1.4	2.3	3.8
	Shortening (hydrogenated soybean and cottonseed	1 tosp		.,	70	Ü	O	1	2.5	3.0
	oils)	1 cup	205	0	1,812	0	205	51.3	91.2	53.5
208	Olls)	1 tbsp		0	113	0	13	3.2	5.7	3.3
	n and Shellfish	1 tosp	13	U	113	U	13	3.2	3.7	3.3
		2	0.5	50	105	1.5	1.1	2.0	4.0	2.0
209	Clam			59	195	15	11	2.8	4.8	2.8
210	Raw, meat only			82	63	11	1	0.1	0.1	0.2
211	D 116:1	1 medium		82	11	2	Tr	Tr	Tr	Tr
212	Breaded, fried			29	451	13	26	6.6	11.4	6.8
213	Canned, drained solids			64	126	22	2	0.2	0.1	0.5
214	Cod	1 cup	160	64	237	41	3	0.3	0.3	0.9
215	Baked or broiled	3 oz	85	76	89	20	1	0.1	0.1	0.3
216		1 fillet		76	95	21	1	0.1	0.1	0.3
217	Canned, solids and liquid			76	89	19	1	0.1	0.1	0.2
	Crab									
	Alaska king									
218	Steamed			78	130	26	2	0.2	0.2	0.7
219		3 oz		78	82	16	1	0.1	0.2	0.5
220	Imitation, from surimi Blue	3 oz	85	74	87	10	1	0.2	0.2	0.6
221	Steamed	3 oz	85	77	87	17	2	0.2	0.2	0.6
222	Canned crabmeat	1 cup	135	76	134	28	2	0.3	0.3	0.6
	Crab cake, with egg, onion, fried in margarine	1 cake	60	71	93	12	5	0.9	1.7	1.4
224	Fish fillet, battered or	1 ("11 4	0.1	<i>5</i> 4	211	12	11	2.6	2.2	5.7
225	breaded, fried	I fillet	91	54	211	13	11	2.6	2.3	5.7
225	Fish stick and portion, breaded, frozen, reheated									
22.5			28	46	76	4	3	0.9	1.4	0.9
226		1 portion (4 2" x ½")	" x 57	46	155	9	7	1.8	2.9	1.8
227	Flounder or sole, baked or		<u>.</u>							
000	broiled			73	99	21	1	0.3	0.2	0.5
228	TT 11 1 1 1 1 1 1 1 1 1 1	1 fillet		73	149	31	2	0.5	0.3	0.8
	Haddock, baked or broiled			74	95	21	1	0.1	0.1	0.3
230	Halibut, baked or broiled	1 fillet		74 72	168 119	36 23	1	0.3 0.4	0.2 0.8	0.5
232	Hambut, baked of broffed	½ fillet		72	223	42	2 5	0.4	1.5	0.8 1.5
	Herring, pickled			55	223	12	15	2.0	10.2	1.3
	Lobster, steamed			76	83	17	13	0.1	0.1	0.1
	Ocean perch, baked									
236	or broiled	3 02 1 fillet		73 73	103 61	20 12	2 1	0.3 0.2	0.7 0.4	0.5 0.3
230	Oyster	1 1111Ct	0	13	01	12	1	0.2	V. <del>-1</del>	0.5
237	Raw, meat only	1 cup	248	85	169	17	6	1.9	0.8	2.4
238	2, 1110at 0111y	6 medium		85	57	6	2	0.6	0.3	0.8
239	Breaded, fried			65	167	7	11	2.7	4.0	2.8
240				74	96	20	1	0.2	0.1	0.4
	,	1 fillet		74	68	14	1	0.1	0.1	0.3
241										
	Rockfish, baked or broiled			73	103	20	2	0.4	0.4	0.5

Choles-	Carbo- hydrate	Total dietary	Calcium	Iron	Potas- sium	Sodium	Vit	amin A	Thiamin	Ribo- flavin	Niacin	Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
9	2	0.0	13	0.1	19	117	66	20	0.01	0.02	Tr	Tr	204
0	Tr Tr	0.0 0.0	1	Tr 0.0	3 1	92 Tr	72 0	22 0	Tr 0.00	Tr 0.00	Tr 0.0	Tr 0	205 206
0	0 0	0.0 0.0	0	0.0 0.0	0 0	0	0	0	0.00 0.00	0.00	0.0 0.0	0	207 208
69	7	0.6	37	1.2	289	238	24	7	0.06	0.11	1.9	0	209
29 5	2 Tr	0.0 0.0	39 7	11.9 2.0	267 46	48 8	255 44	77 13	0.07 0.01	0.18 0.03	1.5 0.3	11 2	210 211
87	39	0.3	21	3.0	266	834	122	37	0.21	0.26	2.9	0	212
57	4	0.0	78	23.8	534	95	485	145	0.13	0.36	2.9	19	213
107	8	0.0	147	44.7	1,005	179	912	274	0.24	0.68	5.4	35	214
40	0	0.0	8	0.3	439	77 82	27 29	9 9	0.02 0.02	0.04	2.1	3	215
42 47	0	$0.0 \\ 0.0$	8 18	0.3 0.4	465 449	82 185	29 39	12	0.02	$0.05 \\ 0.07$	2.2 2.1	3 1	216 217
77	O	0.0	10	0.4	777	103	37	12	0.07	0.07	2.1	1	217
71	0	0.0	79	1.0	351	1,436	39	12	0.07	0.07	1.8	10	218
45	0	0.0	50	0.6	223	911	25	8	0.05	0.05	1.1	6	219
17	9	0.0	11	0.3	77	715	56	17	0.03	0.02	0.2	0	220
85	0	0.0	88	0.8	275	237	5	2	0.09	0.04	2.8	3	221
120	0	0.0	136	1.1	505	450	7	3	0.11	0.11	1.8	4	222
90	Tr	0.0	63	0.6	194	198	151	49	0.05	0.05	1.7	2	223
31	15	0.5	16	1.9	291	484	35	11	0.10	0.10	1.9	0	224
31	7	0.0	6	0.2	73	163	30	9	0.04	0.05	0.6	0	225
64	14	0.0	11	0.4	149	332	60	18	0.07	0.10	1.2	0	226
58	0	0.0	15	0.3	292	89	32	9	0.07	0.10	1.9	0	227
86	0	0.0	23	0.4	437	133	48	14	0.10	0.14	2.8	0	228
63	0	0.0	36	1.1	339	74	54	16	0.03	0.04	3.9	0	229
111 35	$0 \\ 0$	$0.0 \\ 0.0$	63 51	2.0 0.9	599 490	131 59	95 152	29 46	0.06 0.06	$0.07 \\ 0.08$	6.9 6.1	0	230 231
65	0	0.0	95	1.7	916	110	285	86	0.11	0.14	11.3	0	232
11	8	0.0	65	1.0	59	740	732	219	0.03	0.12	2.8	0	233
61	1	0.0	52	0.3	299	323	74	22	0.01	0.06	0.9	0	234
46 27	0	0.0 0.0	116 69	1.0 0.6	298 175	82 48	39 23	12 7	0.11 0.07	0.11 0.07	2.1 1.2	1 Tr	235 236
131	10	0.0	112	16.5	387	523	248	74	0.25	0.24	3.4	9	237
45	3	0.0	38	5.6	131	177	84	25	0.08	0.08	1.2	3	238
69	10	0.2	53	5.9	207	354	257	77	0.13	0.17	1.4	3	239
82 58	$0 \\ 0$	$0.0 \\ 0.0$	5 4	0.2 0.2	329 232	99 70	65 46	20 14	0.06 0.04	0.06 0.05	1.4 1.0	0	240 241
38 37	0	0.0	10	0.2	442	65	186	56	0.04	0.03	3.3	0	241
66	0	0.0	18	0.8	775	115	326	98	0.07	0.13	5.8	0	243

Table 9. Nutritive Value of the Edible Part of Food

I able	5. Nutritive value of the Europ	<u> </u>							Fatty acids	}
Food	Food December	Measure of edible	Weight	Water	Calories		Total fat	Satu-	Mono- unsatu- rated	Poly- unsatu- rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
Fisl	n and Shellfish (conti	nued)								
244	Roughy, orange,									
	baked or broiled	. 3 oz	85	69	76	16	1	Tr	0.5	Tr
245	Salmon	2 07	05	62	101	22	0	1.6	15	2.0
245 246	Baked or broiled (red)	. 3 02 ½ fillet		62 62	184 335	23 42	9 17	1.6 3.0	4.5 8.2	2.0 3.7
247	Canned (pink), solids and	/2 IIIICt	133	02	333	42	17	3.0	0.2	3.1
	liquid (includes bones)	. 3 oz	85	69	118	17	5	1.3	1.5	1.7
248	Smoked (chinook)	. 3 oz	85	72	99	16	4	0.8	1.7	0.8
249	Sardine, Atlantic, canned in									
	oil, drained solids (includes bones)	3.07	85	60	177	21	10	1.3	3.3	4.4
	Scallop, cooked	. 5 OE		00	1//	21	10	1.5	3.3	
250	Breaded, fried	. 6 large	93	58	200	17	10	2.5	4.2	2.7
251	Steamed	. 3 oz	85	73	95	20	1	0.1	0.1	0.4
252	Shrimp Breaded, fried	2 07	05	53	206	18	10	1.8	3.2	4.3
252	Breaded, fried	6 large		53	109	10	10 6	0.9	3.2 1.7	2.3
254	Canned, drained solids			73	102	20	2	0.3	0.2	0.6
255	Swordfish, baked or broiled			69	132	22	4	1.2	1.7	1.0
256		1 piece		69	164	27	5	1.5	2.1	1.3
257 258	Trout, baked or broiled			68	144 120	21 17	6	1.8 1.5	1.8	2.0
238	Tuna	1 fillet	/1	68	120	1 /	5	1.3	1.5	1.7
259	Baked or broiled	. 3 oz	85	63	118	25	1	0.3	0.2	0.3
	Canned, drained solids									
260	Oil pack, chunk light			60	168	25	7	1.3	2.5	2.5
261 262	Water pack, chunk light			75 73	99	22 20	1	0.2 0.7	0.1 0.7	0.3 0.9
263	Water pack, solid white Tuna salad: light tuna in oil,	. 3 OZ	83	13	109	20	3	0.7	0.7	0.9
203	pickle relish, mayo type									
	salad dressing	. 1 cup	205	63	383	33	19	3.2	5.9	8.5
Fru	its and Fruit Juices									
	Apples									
	Raw									
264	Unpeeled, 2¾" dia (about		100	0.4	0.1	<b></b>	<b></b>	0.1		0.1
265	3 per lb) Peeled, sliced			84 84	81 63	Tr Tr	Tr Tr	0.1 0.1	Tr Tr	0.1 0.1
266	Dried (sodium bisulfite used	. 1 cup	110	04	03	11	11	0.1	11	0.1
	to preserve color)	. 5 rings	32	32	78	Tr	Tr	Tr	Tr	Tr
	Apple juice, bottled or canned.			88	117	Tr	Tr	Tr	Tr	0.1
268	Apple pie filling, canned	. 1/8 of 21-oz	can74	73	75	Tr	Tr	Tr	0.0	Tr
269	Applesauce, canned Sweetened	1 cun	255	80	194	Tr	Tr	0.1	Tr	0.1
270	Unsweetened			88	105	Tr	Tr	Tr	Tr	Tr
	Apricots									
271	Raw, without pits (about 12		~~	0.4		_	_	_	0.4	-
	per lb with pits)	. 1 apricot	35	86	17	Tr	Tr	Tr	0.1	Tr
	Canned, halves, fruit and liquid									
272	Heavy syrup pack	. 1 cup	258	78	214	1	Tr	Tr	0.1	Tr
273	Juice pack			87	117	2	Tr	Tr	Tr	Tr
274	Dried, sulfured			31	83	1	Tr	Tr	0.1	Tr
275	Apricot nectar, canned, with	1	251	0.5	1.4.1	1	Tr.	T	0.1	т
	added ascorbic acid	. 1 cup	251	85	141	1	Tr	Tr	0.1	Tr
276	2½" high x 2½" dia	. 1 pear	122	88	51	1	Tr	Tr	0.1	0.1
277	3%" high x 3" dia			88	116	1	1	Tr	0.1	0.2

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodium (mg)	Vit	tamin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
(1119)	(9)	ilber (g)	(iiig)	(iiig)	(mg)	(mg)	(10)	(IVL)	(mg)	(iiig)	(iiig)	(iiig)	
22	0	0.0	32	0.2	327	69	69	20	0.10	0.16	3.1	0	244
74	0	0.0	6	0.5	319	56	178	54	0.18	0.15	5.7	0	245
135	0	0.0	11	0.9	581	102	324	98	0.33	0.27	10.3	0	246
47	0	0.0	181	0.7	277	471	47 75	14 22	0.02	0.16	5.6	0	247
20	0	0.0	9	0.7	149	666	75	22	0.02	0.09	4.0	0	248
121	0	0.0	325	2.5	337	429	190	57	0.07	0.19	4.5	0	249
57	9	0.2	39	0.8	310	432	70	20	0.04	0.10	1.4	2	250
45	3	0.0	98	2.6	405	225	85	26	0.09	0.05	1.1	0	251
150	10	0.3	57	1.1	191	292	161	48	0.11	0.12	2.6	1	252
80	5	0.2	30	0.6	101	155	85	25	0.06	0.06	1.4	1	253
147 43	1 0	$0.0 \\ 0.0$	50 5	2.3 0.9	179 314	144 98	51 116	15 35	0.02 0.04	0.03 0.10	2.3 10.0	2 1	254 255
53	0	0.0	6	1.1	391	122	145	43	0.04	0.10	12.5	1	256
58	0	0.0	73	0.3	375	36	244	73	0.20	0.12	7.5	3	257
48	0	0.0	61	0.2	313	30	204	61	0.17	0.06	6.2	2	258
49	0	0.0	18	0.8	484	40	58	17	0.43	0.05	10.1	1	259
15	0	0.0	11	1.2	176	301	66	20	0.03	0.10	10.5	0	260
26	0	0.0	9	1.3	201	287	48	14	0.03	0.06	11.3	0	261
36	0	0.0	12	0.8	201	320	16	5	0.01	0.04	4.9	0	262
27	19	0.0	35	2.1	365	824	199	55	0.06	0.14	13.7	5	263
0 0	21 16	3.7 2.1	10 4	0.2 0.1	159 124	0	73 48	7 4	0.02 0.02	0.02 0.01	0.1 0.1	8 4	264 265
0	21	2.8	4	0.4	144	28	0	0	0.00	0.05	0.3	1	266
0	29	0.2	17	0.9	295	7	2	0	0.05	0.03	0.2	2	267
0	19	0.7	3	0.2	33	33	10	1	0.01	0.01	Tr	1	268
0	51	3.1	10	0.9	156	8	28	3 7	0.03	0.07	0.5	4	269
0	28	2.9	7	0.3	183	5	71	7	0.03	0.06	0.5	3	270
0	4	0.8	5	0.2	104	Tr	914	91	0.01	0.01	0.2	4	271
0	55	4.1	23	0.8	361	10 3	3,173	317	0.05	0.06	1.0	8	272
0	30	3.9	29	0.7	403		1,126	412	0.04	0.05	0.8	12	273
0	22	3.2	16	1.6	482		2,534	253	Tr	0.05	1.0	1	274
0	36	1.5	18	1.0	286	8 3	3,303	331	0.02	0.04	0.7	137	275
0	13	4.4	5	0.0	148	0	0	0	0.01	0.01	0.3	5	276
0	29	9.9	11	0.0	333	0	0	0	0.02	0.03	0.6	10	277

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	3
Food No.	Food Description	Measure of edible portion	Weight	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
	•	•		(/	( )	(3)	(3)	(3)	(3)	(3)
Fru	its and Fruit Juices (	continued)								
	Avocados, raw, without skin and seed									
278	California (about ½ whole)	. 1 oz	28	73	50	1	5	0.7	3.2	0.6
279	Florida (about 1/10 whole)			80	32	Tr	3	0.5	1.4	0.4
200	Bananas, raw									
280	Whole, medium (7" to 7\%" long)	1 hanana	118	74	109	1	1	0.2	Tr	0.1
281	Sliced			74	138	2	1	0.3	0.1	0.1
282	Blackberries, raw			86	75	1	1	Tr	0.1	0.3
202	Blueberries	1	1.45	0.5	0.1		1	Tr.	0.1	0.2
283 284	RawFrozen, sweetened, thawed			85 77	81 186	1 1	1 Tr	Tr Tr	0.1 Tr	0.2 0.1
204	Cantaloupe. See Melons. Carambola (starfruit), raw	т сир	230	, ,	100	1	11	11	11	0.1
285	Whole (35/8" long)	. 1 fruit	91	91	30	Tr	Tr	Tr	Tr	0.2
286	Sliced	. 1 cup	108	91	36	1	Tr	Tr	Tr	0.2
287	Cherries Sour, red, pitted, canned,									
207	water pack	. 1 cup	244	90	88	2	Tr	0.1	0.1	0.1
288	Sweet, raw, without pits and	1								
200	stems			81	49	1	1	0.1	0.2	0.2
289	Cherry pie filling, canned			71 12	85 92	Tr Tr	Tr Tr	Tr Tr	Tr Tr	Tr 0.1
	Cranberries, dried, sweetened Cranberry sauce, sweetened,	. 74 Cup	20	12	92	11	11	11	11	0.1
	canned (about 8 slices									
	per can)	. 1 slice	57	61	86	Tr	Tr	Tr	Tr	Tr
292	Dates, without pits Whole	5 dates	42	23	116	1	Tr	0.1	0.1	Tr
293	Chopped			23	490	4	1	0.1	0.1	0.1
	Figs, dried			28	97	1	Tr	0.1	0.1	0.2
	Fruit cocktail, canned, fruit and liquid									
295	Heavy syrup pack	•		80 87	181	1 1	Tr Tr	Tr Tr	Tr Tr	0.1
296	Juice packGrapefruit	. 1 cup	237	87	109	1	11	11	11	Tr
	Raw, without peel, membrane	•								
	and seeds (3 <sup>3</sup> / <sub>4</sub> " dia)									
297	Pink or red			91	37	1	Tr	Tr	Tr	Tr
298 299	White	½ grapeiruit	118	90	39	1	Tr	Tr	Tr	Tr
2//	syrup	. 1 cup	254	84	152	1	Tr	Tr	Tr	0.1
	Grapefruit juice	•								
200	Raw	1	247	00	06	1	т	т.	т.,	0.1
300 301	Pink White			90 90	96 96	1 1	Tr Tr	Tr Tr	Tr Tr	0.1 0.1
501	Canned	. 1 cup	2 17	70	70	1				0.1
302	Unsweetened	. 1 cup	247	90	94	1	Tr	Tr	Tr	0.1
303	Sweetened	. 1 cup	250	87	115	1	Tr	Tr	Tr	0.1
	Frozen concentrate, unsweetened									
304	Undiluted	. 6-fl-oz can	207	62	302	4	1	0.1	0.1	0.2
305	Diluted with 3 parts water			~ <b>-</b>	~ ~ <b>-</b>	•	•	3.1		~ . <b>-</b>
	by volume			89	101	1	Tr	Tr	Tr	0.1
306 307	Grapes, seedless, raw	10 grapes 1 cup		81 81	36 114	Tr 1	Tr 1	0.1 0.3	Tr Tr	0.1 0.3
307		1 cup	100	01	117	1	1	0.5	11	0.5

Choles- terol	Carbo- hydrate	Total dietary	Calcium	Iron	Potas- sium	Sodiur	n Vit	amin A	Thiamin	Ribo- flavin	Niacin	Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
0	2 3	1.4	3	0.3	180	3	174	17	0.03	0.03	0.5	2	278
0	3	1.5	3	0.2	138	1	174	17	0.03	0.03	0.5	2	279
0 0	28 35	2.8 3.6	7 9	0.4 0.5	467 594	1 2	96 122	9 12	0.05 0.07	0.12 0.15	0.6 0.8	11 14	280 281
0	18	7.6	46	0.3	282	0	238	23	0.04	0.13	0.6	30	282
0	20 50	3.9 4.8	9 14	0.2 0.9	129 138	9 2	145 101	15 9	0.07 0.05	0.07 0.12	0.5 0.6	19 2	283 284
U	30	4.0	14	0.9	136	2	101	9	0.03	0.12	0.0	2	204
0 0	7 8	2.5 2.9	4 4	0.2 0.3	148 176	2 2	449 532	45 53	0.03 0.03	0.02 0.03	0.4 0.4	19 23	285 286
Ü	Ü	2.9	·	0.5	170	2	332	33	0.05	0.05	0.1	23	200
0	22	2.7	27	3.3	239	17	1,840	183	0.04	0.10	0.4	5	287
0 0	11 21	1.6 0.4	10 8	0.3 0.2	152 78	0 13	146 152	14 16	0.03 0.02	0.04 0.01	0.3 0.1	5 3	288 289
0	24	2.5	5	0.1	24	1	0	0	0.01	0.03	Tr	Tr	290
0	22	0.6	2	0.1	15	17	11	1	0.01	0.01	0.1	1	291
0 0	31 131	3.2 13.4	13 57	0.5 2.0	274 1,161	1 5	21 89	2 9	0.04 0.16	0.04 0.18	0.9 3.9	0	292 293
0	25	4.6	55	0.8	271	4	51	5	0.03	0.03	0.3	Tr	294
0	47	2.5	15	0.7	218	15	508	50	0.04	0.05	0.9	5	295
0	28	2.4	19	0.5	225	9	723	73	0.03	0.04	1.0	6	296
0	9	1.4	14	0.1	159	0	319	32	0.04	0.02	0.2	47	297
0	10	1.3	14	0.1	175	0	12	1	0.04	0.02	0.3	39	298
0	39	1.0	36	1.0	328	5	0	0	0.10	0.05	0.6	54	299
0 0	23 23	0.2 0.2	22 22	0.5 0.5	400 400	2 2	1,087 25	109 2	0.10 0.10	0.05 0.05	0.5 0.5	94 94	300 301
0	22	0.2	17	0.5	378	2 5	17	2	0.10	0.05	0.6	72	302
0	28	0.3	20	0.9	405	5	0	0	0.10	0.06	0.8	67	303
0	72	0.8	56	1.0	1,002	6	64	6	0.30	0.16	1.6	248	304
0 0	24 9	0.2 0.5	20 6	0.3 0.1	336 93	2 1	22 37	2 4	0.10 0.05	0.05 0.03	0.5 0.2	83 5	305 306
0	28	1.6	18	0.4	296	3	117	11	0.15	0.09	0.5	17	307

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	
Food No.	C	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
Frui	its and Fruit Juices (co	ontinued	l)							
200	Grape juice		252	0.4	154		TT.	0.1	TD.	0.1
308	Canned or bottled	cup	253	84	154	1	Tr	0.1	Tr	0.1
309	Undiluted	5-fl-oz can	216	54	387	1	1	0.2	Tr	0.2
310	Diluted with 3 parts water by volume	cup	250	87	128	Tr	Tr	0.1	Tr	0.1
311	Kiwi fruit, raw, without skin		76	02	16	1	т	т	т.,	0.2
312	(about 5 per lb with skin) I Lemons, raw, without peel			83	46	1	Tr	Tr	Tr	0.2
	(2½" dia with peel) 1 Lemon juice	lemon	58	89	17	1	Tr	Tr	Tr	0.1
313 314	Raw (from 2½"-dia lemon) j Canned or bottled,	uice of 1 len	non47	91	12	Tr	0	0.0	0.0	0.0
314	unsweetened 1	cup	244	92	51	1	1	0.1	Tr	0.2
315		tbsp		92	3	Tr	Tr	Tr	Tr	Tr
21.5	Lime juice		20	0.0	10	<b></b>		<b></b>	<b></b>	m
316 317	Raw (from 2"-dia lime) j Canned, unsweetened 1			90 93	10 52	Tr 1	Tr 1	Tr 0.1	Tr 0.1	Tr 0.2
318		tbsp		93 93	32	Tr	Tr	Tr	Tr	Tr
010	Mangos, raw, without skin and seed (about 1½ per lb with skin and seed)	теор		,,,	J					
319	Whole	-		82	135	1	1	0.1	0.2	0.1
320	Sliced	cup	165	82	107	1	Tr	0.1	0.2	0.1
321	Wedge <sup>1</sup>	/s melon	69	90	24	1	Tr	Tr	Tr	0.1
322	Cubes 1 Honeydew (6"-7" dia)	cup	160	90	56	1	Tr	0.1	Tr	0.2
323 324	Wedge <sup>1</sup> Diced (about 20 pieces per	/s melon	160	90	56	1	Tr	Tr	Tr	0.1
325	cup)	cup	170	90	60	1	Tr	Tr	Tr	0.1
	raspberry, grape and		250	7.4	245	4	т.,	0.1	0.1	0.2
326	boysenberry) 1 Nectarines, raw (2½" dia) 1			74 86	245 67	4 1	Tr 1	0.1 0.1	0.1 0.2	0.2 0.3
020	Oranges, raw				0,	•	-	0.1	0.2	0.0
327	Whole, without peel and seeds (25/8" dia)	orange	131	87	62	1	Tr	Tr	Tr	Tr
328	Sections without membranes 1			87	85	2	Tr	Tr	Tr	Tr
	Orange juice	•								
329 330	Raw, all varieties i	cupuice from 1	248	88	112	2	Tr	0.1	0.1	0.1
	,	orange	86	88	39	1	Tr	Tr	Tr	Tr
331	Canned, unsweetened 1	cup	249	89	105	1	Tr	Tr	0.1	0.1
332	Chilled (refrigerator case) 1 Frozen concentrate	•		88	110	2	1	0.1	0.1	0.2
333 334	Undiluted	5-fl-oz can	213	58	339	5	Tr	0.1	0.1	0.1
334	Diluted with 3 parts water by volume	cup	249	88	112	2	Tr	Tr	Tr	Tr
		cun	140	89	55	1	Tr	0.1	0.1	Tr
335	½" cubes 1	· • • • • • • • • • • • • • • • • • • •		0,						

<sup>\*</sup>Sodium benzoate and sodium bisulfite added as preservatives.

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodiu (mg)	m <u>Vit</u>	amin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
0	38	0.3	23	0.6	334	8	20	3	0.07	0.09	0.7	Tr	308
0	96	0.6	28	0.8	160	15	58	6	0.11	0.20	0.9	179	309
0	32	0.3	10	0.3	53	5	20	3	0.04	0.07	0.3	60	310
0	11	2.6	20	0.3	252	4	133	14	0.02	0.04	0.4	74	311
0	5	1.6	15	0.3	80	1	17	2	0.02	0.01	0.1	31	312
0	4	0.2	3	Tr	58	Tr	9	1	0.01	Tr	Tr	22	313
0	16 1	1.0 0.1	27 2	0.3 Tr	249 16	51* 3*	37 2	5 Tr	0.10 0.01	0.02 Tr	0.5 Tr	61 4	314 315
0 0 0	3 16 1	0.2 1.0 0.1	3 30 2	Tr 0.6 Tr	41 185 11	Tr 39* 2*	4 39 2	Tr 5 Tr	0.01 0.08 Tr	Tr 0.01 Tr	Tr 0.4 Tr	11 16 1	316 317 318
0 0	35 28	3.7 3.0	21 17	0.3 0.2	323 257	4 3	8,061 6,425	805 642	0.12 0.10	0.12 0.09	1.2 1.0	57 46	319 320
0	6 13	0.6 1.3	8 18	0.1 0.3	213 494	6 14	2,225 5,158	222 515	0.02 0.06	0.01 0.03	0.4 0.9	29 68	321 322
0	15	1.0	10	0.1	434	16	64	6	0.12	0.03	1.0	40	323
0	16	1.0	10	0.1	461	17	68	7	0.13	0.03	1.0	42	324
0 0	61 16	4.8 2.2	18 7	0.7 0.2	328 288	8 0	805 1,001	80 101	0.04 0.02	0.09 0.06	1.0 1.3	188 7	325 326
0	15	3.1	52	0.1	237	0	269	28	0.11	0.05	0.4	70	327
0	21	4.3	72	0.2	326	0	369	38	0.16	0.07	0.5	96	328
0	26	0.5	27	0.5	496	2	496	50	0.22	0.07	1.0	124	329
0 0 0	9 25 25	0.2 0.5 0.5	9 20 25	0.2 1.1 0.4	172 436 473	1 5 2	172 436 194	17 45 20	0.08 0.15 0.28	0.03 0.07 0.05	0.3 0.8 0.7	43 86 82	330 331 332
0	81	1.7	68	0.7	1,436	6	588	60	0.60	0.14	1.5	294	333
0	27	0.5	22	0.2	473	2	194	20	0.20	0.04	0.5	97	334
0	14 30	2.5 5.5	34 73	0.1 0.3	360 781	4 9	398 863	39 85	0.04 0.08	0.04 0.10	0.5 1.0	87 188	335 336

									Fatty acids	;
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
Frui	its and Fruit Juices (	continue	d)							
	Peaches		,							
	Raw									
337	Whole, 2½" dia, pitted									
	(about 4 per lb)			88	42	1	Tr	Tr	Tr	Tr
338	Sliced	. 1 cup	170	88	73	1	Tr	Tr	0.1	0.1
220	Canned, fruit and liquid		2.62	70	10.4			<b></b>	0.1	0.1
339	Heavy syrup pack	î .		79 70	194	1	Tr	Tr	0.1	0.1
340	T : 1	1 half		79	73	Tr	Tr	Tr	Tr	Tr
341	Juice pack			87	109	2	Tr	Tr	Tr	Tr
342	D.:	1 half		87	43	1	Tr	Tr	Tr	Tr
343 344	Dried, sulfured	. 3 naives	39	32	93	1	Tr	Tr	0.1	0.1
344	Frozen, sliced, sweetened, with added ascorbic acid,									
	thawed	1 cup	250	75	235	2	Tr	Tr	0.1	0.2
	Pears	. 1 cup	230	13	233	2	11	11	0.1	0.2
345	Raw, with skin, cored, 2½"									
373	dia	1 near	166	84	98	1	1	Tr	0.1	0.2
	Canned, fruit and liquid	. 1 pear	100	04	70	1	1	11	0.1	0.2
346	Heavy syrup pack	1 cun	266	80	197	1	Tr	Tr	0.1	0.1
347	neavy syrup pack	1 half		80	56	Tr	Tr	Tr	Tr	Tr
348	Juice pack			86	124	1	Tr	Tr	Tr	Tr
349	surce puck	1 half		86	38	Tr	Tr	Tr	Tr	Tr
317	Pineapple	1 11411		00	50		**			
350	Raw, diced	. 1 cup	155	87	76	1	1	Tr	0.1	0.2
220	Canned, fruit and liquid	. 1 cap		0,	, 0	-	-		0.1	0.2
	Heavy syrup pack									
351	Crushed, sliced, or									
	chunks	. 1 cup	254	79	198	1	Tr	Tr	Tr	0.1
352	Slices (3" dia)	•		79	38	Tr	Tr	Tr	Tr	Tr
	Juice pack									
353	Crushed, sliced, or									
	chunks	. 1 cup	249	84	149	1	Tr	Tr	Tr	0.1
354	Slice (3" dia)	. 1 slice	47	84	28	Tr	Tr	Tr	Tr	Tr
355	Pineapple juice, unsweetened,									
	canned	. 1 cup	250	86	140	1	Tr	Tr	Tr	0.1
	Plantain, without peel									
356				65	218	2	1	0.3	0.1	0.1
357	Cooked, slices	. 1 cup	154	67	179	1	Tr	0.1	Tr	0.1
	Plums						_	_		
358	Raw (21/8" dia)	. l plum	66	85	36	1	Tr	Tr	0.3	0.1
	Canned, purple, fruit and									
250	liquid	1	250	7.0	220		m	TD.	0.2	0.1
359	Heavy syrup pack			76	230	1	Tr	Tr	0.2	0.1
360	T : 1	1 plum		76	41	Tr	Tr	Tr	Tr	Tr
361	Juice pack			84	146	1	Tr	Tr	Tr	Tr
362	Daynes daied mitted	1 plum	46	84	27	Tr	Tr	Tr	Tr	Tr
262	Prunes, dried, pitted	5	42	22	100	1	т.,	Т.,	0.1	т.,
363 364	Uncooked	. 5 prunes	42	32	100	1	Tr	Tr	0.1	Tr
304	Stewed, unsweetened, fruit	1 oun	249	70	265	2	1	Т.	0.4	Λ1
365	and liquid			70 81	265 182	3 2	1 Tr	Tr Tr	0.4 0.1	0.1 Tr
303	Prune juice, canned or bottled . Raisins, seedless	. 1 cup	230	01	104	2	11	11	0.1	11
266		1 cup	1.45	15	435	5	1	0.2	Tr.	0.2
366 367	Cup, not packed			15 15		5 Tr			Tr Tr	
367	Packet, ½ oz (1½ tbsp)	. 1 раскет	14	15	42	Tr	Tr	Tr	Tr	Tr
260	Raspberries	1 oun	122	87	60	1	1	Tr	0.1	0.4
368 369	Raw			73	258	1 2	1 Tr	Tr	0.1 Tr	0.4
	Frozen, sweetened, thawed Rhubarb, frozen, cooked, with	. 1 cup	230	13	230	2	11	11	Tr	0.2
310		1 cun	240	68	278	1	$T_r$	Tr	Тr	Λ 1
	sugar	. 1 cup	240	08	278	1	Tr	11	Tr	0.1

Choles- terol	Carbo- hydrate	Total dietary	Calcium	Iron	Potas- sium	Sodium	ı Vit	amin A	Thiamin	Ribo- flavin	Niacin	Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
0	11	2.0	5	0.1	193	0	524	53	0.02	0.04	1.0	6	337
0	19	3.4	9	0.2	335	0	910	92	0.03	0.07	1.7	11	338
0	52	3.4	8	0.7	241	16	870	86	0.03	0.06	1.6	7	339
0	20	1.3	3	0.3	90	6	325	32	0.01	0.02	0.6	3	340
$0 \\ 0$	29 11	3.2 1.3	15 6	0.7 0.3	317 125	10 4	945 373	94 37	0.02 0.01	$0.04 \\ 0.02$	1.4 0.6	9 4	341 342
0	24	3.2	11	1.6	388	3	844	84	Tr	0.08	1.7	2	343
0	60	4.5	8	0.9	325	15	710	70	0.03	0.09	1.6	236	344
0	25	4.0	18	0.4	208	0	33	3	0.03	0.07	0.2	7	345
0	51	4.3	13	0.6	173	13	0	0	0.03	0.06	0.6		346
0	15	1.2	4	0.0	173 49	4	0	0	0.03	0.00	0.6	3 1	340 347
Ö	32	4.0	22	0.7	238	10	15	2	0.03	0.03	0.5	4	348
0	10	1.2	7	0.2	73	3	5	1	0.01	0.01	0.2	1	349
0	19	1.9	11	0.6	175	2	36	3	0.14	0.06	0.7	24	350
0 0	51 10	2.0 0.4	36 7	1.0 0.2	264 51	3 Tr	36 7	3 Tr	0.23 0.04	0.06 0.01	0.7 0.1	19 4	351 352
0 0	39 7	2.0 0.4	35 7	0.7 0.1	304 57	2 Tr	95 18	10 2	0.24 0.04	0.05 0.01	0.7 0.1	24 4	353 354
0	34	0.5	43	0.7	335	3	13	0	0.14	0.06	0.6	27	355
0	57 48	4.1 3.5	5 3	1.1 0.9	893 716		2,017 1,400	202 140	0.09 0.07	0.10 0.08	1.2 1.2	33 17	356 357
0	9	1.0	3	0.1	114	0	213	21	0.03	0.06	0.3	6	358
0	60	2.6	23	2.2	235	49	668	67	0.04	0.10	0.8	1	359
0	11	0.5	4	0.4	42	9	119	12	0.01	0.02	0.1	Tr	360
0	38	2.5	25	0.9	388		2,543	255	0.06	0.15	1.2	7	361
0	7	0.5	5	0.2	71	Tr	464	46	0.01	0.03	0.2	1	362
0	26	3.0	21	1.0	313	2	835	84	0.03	0.07	0.8	1	363
0	70 45	16.4 2.6	57 31	2.8 3.0	828 707	5 10	759 8	77 0	0.06 0.04	0.25 0.18	1.8 2.0	7 10	364 365
0 0	115 11	5.8 0.6	71 7	3.0 0.3	1,089 105	17 2	12 1	1 Tr	0.23 0.02	0.13 0.01	1.2 0.1	5 Tr	366 367
0 0	14 65	8.4 11.0	27 38	0.7 1.6	187 285	0 3	160 150	16 15	0.04 0.05	0.11 0.11	1.1 0.6	31 41	368 369
0	75	4.8	348	0.5	230	2	166	17	0.04	0.06	0.5	8	370

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	
Food No.	Food Description	Measure of edible portion	Weight	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
		<b>P</b>	(3)	(,-,	(,	(3)	(3)	(3)	(3)	(3)
Frui	its and Fruit Juices (d	continued)								
	Strawberries									
	Raw, capped									
371	Large (1½" dia)			92	5	Tr	Tr	Tr	Tr	Tr
372	Medium (1 <sup>1</sup> / <sub>4</sub> " dia)			92	4	Tr	Tr	Tr	Tr	Tr
373	Sliced	. I cup	166	92	50	1	1	Tr	0.1	0.3
374	Frozen, sweetened, sliced, thawed	1 cun	255	73	245	1	Tr	Tr	Tr	0.2
	Tangerines	. 1 cup	233	13	243	1	11	11	11	0.2
375	Raw, without peel and seeds									
	(2 <sup>3</sup> / <sub>8</sub> " dia)	. 1 tangerine	84	88	37	1	Tr	Tr	Tr	Tr
376	Canned (mandarin oranges),									
	light syrup, fruit and			0.5			_	-	-	0.4
277	liquid	. I cup	252	83	154	1	Tr	Tr	Tr	0.1
3//	Tangerine juice, canned,	1 000	240	87	125	1	Tr	Tr	Tr	0.1
	watermelon, raw (15" long x	. 1 cup	249	07	123	1	11	11	11	0.1
	$7\frac{1}{2}$ " dia)									
378	Wedge (about ½ of									
	melon)	. 1 wedge	286	92	92	2	1	0.1	0.3	0.4
379	Diced	. 1 cup	152	92	49	1	1	0.1	0.2	0.2
Gra	in Products									
0.0.	Bagels, enriched									
380	Plain	3½" hagel	71	33	195	7	1	0.2	0.1	0.5
381	1 14111	4" bagel		33	245	9	1	0.2	0.1	0.6
382	Cinnamon raisin	- C		32	195	7	1	0.2	0.1	0.5
383		4" bagel		32	244	9	2	0.2	0.2	0.6
384	Egg			33	197	8	1	0.3	0.3	0.5
385		4" bagel	89	33	247	9	2	0.4	0.4	0.6
386	Banana bread, prepared from									
	recipe, with margarine	. 1 slice	60	29	196	3	6	1.3	2.7	1.9
207	Barley, pearled	1	200	10	704	20	2	0.5	0.2	1.1
387 388	Uncooked			10 69	704 193	20 4	2 1	0.5 0.1	0.3 0.1	1.1 0.3
300	CookedBiscuits, plain or buttermilk,	. 1 cup	137	09	193	4	1	0.1	0.1	0.3
	enriched									
389	Prepared from recipe, with									
	2% milk	. 2½" biscuit	60	29	212	4	10	2.6	4.2	2.5
390		4" biscuit	101	29	358	7	16	4.4	7.0	4.2
	Refrigerated dough, baked									
391	Regular			28	93	2	4	1.0	2.2	0.5
392	Lower fat	. 21/4" biscuit	21	28	63	2	1	0.3	0.6	0.2
202	Breads, enriched	1 -1:	25	26	<i>(5</i>	2	1	0.2	0.5	0.2
393 394	Cracked wheat Egg bread (challah)			36 35	65 115	2 4	1 2	0.2 0.6	0.5 0.9	0.2 0.4
395	French or vienna (includes	. 72 SHCE	40	33	113	4	2	0.0	0.9	0.4
373	sourdough)	½" slice	25	34	69	2	1	0.2	0.3	0.2
396	Indian fry (navajo) bread			27	296	6	9	2.1	3.6	2.3
397	<b>3</b> \ <b>3</b> /	10½" bread		27	526	11	15	3.7	6.4	4.1
398	Italian	. 1 slice	20	36	54	2	1	0.2	0.2	0.3
	Mixed grain									
399	Untoasted			38	65	3	1	0.2	0.4	0.2
400	Toasted	. 1 slice	24	32	65	3	1	0.2	0.4	0.2
401	Oatmeal	1 alica	27	27	72	2	1	0.2	0.4	0.5
401 402	Untoasted Toasted			37 31	73 73	2 2	1 1	0.2 0.2	0.4 0.4	0.5 0.5
402	Pita			32	73 77	3	Tr	Tr	Tr	0.3
404		6½" pita		32	165	5	1	0.1	0.1	0.3
		1					-			

Choles- terol	hydrate		Calcium		Potas- sium	Sodiun		amin A	Thiamin			Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
0	1	0.4	3	0.1	30	Tr	5	1	Tr	0.01	Tr	10	371
0 0	1 12	0.3 3.8	2 23	Tr 0.6	20 276	Tr 2	3 45	Tr 5	Tr 0.03	0.01 0.11	Tr 0.4	7 94	372 373
0	66	4.8	28	1.5	250	8	61	5	0.04	0.13	1.0	106	374
0	9	1.9	12	0.1	132	1	773	77	0.09	0.02	0.1	26	375
0	41	1.8	18	0.9	197	15	2,117	212	0.13	0.11	1.1	50	376
0	30	0.5	45	0.5	443	2	1,046	105	0.15	0.05	0.2	55	377
0 0	21 11	1.4 0.8	23 12	0.5 0.3	332 176	6 3	1,047 556	106 56	0.23 0.12	0.06 0.03	0.6 0.3	27 15	378 379
0 0 0 0 17 21	38 48 39 49 38 47	1.6 2.0 1.6 2.0 1.6 2.0	53 66 13 17 9	2.5 3.2 2.7 3.4 2.8 3.5	72 90 105 132 48 61	379 475 229 287 359 449	0 0 52 65 77 97	0 0 0 0 23 29	0.38 0.48 0.27 0.34 0.38 0.48	0.22 0.28 0.20 0.25 0.17 0.21	3.2 4.1 2.2 2.7 2.4 3.1	0 0 Tr 1 Tr 1	380 381 382 383 384 385
26	33	0.7	13	0.8	80	181	278	72	0.10	0.12	0.9	1	386
0 0	155 44	31.2 6.0	58 17	5.0 2.1	560 146	18 5	44 11	4 2	0.38 0.13	0.23 0.10	9.2 3.2	0	387 388
2 3	27 45	0.9 1.5	141 237	1.7 2.9	73 122	348 586	49 83	14 23	0.21 0.36	0.19 0.31	1.8 3.0	Tr Tr	389 390
0	13 12	0.4 0.4	5 4	0.7 0.6	42 39	325 305	0 0	0 0	0.09 0.09	0.06 0.05	0.8 0.7	0 0	391 392
0 20	12 19	1.4 0.9	11 37	0.7 1.2	44 46	135 197	0 30	0 9	0.09 0.18	0.06 0.17	0.9 1.9	0	393 394
0 0 0	13 48 85 10	0.8 1.6 2.9 0.5	19 210 373 16	0.6 3.2 5.8 0.6	28 67 118 22	152 626 1,112 117	0 0 0	0 0 0 0	0.13 0.39 0.69 0.09	0.08 0.27 0.49 0.06	1.2 3.3 5.8 0.9	0 0 0 0	395 396 397 398
0 0	12 12	1.7 1.6	24 24	0.9 0.9	53 53	127 127	0 0	0 0	0.11 0.08	0.09 0.08	1.1 1.0	Tr Tr	399 400
0 0 0 0	13 13 16 33	1.1 1.1 0.6 1.3	18 18 24 52	0.7 0.7 0.7 1.6	38 39 34 72	162 163 150 322	4 4 0 0	1 1 0 0	0.11 0.09 0.17 0.36	0.06 0.06 0.09 0.20	0.8 0.8 1.3 2.8	0 Tr 0 0	401 402 403 404

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	3
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
	' Bus busts (see the	- 1\								
Gra	in Products (continue	ed)								
	Breads, enriched (continued)									
405	Pumpernickel Untoasted	1 slice	32	38	80	3	1	0.1	0.3	0.4
405	Toasted			32	80	3	1	0.1	0.3	0.4
	Raisin									
407	Untoasted			34	71	2	1	0.3	0.6	0.2
408	Toasted	. 1 slice	24	28	71	2	1	0.3	0.6	0.2
409	Rye Untoasted	1 slice	32	37	83	3	1	0.2	0.4	0.3
410	Toasted			31	68	2	1	0.2	0.3	0.2
411	Rye, reduced calorie	. 1 slice	23	46	47	2	1	0.1	0.2	0.2
	Wheat					_				
412	Untoasted			37	65	2	1	0.2	0.4	0.2
413 414	Toasted			32 43	65 46	2 2	1 1	0.2 0.1	0.4 0.1	0.2 0.2
717	White	. 1 slice	23	43	40	2	1	0.1	0.1	0.2
415	Untoasted	. 1 slice	25	37	67	2	1	0.1	0.2	0.5
416	Toasted			30	64	2	1	0.1	0.2	0.5
417	Soft crumbs			37	120	4	2	0.2	0.3	0.9
418	White, reduced calorie Bread, whole wheat	. I slice	23	43	48	2	1	0.1	0.2	0.1
419	Untoasted	. 1 slice	28	38	69	3	1	0.3	0.5	0.3
420	Toasted			30	69	3	1	0.3	0.5	0.3
	Bread crumbs, dry, grated									
421	Plain, enriched	_		6	427	14	6	1.3	2.6	1.2
422 423	Seasoned, unenriched	1 oz		6 6	112 440	4 17	2 3	0.3 0.9	0.7 1.2	0.3 0.8
423	Bread crumbs, soft. See White bread.	. 1 cup	120	U	440	17	3	0.9	1.2	0.8
424	Bread stuffing, prepared	1.	400		4=0				• •	
125	from dry mix	. ½ cup	100	65	178	3	9	1.7	3.8	2.6
423	withfruit filling, fat free	1 bar	37	14	121	2	Tr	Tr	Tr	0.1
	Breakfast Cereals	1 041	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		121	_				0.1
	Hot type, cooked									
	Corn (hominy) grits									
	Regular or quick, enriched									
426	White	1 cup	242	85	145	3	Tr	0.1	0.1	0.2
427	Yellow			85	145	3	Tr	0.1	0.1	0.2
428	Instant, plain	. 1 packet	137	82	89	2	Tr	Tr	Tr	0.1
420	CREAM OF WHEAT	1	251	07	122	4	1	0.1	0.1	0.2
429 430	Regular Quick			87 87	133 129	4 4	1 Tr	0.1 0.1	0.1 0.1	0.3 0.3
431	Mix'n Eat, plain			82	102	3	Tr	Tr	Tr	0.3
432	MALT O MEAL			88	122	4	Tr	0.1	0.1	Tr
	Oatmeal									
433	Regular, quick or instant,	1	224	0.5	1.45		2	0.4	0.7	0.0
434	plain, nonfortified Instant, fortified, plain			85 86	145 104	6 4	2 2	0.4 0.3	0.7 0.6	0.9 0.7
7.7	QUAKER instant	. 1 packet	1//	00	104	7	2	0.5	0.0	0.7
435	Apples and cinnamon	. 1 packet	149	79	125	3	1	0.3	0.5	0.6
436	Maple and brown sugar.			75	153	4	2	0.4	0.6	0.7
437	WHEATENA	. 1 cup	243	85	136	5	1	0.2	0.2	0.6
438	Ready to eat ALL BRAN	½ cun	30	3	79	4	1	0.2	0.2	0.5
439	APPLE CINNAMON	. , 2 cup		3	1)	7	1	0.2	0.2	0.5
	CHEERIOS			3	118	2	2	0.3	0.6	0.2
440	APPLE JACKS	. 1 cup	30	3	116	1	Tr	0.1	0.1	0.2

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodium (mg)	Vit	amin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
0	15 15	2.1 2.1	22 21	0.9 0.9	67 66	215 214	0	0	0.10 0.08	0.10 0.09	1.0 0.9	0	405 406
0	14 14	1.1 1.1	17 17	0.8 0.8	59 59	101 102	0 Tr	0	0.09 0.07	0.10 0.09	0.9 0.8	Tr Tr	407 408
0	15	1.9	23	0.9	53	211	2	Tr	0.14	0.11	1.2	Tr	409
0	13 9	1.5 2.8	19 17	0.7 0.7	44 23	174 93	1 1	0	0.09 0.08	$0.08 \\ 0.06$	0.9 0.6	Tr Tr	410 411
0	12 12	1.1 1.2	26 26	0.8 0.8	50 50	133 132	0	0	0.10 0.08	0.07 0.06	1.0 0.9	0	412 413
0	10	2.8	18	0.7	28	118	0	0	0.10	0.07	0.9	Tr	414
Tr	12	0.6	27	0.8	30	135	0	0	0.12	0.09	1.0	0	415
Tr	12	0.6	26	0.7	29	130	0	0	0.09	0.07	0.9	0	416
Tr 0	22 10	1.0 2.2	49 22	1.4 0.7	54 17	242 104	0 1	0 Tr	0.21 0.09	0.15 0.07	1.8 0.8	0 Tr	417 418
0	13 13	1.9 1.9	20 20	0.9 0.9	71 71	148 148	0	0	0.10 0.08	0.06 0.05	1.1 1.0	0	419 420
0	78	2.6	245	6.6	239	931	1	0	0.83	0.47	7.4	0	421
0	21	0.7	64	1.7	63	244	Tr	0	0.83	0.47	1.9	0	422
1	84	5.0	119	3.8	324	3,180	16	4	0.19	0.20	3.3	Tr	423
0	22	2.9	32	1.1	74	543	313	81	0.14	0.11	1.5	0	424
Tr	28	0.8	49	4.5	92	203	,249	125	1.01	0.42	5.0	1	425
0	31	0.5	0	1.5	53	0	0	0	0.24	0.15	2.0	0	426
0	31	0.5	0	1.5	53	0	145	15	0.24	0.15	2.0	0	427
0	21	1.2	8	8.2	38	289	0	0	0.15	0.08	1.4	0	428
0	28	1.8	50	10.3	43	3	0	0	0.25	0.00	1.5	0	429
$0 \\ 0$	27 21	1.2 0.4	50 20	10.3 8.1	45 38	139 241 1	0 1,252	0 376	0.24 0.43	$0.00 \\ 0.28$	1.4 5.0	0	430 431
0	26	1.0	5	9.6	31	2	0	0	0.48	0.24	5.8	0	432
0	25	4.0	10	1.6	121	2	27	=	0.26	0.05	0.2	0	422
0	25 18	4.0 3.0	19 163	1.6 6.3	131 99	2 285	37 1,510	5 453	0.26 0.53	0.05 0.28	0.3 5.5	0	433 434
0	26	2.5	104	3.9	106		,019	305	0.30	0.35	4.1	Tr	435
0	31 29	2.6 6.6	105 10	3.9 1.4	112 187	234 1	800,1 0	302 0	0.30 0.02	0.34 0.05	4.0 1.3	0	436 437
0	23	9.7	106	4.5	342	61	750	225	0.39	0.42	5.0	15	438
0	25 27	1.6 0.6	35 3	4.5 4.5	60 32	150 134	750 750	225 225	0.38 0.39	0.43 0.42	5.0 5.0	15 15	439 440

									Fatty acids	
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
Gra	in Products (continue	2d)								
Ora	Breakfast Cereals (continued)	cuj								
	Ready to eat (continued)									
441	BASIC 4	. 1 cup	55	7	201	4	3	0.4	1.0	1.1
442	BERRY BERRY KIX			2	120	1	1	0.2	0.5	0.1
443	CAP'N CRUNCH	. ¾ cup	27	2	107	1	1	0.4	0.3	0.2
444	CAP'N CRUNCH'S									
445	CRUNCHBERRIES CAP'N CRUNCH'S PEANUT BUTTER	. ¾ cup	26	2	104	1	1	0.3	0.3	0.2
	CRUNCH	. ¾ cup	27	2	112	2	2	0.5	0.8	0.5
446	CHEERIOS			3	110	3	2	0.4	0.6	0.2
	CHEX									
447	Corn			3	113	2	Tr	0.1	0.1	0.2
448	Honey nut			2	117	2	1	0.1	0.4	0.2
449	Multi bran			3	165	4	1	0.2	0.3	0.5
450	Rice			3	117	2	Tr	Tr	Tr	Tr
451 452	Wheat			3 4	104 190	3 4	1 2	0.1 0.3	0.1 0.6	0.3 0.8
453	CINNAMON LIFE CINNAMON TOAST	. 1 cup		4	190	4	2	0.3	0.0	0.8
733	CRUNCH	3/4 Cun	30	2	124	2	3	0.5	0.9	0.5
454	COCOA KRISPIES			2	120	2	1	0.6	0.1	0.1
455	COCOA PUFFS			2	119	1	1	0.2	0.3	Tr
456	Corn Flakes GENERAL MILLS,	-		_			_			_
455	TOTAL			3	112	2	Tr	0.2	0.1	Tr
457	KELLOGG'S			3	102	2	Tr	0.1	Tr	0.1
458 459	CORN POPS CRISPIX			3	118 108	1 2	Tr Tr	0.1 0.1	0.1 0.1	Tr 0.1
460	Complete Wheat Bran	. 1 cup	29	3	106	2	11	0.1	0.1	0.1
700	Flakes	3/4 Cun	29	4	95	3	1	0.1	0.1	0.4
461	FROOT LOOPS			2	117	1	i	0.4	0.2	0.3
462	FROSTED FLAKESFROSTED MINI WHEATS			3	119	1	Tr	0.1	Tr	0.1
463	Regular	. 1 cup	51	5	173	5	1	0.2	0.1	0.6
464	Bite size			5	187	5	1	0.2	0.2	0.6
465 466	GOLDEN GRAHAMS HONEY FROSTED			3	116	2	1	0.2	0.3	0.2
	WHEATIES	. ¾ cup	30	3	110	2	Tr	0.1	Tr	Tr
467	HONEY NUT CHEERIOS .			2	115	3	1	0.2	0.5	0.2
468	HONEY NUT CLUSTERS.			3	213	5	3	0.4	1.8	0.4
469	KIX			2	114	2	1	0.2	0.1	Tr
470	LIFE			4	121	3	1	0.2	0.4	0.6
471	LUCKY CHARMS	. 1 cup	30	2	116	2	1	0.2	0.4	0.2
472	NATURE VALLEY	3/	5.5	4	240		10	1.2	<i>c</i>	1.0
	Granola100% Natural Cereal	. %4 cup	35	4	248	6	10	1.3	6.5	1.9
473	With oats, honey, and									
4/3	raisins	½ cun	51	4	218	5	7	3.2	3.2	0.8
474	With raisins, low fat			4	195	4	3	0.8	1.3	0.5
475	PRODUCT 19			3	110	3	Tr	Tr	0.2	0.2
476	Puffed Rice			3	56	1	Tr	Tr	Tr	Tr
477	Puffed WheatRaisin Bran			3	44	2	Tr	Tr	Tr	Tr
478	GENERAL MILLS,		<b>-</b> -	-	4-0		_	a -	0.5	0.5
450	TOTAL			9	178	4	1	0.2	0.2	0.2
479	KELLOGG'S			8	186	6	1	0.0	0.2	0.8
480 481	RAISIN NUT BRAN REESE'S PEANUT	-		5	209	5	4	0.7	1.9	0.5
482	BUTTER PUFFS RICE KRISPIES			2 3	129 124	3 2	3 Tr	0.6 0.1	1.4 0.1	0.6 0.2
+02	KICL KKISI ILS	. 1 /4 cup		3	144	2	11	0.1	0.1	0.2

Choles- terol	Carbo- hydrate	Total dietary	Calcium	Iron	Potas- sium	Sodiu		amin A	Thiamin	Ribo- flavin	Niacin	Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
0	42	3.4	310	4.5	162	323	1,250	375	0.37	0.42	5.0	15	441
Ö	26	0.2	66	4.5	24	185	750	225	0.38	0.43	5.0	15	442
0	23	0.9	5	4.5	35	208	36	4	0.38	0.42	5.0	0	443
0	22	0.6	7	4.5	37	190	33	5	0.37	0.42	5.0	Tr	444
0	22	0.8	3	4.5	62	204	37	4	0.38	0.42	5.0	0	445
0	23	2.6	55	8.1	89	284	1,250	375	0.38	0.43	5.0	15	446
0	26	0.5	100	9.0	32	289	0	0	0.38	0.00	5.0	6	447
0	26	0.4	102	9.0	27	224	0	0	0.38	0.44	5.0	6	448
0	41	6.4	95	13.7	191	325	0	0	0.32	0.00	4.4	5	449
0	27	0.3	104	9.0	36	291	0	0	0.38	0.02	5.0	6	450
0	24	3.3	60	9.0	116	269	0	0	0.23	0.04	3.0	4	451
0	40	3.0	135	7.5	113	220	16	2	0.63	0.71	8.4	Tr	452
0	24	1.5	42	4.5	44	210	750	225	0.38	0.43	5.0	15	453
0	27	0.4	4	1.8	60	210	750	225	0.37	0.43	5.0	15	454
0	27	0.2	33	4.5	52	181	0	0	0.38	0.43	5.0	15	455
0	26	0.8	237	18.0	34	203	1,250	375	1.50	1.70	20.1	60	456
0	24	0.8	1	8.7	25	298	700	210	0.36	0.39	4.7	14	457
0	28	0.4	2	1.9	23	123	775	233	0.40	0.43	5.2	16	458
0	25	0.6	3	1.8	35	240	750	225	0.38	0.44	5.0	15	459
0	23	4.6	14	8.1	175	226	1,208	363	0.38	0.44	5.0	15	460
0 0	26 28	0.6 0.6	3 1	4.2 4.5	32 20	141 200	703 750	211 225	0.39 0.37	0.42 0.43	5.0 5.0	14 15	461 462
0	42	5.5	18	14.3	170	2	0	0	0.36	0.41	5.0	0	463
0	45	5.9	0	15.4	186	2	0 750	0	0.33	0.39	4.7	0	464
0	26	0.9	14	4.5	53	275	750	225	0.38	0.43	5.0	15	465
0	26	1.5	8	4.5	56	211	750	225	0.38	0.43	5.0	15	466
0	24	1.6	20	4.5	85	259	750	225	0.38	0.43	5.0	15	467
0	43	4.2	72	4.5	171	239	1 250	0	0.37	0.42	5.0	9	468
0	26 25	0.8	44	8.1 9.0	41 79	263	1,250	375	0.38 0.40	0.43	5.0 5.3	15	469
0 0	25 25	2.0 1.2	98 32	4.5	54	174 203	12 750	1 225	0.40	0.45 0.43	5.0	0 15	470 471
0	36	3.5	41	1.7	183	89	0	0	0.17	0.06	0.6	0	472
1	26	2.7	20	1.7	214	1.1	4	1	0.14	0.00	0.0	T	477
1	36	3.7	39 30	1.7	214	11	4	1	0.14	0.09	0.8	Tr	473
1	40 25	3.0	30	1.3 18.0	169	129 216	9 750	1 225	0.15 1.50	0.06 1.71	0.9	Tr	474 475
$0 \\ 0$	25 13	1.0 0.2	3	4.4	41 16	Z10 Tr	750	225 0	0.36	0.25	20.0 4.9	60 0	475 476
0	10	0.2	1 3	3.8	42	Tr	0	0	0.30	0.23	4.9	0	477
0	43	5.0	238	18.0	287	240	1,250	375	1.50	1.70	20.0	0	478
0	43 47	8.2	238 35	5.0	437	240 354	832	250	0.43	0.49	5.6	0	478 479
0	41	5.1	33 74	4.5	218	334 246	0	0	0.43	0.49	5.0	0	480
0	23	0.4	21	4.5	62	177	750	225	0.38	0.43	5.0	15	481
0	23 29	0.4	3	2.0	42	354	825	248	0.38	0.45	5.5	13 17	481
U	29	0.4	3	2.0	42	<i>33</i> 4	023	<i>2</i> 48	0.43	0.40	3.3	1 /	464

Table 9. Nutritive Value of the Edible Part of Food

Table	3. Nutritive value of the Eulbie	er art or r oou			Fatty acids					
Food		Measure of edible	Weight	Water	Calories	Pro- tein	Total fat	Satu- rated	Mono- unsatu- rated	Poly- unsatu- rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
Gra	in Products (continue	ed)								
402	Ready to eat (continued)									
483	RICE KRISPIES TREATS cereal			4	120	1	2	0.4	1.0	0.2
484	SHREDDED WHEAT			4	156	5	1	0.1	NA	NA
485 486	SMACKSSPECIAL K			3	103 115	2 6	1 Tr	0.3 0.0	0.1 0.0	0.2 0.2
487	QUAKER Toasted Oatmeal, Honey Nut	•		3	191	5	3	0.5	1.2	0.2
488	TOTAL, Whole Grain			3	105	3	1	0.2	0.1	0.7
489	TRIX			2	122	1	2	0.4	0.9	0.3
490	WHEATIES			3	110	3	1	0.2	0.2	0.2
491	Brownies, without icing Commercially prepared Regular, large									
	(2¾" sq x 7/8")			14	227	3	9	2.4	5.0	1.3
492 493	Fat free, 2" sq Prepared from dry mix,			12	89	1	Tr	0.2	0.1	Tr
40.4	reduced calorie, 2" sq			13	84	1	2	1.1	1.0	0.2
	Buckwheat flour, whole groat	. I cup	120	11	402	15	4	0.8	1.1	1.1
493	Buckwheat groats, roasted (kasha), cooked	. 1 cup	168	76	155	6	1	0.2	0.3	0.3
496	Uncooked	1 cun	140	9	479	17	2	0.3	0.2	0.8
497	Cooked			78	151	6	Tr	0.1	0.1	0.2
498 499	Angelfood (½2 of 10" dia) Yellow, light, with water, egg whites, no frosting	. 1 piece	50	33	129	3	Tr	Tr	Tr	0.1
500	(½12 of 9" dia)	. 1 piece	69	37	181	3	2	1.1	0.9	0.2
500 501	Chocolate, without frosting (½2 of 9" dia)	. 1 piece	95	24	340	5	14	5.2	5.7	2.6
502	8" square) Pineapple upside down (1/9)	. 1 piece	74	28	263	3	12	3.1	5.3	3.1
503	of 8" square)		115	32	367	4	14	3.4	6.0	3.8
303	3" dia)		65	28	225	4	9	2.5	3.9	2.4
504	Sponge (½2 of 16-oz cake) White			29	187	5	3	0.8	1.0	0.4
505	With coconut frosting (½2 of 9" dia)	. 1 piece	112	21	399	5	12	4.4	4.1	2.4
506	Without frosting (½12 of 9" dia)	. 1 piece	74	23	264	4	9	2.4	3.9	2.3
507	Cakes, commercially prepared Angelfood (1/12 of									
<b>500</b>	12-oz cake)			33	72	2	Tr	Tr	Tr	0.1
508	Boston cream (½ of pie)	. 1 piece	92	45	232	2	8	2.2	4.2	0.9
509	Chocolate with chocolate frosting (1/8 of	1 piace	<i>E 1</i>	22	225	2	10	2.1	5 6	1.2
510	18-oz cake)			23	235	3	10	3.1	5.6	1.2
511	20-oz cake) Fruitcake			22 25	263 139	4 1	15 4	3.7 0.5	8.2 1.8	2.0 1.4
512	Pound Butter (½12 of 12-oz cake)	-		25	109	2	6	3.2	1.7	0.3
513	Fat free (31/4" x 23/4" x 5/8" slice)			31	79	2	Tr	0.1	Tr	0.1
			20		• • •	-		J.1		0.2

Choles-	hydrate	•	Calcium		Potas-	Sodium		amin A	Thiamin			Ascor-	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
0	26	0.3	2	1.8	19	190	750	225	0.39	0.42	5.0	15	483
$0 \\ 0$	38 24	5.3 0.9	20 3	1.4 1.8	196 42	3 51	0 750	NA 225	0.12 0.38	0.05 0.43	2.6 5.0	0 15	484 485
0	22	1.0	5	8.7	55	250	750	225	0.53	0.59	7.0	15	486
Tr	39	3.3	27	4.5	185	166	500	150	0.37	0.42	5.0	6	487
$0 \\ 0$	24 26	2.6 0.7	258 32	18.0 4.5	97 18	199 1 197	,250 750	375 225	1.50 0.38	1.70 0.43	20.1 5.0	60 15	488 489
0	24	2.1	55 55	8.1	104	222	750	225	0.38	0.43	5.0	15	490
10	36	1.2	16	1.3	83	175	39	3	0.14	0.12	1.0	0	491
0	22	1.0	17	0.7	89	90	1	Tr	0.03	0.04	0.3	Tr	492
0	16	0.8	3	0.3	69	21	0	0	0.02	0.03	0.2	0	493
0	85	12.0	49	4.9	692	13	0	0	0.50	0.23	7.4	0	494
0	33	4.5	12	1.3	148	7	0	0	0.07	0.07	1.6	0	495
$0 \\ 0$	106 34	25.6 8.2	49 18	3.4 1.7	574 124	24 9	0	0	0.32 0.10	0.16 0.05	7.2 1.8	0	496 497
													497
0	29	0.1	42	0.1	68	255	0	0	0.05	0.10	0.1	0	498
0	37	0.6	69	0.6	41	279	6	1	0.06	0.12	0.6	0	499
55	51	1.5	57	1.5	133	299	133	38	0.13	0.20	1.1	Tr	500
24	36	0.7	53	2.1	325	242	36	10	0.14	0.12	1.3	Tr	501
25	58	0.9	138	1.7	129	367	291	75	0.18	0.18	1.4	1	502
2	32	0.8	133	1.7	69	329	47	12	0.20	0.18	1.7	Tr	503
107	36	0.4	26	1.0	89	144	163	49	0.10	0.19	0.8	0	504
1	71	1.1	101	1.2	111	210	12	12	0.14	0.21	1.2	т	505
1	71	1.1	101	1.3	111	318	43	12	0.14	0.21	1.2	Tr	505
1	42	0.6	96	1.1	70	242	41	12	0.14	0.18	1.1	Tr	506
0	16	0.4	39	0.1	26	210	0	0	0.03	0.14	0.2	0	507
34	39	1.3	21	0.3	36	132	74	21	0.38	0.25	0.2	Tr	508
27	35	1.8	28	1.4	128	214	54	16	0.02	0.09	0.4	Tr	509
20	29	1.3	34	1.2	77	221	70	21	0.13	0.14	1.1	Tr	510
2	26	1.6	14	0.9	66	116	9	2	0.02	0.04	0.3	Tr	511
62	14	0.1	10	0.4	33	111	170	44	0.04	0.06	0.4	0	512
0	17	0.3	12	0.6	31	95	27	8	0.04	0.08	0.2	0	513

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	<u> </u>
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
Cro	in Draduata (aantinu	۸۵۱								
Gra	in Products (continu	•								
	Cakes, commercially prepared Snack cakes	(continued)								
514	Chocolate, creme filled,									
01.	with frosting	1 cupcake	50	20	188	2	7	1.4	2.8	2.6
515	Chocolate, with frosting,	•								
516	low fat			23	131	2	2	0.5	0.8	0.2
516 517	Sponge, creme filled Sponge, individual	I cake	43	20	155	1	5	1.1	1.7	1.4
317	shortcake	. 1 shortcake	30	30	87	2	1	0.2	0.3	0.1
	Yellow					_	_			***
518	With chocolate frosting			22	243	2	11	3.0	6.1	1.4
519	With vanilla frosting	1 piece	64	22	239	2	9	1.5	3.9	3.3
520	Cheesecake (1/6 of	1 piece	80	46	257	4	18	7.9	6.9	1.3
521	17-oz cake)	•		2	157	2	10	1.9	5.7	1.3
	CHEX mix			2	137	2	10	1.7	3.7	1.5
		cup)	28	4	120	3	5	1.6	NA	NA
	Cookies									
523	Butter, commercially	1 applyin	5	5	22	т.,	1	0.6	0.2	т.,
	prepared	1 соокіе		5	23	Tr	1	0.6	0.3	Tr
	$(2\frac{1}{4}"-2\frac{1}{2}" \text{ dia})$									
	Commercially prepared									
524	Regular			4	48	1	2	0.7	1.2	0.2
525	Reduced fat	1 cookie	10	4	45	1	2	0.4	0.6	0.5
526	From refrigerated dough (spooned from roll)	1 cookie	26	3	128	1	6	2.0	2.9	0.6
527	Prepared from recipe, with	. 1 COOKIC	20	3	120	1	U	2.0	2.7	0.0
	margarine	1 cookie	16	6	78	1	5	1.3	1.7	1.3
528	Devil's food, commercially									
500	prepared, fat free			18	49	1	Tr	0.1	Tr	Tr
529	Fig bar Molasses	I cookie	16	17	56	1	1	0.2	0.5	0.4
530	Medium	1 cookie	15	6	65	1	2	0.5	1.1	0.3
531	Large (3½"-4" dia)			6	138	2	4	1.0	2.3	0.6
	Oatmeal									
	Commercially prepared, with	th								
522	or without raisins	1 applyin	25	6	112	2	5	1 1	2.5	0.6
532 533	Regular, largeSoft type			6 11	113 61	2 1	5 2	1.1 0.5	2.5 1.2	0.6 0.3
534	Fat free			13	36	1	Tr	Tr	Tr	0.1
535	Prepared from recipe, with									
	raisins (25/8" dia)	. 1 cookie	15	6	65	1	2	0.5	1.0	0.8
526	Peanut butter	1 1:	1.5	_	70	1	4	0.7	1.0	0.0
536 537	Commercially prepared Prepared from recipe, with	1 соокіе	15	6	72	1	4	0.7	1.9	0.8
331	margarine (3" dia)	1 cookie	20	6	95	2	5	0.9	2.2	1.4
	Sandwich type, with creme									
	filling									
538	Chocolate cookie	1 cookie	10	2	47	Tr	2	0.4	0.9	0.7
539	Vanilla cookie Oval	1 cookie	15	2	72	1	3	0.4	1.3	1.1
540	Round			2	48	Tr	2	0.4	0.8	0.8
	Shortbread, commercially			-	. ~		-			
	prepared									
541	Plain (15/8" sq)	1 cookie	8	4	40	Tr	2	0.5	1.1	0.3
542	Pecan Regular (2" dia)	1 cookie	14	3	76	1	5	1.1	2.6	0.6
543	Reduced fat			5	73	1	3	0.6	1.6	0.4

Choles- terol	hydrate		Calcium		Potas-	Sodium		amin A	Thiamin			Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
9	30	0.4	37	1.7	61	213	9	3	0.11	0.15	1.2	0	514
0 7	29 27	1.8 0.2	15 19	0.7 0.5	96 37	178 155	0 7	0 2	0.02 0.07	0.06 0.06	0.3 0.5	0 Tr	515 516
31	18	0.2	21	0.8	30	73	46	14	0.07	0.08	0.6	0	517
35 35	35 38	1.2 0.2	24 40	1.3 0.7	114 34	216 220	70 40	21 12	0.08 0.06	0.10 0.04	0.8 0.3	0	518 519
44 1	20 15	0.3 0.3	41 16	0.5 0.7	72 47	166 298	438 75	117 10	0.02 0.07	0.15 0.10	0.2 0.9	Tr Tr	520 521
0	18	1.6	10	7.0	76	288	41	4	0.44	0.14	4.8	13	522
6	3	Tr	1	0.1	6	18	34	8	0.02	0.02	0.2	0	523
0	7 7	0.3 0.4	3 2	0.3 0.3	14 12	32 38	Tr Tr	0	0.02 0.03	0.03 0.03	0.3 0.3	0	524 525
7	18	0.4	7	0.7	52	60	15	4	0.04	0.05	0.5	0	526
5	9	0.4	6	0.4	36	58	102	26	0.03	0.03	0.2	Tr	527
0 0	12 11	0.3 0.7	5 10	0.4 0.5	18 33	28 56	Tr 5	NA 1	0.01 0.03	0.03 0.03	0.2 0.3	Tr Tr	528 529
0 0	11 24	0.1 0.3	11 24	1.0 2.1	52 111	69 147	0 0	0	0.05 0.11	0.04 0.08	0.5 1.0	0	530 531
0 1 0	17 10 9	0.7 0.4 0.8	9 14 4	0.6 0.4 0.2	36 20 23	96 52 33	5 5 0	1 1 0	0.07 0.03 0.02	0.06 0.03 0.03	0.6 0.3 0.1	Tr Tr 0	532 533 534
5	10	0.5	15	0.4	36	81	96	25	0.04	0.02	0.2	Tr	535
Tr	9	0.3	5	0.4	25	62	1	Tr	0.03	0.03	0.6	0	536
6	12	0.4	8	0.4	46	104	120	31	0.04	0.04	0.7	Tr	537
0	7	0.3	3	0.4	18	60	Tr	0	0.01	0.02	0.2	0	538
0 0	11 7	0.2 0.2	4 3	0.3 0.2	14 9	52 35	0	0 0	0.04 0.03	0.04 0.02	0.4 0.3	0 0	539 540
2	5	0.1	3	0.2	8	36	7	1	0.03	0.03	0.3	0	541
5 0	8 11	0.3 0.2	4 8	0.3 0.5	10 15	39 55	Tr 1	Tr Tr	0.04 0.05	0.03 0.03	0.3 0.4	0 Tr	542 543

I able	5. Nutritive value of the Eulbie	71 411 01 1 004							Fatty acids	
									Mono-	Poly-
		Measure				Pro-	Total	Satu-	unsatu-	unsatu-
Food		of edible	Weight	Water	Calories		fat	rated	rated	rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
Gra	in Products (continue	24)								
Ora	•	Juj								
	Cookies (continued) Sugar									
544	Commercially prepared	1 cookie	15	5	72	1	3	0.8	1.8	0.4
545	From refrigerated dough			5	73	1	3	0.9	2.0	0.4
546	Prepared from recipe, with									
	margarine (3" dia)	. 1 cookie	14	9	66	1	3	0.7	1.4	1.0
547	Vanilla wafer, lower fat,									
	medium size	. 1 cookie	4	5	18	Tr	1	0.2	0.3	0.2
548	Corn chips Plain	1 07	20	1	153	2	9	1.3	2.7	4.7
549	Barbecue flavor			1	148	2	9	1.3	2.7	4.7
547	Cornbread	. 1 02	20	•	140	_		1.5	2.7	7.0
550	Prepared from mix, piece									
	3¾" x 2½" x ¾"	. 1 piece	60	32	188	4	6	1.6	3.1	0.7
551	Prepared from recipe, with									
	2% milk, piece 2½" sq			•	4=0		_			
	x 1½"	. 1 piece	65	39	173	4	5	1.0	1.2	2.1
552	Cornmeal, yellow, dry form Whole grain	1 cup	122	10	442	10	4	0.6	1.2	2.0
553	Degermed, enriched			12	505	12	2	0.0	0.6	1.0
554	Self rising, degermed,	. 1 cup	130	12	303	12	2	0.5	0.0	1.0
	enriched	. 1 cup	138	10	490	12	2	0.3	0.6	1.0
555	Cornstarch	. 1 tbsp	8	8	30	Tr	Tr	Tr	Tr	Tr
	Couscous									
556	Uncooked			9	650	22	_1	0.2	0.2	0.4
557	Cooked	. 1 cup	157	73	176	6	Tr	Tr	Tr	0.1
558	Crackers Cheese, 1" sq	10 grackers	10	3	50	1	3	0.9	1.2	0.2
336	Graham, plain	. 10 clackers	10	3	30	1	3	0.9	1.2	0.2
559	2½" sq	. 2 squares	14	4	59	1	1	0.2	0.6	0.5
560	Crushed			4	355	6	8	1.3	3.4	3.2
561	Melba toast, plain	. 4 pieces	20	5	78	2	1	0.1	0.2	0.3
562	Rye wafer, whole grain,			_			_	_	_	_
	plain	. 1 wafer	11	5	37	1	Tr	Tr	Tr	Tr
563	Saltine Square	4 ama alrama	12	4	52	1	1	0.4	0.8	0.2
564	Oyster type			4	195	4	1 5	1.3	2.9	0.2
304	Sandwich type	. 1 cup		•	173	-	3	1.5	2.7	0.0
565	Wheat with cheese	. 1 sandwich	7	4	33	1	1	0.4	0.8	0.2
566	Cheese with peanut butter			4	34	1	2	0.4	0.8	0.3
	Standard snack type									
567	Bite size			4	311	5	16	2.3	6.6	5.9
568 569	Round Wheat, thin square			4	60 38	1 1	3 2	0.5 0.4	1.3 0.9	1.1 0.2
570	Whole wheat			3	71	1	3	0.4	0.9	1.1
571	Croissant, butter			23	231	5	12	6.6	3.1	0.6
572	Croutons, seasoned			4	186	4	7	2.1	3.8	0.9
	Danish pastry, enriched	-								
573	Cheese filled			31	266	6	16	4.8	8.0	1.8
574	Fruit filled	. 1 danish	71	27	263	4	13	3.5	7.1	1.7
575	Doughnuts Calca type	1 holo	1.4	21	50	1	2	0.5	1.2	1.1
575 576	Cake type	noie 1 medium		21 21	59 198	1 2	3 11	0.5 1.7	1.3 4.4	1.1 3.7
577	Yeast leavened, glazed			25	52	1	3	0.8	1.7	0.4
578		1 medium		25	242	4	14	3.5	7.7	1.7
	Eclair, prepared from recipe,									
	5" x 2" x 1¾"	. 1 eclair	100	52	262	6	16	4.1	6.5	3.9
500	English muffin, plain, enriched	1		40	104			0.1	0.0	0.7
580 581	Untoasted Toasted			42 37	134	4 4	1	0.1	0.2	0.5
361	10asieu	. 1 mann	32	31	133	4	1	0.1	0.2	0.5

Choles- terol	hydrate	Total dietary	Calcium		Potas- sium	Sodium		amin A	Thiamin			Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
8 5	10 10	0.1 0.1	3 14	0.3 0.3	9 24	54 70	14 6	4 2	0.03 0.03	0.03 0.02	0.4 0.4	Tr 0	544 545
4	8	0.2	10	0.3	11	69	135	35	0.04	0.04	0.3	Tr	546
2	3	0.1	2	0.1	4	12	1	Tr	0.01	0.01	0.1	0	547
0	16 16	1.4 1.5	36 37	0.4 0.4	40 67	179 216	27 173	3 17	0.01 0.02	0.04 0.06	0.3 0.5	0 Tr	548 549
Ü	10	1.5	3,	0.1	07	210	175	1,	0.02	0.00	0.5		3.17
37	29	1.4	44	1.1	77	467	123	26	0.15	0.16	1.2	Tr	550
26	28	1.9	162	1.6	96	428	180	35	0.19	0.19	1.5	Tr	551
0	94	8.9	7	4.2	350	43	572	57	0.47	0.25	4.4	0	552
0	107	10.2	7	5.7	224	4	570	57	0.99	0.56	6.9	0	553
0 0	103 7	9.8 0.1	483 Tr	6.5 Tr	235 Tr	1,860 1	570 0	57 0	0.94 0.00	0.53 0.00	6.3 0.0	0	554 555
$0 \\ 0$	134 36	8.7 2.2	42 13	1.9 0.6	287 91	17 8	0	0 0	0.28 0.10	0.13 0.04	6.0 1.5	0	556 557
1	6	0.2	15	0.5	15	100	16	3	0.06	0.04	0.5	0	558
0	11	0.4	3	0.5	19	85	0	0	0.03	0.04	0.6	0	559
$0 \\ 0$	65 15	2.4 1.3	20 19	3.1 0.7	113 40	508 166	0	0 0	0.19 0.08	0.26 0.05	3.5 0.8	$0 \\ 0$	560 561
0	9	2.5	4	0.7	54	87	1	0	0.05	0.03	0.2	Tr	562
0	9	0.4	14	0.6	15	156	0	0	0.07	0.06	0.6	0	563
0	32	1.4	54	2.4	58	586	0	0	0.25	0.21	2.4	0	564
Tr Tr	4 4	0.1 0.2	18 6	0.2 0.2	30 17	98 69	5 22	1 2	0.03 0.03	0.05 0.02	0.3 0.5	Tr Tr	565 566
$0 \\ 0$	38 7	1.0 0.2	74 14	2.2 0.4	82 16	525 102	$0 \\ 0$	0 0	0.25 0.05	0.21 0.04	2.5 0.5	0	567 568
0	5	0.4	4	0.4	15	64	0	0	0.04	0.03	0.4	0	569
0 38	11 26	1.7 1.5	8 21	0.5 1.2	48 67	105 424	0 424	0 106	0.03 0.22	0.02 0.14	0.7 1.2	0 Tr	570 571
3	25	2.0	38	1.1	72	495	16	4	0.20	0.17	1.9	0	572
11	26	0.7	25	1.1	70	320	104	32	0.13	0.18	1.4	Tr	573
81	34	1.3	33	1.3	59	251	53	16	0.19	0.16	1.4	3	574
5 17	7 23	0.2 0.7	6 21	0.3 0.9	18 60	76 257	8 27	2 8	0.03 0.10	0.03 0.11	0.3 0.9	Tr Tr	575 576
1	6	0.7	6	0.3	14	44	2	1	0.10	0.11	0.9	Tr	577
4	27	0.7	26	1.2	65	205	8	2	0.22	0.13	1.7	Tr	578
127	24	0.6	63	1.2	117	337	718	191	0.12	0.27	0.8	Tr	579
0	26	1.5	99	1.4	75 74	264	0	0	0.25	0.16	2.2	0	580
0	26	1.5	98	1.4	74	262	0	0	0.20	0.14	2.0	Tr	581

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	;
								-	Mono-	Poly-
		Measure				Pro-	Total	Satu-	unsatu-	unsatu-
Food		of edible	Weight	Water	Calories	tein	fat	rated	rated	rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
Gra	in Products (continue	ed)			•					
582	French toast Prepared from recipe, with									
	2% milk, fried in margarine	1 slice	65	55	149	5	7	1.8	2.9	1.7
583	Frozen, ready to heat			53	126	4	4	0.9	1.2	0.7
	Granola bar					•	•			
584	Hard, plainSoft, uncoated			4	134	3	6	0.7	1.2	3.4
585	Chocolate chip	. 1 bar	28	5	119	2	5	2.9	1.0	0.6
586	Raisin	. 1 bar	28	6	127	2	5	2.7	0.8	0.9
587	Soft, chocolate-coated, peanut butter	1 har	28	3	144	3	9	4.8	1.9	0.5
588	Macaroni (elbows), enriched,									
500	cooked	•		66	197	7	1	0.1	0.1	0.4
589	Matzo, plain Muffins Blueberry	. I matzo	28	4	112	3	Tr	0.1	Tr	0.2
590	Commercially prepared (2 <sup>3</sup> / <sub>4</sub> " dia x 2")	1 muffin	57	38	158	3	4	0.8	1.1	1.4
591	Prepared from mix (21/4"									
592	dia x $1\frac{3}{4}$ ") Prepared from recipe, with	. I muffin	50	36	150	3	4	0.7	1.8	1.5
593	2% milk Bran with raisins,	. 1 muffin	57	40	162	4	6	1.2	1.5	3.1
	toaster type, toasted Corn	. 1 muffin	34	27	106	2	3	0.5	0.8	1.7
594	Commercially prepared (2½" dia x 2¼")	. 1 muffin	57	33	174	3	5	0.8	1.2	1.8
595	Prepared from mix $(2\frac{1}{4}"$ dia x $1\frac{1}{2}"$ )	. 1 muffin	50	31	161	4	5	1.4	2.6	0.6
596	Oat bran, commercially prepared (2½" dia x									
	2½")	. 1 muffin	57	35	154	4	4	0.6	1.0	2.4
597	Noodles, chow mein, canned Noodles (egg noodles),			1	237	4	14	2.0	3.5	7.8
<b>5</b> 00	enriched, cooked		1.60		212	0	2	0.5	0.7	0.7
598	Regular			69	213	8	2	0.5	0.7	0.7
599 600	Spinach NUTRI GRAIN Cereal Bar,	. 1 cup	160	69	211	8	3	0.6	0.8	0.6
	fruit filled Oat bran	. 1 bar	37	15	136	2	3	0.6	1.9	0.3
601	Uncooked	1	0.4	7	231	16	7	1.2	2.2	2.6
602	Cooked			84	88	7	2	0.4	0.6	0.7
	Oriental snack mix	. 1 oz (about ½	4							
	Pancakes, plain (4" dia)	cup)	28	3	156	5	7	1.1	2.8	3.0
604 605	Frozen, ready to heat Prepared from complete	. 1 pancake	36	45	82	2	1	0.3	0.4	0.3
	mix	. 1 pancake	38	53	74	2	1	0.2	0.3	0.3
606	Prepared from incomplete mix, with 2% milk, egg		26	~~	02	2	2	0.0	0.6	
	and oil  Pie crust, baked  Standard type	. 1 pancake	38	53	83	3	3	0.8	0.8	1.1
607	From recipe	1 nie shell	180	10	949	12	62	15.5	27.3	16.4
608	From frozen	•		11	648	6	41	13.3	19.8	5.1
609	Graham cracker	•		4	1,181	10	60	12.4	27.2	16.5
507	Granam cracker	. 1 pre suem	237	7	1,101	10	00	12.7	21.2	10.5

Choles-	Carbo- hydrate	Total dietary	Calcium		Potas- sium	Sodium		tamin A	Thiamin	Ribo- flavin	Niacin	Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
75 48	16 19	0.7 0.7	65 63	1.1 1.3	87 79	311 292	315 110	86 32	0.13 0.16	0.21 0.22	1.1 1.6	Tr Tr	582 583
0	18	1.5	17	0.8	95	83	43	4	0.07	0.03	0.4	Tr	584
Tr Tr	20 19	1.4 1.2	26 29	0.7 0.7	96 103	77 80	12 0	1 0	0.06 0.07	0.04 0.05	0.3 0.3	0	585 586
3	15	0.8	31	0.4	96	55	37	10	0.03	0.06	0.9	Tr	587
0	40	1.8	10	2.0	43	1	0	0	0.29	0.14	2.3	0	588
0	24	0.9	4	0.9	32	1	0	0	0.11	0.08	1.1	0	589
17	27	1.5	32	0.9	70	255	19	5	0.08	0.07	0.6	1	590
23	24	0.6	13	0.6	39	219	39	11	0.07	0.16	1.1	1	591
21	23	1.1	108	1.3	70	251	80	22	0.16	0.16	1.3	1	592
3	19	2.8	13	1.0	60	179	58	16	0.07	0.10	0.8	0	593
15	29	1.9	42	1.6	39	297	119	21	0.16	0.19	1.2	0	594
31	25	1.2	38	1.0	66	398	105	23	0.12	0.14	1.1	Tr	595
0	28 26	2.6	36	2.4 2.1	289	224	0	0	0.15	0.05	0.2 2.7	0	596
0	20	1.8	9	2.1	54	198	38	4	0.26	0.19	2.7	U	597
53	40	1.8	19	2.5	45	11	32	10	0.30	0.13	2.4	0	598
53	39	3.7	30	1.7	59	19	165	22	0.39	0.20	2.4	0	599
0	27	0.8	15	1.8	73	110	750	227	0.37	0.41	5.0	0	600
0	62	14.5	55	5.1	532	4	0	0	1.10	0.21	0.9	0	601
0	25	5.7	22	1.9	201	2	0	0	0.35	0.07	0.3	0	602
0	15	3.7	15	0.7	93	117	1	0	0.09	0.04	0.9	Tr	603
3	16	0.6	22	1.3	26	183	36	10	0.14	0.17	1.4	Tr	604
5	14	0.5	48	0.6	67	239	12	3	0.08	0.08	0.7	Tr	605
27	11	0.7	82	0.5	76	192	95	27	0.08	0.12	0.5	Tr	606
0	86	3.0	18	5.2	121	976	0	0	0.70	0.50	6.0	0	607
0	62	1.3	26	2.8	139	815	0	0	0.35	0.48	3.1	0	608
0	156	3.6	50	5.2	210	1,365	,876	483	0.25	0.42	5.1	0	609

Table 9. Nutritive Value of the Edible Part of Food

Table	5. Nutritive value of the Edible	er art or r oou	<u> </u>						Fatty acids	
									Mono-	Poly-
		Measure				Pro-	Total	Satu-	unsatu-	unsatu-
Food		of edible	Weight	Water	Calories	tein	fat	rated	rated	rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
Gra	in Products (continue	ed)		•						
	Pies									
	Commercially prepared (1/6 of	;								
	8" dia)									
610	Apple	. 1 piece	117	52	277	2	13	4.4	5.1	2.6
611	Blueberry	. 1 piece	117	53	271	2	12	2.0	5.0	4.1
612	Cherry	•		46	304	2	13	3.0	6.8	2.4
613	Chocolate creme	•		44	344	3	22	5.6	12.6	2.7
614	Coconut custard			49	270	6	14	6.1	5.7	1.2
615	Lemon meringue			42	303	2	10	2.0	3.0	4.1
616	Pecan	•		19	452	5	21	4.0	12.1	3.6
617	Pumpkin	. I piece	109	58	229	4	10	1.9	4.4	3.4
	Prepared from recipe (1/8 of									
<b>610</b>	9" dia)	1 .	155	47	411	4	10	4.7	0.4	<i>5</i> 2
618	Apple			47	411	4	19	4.7	8.4	5.2
619	Blueberry			51	360	4	17	4.3	7.5	4.5
620 621	Cherry	•		46	486	5 5	22	5.4 4.0	9.6 7.1	5.8 4.2
622	Lemon meringue			43	362 503		16 27	4.0 4.9	13.6	4.2 7.0
623	Pecan			20 59	303	6 7	14	4.9 4.9	5.7	2.8
624	PumpkinFried, cherry	•		38	404	4	21	3.1	9.5	2.8 6.9
024	Popcorn	. 1 pie	120	30	404	4	21	3.1	9.3	0.9
625	Air popped, unsalted	1 cup	8	4	31	1	Tr	Tr	0.1	0.2
626	Oil popped, salted			3	55	1	3	0.5	0.1	1.5
020	Caramel coated	. 1 cup	11	3	33	1	3	0.5	0.7	1.5
627	With peanuts	1 cun	42	3	168	3	3	0.4	1.1	1.4
628	Without peanuts	•		3	152	1	5	1.3	1.0	1.6
629	Cheese flavor			3	58	1	4	0.7	1.1	1.7
	Popcorn cake			5	38	î	Tr	Tr	0.1	0.1
	Pretzels, made with enriched flour									
631	Stick, 21/4" long	. 10 pretzels	3	3	11	Tr	Tr	Tr	Tr	Tr
632	Twisted, regular			3	229	5	2	0.5	0.8	0.7
633	Twisted, dutch, 23/4" x	•								
	25/8"	. 1 pretzel	16	3	61	1	1	0.1	0.2	0.2
	Rice									
634	Brown, long grain, cooked White, long grain, enriched	. 1 cup	195	73	216	5	2	0.4	0.6	0.6
	Regular									
635	Raw			12	675	13	1	0.3	0.4	0.3
636	Cooked			68	205	4	Tr	0.1	0.1	0.1
637	Instant, prepared	. I cup	165	76	162	3	Tr	0.1	0.1	0.1
<b>620</b>	Parboiled	1	105	10	606	12		0.2	0.2	0.2
638	Raw			10	686	13	1	0.3	0.3	0.3
639	Cooked	•		72 74	200	4	Tr	0.1	0.1	0.1
640	Wild, cooked			74	166	7 1	1 Tr	0.1	0.1	0.3
641	Rice cake, brown rice, plain RICE KRISPIES Treat	. 1 cake	9	6	35	1	Tr	0.1	0.1	0.1
042	Squares	. 1 bar	22	6	91	1	2	0.3	0.6	1.1
643	Dinner	1 roll	28	32	84	2	2	0.5	1.0	0.3
644	Hamburger or hotdog			34	123	4	2	0.5	0.4	1.1
645	Hard, kaiser			31	167	6	2	0.3	0.4	1.0
073	Spaghetti, cooked	. 1 1011		31	107	U	2	0.5	0.0	1.0
646	Enriched	. 1 cup	140	66	197	7	1	0.1	0.1	0.4
647	Whole wheat			67	174	7	1	0.1	0.1	0.4
5 . ,	Sweet rolls, cinnamon	P		٠,		,	•	J.1	0.1	0.0
648	Commercial, with raisins	. 1 roll	60	25	223	4	10	1.8	2.9	4.5
649	Refrigerated dough, baked,		-	•			-	-		
	with frosting	. 1 roll	30	23	109	2	4	1.0	2.2	0.5
	-									

Choles-	Carbo- hydrate	Total dietary	Calcium	Iron	Potas- sium	Sodiu	um Vi	tamin A	Thiamin	Ribo- flavin	Niacin	Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
0	40	1.9	13	0.5	76 <b>7</b> 0	311	145	35	0.03	0.03	0.3	4	610
0	41	1.2	9	0.4	59 05	380	164	40	0.01	0.04	0.4	3	611
0 6	47 38	0.9 2.3	14 41	0.6 1.2	95 144	288 154	329 0	63 0	0.03 0.04	0.03 0.12	0.2 0.8	1 0	612 613
36	31	1.9	84	0.8	182	348	114	28	0.09	0.15	0.4	1	614
51	53	1.4	63	0.7	101	165	198	59	0.07	0.24	0.7	4	615
36	65	4.0	19	1.2	84	479	198	53	0.10	0.14	0.3	1	616
22	30	2.9	65	0.9	168	307	3,743	405	0.06	0.17	0.2	1	617
0 0	58 49	3.6 3.6	11 10	1.7 1.8	122 74	327 272	90 62	19 6	0.23 0.22	0.17 0.19	1.9 1.8	3 1	618 619
0	69	3.5	18	3.3	139	344	736	86	0.22	0.13	2.3	2	620
67	50	0.7	15	1.3	83	307	203	56	0.15	0.20	1.2	4	621
106	64	2.2	39	1.8	162	320	410	109	0.23	0.22	1.0	Tr	622
65	41	2.9	146	2.0	288	349	11,833	1,212	0.14	0.31	1.2	3	623
0	55	3.3	28	1.6	83	479	220	22	0.18	0.14	1.8	2	624
$0 \\ 0$	6 6	1.2 1.1	1 1	0.2 0.3	24 25	Tr 97	16 17	2 2	0.02 0.01	0.02 0.01	0.2 0.2	0 Tr	625 626
0	34	1.6	28	1.6	149	124	27	3	0.02	0.05	0.8	0	627
2	28	1.8	26 15	0.6	38	73	18	4	0.02	0.03	0.8	0	628
1	6	1.1	12	0.2	29	98	27	5	0.01	0.03	0.2	Tr	629
0	8	0.3	1	0.2	33	29	7	1	0.01	0.02	0.6	0	630
0	2	0.1	1	0.1	4	51	0	0	0.01	0.02	0.2	0	631
0	48	1.9	22	2.6	88	1,029	0	0	0.28	0.37	3.2	0	632
0	13	0.5	6	0.7	23	274	0	0	0.07	0.10	0.8	0	633
0	45	3.5	20	0.8	84	10	0	0	0.19	0.05	3.0	0	634
0	148	2.4	52	8.0	213	9	0	0	1.07	0.09	7.8	0	635
0	45	0.6	16	1.9	55	2 5	0	0	0.26	0.02	2.3	0	636
0	35	1.0	13	1.0	7	5	0	0	0.12	0.08	1.5	0	637
0	151	3.1	111	6.6	222	9	0	0	1.10	0.13	6.7	0	638
0	43	0.7	33	2.0	65	5	0	0	0.44	0.03	2.5	0	639
0	35	3.0	5	1.0	166	5	0	0	0.09	0.14	2.1	0	640
0	7	0.4	1	0.1	26	29	4	Tr	0.01	0.01	0.7	0	641
0	18	0.1	1	0.5	9	77	200	60	0.15	0.18	2.0	0	642
Tr	14	0.8	33	0.9	37	146	0	0	0.14	0.09	1.1	Tr	643
0	22	1.2	60	1.4	61	241	0	0	0.21	0.13	1.7	Tr	644
0	30	1.3	54	1.9	62	310	0	0	0.27	0.19	2.4	0	645
0	40	2.4	10	2.0	43	1	0	0	0.29	0.14	2.3	0	646
0	37	6.3	21	1.5	62	4	0	0	0.15	0.06	1.0	0	647
40	31	1.4	43	1.0	67	230	129	38	0.19	0.16	1.4	1	648
0	17	0.6	10	0.8	19	250	1	0	0.12	0.07	1.1	Tr	649

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	
Food	E. d. B. andrettan	Measure of edible	Weight	Water	Calories		Total fat	Satu- rated	Mono- unsatu- rated	Poly- unsatu- rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
Gra	in Products (continue	ed)								
	•	-	12	6	62	1	3	0.4	1.2	1.1
650 651	Taco shell, baked  Tapioca, pearl, dry			0 11	544	Tr	Tr	Tr	1.2 Tr	Tr
051	Toaster pastries	. 1 cup	132	11	344	11	11	11	11	11
652	Brown sugar cinnamon	. 1 pastry	50	11	206	3	7	1.8	4.0	0.9
653	Chocolate with frosting			13	201	3	5	1.0	2.7	1.1
654	Fruit filled			12	204	2	5	0.8	2.2	2.0
655	Low fat			12	193	2	3	0.7	1.7	0.5
	Tortilla chips									
	Plain									
656	Regular			2	142	2	7	1.4	4.4	1.0
657	Low fat, baked	. 10 chips	14	2	54	2	1	0.1	0.2	0.4
658	Nacho flavor	1 00	20	2	1.4.1	2	7	1.4	4.3	1.0
659	RegularLight, reduced fat			2 1	141 126	2 2	7 4	1.4 0.8	4.3 2.5	1.0 0.6
039	Tortillas, ready to cook (about	. 1 02	26	1	120	2	+	0.8	2.3	0.0
	6" dia)									
660	Corn	. 1 tortilla	26	44	58	1	1	0.1	0.2	0.3
661	Flour			27	104	3	2	0.6	1.2	0.3
	Waffles, plain									
662	Prepared from recipe, 7" dia.	. 1 waffle	75	42	218	6	11	2.1	2.6	5.1
663	Frozen, toasted, 4" dia	. 1 waffle	33	42	87	2	3	0.5	1.1	0.9
664	Low fat, 4" dia	. 1 waffle	35	43	83	2	1	0.3	0.4	0.4
	Wheat flours									
	All purpose, enriched	1	115	10	410	10	1	0.2	0.1	0.5
665	Sifted, spooned			12	419	12	1	0.2	0.1	0.5
666 667	Unsifted, spooned Bread, enriched			12 13	455 495	13 16	1 2	0.2 0.3	0.1 0.2	0.5 1.0
668	Cake or pastry flour,	. 1 cup	137	13	493	10	2	0.3	0.2	1.0
000	enriched, unsifted,									
	spooned	. 1 cup	137	13	496	11	1	0.2	0.1	0.5
669	Self rising, enriched,	F								
	unsifted, spooned	. 1 cup	125	11	443	12	1	0.2	0.1	0.5
670	Whole wheat, from hard									
	wheats, stirred, spooned			10	407	16	2	0.4	0.3	0.9
671	Wheat germ, toasted, plain	. 1 tbsp	7	6	27	2	1	0.1	0.1	0.5
Leg	umes, Nuts, and See	ds								
Ū	Almonds, shelled									
672	Sliced	. 1 cup	95	5	549	20	48	3.7	30.5	11.6
673	Whole			5	164	6	14	1.1	9.1	3.5
	Beans, dry									
	Cooked									
674	Black			66	227	15	1	0.2	0.1	0.4
675	Great Northern			69	209	15	1	0.2	Tr	0.3
676	Kidney, red			67	225	15	1	0.1	0.1	0.5
677	Lima, large			70	216	15	1	0.2	0.1	0.3
678 679	Pea (navy)			63 64	258	16	1 1	0.3 0.2	0.1	0.4
0/9	Pinto Canned, solids and liquid	. 1 cup	1/1	04	234	14	1	0.2	0.2	0.3
	Baked beans									
680	Plain or vegetarian	1 cup	254	73	236	12	1	0.3	0.1	0.5
681	With frankfurters			69	368	17	17	6.1	7.3	2.2
682	With pork in tomato	F				,	•			
	sauce	. 1 cup	253	73	248	13	3	1.0	1.1	0.3
683	With pork in sweet sauce			71	281	13	4	1.4	1.6	0.5
684	Kidney, red			77	218	13	1	0.1	0.1	0.5
685	Lima, large			77	190	12	Tr	0.1	Tr	0.2
686	White	. 1 cup	262	70	307	19	1	0.2	0.1	0.3

Choles- terol	hydrate	•	Calcium		Potas- sium	Sodium		amin A	Thiamin			Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
0	8 135	1.0 1.4	21 30	0.3 2.4	24 17	49 2	0	0 0	0.03 0.01	0.01 0.00	0.2 0.0	0	650 651
$0 \\ 0$	34 37	0.5 0.6	17 20	2.0 1.8	57 82	212 203	493 500	112 NA	0.19 0.16	0.29 0.16	2.3 2.0	Tr 0	652 653
0	37	1.1	14	1.8	58	218	501	2	0.16	0.10	2.0	Tr	654
0	40	0.8	23	1.8	34	131	494	49	0.15	0.29	2.0	2	655
0	18	1.8	44	0.4	56	150	56	6	0.02	0.05	0.4	0	656
0	11	0.7	22	0.2	37	57	52	6	0.03	0.04	0.1	Tr	657
1	18	1.5	42	0.4	61	201	105	12	0.04	0.05	0.4	1	658
1	20	1.4	45	0.5	77	284	108	12	0.06	0.08	0.1	Tr	659
0	12	1.4	46	0.4	40	42	0	0	0.03	0.02	0.4	0	660
0	18	1.1	40	1.1	42	153	0	0	0.17	0.09	1.1	0	661
52	25	0.7	191	1.7	119	383	171	49	0.20	0.26	1.6	Tr	662
8 9	13 15	0.8 0.4	77 20	1.5 1.9	42 50	260 155	400 506	120 NA	0.13 0.31	0.16 0.26	1.5 2.6	$0 \\ 0$	663 664
	13	0.4	20	1.,	30	133	300	1171	0.51	0.20	2.0	U	004
0	88	3.1	17	5.3	123	2	0	0	0.90	0.57	6.8	0	665
0	95	3.4	19	5.8	134	3	0	0	0.98	0.62	7.4	0	666
0	99	3.3	21	6.0	137	3	0	0	1.11	0.70	10.3	0	667
0	107	2.3	19	10.0	144	3	0	0	1.22	0.59	9.3	0	668
0	93	3.4	423	5.8	155	1,588	0	0	0.84	0.52	7.3	0	669
0	87	14.6	41	4.7	486	6	0	0	0.54	0.26	7.6	0	670
0	3	0.9	3	0.6	66	Tr	0	0	0.12	0.06	0.4	Tr	671
0	19	11.2	236	4.1	692	1	10	1	0.23	0.77	3.7	0	672
0	6	3.3	70	1.2	206	Tr	3	Tr	0.07	0.23	1.1	0	673
0	41	15.0	46	3.6	611	2	10	2	0.42	0.10	0.9	0	674
0	37	12.4	120	3.8	692	4	2	0	0.28	0.10	1.2	2	675
0	40	13.1	50	5.2	713	4	0	0	0.28	0.10	1.0	2	676
$0 \\ 0$	39 48	13.2 11.6	32 127	4.5 4.5	955 670	4 2	0 4	0	0.30 0.37	0.10 0.11	0.8 1.0	$0 \\ 2$	677 678
0	44	14.7	82	4.5	800	3	3	0	0.32	0.16	0.7	4	679
0	52	12.7	127	0.7	752	1,008	434	43	0.39	0.15	1.1	8	680
16	40	17.9	124	4.5		1,114	399	39	0.15	0.15	2.3	6	681
18	49	12.1	142	8.3		1,113	314	30	0.13	0.12	1.3	8	682
18 0	53 40	13.2 16.4	154 61	4.2 3.2	673 658	850 873	288 0	28 0	0.12 0.27	0.15 0.23	0.9 1.2	8	683 684
0	36	11.6	51	4.4	530	810	0	0	0.27	0.23	0.6	0	685
0	57	12.6	191	7.8	1,189	13	0	0	0.25	0.10	0.3	0	686

Table 9. Nutritive Value of the Edible Part of Food

I able	5. Nutritive value of the Edible								Fatty acids	
								-	Mono-	Poly-
		Measure				Pro-	Total	Satu-	unsatu-	unsatu-
Food		of edible	Weight	Water	Calories	tein	fat	rated	rated	rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
	_		_							
Leg	umes, Nuts, and Seed	ds (contini	ued)							
	Black eyed peas, dry									
687	Cooked	. 1 cup	172	70	200	13	1	0.2	0.1	0.4
688	Canned, solids and liquid			80	185	11	1	0.3	0.1	0.6
689	Brazil nuts, shelled			3	186	4	19	4.6	6.5	6.8
690	Carob flour	, ,		4	229	5	1	0.1	0.2	0.2
070	Cashews, salted	. 1 cup	105	•	22)	J		0.1	0.2	0.2
691	Dry roasted	1 oz	28	2	163	4	13	2.6	7.7	2.2
692	Oil roasted			4	749	21	63	12.4	36.9	10.6
693	011 Toustou	1 oz (18 nuts)		4	163	5	14	2.7	8.1	2.3
	Chestnuts, European, roasted,	1 02 (10 nuts)	20	-	103	3	1-7	2.7	0.1	2.3
071	shelled	1 cup	143	40	350	5	3	0.6	1.1	1.2
	Chickpeas, dry	. 1 cup	1		330	J	3	0.0	1.1	1.2
695	Cooked	1 cup	164	60	269	15	4	0.4	1.0	1.9
696	Canned, solids and liquid	1		70	286	12	3	0.3	0.6	1.2
070	Coconut	. 1 cup	2-10	70	200	12	3	0.5	0.0	1.2
	Raw									
697	Piece, about 2" x 2" x ½"	1 niece	45	47	159	1	15	13.4	0.6	0.2
698	Shredded, not packed	•		47	283	3	27	23.8	1.1	0.3
699	Dried, sweetened, shredded			13	466	3	33	29.3	1.1	0.3
700				5	722	17	70	5.1	52.5	9.1
700	Hazelnuts (filberts), chopped	. 1 cup 1 oz		5	178	4	70 17	1.3	12.9	2.2
	Hummus sammanial			5 67	23					0.5
	,					1	1	0.2	0.6	
703	Lentils, dry, cooked	. 1 cup	198	70	230	18	1	0.1	0.1	0.3
704	Macadamia nuts, dry roasted,	1	124	2	050	10	100	160	70.4	2.0
705	salted		134	2	959	10	102	16.0	79.4	2.0
705		1 oz (10-12	20	2	202	2	22	2.4	160	0.4
	Minadonta mide accounts	nuts)	28	2	203	2	22	3.4	16.8	0.4
	Mixed nuts, with peanuts,									
706	salted	1	20	2	1.60	_	1.5	2.0	0.0	2.1
706	Dry roasted			2	168	5	15	2.0	8.9	3.1
707	Oil roasted	. 1 oz	28	2	175	5	16	2.5	9.0	3.8
	Peanuts									
700	Dry roasted	1 (1 (20	<b></b>	2	1.00	-	1.4	2.0	7.0	4.4
708	Salted	,	•	2	166	7	14	2.0	7.0	4.4
709	Unsalted			2	854	35	73	10.1	36.0	22.9
710		1 oz (about 28		2	166	7	14	2.0	7.0	4.4
711	Oil roasted, salted			2	837	38	71	9.9	35.2	22.4
712		1 oz	28	2	165	7	14	1.9	6.9	4.4
	Peanut butter									
	Regular									
713	Smooth style	-		1	95	4	8	1.7	3.9	2.2
714	Chunk style			1	94	4	8	1.5	3.8	2.3
715	Reduced fat, smooth			1	94	5	6	1.3	2.9	1.8
716	Peas, split, dry, cooked			69	231	16	1	0.1	0.2	0.3
717	Pecans, halves			4	746	10	78	6.7	44.0	23.3
718		1 oz (20 halve	es)28	4	196	3	20	1.8	11.6	6.1
719	Pine nuts (pignolia), shelled	. 1 oz	28	7	160	7	14	2.2	5.4	6.1
720		1 tbsp	9	7	49	2	4	0.7	1.6	1.8
721	Pistachio nuts, dry roasted,									
	with salt, shelled	. 1 oz (47 nuts)	28	2	161	6	13	1.6	6.8	3.9
722	Pumpkin and squash kernels,									
	roasted, with salt	. 1 oz (142								
		seeds)	28	7	148	9	12	2.3	3.7	5.4
723	Refried beans, canned			76	237	14	3	1.2	1.4	0.4
724	Sesame seeds			5	47	2	4	0.6	1.7	1.9
725				63	298	29	15	2.2	3.4	8.7
. 20	Soy products	r						<b>_</b>		
726	Miso	. 1 cup	275	41	567	32	17	2.4	3.7	9.4
727	Soy milk			93	81	7	5	0.5	0.8	2.0
	-	•								

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodium (mg)	Vit	amin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
0	36	11.2	41	4.3	478	7	26	3	0.35	0.09	0.9	1	687
0	33	7.9	48	2.3	413	718	31	2	0.18	0.18	0.8	6	688
0	4	1.5	50	1.0	170	1	0	0	0.28	0.03	0.5	Tr	689
0	92	41.0	358	3.0	852	36	14	1	0.05	0.47	2.0	Tr	690
0	9	0.9	13	1.7	160	181	0	0	0.06	0.06	0.4	0	691
0	37	4.9	53	5.3	689	814	0	0	0.55	0.23	2.3	0	692
0	8	1.1	12	1.2	150	177	0	0	0.12	0.05	0.5	0	693
0	76	7.3	41	1.3	847	3	34	3	0.35	0.25	1.9	37	694
0	45	12.5	80	4.7	477	11	44	5	0.19	0.10	0.9	2	695
0	54	10.6	77	3.2	413	718	58	5	0.07	0.08	0.3	9	696
0	7	4.1	6	1.1	160	9	0	0	0.03	0.01	0.2	1	697
0	12	7.2	11	1.9	285	16	0	0	0.05	0.02	0.4	3	698
0	44	4.2	14	1.8	313	244	0	0	0.03	0.02	0.4	1	699
0	19	11.2	131	5.4	782	0	46	5	0.74	0.13	2.1	7	700
0	5	2.7	32	1.3	193	0	11	1	0.18	0.03	0.5	2	701
0	2	0.8	5	0.3	32	53	4	Tr	0.03	0.01	0.1	0	702
0	40	15.6	38	6.6	731	4	16	2	0.33	0.14	2.1	3	703
0	17	10.7	94	3.6	486	355	0	0	0.95	0.12	3.0	1	704
0	4	2.3	20	0.8	103	75	0	0	0.20	0.02	0.6	Tr	705
0	7	2.6	20	1.0	1.00	100	4	T	0.06	0.06	1.2	T	706
$0 \\ 0$	7 6	2.6	20 31	1.0	169	190	4	Tr 1	0.06 0.14	0.06	1.3	Tr	706 707
U	U	2.6	31	0.9	165	185	5	1	0.14	0.06	1.4	Tr	707
0	6	2.3	15	0.6	187	230	0	0	0.12	0.03	3.8	0	708
0	31	11.7	79	3.3	961	9	0	0	0.12	0.03	19.7	0	709
0	6	2.3	15	0.6	187	2	0	0	0.12	0.03	3.8	0	710
0	27	13.2	127	2.6	982	624	0	0	0.36	0.16	20.6	0	711
0	5	2.6	25	0.5	193	123	0	0	0.07	0.03	4.0	0	712
0	3	0.9	6	0.3	107	75	0	0	0.01	0.02	2.1	0	713
0	3	1.1	7	0.3	120	78	0	0	0.02	0.02	2.2	0	714
0	6	0.9	6	0.3	120	97	0	0	0.05	0.01	2.6	0	715
0	41	16.3	27	2.5	710	4	14	2	0.37	0.11	1.7	1	716
0	15	10.4	76	2.7	443	0	83	9	0.71	0.14	1.3	1	717
0	4	2.7	20	0.7	116	0	22	2	0.19	0.04	0.3	Tr	718
0	4	1.3	7	2.6	170	1	8	1	0.23	0.05	1.0	1	719
0	1	0.4	2	0.8	52	Tr	2	Tr	0.07	0.02	0.3	Tr	720
0	8	2.9	31	1.2	293	121	151	15	0.24	0.04	0.4	1	721
0	4	1 1	12	4.2	220	162	109	11	0.00	0.00	0.5	1	722
0	4	1.1	12	4.2	229 673	163	108	11	0.06	0.09	0.5	1	722
20	39 1	13.4 0.9	88 10	4.2 0.6	673 33	753	0 5	0	0.07 0.06	0.04 0.01	0.8 0.4	15	723 724
$0 \\ 0$	17	10.3	175	8.8	33 886	3 2	15	1 2	0.00	0.01	0.4	0 3	724
$0 \\ 0$	77 4	14.9 3.2	182 10	7.5 1.4	451 345	10,029 29	239 78	25 7	0.27 0.39	0.69 0.17	2.4 0.4	0	726 727
U	7	ے.2	10	1.4	J <b>7</b> J	۷)	70	,	0.57	0.17	0.4	U	141

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
Lea	umes, Nuts, and See	ds (conti	nued)							
3	Soy products (continued)	(001111	,							
	Tofu									
728	Firm	¼ block	81	84	62	7	4	0.5	0.8	2.0
729	Soft, piece 2½" x 2¾" x 1"	1 niece	120	87	73	8	4	0.6	1.0	2.5
730	Sunflower seed kernels, dry	1 piece	120	07	73	0	4	0.0	1.0	2.3
	roasted, with salt	¼ cup	32	1	186	6	16	1.7	3.0	10.5
731		1 oz		1	165	5	14	1.5	2.7	9.3
	Tahini			3	89	3	8	1.1	3.0	3.5
733	Walnuts, English			4	785	18	78	7.4	10.7	56.6
734		1 oz (14 hal	lves)28	4	185	4	18	1.7	2.5	13.4
Mea	nt and Meat Products									
	Beef, cooked									
	Cuts braised, simmered, or po	ot								
	roasted									
	Relatively fat, such as									
	chuck blade, piece,									
735	2½" x 2½" x ¾" Lean and fat	2 07	05	47	202	22	22	07	0.4	0.8
736	Lean only			47 55	293 213	23 26	11	8.7 4.3	9.4 4.8	0.8
730	Relatively lean, such as	5 02		33	213	20	11	4.3	4.0	0.4
	bottom round, piece,									
	4½" x 2½" x ½"									
737	Lean and fat	3 oz	85	52	234	24	14	5.4	6.2	0.5
738	Lean only			58	178	27	7	2.4	3.1	0.3
	Ground beef, broiled									
739	83% lean			57	218	22	14	5.5	6.1	0.5
740	79% lean			56	231	21	16	6.2	6.9	0.6
741	73% lean	3 oz	85	54	246	20	18	6.9	7.7	0.7
742	Liver, fried, slice, 6½" x 23/8" x 3/8"	2	0.5	5.0	104	22	7	2.2	1.4	1.5
	Roast, oven cooked, no	3 02	83	56	184	23	7	2.3	1.4	1.5
	liquid added									
	Relatively fat, such as rib,									
	2 pieces, 4½" x									
	2½" x ½"									
743	Lean and fat			47	304	19	25	9.9	10.6	0.9
744	Lean only	3 oz	85	59	195	23	11	4.2	4.5	0.3
	Relatively lean, such as eye									
	of round, 2 pieces,									
715	2½" x 2½" x ¾"	2	0.5	50	105	22	11	4.0	4.7	0.4
745 746	Lean and fatLean only			59 65	195 143	23 25	11 4	4.2 1.5	4.7 1.8	0.4 0.1
740	Steak, sirloin, broiled, piece,	5 0Z		03	143	23	4	1.3	1.0	0.1
	2½" x 2½" x ¾"									
747	Lean and fat	3 oz	85	57	219	24	13	5.2	5.6	0.5
748	Lean only			62	166	26	6	2.4	2.6	0.2
	Beef, canned, corned			58	213	23	13	5.3	5.1	0.5
	Beef, dried, chipped			57	47	8	1	0.5	0.5	0.1
	Lamb, cooked									
	Chops									
7.1	Arm, braised	2	0.5		20.4	2.5	20	0.4	0.7	
751 752	Lean and fat			44	294	26	20	8.4	8.7	1.5
752	Lean only	3 OZ	85	49	237	30	12	4.3	5.2	0.8
753	Loin, broiled  Lean and fat	3.07	85	52	269	21	20	8.4	8.2	1.4
754	Lean only			61	184	25	8	3.0	3.6	0.5
134	Domi Only	5 02		01	107	23	Ü	5.0	5.0	0.5

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodiu (mg)	ım <u>Vit</u> (IU)	amin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
(mg)	(9)	ilbei (g)	(mg)	(iiig)	(mg)	(iiig)	(10)	(IXL)	(IIIg)	(ilig)	(ilig)	(ilig)	140.
0	2	0.3	131	1.2	143	6	6	1	0.08	0.08	Tr	Tr	728
0	2	0.2	133	1.3	144	10	8	1	0.06	0.04	0.6	Tr	729
0	8	2.9	22	1.2	272	250	0	0	0.03	0.08	2.3	Tr	730
0	7	2.6	20	1.1	241	221	0	0	0.03	0.07	2.0	Tr	731
0	3	1.4	64	1.3	62	17	10	1	0.18	0.07	0.8	0	732
0	16	8.0	125	3.5	529	2	49	5	0.41	0.18	2.3	2	733
0	4	1.9	29	0.8	125	1	12	1	0.10	0.04	0.5	Tr	734
88	0	0.0	11	2.6	196	54	0	0	0.06	0.20	2.1	0	735
90	0	0.0	11	3.1	224	60	0	0	0.07	0.24	2.3	0	736
82	0	0.0	5	2.7	240	43	0	0	0.06	0.20	3.2	0	737
82	0	0.0	4	2.9	262	43	0	0	0.06	0.22	3.5	0	738
71	0	0.0	6	2.0	266	60	0	0	0.05	0.23	4.2	0	739
74	0	0.0	9	1.8	256	65	0	0	0.04	0.18	4.4	0	740
77	0	0.0	9	2.1	248	71	0	0	0.03	0.16	4.9	0	741
410	7	0.0	9	5.3	309	90	30,689	9,120	0.18	3.52	12.3	20	742
71	0	0.0	9 9	2.0	256	54	0	0	0.06	0.14	2.9	0	743
68	U	0.0	9	2.4	318	61	0	U	0.07	0.18	3.5	0	744
61	0	0.0	5	1.6	308	50	0	0	0.07	0.14	3.0	0	745
59	0	0.0	4	1.7	336	53	0	0	0.08	0.14	3.2	0	746
77	0	0.0	9	2.6	311	54	0	0	0.09	0.23	3.3	0	747
76	0	0.0	9	2.9	343	56	0	0	0.11	0.25	3.6	0	748
73	0	0.0	10	1.8	116	855	0	0	0.02	0.12	2.1	0	749
12	Tr	0.0	2	1.3	126	984	0	0	0.02	0.06	1.5	0	750
102	0	0.0	21	2.0	260	61	0	0	0.06	0.21	5.7	0	751
103	0	0.0	22	2.3	287	65	0	0	0.06	0.23	5.4	0	752
85	0	0.0	17	1.5	278	65	0	0	0.09	0.21	6.0	0	753
81	0	0.0	16	1.7	320	71	0	0	0.09	0.24	5.8	0	754

									Fatty acids	
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
		•		(7-7)	()	(3)	(3)	(3)	(3)	(3)
Mea	nt and Meat Products	(continu	ed)							
	Lamb (continued) Leg, roasted, 2 pieces, 41/8"									
755	x 2½" x ½"	2	0.5	57	210	22	1.4	5.0	5.0	1.0
755 756	Lean and fatLean only			57 64	219 162	22 24	14 7	5.9 2.3	5.9 2.9	1.0 0.4
730	Rib, roasted, 3 pieces, 2½" x 2½" x ½" x ½"	. 3 02		04	102	24	,	2.3	2.7	0.4
757	Lean and fat	. 3 oz	85	48	305	18	25	10.9	10.6	1.8
758	Lean only			60	197	22	11	4.0	5.0	0.7
	Pork, cured, cooked									
	Bacon									
759	Regular	. 3 medium s	lices19	13	109	6	9	3.3	4.5	1.1
760	Canadian style (6 slices per 6-oz pkg)	2 slices	17	62	86	11	4	1.3	1.9	0.4
	Ham, light cure, roasted, 2 pieces, 41/8" x 21/4" x 1/4"	. 2 siices		02	00	11	7	1.5	1.7	0.4
761	Lean and fat	. 3 oz	85	58	207	18	14	5.1	6.7	1.5
762	Lean only	. 3 oz	85	66	133	21	5	1.6	2.2	0.5
763	Ham, canned, roasted, 2	2	0.7		1.40	10	_	2.4	2.5	0.0
	pieces, 4½" x 2½" x ½"	. 3 oz	85	67	142	18	7	2.4	3.5	0.8
	Pork, fresh, cooked Chop, loin (cut 3 per lb with									
	bone)									
	Broiled									
764	Lean and fat			58	204	24	11	4.1	5.0	0.8
765	Lean only	. 3 oz	85	61	172	26	7	2.5	3.1	0.5
7.00	Pan fried	2	0.7	50	225	25	1.4	<b>5</b> 1	6.0	1.6
766 767	Lean and fatLean only	. 3 OZ	85	53 57	235 197	25 27	14 9	5.1 3.1	6.0 3.8	1.6 1.1
707	Ham (leg), roasted, piece, 2½" x 2½" x ¾4"	. 3 02		31	197	21	9	3.1	3.0	1.1
768	Lean and fat	. 3 oz	85	55	232	23	15	5.5	6.7	1.4
769	Lean only Rib roast, piece, 2½" x 2½" x ¾"			61	179	25	8	2.8	3.8	0.7
770	Lean and fat	3.07	85	56	217	23	13	5.0	5.9	1.1
771	Lean only	. 3 oz	85	59	190	24	9	3.7	4.5	0.7
	Ribs, lean and fat, cooked									
772	Backribs, roasted			45	315	21	25	9.3	11.4	2.0
773	Country style, braised			54	252	20	18	6.8	7.9	1.6
774	Spareribs, braised	. 3 oz	85	40	337	25	26	9.5	11.5	2.3
	Shoulder cut, braised, 3 pieces, 2½" x ½" x ½" x ¼"									
775	Lean and fat	3 oz	85	48	280	24	20	7.2	8.8	1.9
776	Lean only	. 3 oz	85	54	211	27	10	3.5	4.9	1.0
	Sausages and luncheon meats									
777	Bologna, beef and pork (8									
770	slices per 8-oz pkg)	. 2 slices	57	54	180	7	16	6.1	7.6	1.4
778	Braunschweiger (6 slices per	2 slices	57	48	205	8	18	6.2	8.5	2.1
779	6-oz pkg) Brown and serve, cooked,	. 2 siices		46	203	0	16	0.2	8.3	2.1
117	link, 4" x 7/8" raw	. 2 links	26	45	103	4	9	3.4	4.5	1.0
	Canned, minced luncheon me									
780	Pork, ham, and chicken,									
	reduced sodium (7 slices									
701	per 7-oz can)		57	56	172	7	15	5.1	7.1	1.5
781	Pork with ham (12 slices pe		57	52	188	8	17	5.7	7.7	1.2
782	12-oz can) Pork and chicken (12 slices	. 2 SHCES		34	100	o	1 /	5.7	1.1	1.4
, 02	per 12-oz can)	. 2 slices	57	64	117	9	8	2.7	3.8	0.8
	F2 02 0411/			٠.	***		Ü		2.0	0.0

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodium (mg)	Vit	tamin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
79 76	0 0	0.0 0.0	9 7	1.7 1.8	266 287	56 58	0	0 0	0.09 0.09	0.23 0.25	5.6 5.4	0	755 756
70	O	0.0	,	1.0	207	36	Ü	O	0.07	0.23	5.4	O	730
82 75	0 0	0.0 0.0	19 18	1.4 1.5	230 268	62 69	0 0	0	0.08 0.08	0.18 0.20	5.7 5.2	0	757 758
75	O	0.0	10	1.5	200	0)	U	U	0.00	0.20	5.2	U	736
16	Tr	0.0	2	0.3	92	303	0	0	0.13	0.05	1.4	0	759
27	1	0.0	5	0.4	181	719	0	0	0.38	0.09	3.2	0	760
53	0	0.0	6	0.7	243	1,009	0	0	0.51	0.19	3.8	0	761 762
47	0	0.0	6	0.8	269	1,128	0	0	0.58	0.22	4.3	0	762
35	Tr	0.0	6	0.9	298	908	0	0	0.82	0.21	4.3	0	763
70 70	0	0.0	28	0.7	304	49	8	3	0.91	0.24	4.5	Tr	764
70	0	0.0	26	0.7	319	51	7	2	0.98	0.26	4.7	Tr	765
78 78	0	0.0	23 20	0.8 0.8	361 382	68 73	7 7	2 2	0.97 1.06	0.26 0.28	4.8 5.1	1 1	766 767
80	0	0.0	12	0.9	299	51	9	3	0.54	0.27	3.9	Tr	768
80	0	0.0	6	1.0	317	54	8	3	0.59	0.30	4.2	Tr	769
62 60	0 0	0.0 0.0	24 22	0.8 0.8	358 371	39 40	5 5	2 2	0.62 0.64	0.26 0.27	5.2 5.5	Tr Tr	770 771
100	0	0.0	38	1.2	268	86	8	3	0.36	0.17	3.0	Tr	772
74 103	0	0.0	25 40	1.0 1.6	279 272	50 79	7 9	2 3	0.43 0.35	0.22 0.32	3.3 4.7	1 0	773 774
93	0	0.0	15	1.4	314	75	8	3	0.46	0.26	4.4	Tr	775
97	0	0.0	7	1.7	344	87	7	2	0.51	0.31	5.0	Tr	776
31	2	0.0	7	0.9	103	581	0	0	0.10	0.08	1.5	0	777
89	2	0.0	5	5.3	113	652 8	3,009	2,405	0.14	0.87	4.8	0	778
18	1	0.0	3	0.3	49	209	0	0	0.09	0.04	0.9	0	779
43	1	0.0	0	0.4	321	539	0	0	0.15	0.10	1.8	18	780
40	1	0.0	0	0.4	233	758	0	0	0.18	0.10	2.0	0	781
43	1	0.0	0	0.7	352	539	0	0	0.10	0.12	2.0	18	782

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	3
Food No.	Food Description	Measure of edible portion	Weight	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
	t and I Marat Data Investor									
wea	t and Meat Products	•	a)							
783	Sausages and luncheon meats ( Chopped ham (8 slices per	continued)								
763	6-oz pkg)	. 2 slices	21	64	48	4	4	1.2	1.7	0.4
	Cooked ham (8 slices per									
784	8-oz pkg) Regular	2 slices	57	65	104	10	6	1.9	2.8	0.7
785	Extra lean			65 71	75	10	6 3	0.9	1.3	0.7
	Frankfurter (10 per 1-lb pkg),									
786	heated Beef and pork	1 frank	45	54	144	5	13	4.8	6.2	1.2
787	Beef			55	142	5	13	5.4	6.1	0.6
	Pork sausage, fresh, cooked					_	_			
788 789	Link (4" x 7/8" raw)			45 45	96 100	5 5	8 8	2.8 2.9	3.6 3.8	1.0 1.0
109	Patty (3%" x ½" raw) Salami, beef and pork	. 1 patty	21	43	100	3	0	2.9	3.6	1.0
790	Cooked type (8 slices per									
<b>5</b> 0.1	8-oz pkg)	. 2 slices	57	60	143	8	11	4.6	5.2	1.2
791	Dry type, slice, 3½" x ½6"	2 slices	20	35	84	5	7	2.4	3.4	0.6
792	Sandwich spread (pork,	. 2 311003	20	33	0-1	3	,	2.4	3.4	0.0
	beef)	. 1 tbsp	15	60	35	1	3	0.9	1.1	0.4
793	Vienna sausage (7 per 4-oz can)	1 caucaga	16	60	45	2	4	1.5	2.0	0.3
	Veal, lean and fat, cooked	. 1 sausage	10	00	43	2	4	1.5	2.0	0.5
794	Cutlet, braised, 41/8" x									
705	2½" x ½"	. 3 oz	85	55	179	31	5	2.2	2.0	0.4
795	Rib, roasted, 2 pieces, 41/8" x 21/4" x 1/4"	. 3 oz	85	60	194	20	12	4.6	4.6	0.8
Mix	ed Dishes and Fast F	oods								
	Mixed dishes									
796	Beef macaroni, frozen,	1 maalraga	240	70	211	1.4	2	0.7	1.2	0.2
797	HEALTHY CHOICE Beef stew, canned			78 82	211 218	14 11	2 12	0.7 5.2	1.2 5.5	0.3 0.5
798	Chicken pot pie, frozen			60	484	13	29	9.7	12.5	4.5
799	Chili con carne with beans,						_			
800	canned		222	74	255	20	8	2.1	2.2	1.4
800	made with corn oil		252	82	199	8	6	3.0	NA	1.3
801	Meatless burger crumbles,									
	MORNINGSTAR	1	110	<i>c</i> 0	221	22	12	2.2	4.6	4.0
802	FARMS Meatless burger patty, frozen,		110	60	231	22	13	3.3	4.6	4.9
002	MORNINGSTAR									
	FARMS	. 1 patty	85	71	91	14	1	0.1	0.3	0.2
803	Pasta with meatballs in tomato sauce, canned	1 cup	252	78	260	11	10	4.0	4.2	0.6
804	Spaghetti bolognese (meat	. 1 cup	232	70	200	11	10	4.0	4.2	0.0
	sauce), frozen,									
905	HEALTHY CHOICE	. 1 package	283	78	255	14	3	1.0	0.9	0.9
805	Spaghetti in tomato sauce with cheese, canned	1 cun	252	80	192	6	2	0.7	0.3	0.3
806	Spinach souffle,	-		30	1,2	Ü			0.5	
00-	home-prepared	. 1 cup	136	74	219	11	18	7.1	6.8	3.1
807	Tortellini, pasta with cheese filling, frozen	% cup (wields	1							
	1111111g, 110ZCII	cup cooked		31	249	11	6	2.9	1.7	0.4
		•								

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodium (mg)	Vita	amin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
11	0	0.0	1	0.2	67	288	0	0	0.13	0.04	0.8	0	783
32 27	2	0.0 0.0	4 4	0.6 0.4	189 200	751 815	0	0	0.49 0.53	0.14 0.13	3.0 2.8	0 0	784 785
23 27	1 1	0.0 0.0	5 9	0.5 0.6	75 75	504 462	0 0	0 0	0.09 0.02	0.05 0.05	1.2 1.1	0 0	786 787
22 22	Tr Tr	0.0 0.0	8 9	0.3 0.3	94 97	336 349	0 0	0	0.19 0.20	0.07 0.07	1.2 1.2	1 1	788 789
37	1	0.0	7	1.5	113	607	0	0	0.14	0.21	2.0	0	790
16	1	0.0	2	0.3	76	372	0	0	0.12	0.06	1.0	0	791
6	2	Tr	2	0.1	17	152	13	1	0.03	0.02	0.3	0	792
8	Tr	0.0	2	0.1	16	152	0	0	0.01	0.02	0.3	0	793
114	0	0.0	7	1.1	326	57	0	0	0.05	0.30	9.0	0	794
94	0	0.0	9	0.8	251	78	0	0	0.04	0.23	5.9	0	795
14 37 41	33 16 43	4.6 3.5 1.7	46 28 33	2.7 1.6 2.1	365 404 256		514 3,860 2,285	50 494 343	0.28 0.17 0.25	0.16 0.14 0.36	3.1 2.9 4.1	58 10 2	796 797 798
24	24	8.2	67	3.3		1,032	884	93	0.15	0.15	2.1	1	799
8	29	3.0	113	2.0		1,058	713	NA	0.28	0.25	2.5	0	800
0	7	5.1	79	6.4	178	476	0	0	9.92	0.35	3.0	0	801
0	8	4.3	87	2.9	434	383	0	0	0.26	0.55	4.1	0	802
20	31	6.8	28	2.3	416	1,053	920	93	0.19	0.16	3.3	8	803
17	43	5.1	51	3.5	408	473	492	48	0.35	3.77	0.5	15	804
8	39	7.8	40	2.8	305	963	932	58	0.35	0.28	4.5	10	805
184	3	NA	230	1.3	201	763	3,461	675	0.09	0.30	0.5	3	806
34	38	1.5	123	1.2	72	279	50	13	0.25	0.25	2.2	0	807

Food No.  Mixe  808  809  810  811  812	Food Description  ed Dishes and Fast F  Fast foods  Breakfast items  Biscuit with egg and  sausage  Croissant with egg,  cheese, bacon  Danish pastry		Weight (g) ntinued	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
808 809 810 811	Fast foods Breakfast items Biscuit with egg and sausage		ntinued	)						
808 809 810 811	Fast foods Breakfast items Biscuit with egg and sausage			,						
809 810 811	Breakfast items Biscuit with egg and sausage Croissant with egg, cheese, bacon Danish pastry	. 1 biscuit								
809 810 811	Biscuit with egg and sausage	. 1 biscuit								
809 810 811	sausage	. 1 biscuit								
810 811	Croissant with egg, cheese, bacon Danish pastry		180	43	581	19	39	15.0	16.4	4.4
811	cheese, bacon Danish pastry									
811		. 1 croissant	129	44	413	16	28	15.4	9.2	1.8
811	C1 C11 1									
	Cheese filled	. 1 pastry	91	34	353	6	25	5.1	15.6	2.4
812	Fruit filled	. 1 pastry	94	29	335	5	16	3.3	10.1	1.6
	English muffin with egg,									
	cheese, Canadian									
010	bacon			57	289	17	13	4.7	4.7	1.6
813	French toast with butter			51	356	10	19	7.7	7.1	2.4
814	French toast sticks			30	513	8	29	4.7	12.6	9.9
815 816	Hashed brown potatoes Pancakes with butter,	. ½ cup	12	60	151	2	9	4.3	3.9	0.5
010	syrup	2 nancakas	232	50	520	8	14	5.9	5.3	2.0
	Burrito	. 2 paneakes	232	30	320	O	14	3.7	5.5	2.0
817	With beans and cheese	1 burrito	93	54	189	8	6	3.4	1.2	0.9
818	With beans and meat			52	255	11	9	4.2	3.5	0.6
	Cheeseburger									***
	Regular size, with condimer	nts								
819	Double patty with mayo									
	type dressing,									
	vegetables	. 1 sandwich	166	51	417	21	21	8.7	7.8	2.7
820	Single patty	. 1 sandwich	113	48	295	16	14	6.3	5.3	1.1
	Regular size, plain									
821	Double patty	. 1 sandwich	155	42	457	28	28	13.0	11.0	1.9
822	Double patty with 3-piece		1.60	40	461	22	22	0.5	0.2	1.0
022	bun			43	461	22	22	9.5	8.3	1.8
823	Single patty	. I sandwich	102	37	319	15	15	6.5	5.8	1.5
824	Large, with condiments									
024	Single patty with mayo type dressing,									
	vegetables	1 sandwich	219	53	563	28	33	15.0	12.6	2.0
825	Single patty with bacon			44	608	32	37	16.2	14.5	2.7
826	Chicken fillet (breaded and	. I sanawien	175	• • •	000	32	57	10.2	11.5	2.,
	fried) sandwich, plain	. 1 sandwich	182	47	515	24	29	8.5	10.4	8.4
	Chicken, fried. See Poultry									
	and Poultry Products.									
827	Chicken pieces, boneless,									
	breaded and fried, plain	. 6 pieces	106	47	319	18	21	4.7	10.5	4.6
828	Chili con carne			77	256	25	8	3.4	3.4	0.5
829	Chimichanga with beef			51	425	20	20	8.5	8.1	1.1
830	Coleslaw	. ¾ cup	99	74	147	1	11	1.6	2.4	6.4
021	Desserts									
831	Ice milk, soft, vanilla, in	1	102	<i>C</i> 5	164	4	_	2.5	1.0	0.4
922	cone	. I cone	103	65	164	4	6	3.5	1.8	0.4
832	Pie, fried, with fruit filling (5" x 3 <sup>3</sup> / <sub>4</sub> ")	1 nie	128	38	404	4	21	3.1	9.5	6.9
833	Sundae, hot fudge			58 60	284	4 6	21 9	5.0	9.5 2.3	0.8
834	Enchilada with cheese			63	319	10	19	10.6	6.3	0.8
835	Fish sandwich, with tartar	. 1 chemiaua	103	03	317	10	1)	10.0	0.5	0.0
555	sauce and cheese	. 1 sandwich	183	45	523	21	29	8.1	8.9	9.4
836	French fries			35	291	4	16	3.3	9.0	2.7
837		1 medium		35	458	6	25	5.2	14.3	4.2
838		1 large		35	578	7	31	6.5	18.0	5.3
839	Frijoles (refried beans, chili	_								
	sauce, cheese)	. 1 cup	167	69	225	11	8	4.1	2.6	0.7

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodium (mg)	Vit	amin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
(9)	(9)	ilber (g)	(9)	(9)	(9)	(9)	(10)	(112)	(9)	(9)	(9)	(9)	110.
202	41	0.0	155	4.0	220	1 141	(25	164	0.50	0.45	2.6	0	909
302	41	0.9	155	4.0	320	1,141	635	164	0.50	0.45	3.6	0	808
215	24	NA	151	2.2	201	889	472	120	0.35	0.34	2.2	2	809
20	29	NA	70	1.8	116	319	155	43	0.26	0.21	2.5	3	810
19	45	NA	22	1.4	110	333	86	24	0.29	0.21	1.8	2	811
234	27	1.5	151	2.4	199	729	586	156	0.49	0.45	3.3	2	812
116 75	36 58	NA 2.7	73 78	1.9 3.0	177 127	513 499	473 45	146 13	0.58 0.23	0.50 0.25	3.9 3.0	Tr 0	813 814
73 9	38 16	NA	78 7	0.5	267	499 290	18	3	0.23	0.23	3.0 1.1	5	815
58	91	NA	128	2.6	251	1,104	281	70	0.39	0.56	3.4	3	816
1.4	27	37.4	107		240	502	<i>c</i> 25	110	0.11	0.25	1.0		017
14 24	27 33	NA NA	107 53	1.1 2.5	248 329	583 670	625 319	119 32	0.11 0.27	0.35 0.42	1.8 2.7	1 1	817 818
60	35	NA	171	3.4	335	1,051	398	65	0.35	0.28	8.1	2	819
37	27	NA	111	2.4	223	616	462	94	0.25	0.23	3.7	2	820
110	22	NA	233	3.4	308	636	332	79	0.25	0.37	6.0	0	821
80	44	NA	224	3.7	285	891	277	66	0.34	0.38	6.0	0	822
50	32	NA	141	2.4	164	500	153	37	0.40	0.40	3.7	0	823
88	38	NA	206	4.7	445	1,108	613	129	0.39	0.46	7.4	8	824
111	37	NA	162	4.7		1,043	406	80	0.31	0.41	6.6	2	825
60	39	NA	60	4.7	353	957	100	31	0.33	0.24	6.8	9	826
61	15	0.0	14	0.9	305	513	0	0	0.12	0.16	7.5	0	827
134 9	22 43	NA NA	68 63	5.2 4.5	691 586	1,007 910	1,662 146	167 16	0.13 0.49	1.14 0.64	2.5 5.8	2 5	828 829
5	13	NA NA	34	0.7	177	267	338	50	0.04	0.03	0.1	8	830
28	24	0.1	153	0.2	169	92	211	52	0.05	0.26	0.3	1	831
0	55	3.3	28	1.6	83	479	35	4	0.18	0.14	1.8	2	832
21	48	0.0	207	0.6	395	182	221	57	0.06	0.30	1.1	2	833
44	29	NA	324	1.3	240	784	1,161	186	0.08	0.42	1.9	1	834
68	48	NA	185	3.5	353	939	432	97	0.46	0.42	4.2	3	835
0	34 53	3.0 4.7	12	0.7	586	168	0	0	0.07	0.03	2.4	10	836
$0 \\ 0$	53 67	4.7 5.9	19 24	1.0 1.3	923 1,164	265 335	0	0 0	0.11 0.14	0.05 0.07	3.8 4.8	16 20	837 838
37	29	NA	189	2.2	605	882	456	70	0.13	0.33	1.5	2	839

Table 9. Nutritive Value of the Edible Part of Food

	3. Nutritive value of the Edible Fart of Food							Fatty acids	<b>.</b>
Food No.	Measure of edible Food Description portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
Mix	ed Dishes and Fast Foods (cor	ntinued	1						
IVIIA	Fast foods (continued)	itiiiaca	,						
	Hamburger								
	Regular size, with condiments								
840	Double patty 1 sandwich	215	51	576	32	32	12.0	14.1	2.8
841	Single patty 1 sandwich		45	272	12	10	3.6	3.4	1.0
	Large, with condiments, mayo type dressing, and								
842	vegetables	226	5.1	540	24	27	10.5	10.2	20
843	Double patty		54 56	540 512	34 26	27 27	10.5 10.4	10.3 11.4	2.8 2.2
043	Single patty 1 sandwich Hot dog	210	30	312	20	21	10.4	11.4	2.2
844	Plain 1 sandwich	0.8	54	242	10	15	5.1	6.9	1.7
845	With chili		48	296	14	13	4.9	6.6	1.7
846	With corn flour coating	114	40	270	14	13	4.7	0.0	1.2
040	(corndog) 1 corndog	175	47	460	17	19	5.2	9.1	3.5
847	Hush puppies 5 pieces		32	257	5	12	2.7	7.8	0.4
848	Mashed potatoes		79	66	2	1	0.4	0.3	0.4
849	Nachos, with cheese sauce 6-8 nachos		40	346	9	19	7.8	8.0	2.2
850	Onion rings, breaded	113	40	340	7	19	7.0	0.0	2.2
050	and fried 8-9 rings	83	37	276	4	16	7.0	6.7	0.7
	Pizza (slice = ½ of 12"		31	270	4	10	7.0	0.7	0.7
	pizza (snee = 78 or 12								
851	Cheese	63	48	140	8	3	1.5	1.0	0.5
852	Meat and vegetables 1 slice		48	184	13	5	1.5	2.5	0.9
853	Pepperoni		46 47	181	10	7	2.2	3.1	1.2
854	Roast beef sandwich, plain 1 sandwich		49	346	22	14	3.6	6.8	1.7
855	Salad, tossed, with chicken,	139	47	340	22	14	5.0	0.0	1./
655	no dressing 1½ cups	218	87	105	17	2	0.6	0.7	0.6
856	Salad, tossed, with egg,	210	07	103	1/	2	0.0	0.7	0.0
850	cheese, no dressing 1½ cups	217	90	102	9	6	3.0	1.8	0.5
	Shake	217	90	102	,	U	5.0	1.6	0.5
857	Chocolate 16 fl oz	333	72	423	11	12	7.7	3.6	0.5
858	Vanilla		75	370	12	10	6.2	2.9	0.3
859	Shrimp, breaded and fried 6-8 shrimp		48	454	19	25	5.4	17.4	0.4
037	Submarine sandwich (6"	104	40	434	1)	23	5.4	17.4	0.0
	long), with oil and vinegar								
860	Cold cuts (with lettuce,								
000	cheese, salami, ham,								
	tomato, onion) 1 sandwich	228	58	456	22	19	6.8	8.2	2.3
861	Roast beef (with tomato,	220	50	430	22	1)	0.0	0.2	2.3
001	lettuce, mayo)	216	59	410	29	13	7.1	1.8	2.6
862	Tuna salad (with mayo,	210	3)	410	2)	13	7.1	1.0	2.0
002	lettuce) 1 sandwich	256	54	584	30	28	5.3	13.4	7.3
863	Taco, beef		58	369	21	21	11.4	6.6	1.0
864	1 large		58	568	32	32	17.5	10.1	1.5
865	Taco salad (with ground beef,	203	50	500	34	34	17.3	10.1	1.5
003	cheese, taco shell) 1½ cups	198	72	279	13	15	6.8	5.2	1.7
	Tostada (with cheese, tomato,	170	12	417	13	13	0.0	3.4	1./
	lettuce)								
866	With beans and beef 1 tostada	225	70	333	16	17	11.5	3.5	0.6
867	With guacamole 1 tostada		73	181	6	12	5.0	4.3	1.5
007	" in guacamore I tostada	131	13	101	U	14	5.0	7.3	1.5

Choles-		Total			Potas-					Ribo-		Ascor-	
terol	hydrate	dietary	Calcium		sium (mg)	Sodium	(IU)	amin A (RE)	Thiamin		Niacin	bic acid (mg)	Food No.
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(KE)	(mg)	(mg)	(mg)	(mg)	NO.
103	39	NA 2.2	92	5.5	527	742	54	4	0.34	0.41	6.7	1	840
30	34	2.3	126	2.7	251	534	74	10	0.29	0.24	3.9	2	841
122	40	NA	102	5.9	570	791	102	11	0.36	0.38	7.6	1	842
87	40	NA	96	4.9	480	824	312	33	0.41	0.37	7.3	3	843
44 51	18 31	NA NA	24 19	2.3 3.3	143 166	670 480	0 58	0 6	0.24 0.22	0.27 0.40	3.6 3.7	Tr 3	844 845
79	56	NA	102	6.2	263	973	207	37	0.28	0.70	4.2	0	846
135	35	NA	69	1.4	188	965	94	27	0.00	0.02	2.0	0	847
2	13	NA	17	0.4	235	182	33	8	0.07	0.04	1.0	Tr	848
18	36	NA	272	1.3	172	816	559	92	0.19	0.37	1.5	1	849
14	31	NA	73	0.8	129	430	8	1	0.08	0.10	0.9	1	850
9	21	NA	117	0.6	110	336	382	74	0.18	0.16	2.5	1	851
21	21	NA	101	1.5	179	382	524	101	0.21	0.17	2.0	2	852
14	20	NA	65	0.9	153	267	282	55	0.13	0.23	3.0	2	853
51	33	NA	54	4.2	316	792	210	21	0.38	0.31	5.9	2	854
72	4	NA	37	1.1	447	209	935	96	0.11	0.13	5.9	17	855
98	5	NA	100	0.7	371	119	822	115	0.09	0.17	1.0	10	856
43	68	2.7	376	1.0	666	323	310	77	0.19	0.82	0.5	1	857
37	60	1.3	406	0.3	579	273	433	107	0.15	0.61	0.6	3	858
200	40	NA	84	3.0	184	1,446	120	36	0.21	0.90	0.0	0	859
36	51	NA	189	2.5	394	1,651	424	80	1.00	0.80	5.5	12	860
73	44	NA	41	2.8	330	845	413	50	0.41	0.41	6.0	6	861
49	55	NA	74	2.6	335	1,293	187	41	0.46	0.33	11.3	4	862
56	27	NA	221	2.4	474	802	855	147	0.15	0.44	3.2	2	863
87	41	NA	339	3.7			,315	226	0.24	0.68	4.9	3	864
44	24	NA	192	2.3	416	762	588	77	0.10	0.36	2.5	4	865
74	30	NA	189	2.5	491	871 1	,276	173	0.09	0.50	2.9	4	866
20	16	NA	212	0.8	326	401	879	109	0.07	0.29	1.0	2	867

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	
									Mono-	Poly-
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	unsatu- rated (g)	unsatu- rated (g)
Pou	lltry and Poultry Prod	lucts								
	Chicken									
	Fried in vegetable shortening.									
	meat with skin	,								
	Batter dipped									
868	Breast, ½ breast (5.6 oz									
	with bones)	½ breast	140	52	364	35	18	4.9	7.6	4.3
869	Drumstick (3.4 oz with		52	50	102	1.0		2.0	4.6	2.5
070	bones)			53	193	16	11	3.0	4.6	2.7
870 871	Thigh			52 46	238 159	19 10	14 11	3.8 2.9	5.8 4.4	3.4 2.5
0/1	Wing Flour coated	1 willg	49	40	139	10	11	2.9	4.4	2.3
872	Breast, ½ breast (4.2 oz									
0,2	with bones)	½ breast	98	57	218	31	9	2.4	3.4	1.9
873	Drumstick (2.6 oz with									
	bones)	1 drumstick	49	57	120	13	7	1.8	2.7	1.6
	Fried, meat only									
874	Dark meat			56	203	25	10	2.7	3.7	2.4
875	Light meat	3 oz	85	60	163	28	5	1.3	1.7	1.1
876	Roasted, meat only Breast, ½ breast (4.2 oz									
870	with bone and skin)	½ breast	86	65	142	27	3	0.9	1.1	0.7
877	Drumstick (2.9 oz with	/2 bicast		03	172	21	3	0.7	1.1	0.7
	bone and skin)	1 drumstick	44	67	76	12	2	0.7	0.8	0.6
878	Thigh			63	109	13	6	1.6	2.2	1.3
879	Stewed, meat only, light and									
	dark meat, chopped									
000	or diced	1 cup	140	56	332	43	17	4.3	5.7	4.0
880	Chicken giblets, simmered,	1 our	1.45	68	228	37	7	2.2	1.7	1.6
881	chopped			68	31	5	1	0.4	0.3	0.2
	Chicken neck, meat only,	1 11 VC1	20	00	31	3	1	0.4	0.5	0.2
	simmered	. 1 neck	18	67	32	4	1	0.4	0.5	0.4
883	Duck, roasted, flesh only	½ duck	221	64	444	52	25	9.2	8.2	3.2
	Turkey									
	Roasted, meat only									
884	Dark meat			63	159	24	6	2.1	1.4	1.8
885	Light meat	3 OZ	85	66	133	25	3	0.9	0.5	0.7
886	Light and dark meat, chopped or diced	1 cun	140	65	238	41	7	2.3	1.4	2.0
	Ground, cooked	1 cup	140	03	230	71	,	2.3	1.4	2.0
887	Patty, from 4 oz raw	1 patty	82	59	193	22	11	2.8	4.0	2.6
888	Crumbled			59	298	35	17	4.3	6.2	4.1
889	Turkey giblets, simmered,	-								
	chopped	1 cup	145	65	242	39	7	2.2	1.7	1.7
890	Turkey neck, meat only,		1.50		27.4	4.1		2.5	2.5	2.2
	simmered	I neck	152	65	274	41	11	3.7	2.5	3.3
	Poultry food products Chicken									
891	Canned, boneless	5.07	142	69	234	31	11	3.1	4.5	2.5
892	Frankfurter (10 per 1 lb		12	37	237	31	11	5.1	1.5	2.5
	pkg)	1 frank	45	58	116	6	9	2.5	3.8	1.8
893	Roll, light meat (6 slices									
	per 6-oz pkg)	. 2 slices	57	69	90	11	4	1.1	1.7	0.9

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodiu (mg)	m <u>Vi</u> (IU)	tamin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
(1119)	(9)	ilber (g)	(1119)	(1119)	(1119)	(1119)	(10)	(112)	(9)	(mg)	(1119)	('''9)	
119	13	0.4	28	1.8	281	385	94	28	0.16	0.20	14.7	0	868
62	6	0.2	12	1.0	134	194	62	19	0.08	0.15	3.7	0	869
80 39	8 5	0.3 0.1	15 10	1.2 0.6	165 68	248 157	82 55	25 17	0.10 0.05	0.20 0.07	4.9 2.6	0	870 871
37	3	0.1	10	0.0	00	137	33	17	0.03	0.07	2.0	U	071
87	2	0.1	16	1.2	254	74	49	15	0.08	0.13	13.5	0	872
44	1	Tr	6	0.7	112	44	41	12	0.04	0.11	3.0	0	873
82	2	0.0	15	1.3	215	82	67	20	0.08	0.21	6.0	0	874
77	Tr	0.0	14	1.0	224	69	26	8	0.06	0.11	11.4	0	875
73	0	0.0	13	0.9	220	64	18	5	0.06	0.10	11.8	0	876
41	0	0.0	_	0.6		42	26	0	0.02		2.7	0	977
41 49	$0 \\ 0$	$0.0 \\ 0.0$	5 6	0.6 0.7	108 124	42 46	26 34	8 10	0.03 0.04	0.10 0.12	2.7 3.4	0	877 878
116	0	0.0	18	2.0	283	109	157	46	0.16	0.39	9.0	0	879
570	1	0.0	17	9.3	229		10,775	3,232	0.13	1.38	5.9	12	880
126	Tr	0.0	3	1.7	28	10	3,275	983	0.03	0.35	0.9	3	881
14	0	0.0	8	0.5	25	12	22	6	0.01	0.05	0.7	0	882
197	0	0.0	27	6.0	557	144	170	51	0.57	1.04	11.3	0	883
72	0	0.0	27	2.0	247	67	0	0	0.05	0.21	3.1	0	884
59	0	0.0	16	1.1	259	54	0	0	0.05	0.11	5.8	0	885
106	0	0.0	35	2.5	417	98	0	0	0.09	0.25	7.6	0	886
84	0	0.0	21	1.6	221	88	0	0	0.04	0.14	4.0	0	887
130	0	0.0	32	2.5	343	136	0	0	0.07	0.21	6.1	0	888
606	3	0.0	19	9.7	290	86	8,752	2,603	0.07	1.31	6.5	2	889
185	0	0.0	56	3.5	226	85	0	0	0.05	0.29	2.6	0	890
88	0	0.0	20	2.2	196	714	166	48	0.02	0.18	9.0	3	891
45	3	0.0	43	0.9	38	617	59	17	0.03	0.05	1.4	0	892
28	1	0.0	24	0.5	129	331	46	14	0.04	0.07	3.0	0	893

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	
ood o.	Food Description	Measure of edible portion	Weight	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
ou.	Itry and Poultry Prod	ucts (cont	inued)							
	Poultry food products (continue	•	maoa,							
	Turkey									
894 895	Gravy and turkey, frozen Patties, breaded or battered,	. 5-oz package .	142	85	95	8	4	1.2	1.4	0.7
896	fried (2.25 oz) Roast, boneless, frozen,	. 1 patty	64	50	181	9	12	3.0	4.8	3.0
	seasoned, light and dark meat, cooked	3 oz	85	68	132	18	5	1.6	1.0	1.4
: :	ne Saucoe and Grav	vine								
	ps, Sauces, and Grav	/163								
	Soups									
	Canned, condensed Prepared with equal volume									
897	of whole milk Clam chowder,									
0)1	New England	1 cun	248	85	164	9	7	3.0	2.3	1.1
898	Cream of chicken			85	191	7	11	4.6	4.5	1.6
899	Cream of mushroom	. 1 cup	248	85	203	6	14	5.1	3.0	4.6
900	Tomato			85	161	6	6	2.9	1.6	1.1
, , ,	Prepared with equal volume of water	т сор	2.10		101	Ü	v	2.,	1.0	
901	Bean with pork	. 1 cup	253	84	172	8	6	1.5	2.2	1.8
902	Beef broth, bouillon,									
	consomme	. 1 cup	241	96	29	5	0	0.0	0.0	0.0
903	Beef noodle	. 1 cup	244	92	83	5	3	1.1	1.2	0.5
904	Chicken noodle			92	75	4	2	0.7	1.1	0.6
905	Chicken and rice			94	60	4	2	0.5	0.9	0.4
906	Clam chowder,	-								
	Manhattan	. 1 cup	244	92	78	2	2	0.4	0.4	1.3
907	Cream of chicken	. 1 cup	244	91	117	3	7	2.1	3.3	1.5
908	Cream of mushroom	. 1 cup	244	90	129	2	9	2.4	1.7	4.2
909	Minestrone			91	82	4	3	0.6	0.7	1.1
910	Pea, green			83	165	9	3	1.4	1.0	0.4
911	Tomato	. 1 cup	244	90	85	2	2	0.4	0.4	1.0
912	Vegetable beef	. 1 cup	244	92	78	6	2	0.9	0.8	0.1
913	Vegetarian vegetable	. 1 cup	241	92	72	2	2	0.3	0.8	0.7
	Canned, ready to serve,									
	chunky									
914	Bean with ham			79	231	13	9	3.3	3.8	0.9
915	Chicken noodle	. 1 cup	240	84	175	13	6	1.4	2.7	1.5
916	Chicken and vegetable			83	166	12	5	1.4	2.2	1.0
917	Vegetable	. 1 cup	240	88	122	4	4	0.6	1.6	1.4
	Canned, ready to serve, low fat, reduced sodium									
918	Chicken broth	1 cup	240	97	17	3	0	0.0	0.0	0.0
919	Chicken noodle	. 1 cup	237	92	76	6	2	0.4	0.6	0.4
920	Chicken and rice	. 1 cup	241	88	116	7	3	0.9	1.3	0.7
921	Chicken and rice with vegetables	. 1 cup	239	91	88	6	1	0.4	0.5	0.5
922	Clam chowder,	-								
	New England	1 cup	244	89	117	5	2	0.5	0.7	0.4
923	Lentil	. 1 cup	242	88	126	8	2	0.3	0.8	0.2
				87	123	5	3	0.4	0.9	1.0
924	Minestrone	. 1 cup	2-71	07	123		_	٠	0.7	1.0

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodiun (mg)	n <u>Vit</u> (IU)	tamin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
26	7	0.0	20	1.3	87	787	60	18	0.03	0.18	2.6	0	894
40	10	0.3	9	1.4	176	512	24	7	0.06	0.12	1.5	0	895
45	3	0.0	4	1.4	253	578	0	0	0.04	0.14	5.3	0	896
22	17	1.5	186	1.5	300	992	164	40	0.07	0.24	1.0	3	897
27	15	0.2	181	0.7	273	1,047	714	94	0.07	0.24	0.9	1	898
20	15	0.5	179	0.6	270	918	154	37	0.08	0.28	0.9	2	899
17	22	2.7	159	1.8	449	744	848	109	0.13	0.25	1.5	68	900
3	23	8.6	81	2.0	402	951	888	89	0.09	0.03	0.6	2	901
0	2	0.0	10	0.5	154	636	0	0	0.02	0.03	0.7	1	902
5	9	0.7	15	1.1	100	952	630	63	0.07	0.06	1.1	Tr	903
7	9	0.7	17	0.8	55	1,106	711	72	0.05	0.06	1.4	Tr	904
7	7	0.7	17	0.7	101	815	660	65	0.02	0.02	1.1	Tr	905
2	12	1.5	27	1.6	188	578	964	98	0.03	0.04	0.8	4	906
10	9	0.2	34	0.6	88	986	561	56	0.03	0.06	0.8	Tr	907
2	9	0.5	46	0.5	100	881	0	0	0.05	0.09	0.7	1	908
2	11	1.0	34	0.9	313	911	2,338	234	0.05	0.04	0.9	1	909
0	27	2.8	28	2.0	190	918	203	20	0.11	0.07	1.2	2	910
0	17 10	0.5 0.5	12	1.8	264	695 701	688 1,891	68	0.09 0.04	0.05	1.4	66	911
5 0	12	0.5	17 22	1.1 1.1	173 210	791 822	3,005	190 301	0.04	0.05 0.05	1.0 0.9	2 1	912 913
22	27	11.2	78	3.2	425	972	3,951	396	0.15	0.15	1.7	4	914
19	17	3.8	24	1.4	108	850	1,222	122	0.07	0.17	4.3	0	915
17	19	NA	26	1.5	367	1,068	5,990	600	0.04	0.17	3.3	6	916
0	19	1.2	55	1.6	396	1,010	5,878	588	0.07	0.06	1.2	6	917
0	1	0.0	19	0.6	204	554	0	0	Tr	0.03	1.6	1	918
19 14	9 14	1.2 0.7	19 22	1.1 1.0	209 422	460 482	920 2,010	95 202	0.11 0.05	0.11 0.13	3.4 5.0	1 2	919 920
17	12	0.7	24	1.2	275	459	1,644	165	0.12	0.07	2.6	1	921
5	20	1.2	17	0.9	283	529	244	59	0.05	0.09	0.9	5	922
0	20	5.6	41	2.7	336	443	951	94	0.11	0.09	0.7	1	923
0	20	1.2	39	1.7	306	470	1,357	135	0.15	0.08	1.0	1	924
5	13	1.4	31	1.5	290	466	3,196	319	0.08	0.07	1.8	1	925

									Fatty acids	
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
Sou	ıps, Sauces, and Gra	vies (con	tinued)							
	Soups (continued)	(55	madaj							
	Dehydrated									
	Unprepared									
926	Beef bouillon	1 packet	6	3	14	1	1	0.3	0.2	Tr
927	Onion	1 packet	39	4	115	5	2	0.5	1.4	0.3
	Prepared with water									
928	Chicken noodle			94	58	2	1	0.3	0.5	0.4
929	Onion	1 cup	246	96	27	1	1	0.1	0.3	0.1
020	Home prepared, stock		2.40	0.6	21	-	m.	0.1	0.1	TD.
930	Beef	•		96 02	31	5	Tr	0.1	0.1	Tr
931 932	ChickenFish			92 97	86 40	6 5	3 2	0.8 0.5	1.4 0.5	0.5 0.3
932	Sauces	1 cup	233	91	40	3	2	0.5	0.5	0.3
	Home recipe									
933	Cheese	1 cup	243	67	479	25	36	19.5	11.5	3.4
934	White, medium, made with							-,		
	whole milk		250	75	368	10	27	7.1	11.1	7.2
	Ready to serve	•								
935	Barbecue			81	12	Tr	Tr	Tr	0.1	0.1
936	Cheese			71	110	4	8	3.8	2.4	1.6
937	Hoisin			44	35	1	1	0.1	0.2	0.3
938	Nacho cheese			70	119	_5	10	4.2	3.1	2.1
939	Pepper or hot			90	1	Tr	Tr	Tr	Tr	Tr
940	Salsa			90	4	Tr	Tr	Tr	Tr	Tr
941	Soy			69	9	1	Tr	Tr	Tr	Tr
942	Spaghetti/marinara/pasta			87	143	4	5	0.7	2.2	1.8
943 944	Teriyaki			68 68	15 71	1 2	0 Ta	0.0	0.0 Tr	0.0 0.1
944	Tomato chili			70	11	0	Tr 0	Tr 0.0	0.0	0.1
943	Worcestershire Gravies, canned	1 tosp	1 /	70	11	U	U	0.0	0.0	0.0
946	Beef	½ cun	58	87	31	2	1	0.7	0.6	Tr
947	Chicken			85	47	1	3	0.8	1.5	0.9
948	Country sausage	•		75	96	3	8	2.0	2.9	2.2
949	Mushroom			89	30	1	2	0.2	0.7	0.6
950	Turkey	1/4 cup	60	89	31	2	1	0.4	0.5	0.3
	gars and Sweets									
951	BUTTERFINGER (NESTLE)	1 fun siza b	nr 7	2	34	1	1	0.7	0.4	0.2
	Caramel	1 1uii 81ZE D	u1/	2	54	1	1	0.7	0.4	0.2
952	Plain	1 niece	10	9	39	Tr	1	0.7	0.1	Tr
953	Chocolate flavored roll			7	25	Tr	Tr	Tr	0.1	0.1
954	Carob			2	153	2	9	8.2	0.1	0.1
	Chocolate, milk									
955	Plain	1 bar (1.55	oz)44	1	226	3	14	8.1	4.4	0.5
956	With almonds			2	216	4	14	7.0	5.5	0.9
957	With peanuts,									
	MR. GOODBAR									
	(HERSHEY)	1 bar (1.75	oz)49	1	267	5	17	7.3	5.7	2.4
958	With rice cereal,									
	NESTLE CRUNCH	1 bar (1.55	oz)44	1	230	3	12	6.7	3.8	0.4
	Chocolate chips			_	0.05					
959	Milk	•		1	862	12	52	31.0	16.7	1.8
960	Semisweet			1	805	7	50	29.8	16.7	1.6
961	White			1	916	10	55	33.0	15.5	1.7
962	Chocolate coated peanuts			2	208	5 T=	13	5.8	5.2	1.7
963	Chocolate coated raisins			11 12	39	Tr Tr	1	0.9	0.5	0.1
964	Fruit leather, pieces	1 UZ	∠٥	12	97	11	2	0.3	0.9	0.8

Choles- terol	Carbo- hydrate	Total dietary	Calcium	Iron	Potas- sium	Sodiun		amin A	Thiamin	Ribo- flavin	Niacin	Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
1 2	1 21	0.0 4.1	4 55	0.1 0.6	27 260	1,019 3,493	3 8	Tr 1	Tr 0.11	0.01 0.24	0.3 2.0	0	926 927
10 0	9 5	0.3 1.0	5 12	0.5 0.1	33 64	578 849	15 2	5 0	0.20 0.03	$0.08 \\ 0.06$	1.1 0.5	0 Tr	928 929
0	3	0.0	19	0.6	444	475	0	0	0.08	0.22	2.1	0	930
7	8	0.0	7	0.5	252	343	0	0	0.08	0.20	3.8	Tr	931
2	0	0.0	7	Tr	336	363	0	0	0.08	0.18	2.8	Tr	932
92	13	0.2	756	0.9	345	1,198	1,473	389	0.11	0.59	0.5	1	933
18	23	0.5	295	0.8	390	885	1,383	138	0.17	0.46	1.0	2	934
0	2	0.2	3	0.1	28	130	139	14	Tr	Tr	0.1	1	935
18 T	4	0.3	116	0.1	19	522	199	40	Tr	0.07	Tr	Tr	936
Tr 20	7 3	0.4 0.5	5 118	0.2 0.2	19 20	258 492	2 128	Tr 32	Tr Tr	$0.03 \\ 0.08$	0.2 Tr	Tr Tr	937 938
0	Tr	0.3	Tr	Tr	20 7	124	14	1	Tr	Tr	Tr	4	930 939
0	1	0.3	5	0.2	34	69	96	10	0.01	0.01	0.1	2	940
0	1	0.1	3	0.3	64	871	0	0	0.01	0.03	0.4	0	941
0	21	4.0	55	1.8	738	1,030	938	95	0.14	0.10	2.7	20	942
0	3	Tr	5	0.3	41	690	0	0	0.01	0.01	0.2	0	943
0	17	4.0	14	0.5	252	910	462	46	0.06	0.05	1.1	11	944
0	3	0.0	18	0.9	136	167	18	2	0.01	0.02	0.1	2	945
2	3	0.2	3	0.4	47	325	0	0	0.02	0.02	0.4	0	946
1	3	0.2	12	0.3	65	346	221	67	0.01	0.03	0.3	0	947
13 0	4 3	0.4 0.2	4 4	0.3 0.4	48 64	236 342	0	0	$0.10 \\ 0.02$	$0.04 \\ 0.04$	0.7 0.4	Tr 0	948 949
1	3	0.2	2	0.4	65	346	0	0	0.02	0.04	0.8	0	950
Tr	5	0.2	2	0.1	27	14	0	0	0.01	Tr	0.2	0	951
1	8	0.1	14	Tr	22	25	3	1	Tr	0.02	Tr	Tr	952
0	6	Tr	2	Tr	7	6	1	Tr	Tr	0.01	Tr	Tr	953
1	16	1.1	86	0.4	179	30	7	2	0.03	0.05	0.3	Tr	954
10 8	26 22	1.5 2.5	84 92	0.6 0.7	169 182	36 30	81 30	24 6	0.03 0.02	0.13 0.18	0.1 0.3	Tr Tr	955 956
o	22	2.3	92	0.7	162	30	30	U	0.02	0.16	0.5	11	930
4	25	1.7	53	0.6	219	73	70	18	0.08	0.12	1.6	Tr	957
6	29	1.1	74	0.2	151	59	30	9	0.15	0.25	1.7	Tr	958
37	99	5.7	321	2.3	647	138	311	92	0.13	0.51	0.5	1	959
0	106	9.9	54	5.3	613	18	35	3	0.09	0.15	0.7	0	960
36	101	0.0	338	0.4	486	153	60	2	0.11	0.48	1.3	1	961 962
4 Tr	20 7	1.9 0.4	42 9	0.5 0.2	201 51	16 4	0 4	0 1	0.05 0.01	$0.07 \\ 0.02$	1.7 Tr	0 Tr	962 963
0	22	1.0	5	0.2	46	114	33	3	0.01	0.02	Tr	16	964
Ü		1.0	-	J. <u>_</u>			55	5	0.01	5.05	**	10	707

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	
Food No.			Veight g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
Sug	ars and Sweets (conti	inued)								
	Candy (continued)	•								
965	Fruit leather, rolls	1 large	21	11	74	Tr	1	0.1	0.3	0.1
966		1 small		11	49	Tr	Tr	0.1	0.2	0.1
	Fudge, prepared from recipe Chocolate									
967	Plain	1 piece	17	10	65	Tr	1	0.9	0.4	0.1
968	With nuts	1 piece	19	7	81	1	3	1.1	0.8	1.0
	Vanilla									
969	Plain			11	59	Tr	1	0.5	0.2	Tr
970	With nuts	1 piece	15	8	62	Tr	2	0.6	0.5	0.8
	Gumdrops/gummy candies									
971	Gumdrops (¾" dia)			1	703	0	0	0.0	0.0	0.0
972		1 medium		1	16	0	0	0.0	0.0	0.0
973	Gummy bears			1	85	0	0	0.0	0.0	0.0
974	Gummy worms			1	286	0	0	0.0	0.0	0.0
975	Hard candy			1	24	0	Tr	0.0	0.0	0.0
976		1 small piece		1	12	0	Tr	0.0	0.0	0.0
977	Jelly beans			6	104	0	Tr	Tr	0.1	Tr
978		10 small		6	40	0	Tr	Tr	Tr	Tr
979	KIT KAT (HERSHEY) Marshmallows			2	216	3	11	6.8	3.1	0.3
980	Miniature	1 cup	50	16	159	1	Tr	Tr	Tr	Tr
981	Regular	1 regular	7	16	23	Tr	Tr	Tr	Tr	Tr
982	Peanut	½ cup	43	2	222	4	11	4.4	4.7	1.8
983		10 pieces	20	2	103	2	5	2.1	2.2	0.8
984	Plain	½ cup	52	2	256	2	11	6.8	3.6	0.3
985 986	MILKY WAY	10 pieces	7	2	34	Tr	1	0.9	0.5	Tr
	(M&M MARS)	1 fun size bar	18	6	76	1	3	1.4	1.1	0.1
987 988		1 bar (2.15 oz)		6	258	3	10	4.8	3.7	0.4
989	(HERSHEY)	1 miniature cup . 1 package	7	2	38	1	2	0.8	0.9	0.4
		(contains 2)	45	2	243	5	14	5.0	5.9	2.5
990	SNICKERS bar (M&M MARS)		15	5	72	1	4	1.3	1.6	0.7
991		1 king size bar								
		(4 oz)		5	541	9	28	10.2	11.8	5.6
992 993	SPECIAL DARK sweet	1 bar (2 oz)	57	5	273	5	14	5.1	6.0	2.8
994	chocolate (HERSHEY) STARBURST fruit chews	1 miniature	8	1	46	Tr	3	1.7	0.9	0.1
	(M&M MARS)		5	7	20	Tr	Tr	0.1	0.2	0.2
995		1 package (2.07 oz)	59	7	234	Tr	5	0.7	2.1	1.8
006	Frosting, ready to eat	1/1-	20	17	151	Tr.	7	0.1	2.4	0.0
996 997	Chocolate			17 13	151 159	Tr Tr	7 6	2.1 1.9	3.4 3.3	0.8 0.9
000	Frozen desserts (nondairy)	11 (2.7.5)	77	70			ar.	0.0	0.0	T
998	Fruit and juice bar			78	63	1	Tr	0.0	0.0	Tr
999	Ice pop			80	42	0 T	0	0.0	0.0	0.0
1000	Italian ices			86	61	Tr	Tr	0.0	0.0	0.0
1001	Fruit butter, apple	ı tosp	17	56	29	Tr	0	0.0	0.0	0.0
1002	Regular	½ cup	135	85	80	2	0	0.0	0.0	0.0
1003	Reduced calorie	•								
	(with aspartame)	½ cup	117	98	8	1	0	0.0	0.0	0.0

Choles- terol	Carbo- hydrate	Total dietary	Calcium	Iron	Potas- sium	Sodium		amin A	Thiamin	Ribo- flavin	Niacin	Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
0	18	0.8	7	0.2	62	13	24	3	0.01	Tr	Tr	1	965
0	12	0.5	4	0.1	41	9	16	2	0.01	Tr	Tr	1	966
2	14	0.1	7	0.1	18	11	32	8	Tr	0.01	Tr	Tr	967
3	14	0.2	10	0.1	30	11	38	9	0.01	0.02	Tr	Tr	968
3	13	0.0	6	Tr	8	11	33	8	Tr	0.01	Tr	Tr	969
2	11	0.1	7	0.1	17	9	30	7	0.01	0.01	Tr	Tr	970
0	180 4	$0.0 \\ 0.0$	5 Tr	0.7 Tr	9 Tr	80 2	$0 \\ 0$	0	$0.00 \\ 0.00$	Tr Tr	Tr Tr	$0 \\ 0$	971 972
0	22	0.0	1	0.1	1	10	0	0	0.00	Tr	Tr	0	973
0	73	0.0	2	0.3	4	33	0	0	0.00	Tr	Tr	0	974
0	6	0.0	Tr	Tr	Tr	2	0	0	Tr	Tr	Tr	0	975
0	3	0.0	Tr	Tr	Tr	1	0	0	Tr	Tr	Tr	0	976
0	26	0.0	1	0.3	10	7	0	0	0.00	0.00	0.0	0	977
0	10	0.0	Tr	0.1	4	3	0	0	0.00	0.00	0.0	0	978
3	27	0.8	69	0.4	122	32	68	20	0.07	0.23	1.1	Tr	979
0	41	0.1	2	0.1	3	24	1	0	Tr	Tr	Tr	0	980
0	6	Tr	Tr	Tr	Tr	3	Tr	0	Tr	Tr	Tr	0	981
4	26	1.5	43	0.5	149	21	40	10	0.04	0.07	1.6	Tr	982
2	12	0.7	20	0.2	69	10	19	5	0.02	0.03	0.7	Tr	983
7	37	1.3	55	0.6	138	32	106	28	0.03	0.11	0.1	Tr	984
1	5	0.2	7	0.1	19	4	14	4	Tr	0.01	Tr	Tr	985
3	13	0.3	23	0.1	43	43	19	6	0.01	0.04	0.1	Tr	986
9	44	1.0	79	0.5	147	146	66	20	0.02	0.14	0.2	1	987
Tr	4	0.2	5	0.1	25	22	5	1	0.02	0.01	0.3	Tr	988
2	25	1.4	35	0.5	158	143	33	9	0.11	0.08	2.1	Tr	989
2	9	0.4	14	0.1	49	40	23	6	0.01	0.02	0.6	Tr	990
15	67	2.8	106	0.9	366	301	172	44	0.11	0.17	4.7	1	991
7	34	1.4	54	0.4	185	152	87	22	0.06	0.09	2.4	Tr	992
Tr	5	0.4	2	0.2	25	1	3	Tr	Tr	0.01	Tr	0	993
0	4	0.0	Tr	Tr	Tr	3	0	0	Tr	Tr	Tr	3	994
0	50	0.0	2	0.1	1	33	0	0	Tr	Tr	Tr	31	995
0	24	0.2	3	0.5	74	70	249	75	Tr	0.01	Tr	0	996
0	26	Tr	1	Tr	14	34	283	86	0.00	Tr	Tr	ő	997
0	16	0.0	4	0.1	41	3	22	2	0.01	0.01	0.1	7	998
0	11	0.0	0	0.0	2	7	0	0	0.00	0.00	0.0	0	999
0	16	0.0	1	0.1	7	5	194	0	0.01	0.01	0.8	1	1000
0	7	0.3	2	0.1	15	1	20	2	Tr	Tr	Tr	Tr	1001
0	19	0.0	3	Tr	1	57	0	0	0.00	Tr	Tr	0	1002
0	1	0.0	2	Tr	0	56	0	0	0.00	Tr	Tr	0	1003

Table 9. Nutritive Value of the Edible Part of Food

	o. Numitive value of the Eulis								Fatty acids	<b></b>
									Mono-	Poly-
		Measure				Pro-	Total	Satu-	unsatu-	unsatu-
Food		of edible	Weight	Water	Calories	tein	fat	rated	rated	rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
Sug	gars and Sweets (cor	itinued)								
1004	Honey, strained or extracted	1 tbsp	21	17	64	Tr	0	0.0	0.0	0.0
1005	•	1 cup		17	1,031	1	0	0.0	0.0	0.0
1006	Jams and preserves	1 tbsp	20	30	56	Tr	Tr	Tr	Tr	0.0
1007		1 packet (0.5								
		oz)	14	30	39	Tr	Tr	Tr	Tr	0.0
	Jellies		19	29	54	Tr	Tr	Tr	Tr	Tr
1009		1 packet (0.5		20	40	<b></b>			<b></b>	
	D III	oz)	14	29	40	Tr	Tr	Tr	Tr	Tr
	Puddings									
	Prepared with dry mix and 2% milk									
	Chocolate									
1010	Instant	½ cun	147	75	150	5	3	1.6	0.9	0.2
1011	Regular (cooked)			74	151	5	3	1.8	0.8	0.1
1011	Vanilla	/2 cap			101	Ü		1.0	0.0	0.1
1012	Instant	½ cup	142	75	148	4	2	1.4	0.7	0.1
1013	Regular (cooked)	½ cup	140	76	141	4	2	1.5	0.7	0.1
	Ready to eat	•								
	Regular									
1014	Chocolate			69	150	3	5	0.8	1.9	1.6
1015	Rice			68	184	2	8	1.3	3.6	3.2
1016	Tapioca			74	134	2	4	0.7	1.8	1.5
1017	Vanilla	4 oz	113	71	147	3	4	0.6	1.7	1.5
1010	Fat free	4	112	76	107	2	т.,	0.2	0.1	т
1018 1019	Chocolate			76 77	107 98	3 2	Tr Tr	0.3 0.1	0.1 Tr	Tr Tr
1019	Tapioca Vanilla			7 <i>7</i>	105	2	Tr	0.1	Tr	Tr
1020	Sugar	4 02	113	70	103	2	11	0.1	11	11
	Brown									
1021	Packed	1 cup	220	2	827	0	0	0.0	0.0	0.0
1022	Unpacked			2	545	0	0	0.0	0.0	0.0
1023	•	1 tbsp		2	34	0	0	0.0	0.0	0.0
	White	•								
1024	Granulated	1 packet	6	0	23	0	0	0.0	0.0	0.0
1025		1 tsp		0	16	0	0	0.0	0.0	0.0
1026		1 cup		0	774	0	0	0.0	0.0	0.0
1027	Powdered, unsifted			Tr	31	0	Tr	Tr	Tr	Tr
1028	G.	1 cup	120	Tr	467	0	Tr	Tr	Tr	0.1
	Syrup Chapalata flavored average or									
	Chocolate flavored syrup or topping									
1029	Thin type	1 then	10	31	53	Tr	Tr	0.1	0.1	Tr
1030				22	67	1	2	0.8	0.7	0.1
1031	Corn, light			23	56	0	0	0.0	0.0	0.0
1032	Maple			32	52	0	Tr	Tr	Tr	Tr
1033				29	47	0	0	0.0	0.0	0.0
1034	•	1 cup		29	771	0	0	0.0	0.0	0.0
	Table blend, pancake	_								
1035	Regular			24	57	0	0	0.0	0.0	0.0
1036	Reduced calorie	1 tbsp	15	55	25	0	0	0.0	0.0	0.0

Ch alaa	Caula a	Tatal			Dotos					Diba		<b>A</b>	
Choles- terol	Carbo- hydrate	Total dietary	Calcium	Iron	Potas- sium	Sodium	Vit	amin A	Thiamin	Ribo- flavin	Niacin	Ascor- bic acid	Food
(mg)	(g)	fiber (g)		(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
0	17	Tr	1	0.1	11	1	0	0	0.00	0.01	Tr	Tr	1004
0	279	0.7	20	1.4	176	14	0	0	0.00	0.01	0.4	2	1004
0	14	0.2	4	0.1	15	6	2	Tr	0.00	Tr	Tr	2	1006
0	10	0.2	3	0.1	11	4	2	Tr	0.00	Tr	Tr	1	1007
0	13	0.2	2	Tr	12	5	3	Tr	Tr	Tr	Tr	Tr	1008
0	10	0.1	1	Tr	9	4	2	Tr	Tr	Tr	Tr	Tr	1009
9	28	0.6	153	0.4	247	417	253	56	0.05	0.21	0.1	1	1010
10	28	0.4	160	0.5	240	149	253	68	0.05	0.21	0.2	1	1011
9	28	0.0	146	0.1	185	406	241	64	0.05	0.20	0.1	1	1012
10	26	0.0	153	0.1	193	224	252	70	0.04	0.20	0.1	1	1013
3	26	1.1	102	0.6	203	146	41	12	0.03	0.18	0.4	2	1014
1	25	0.1	59	0.3	68	96	129	40	0.02	0.08	0.2	1	1015
1	22	0.1	95	0.3	110	180	0	0	0.02	0.11	0.4	1	1016
8	25	0.1	99	0.1	128	153	24	7	0.02	0.16	0.3	0	1017
2	23	0.9	89	0.6	235	192	174	52	0.02	0.12	0.1	Tr	1018
1	23	0.1	76	0.2	99	251	121	36	0.02	0.09	0.1	Tr	1019
1	24	0.1	86	Tr	123	241	174	52	0.02	0.10	0.1	Tr	1020
0	214	0.0	187	4.2	761 502	86	0	0	0.02	0.02	0.2	0	1021
0	141	0.0	123	2.8	502 31	57	0	0	0.01	0.01	0.1	0	1022
0	9	0.0	8	0.2	31	4	0	U	Tr	Tr	Tr	0	1023
0	6	0.0	Tr	Tr	Tr	Tr	0	0	0.00	Tr	0.0	0	1024
0	4	0.0	Tr	Tr	Tr	Tr	0	0	0.00	Tr	0.0	0	1025
0	200	0.0	_2	0.1	4	_2	0	0	0.00	0.04	0.0	0	1026
0	8	0.0	Tr	Tr	Tr	Tr	0	0	0.00	0.00	0.0	0	1027
0	119	0.0	1	0.1	2	1	0	0	0.00	0.00	0.0	0	1028
0	12	0.3	3	0.4	43	14	6	1	Tr	0.01	0.1	Tr	1029
Tr	12	0.5	15	0.4	43 69	66	3	1	0.01	0.01	0.1	Tr	1029
0	15	0.0	1	Tr	1	24	0	0	Tr	Tr	Tr	0	1030
Ő	13	0.0	13	0.2	41	2	0	0	Tr	Tr	Tr	0	1032
0	12	0.0	172	3.5	498	11	0	0	0.01	0.01	0.2	0	1033
0	199	0.0 2	,821	57.4	8,174	180	0	0	0.11	0.17	3.5	0	1034
0	15	0.0	Tr	Tr	Tr	17	0	0	Tr	Tr	Tr	0	1035
0	7	0.0	Tr	Tr	Tr	30	0	0	Tr	Tr	Tr	0	1036

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	3
									Mono-	Poly-
		Measure				Pro-	Total	Satu-	unsatu-	unsatu-
Food		of edible	Weight	Water	Calories	tein	fat	rated	rated	rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
.,		<b>.</b>								
veg	etables and Vegetable	e Products	3							
	Alfalfa sprouts, raw	1 cup	33	91	10	1	Tr	Tr	Tr	0.1
1038	Artichokes, globe or French,		4.40	0.4	0.4		_	0.4	_	
1020	cooked, drained	1		84	84	6	Tr	0.1	Tr	0.1
1039	Asparagus, green	1 medium	120	84	60	4	Tr	Tr	Tr	0.1
	Cooked, drained									
1040	From raw	1 cup	180	92	43	5	1	0.1	Tr	0.2
1041		4 spears		92	14	2	Tr	Tr	Tr	0.1
1042	From frozen			91	50	5	1	0.2	Tr	0.3
1043		4 spears		91	17	2	Tr	0.1	Tr	0.1
1044	Canned, spears, about 5"									
	long, drained	1 cup	242	94	46	5	2	0.4	0.1	0.7
1045	2,	4 spears		94	14	2	Tr	0.1	Tr	0.2
1046	Bamboo shoots, canned,	•								
	drained	1 cup	131	94	25	2	1	0.1	Tr	0.2
	Beans									
	Lima, immature seeds, frozen	,								
	cooked, drained									
1047	Ford hooks	1 cup	170	74	170	10	1	0.1	Tr	0.3
1048	Baby limas	1 cup	180	72	189	12	1	0.1	Tr	0.3
	Snap, cut									
	Cooked, drained									
	From raw									
1049	Green			89	44	2	Tr	0.1	Tr	0.2
1050	Yellow	1 cup	125	89	44	2	Tr	0.1	Tr	0.2
	From frozen	_				_	_		_	
1051	Green			91	38	2	Tr	0.1	Tr	0.1
1052	Yellow	1 cup	135	91	38	2	Tr	0.1	Tr	0.1
1050	Canned, drained		105	0.2	27	•	<b>m</b>		<b></b>	0.1
1053	Green			93	27	2	Tr	Tr	Tr	0.1
1054	Yellow	1 cup	133	93	27	2	Tr	Tr	Tr	0.1
	Beans, dry. See Legumes.									
1055	Bean sprouts (mung) Raw	1 cup	104	90	31	3	Tr	Tr	Tr	0.1
1055	Cooked, drained			93	26	3	Tr	Tr	Tr	Tr
1030	Beets	1 cup	124	93	20	3	11	11	11	11
	Cooked, drained									
1057	Slices	1 cun	170	87	75	3	Tr	Tr	0.1	0.1
1057	Whole beet, 2" dia			87	22	1	Tr	Tr	Tr	Tr
1050	Canned, drained	1 0001	50	07	22		- 11			11
1059	Slices	1 cup	170	91	53	2	Tr	Tr	Tr	0.1
1060	Whole beet	•		91	7	Tr	Tr	Tr	Tr	Tr
	Beet greens, leaves and stems,	1 0001	2 1	71	,				••	
	cooked, drained, 1" pieces	1 cup	144	89	39	4	Tr	Tr	0.1	0.1
	Black eyed peas, immature									
	seeds, cooked, drained									
1062	From raw	1 cup	165	75	160	5	1	0.2	0.1	0.3
1063	From frozen	1 cup	170	66	224	14	1	0.3	0.1	0.5
	Broccoli	-								
	Raw									
1064	Chopped or diced			91	25	3	Tr	Tr	Tr	0.1
1065	Spear, about 5" long			91	9	1	Tr	Tr	Tr	0.1
1066	Flower cluster	1 floweret	11	91	3	Tr	Tr	Tr	Tr	Tr
	Cooked, drained									
	From raw									
1067	Chopped			91	44	5	1	0.1	Tr	0.3
1068	Spear, about 5" long			91	10	1	Tr	Tr	Tr	0.1
1069	From frozen, chopped	1 cup	184	91	52	6	Tr	Tr	Tr	0.1

0 1 0.8 11 0.3 26 2 51 5 0.03 0.04 0.2 3 1037 0 199 9.1 76 2.2 595 160 297 30 0.11 0.11 1.7 17 17 1039 0 13 6.5 54 1.5 425 114 212 22 0.08 0.08 1.2 12 1039 0 8 2.9 36 1.3 288 20 970 97 0.22 0.23 1.9 19 1040 0 3 1.0 12 0.4 96 7 323 32 0.07 0.08 0.6 6 1041 0 9 2.9 41 12 392 7 1.472 148 0.12 0.19 1.9 44 1042 0 3 1.0 14 0.4 131 2 491 49 0.04 0.06 0.6 1.5 1043 0 6 3.9 39 4.4 416 695 1.285 128 0.15 0.24 2.3 45 1044 0 2 1.2 12 12 1.3 124 207 382 38 0.04 0.07 0.7 13 1045 0 4 1.8 10 0.4 105 9 10 1 0.03 0.03 0.2 1 1046 0 32 9.9 37 2.3 694 90 323 32 0.13 0.10 1.8 22 1047 0 35 10.8 50 3.5 740 52 301 31 0.13 0.10 1.8 22 1047 0 10 4.0 58 1.6 374 4 101 10 0.09 0.12 0.8 12 1050 0 9 4.1 66 1.2 170 12 541 54 0.05 0.12 0.5 6 1051 0 9 4.1 66 1.2 170 12 541 54 0.05 0.12 0.5 6 1051 0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1051 0 6 2.6 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054 0 6 1.8 35 1.2 147 339 18 2 0.09 0.13 0.8 14 1056 0 6 1.8 35 1.2 147 339 18 2 0.09 0.13 0.8 14 1056 0 10 4.0 58 0.4 153 39 18 2 0.09 0.13 0.8 14 1056 0 5 1.5 1.5 15 0.8 125 12 17 1 0.06 0.13 1.0 14 1066 0 10 34 8.3 211 1.8 690 7 1.305 130 17 0.42 0.7 36 1061 0 10 4.0 8 0.4 153 39 18 2 0.01 0.02 0.0 0.3 6 1054 0 12 2.9 26 31 252 330 19 2 0.00 0.13 0.8 14 1056 0 10 34 8.3 211 1.8 690 7 1.305 130 0.17 0.42 0.7 36 1061 0 34 8.3 211 1.8 690 7 1.305 130 0.17 0.42 0.7 36 1061 0 34 8.3 211 1.8 690 7 1.305 130 0.17 0.42 0.7 36 1061 0 5 2.6 42 0.8 266 24 1.357 136 0.00 0.17 0.42 0.7 36 1061 0 34 8.3 211 1.8 690 7 1.305 130 0.17 0.42 0.7 36 1061 0 5 2.6 42 0.8 266 24 1.357 136 0.00 0.10 0.1 10 1066 0 5 2.6 42 0.8 266 24 1.357 136 0.00 0.10 0.1 10 1066	Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodium (mg)	ı <u>Vi</u> (IU)	tamin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
0 19 9.1 76 2.2 595 160 297 30 0.11 0.11 1.7 17 1038 0 13 6.5 54 1.5 425 114 212 22 0.08 0.08 0.08 1.2 12 1039 0 8 2.9 36 1.3 288 20 970 97 0.22 0.23 1.9 19 1040 0 3 1.0 12 0.4 96 7 323 32 0.07 0.08 0.6 6 1041 0 9 2.9 41 1.2 392 7 1.472 148 0.12 0.19 1.9 4 1042 0 3 1.0 14 0.4 131 2 491 49 0.04 0.06 0.6 15 1043 0 6 3.9 39 4.4 416 695 1.285 128 0.15 0.24 2.3 45 1044 0 2 1.2 12 1.3 124 207 382 38 0.04 0.07 0.7 13 1045 0 4 1.8 10 0.4 105 9 10 1 0.03 0.03 0.2 1 1046 0 35 10.8 50 3.5 740 52 301 31 0.13 0.10 1.4 10 1048 0 0 35 10.8 50 3.5 740 52 301 31 0.13 0.10 1.4 10 1048 0 0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1051 0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1052 0 6 1.8 35 1.2 147 339 142 15 0.05 0.12 0.5 6 1052 0 6 1.8 35 1.2 147 339 142 15 0.05 0.12 0.5 6 1055 0 6 1.8 35 1.2 147 339 142 15 0.05 0.12 0.5 6 1055 0 6 1.8 35 1.2 147 339 142 15 0.05 0.12 0.5 6 1055 0 6 1.8 35 1.2 147 339 142 15 0.05 0.12 0.5 6 1055 0 6 1.8 35 1.2 147 339 142 15 0.05 0.12 0.5 6 1055 0 6 1055 0 6 1.8 35 1.2 147 339 142 15 0.05 0.12 0.5 6 1055 0 6 1055 0 6 1.8 35 1.2 147 339 142 15 0.00 0.08 0.3 6 1054 0 6 1.8 35 1.2 147 339 142 15 0.00 0.08 0.3 6 1055 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1														
0 13 6.5 54 1.5 425 114 212 22 0.08 0.08 1.2 12 1039  0 8 2.9 36 1.3 288 20 970 97 0.22 0.23 1.9 19 1040 0 3 1.0 12 0.4 96 7 323 32 0.07 0.08 0.6 6 1041 0 9 2.9 41 1.2 392 7 1.472 148 0.12 0.19 1.9 44 1042 0 3 1.0 14 0.4 131 2 491 49 0.04 0.06 0.6 15 1043 0 6 3.9 39 4.4 416 695 1.285 128 0.15 0.24 2.3 45 1044 0 2 1.2 12 1.3 124 207 382 38 0.04 0.07 0.7 13 1045 0 4 1.8 10 0.4 105 9 10 1 0.03 0.03 0.2 1 1046  0 32 9.9 37 2.3 694 90 323 32 0.13 0.10 1.8 22 1047 0 35 10.8 50 3.5 740 52 301 31 0.13 0.10 1.4 10 1048  0 10 4.0 58 1.6 374 4 833 84 0.09 0.12 0.8 12 1050 0 9 4.1 66 1.2 170 12 541 54 0.05 0.12 0.5 6 1051 0 9 4.1 66 1.2 170 12 541 54 0.05 0.12 0.5 6 1051 0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1051 0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1051 0 9 4.1 66 1.2 147 339 142 15 0.02 0.08 0.3 6 1054 0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054 0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054 0 6 1.9 14 0.9 155 6 22 2 0.09 0.13 0.8 14 1055 0 5 1.5 15 0.8 125 12 17 1 0.06 0.13 1.0 17 17 1 1060 0 10 7 3.4 27 1.3 519 131 60 7 0.05 0.12 0.5 6 1052 0 6 1.9 14 0.9 155 6 22 2 2 0.09 0.13 0.8 14 1055 0 5 1.5 15 0.8 125 12 17 1 0.06 0.13 1.0 17 14 1056 0 17 3.4 27 1.3 519 131 60 7 0.05 0.07 0.6 6 1051 0 5 1.0 8 0.4 153 39 18 2 0.01 0.02 0.08 0.3 7 1059 0 2 0.4 4 0.4 36 47 3 Tr Tr 0.01 0.7 0.4 2.3 4 1062 0 12 2.9 2.6 3.1 2.52 330 19 2 0.02 0.07 0.3 7 1059 0 2 0.4 4 0.4 36 47 3 Tr Tr 0.01 Tr 1 1060 0 8 4.2 164 2.7 1.309 347 7.344 734 0.17 0.42 2.3 4 1062 0 10 40 10.9 39 3.6 638 9 128 14 0.44 0.11 1.2 4 1063	0	1	0.8	11	0.3	26	2	51	5	0.03	0.04	0.2	3	1037
0 8 4.5 72 1.3 288 20 970 977 0.22 0.23 1.9 19 1040 0 3 1.0 12 0.4 96 7 323 32 0.07 0.08 0.6 6 1041 0 9 2.9 41 1.2 392 7 1.472 148 0.12 0.19 1.9 1.9 44 1042 0 3 1.0 14 0.4 131 2 491 49 0.04 0.05 0.6 15 1043 0 2 1.2 12 1.3 124 207 382 38 0.04 0.07 0.7 13 1045 0 4 1.8 10 0.4 105 9 10 1 0.03 0.03 0.2 1 1046 0 3 1 0.0 1 0 1.8 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0														
0 3 1.0 12 0.4 96 7 323 32 0.07 0.08 0.6 6 6 1041 0.9 9 2.9 41 1.2 392 7 7 1.472 148 0.12 0.19 1.9 44 1042 0.3 1.0 14 0.4 131 2 491 49 0.04 0.06 0.6 15 1043 0.6 0.6 3 1.0 14 0.4 131 2 491 49 0.04 0.06 0.6 15 1043 0.0 6 3.9 3.9 4.4 416 695 1.285 128 0.15 0.24 2.3 45 1044 0.2 1.2 12 1.3 124 207 382 38 0.04 0.07 0.7 13 1045 0.4 1.8 10 0.4 105 9 10 1 0.3 0.3 0.3 0.2 1 1046 0.0 32 9.9 37 2.3 694 90 323 32 0.13 0.10 1.8 22 1047 0.35 10.8 50 3.5 740 52 301 31 0.13 0.10 1.8 22 1048 0.10 1.4 10 1048 0.10 1.4 10 1048 0.10 1.4 10 1048 0.10 1.4 10 1048 0.10 1.4 10 1048 0.10 1.4 1.5 8 1.6 374 4 101 10 0.09 0.12 0.8 12 1050 0.9 4.1 66 1.2 170 12 541 54 0.05 0.12 0.5 6 1051 0.9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1052 0.9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1052 0.0 6 2.6 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1053 0.0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054 0.5 0.5 1.5 15 0.8 125 12 17 1 0.06 0.13 1.0 14 1056 0.1 14 1056 0.1 12 170 12 151 15 0.05 0.1 14 1056 0.1 14 1056 0.1 12 170 12 151 15 0.05 0.1 14 1056 0.1 14 1056 0.1 15 0.8 125 12 17 1 0.06 0.13 1.0 14 1056 0.1 14 1056 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.1 0.00 0.2 0.2 2 1058 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.1 0.00 0.2 0.2 2 1058 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.00 0.1 11 1.2 4 1063 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.00 0.1 11 1.2 4 1063 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.00 0.1 0.00 0.2 0.2 2 1058 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.00 0.1 0.00 0.2 0.2 2 1058 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.00 0.1 0.00 0.2 0.2 2 1058 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.00 0.1 0.00 0.1 10	0	13	6.5	54	1.5	425	114	212	22	0.08	0.08	1.2	12	1039
0 3 1.0 12 0.4 96 7 323 32 0.07 0.08 0.6 6 6 1041 0.9 9 2.9 41 1.2 392 7 7 1.472 148 0.12 0.19 1.9 44 1042 0.3 1.0 14 0.4 131 2 491 49 0.04 0.06 0.6 15 1043 0.6 0.6 3 1.0 14 0.4 131 2 491 49 0.04 0.06 0.6 15 1043 0.0 6 3.9 3.9 4.4 416 695 1.285 128 0.15 0.24 2.3 45 1044 0.2 1.2 12 1.3 124 207 382 38 0.04 0.07 0.7 13 1045 0.4 1.8 10 0.4 105 9 10 1 0.3 0.3 0.3 0.2 1 1046 0.0 32 9.9 37 2.3 694 90 323 32 0.13 0.10 1.8 22 1047 0.35 10.8 50 3.5 740 52 301 31 0.13 0.10 1.8 22 1048 0.10 1.4 10 1048 0.10 1.4 10 1048 0.10 1.4 10 1048 0.10 1.4 10 1048 0.10 1.4 10 1048 0.10 1.4 1.5 8 1.6 374 4 101 10 0.09 0.12 0.8 12 1050 0.9 4.1 66 1.2 170 12 541 54 0.05 0.12 0.5 6 1051 0.9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1052 0.9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1052 0.0 6 2.6 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1053 0.0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054 0.5 0.5 1.5 15 0.8 125 12 17 1 0.06 0.13 1.0 14 1056 0.1 14 1056 0.1 12 170 12 151 15 0.05 0.1 14 1056 0.1 14 1056 0.1 12 170 12 151 15 0.05 0.1 14 1056 0.1 14 1056 0.1 15 0.8 125 12 17 1 0.06 0.13 1.0 14 1056 0.1 14 1056 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.1 0.00 0.2 0.2 2 1058 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.1 0.00 0.2 0.2 2 1058 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.00 0.1 11 1.2 4 1063 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.00 0.1 11 1.2 4 1063 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.00 0.1 0.00 0.2 0.2 2 1058 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.00 0.1 0.00 0.2 0.2 2 1058 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.00 0.1 0.00 0.2 0.2 2 1058 0.1 12 2.9 26 3.1 252 330 19 2 0.00 0.00 0.00 0.1 0.00 0.1 10	0	8	2.9	36	1.3	288	20	970	97	0.22	0.23	1.9	19	1040
0 3 1.0 14 0.4 131 2 491 49 0.04 0.06 0.6 15 1043 0 6 3.9 39 4.4 416 695 1.285 128 0.15 0.24 2.3 45 1044 0 2 1.2 12 1.3 124 207 382 38 0.04 0.07 0.7 13 1045 0 4 1.8 10 0.4 105 9 10 1 0.03 0.03 0.2 1 1046 0 32 9.9 37 2.3 694 90 323 32 0.13 0.10 1.8 22 1047 0 35 10.8 50 3.5 740 52 301 31 0.13 0.10 1.4 10 1048  0 10 4.0 58 1.6 374 4 833 84 0.09 0.12 0.8 12 1049 0 10 4.1 58 1.6 374 4 101 10 0.09 0.12 0.8 12 1050 0 9 4.1 66 1.2 170 12 541 54 0.05 0.12 0.5 6 1051 0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1051 0 6 2.6 35 1.2 147 354 471 47 0.02 0.08 0.3 6 1053 0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1053 0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1053 0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054 0 17 3.4 27 1.3 519 131 60 7 0.05 0.07 0.6 6 1054 0 17 3.4 27 1.3 519 131 60 7 0.05 0.07 0.6 6 1057 0 5 1.5 15 0.8 125 12 17 1 1 0.06 0.13 1.0 14 1056 0 17 3.4 27 1.3 519 131 60 7 0.05 0.07 0.6 6 1057 0 5 1.0 8 0.4 153 39 18 2 0.01 0.02 0.07 0.3 7 1059 0 2 0.4 4 0.4 36 47 3 Tr Tr Tr 0.01 Tr 1 1060 0 8 4.2 164 2.7 1.309 347 7.344 734 0.17 0.42 0.7 36 1061 0 34 8.3 211 1.8 690 7 1.305 130 0.17 0.24 2.3 4 1063 0 5 2.6 42 0.8 286 24 1.357 136 0.06 0.10 0.02 0.7 36 1061 0 5 2.6 42 0.8 286 24 1.357 136 0.06 0.10 0.06 82 1064 0 1 0 3 4 8.3 211 1.8 690 7 1.305 130 0.17 0.24 2.3 4 1063 0 5 2.6 42 0.8 286 24 1.357 136 0.06 0.10 0.06 82 1064 0 2 0.9 15 0.3 101 8 478 48 0.02 0.04 0.2 29 1065 0 1 0 3 4 8.3 211 1.8 690 7 1.305 130 0.17 0.24 2.3 4 1063	0	3												
0 6 3.9 39 4.4 416 695 1.285 128 0.15 0.24 2.3 45 1044 0 2 1.2 12 1.3 124 207 382 38 0.04 0.07 0.7 13 1045 0 4 1.8 10 0.4 105 9 10 1 0.03 0.03 0.2 1 1046 0 32 9.9 37 2.3 694 90 323 32 0.13 0.10 1.8 22 1047 0 35 10.8 50 3.5 740 52 301 31 0.13 0.10 1.4 10 1048 0 10 4.1 58 1.6 374 4 101 10 0.09 0.12 0.8 12 1050 0 9 4.1 66 1.2 170 12 541 54 0.05 0.12 0.5 6 1051 0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1052 0 6 1.8 35 1.2 147 339 142 15 0.05 0.12 0.5 6 1053 0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054 0 6 1.8 35 1.2 147 339 142 15 0.06 0.13 1.0 14 1056 0 17 3.4 27 1.3 519 131 60 7 0.05 0.12 0.2 0.2 2 1058 0 12 2.9 26 3.1 252 330 19 2 0.02 0.07 0.3 7 1059 0 2 0.4 4 0.4 36 47 3 Tr Tr 0.01 Tr 1 1060 0 8 4.2 164 2.7 1.30 347 7.344 734 0.17 0.42 0.7 36 1061 0 8 4.2 164 2.7 1.30 347 7.344 734 0.17 0.42 0.7 36 1061 0 8 4.2 164 2.7 1.30 347 7.344 734 0.17 0.42 0.7 36 1061 0 34 8.3 211 1.8 690 7 1.305 130 0.17 0.24 2.3 4 1062 0 40 10.9 39 3.6 638 9 128 14 0.44 0.11 1.2 4 1063 0 1 0 5 2 0.9 15 0.3 101 8 447 347 344 0.17 0.42 0.7 36 1061 0 5 2 0.9 15 0.3 101 8 447 347 346 0.07 0.42 0.7 36 1061 0 5 2 0.9 15 0.3 101 8 447 347 346 0.07 0.42 0.7 36 1061 0 5 2 0.9 15 0.3 101 8 447 348 48 0.02 0.04 0.2 28 1068 0 1 0.3 3 30 101 0.1 10 10 1060 0 1 1 0.3 5 0.1 36 3 30 101 8 4478 48 0.02 0.04 0.2 28 1068 0 1 0.3 4.5 72 1.3 456 41 2.165 217 0.09 0.18 0.9 116 1067 0 2 1.1 17 0.3 108 10 514 57 0.09 0.18 0.9 116 1067 0 2 1.1 17 0.3 108 10 514 57 0.09 0.18 0.9 116 1067 0 2 1.1 17 0.3 108 10 514 57 0.09 0.18 0.9 116 1067 0 2 1.1 17 0.3 108 10 514 57 0.09 0.18 0.9 116 1067 0 2 1.1 17 0.3 108 10 514 57 0.09 0.18 0.9 116 1067 0 2 1.1 17 0.3 108 10 514 57 0.09 0.18 0.9 116 1067 0 2 1.1 17 0.3 108 10 514 57 0.09 0.18 0.9 116 1067 0 2 1.1 17 0.3 108 10 514 57 0.09 0.18 0.9 116 1067 0 2 1.1 17 0.3 108 10 514 57 0.09 0.04 0.2 28 1068														
0 2 1.2 12 13 13 124 207 382 38 0.04 0.07 0.7 13 1045  0 4 1.8 10 0.4 105 9 10 1 0.03 0.03 0.2 1 1046  0 32 9.9 37 2.3 694 90 323 32 0.13 0.10 1.8 22 1047  0 35 10.8 50 3.5 740 52 301 31 0.13 0.10 1.4 10 1048  0 10 4.0 58 1.6 374 4 833 84 0.09 0.12 0.8 12 1049  0 10 4.1 58 1.6 374 4 101 10 0.09 0.12 0.8 12 1050  0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1051  0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1052  0 6 2.6 35 1.2 147 354 471 47 0.02 0.08 0.3 6 1053  0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054  0 6 1.9 14 0.9 155 6 22 2 0.09 0.13 0.8 14 1056  0 5 1.5 15 0.8 125 12 17 1 0.06 0.13 1.0 14 1056  0 17 3.4 27 1.3 519 131 60 7 0.05 0.07 0.6 6 1057  0 17 3.4 27 1.3 519 131 60 7 0.05 0.07 0.6 6 1057  0 12 2.9 26 3.1 252 330 19 2 0.00 0.07 0.6 6 1057  0 12 2.9 26 3.1 252 330 19 2 0.00 0.07 0.3 7 1059  0 2 0.4 4 0.4 36 47 3 Tr Tr 0.01 Tr 1 1060  0 8 4.2 164 2.7 1.309 347 7.344 734 0.17 0.42 0.7 36 1061  0 34 8.3 211 1.8 690 7 1.305 130 0.17 0.24 2.3 4 1062  0 40 10.9 39 3.6 638 9 128 14 0.44 0.11 1.2 4 1063	0	3	1.0	14	0.4	131	2	491	49	0.04	0.06	0.6	15	1043
0 2 1.2 12 13 13 124 207 382 38 0.04 0.07 0.7 13 1045  0 4 1.8 10 0.4 105 9 10 1 0.03 0.03 0.2 1 1046  0 32 9.9 37 2.3 694 90 323 32 0.13 0.10 1.8 22 1047  0 35 10.8 50 3.5 740 52 301 31 0.13 0.10 1.4 10 1048  0 10 4.0 58 1.6 374 4 833 84 0.09 0.12 0.8 12 1049  0 10 4.1 58 1.6 374 4 101 10 0.09 0.12 0.8 12 1050  0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1051  0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1052  0 6 2.6 35 1.2 147 354 471 47 0.02 0.08 0.3 6 1053  0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054  0 6 1.9 14 0.9 155 6 22 2 0.09 0.13 0.8 14 1056  0 5 1.5 15 0.8 125 12 17 1 0.06 0.13 1.0 14 1056  0 17 3.4 27 1.3 519 131 60 7 0.05 0.07 0.6 6 1057  0 17 3.4 27 1.3 519 131 60 7 0.05 0.07 0.6 6 1057  0 12 2.9 26 3.1 252 330 19 2 0.00 0.07 0.6 6 1057  0 12 2.9 26 3.1 252 330 19 2 0.00 0.07 0.3 7 1059  0 2 0.4 4 0.4 36 47 3 Tr Tr 0.01 Tr 1 1060  0 8 4.2 164 2.7 1.309 347 7.344 734 0.17 0.42 0.7 36 1061  0 34 8.3 211 1.8 690 7 1.305 130 0.17 0.24 2.3 4 1062  0 40 10.9 39 3.6 638 9 128 14 0.44 0.11 1.2 4 1063	0	6	3.9	39	4.4	416	695	1,285	128	0.15	0.24	2.3	45	1044
0 32 9.9 37 2.3 694 90 323 32 0.13 0.10 1.8 22 1047 0.35 10.8 50 3.5 740 52 301 31 0.13 0.10 1.4 10 1048   0 10 4.0 58 1.6 374 4 833 84 0.09 0.12 0.8 12 1049 0 10 4.1 58 1.6 374 4 101 10 0.09 0.12 0.8 12 1050 0 9 4.1 66 1.2 170 12 541 54 0.05 0.12 0.5 6 1051 0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1052 0 6 2.6 35 1.2 147 354 471 47 0.02 0.08 0.3 6 1053 0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054   0 6 1.9 14 0.9 155 6 22 2 0.09 0.13 0.8 14 1056 0 5 1.5 15 0.8 125 12 17 1 0.06 0.13 1.0 14 1056 0 5 1.5 15 0.8 125 12 17 1 0.06 0.13 1.0 14 1056 0 12 2.9 26 3.1 252 330 19 2 0.00 0.13 0.8 14 1056 0 12 2.9 26 3.1 252 330 19 2 0.00 0.07 0.6 6 1051 0 0 2 0.4 4 0.4 36 47 3 Tr Tr Tr 0.01 Tr 1 1060 0 8 4.2 164 2.7 1,309 347 7,344 734 0.17 0.42 0.7 36 1061 0 0 5 2.6 42 0.8 286 24 1,357 136 0.07 0.42 0.7 36 1061 0 0 5 2 0.9 15 0.3 101 8 478 48 8002 0.04 0.2 29 1065 0 1 0.3 5 0.1 36 3 330 33 0.01 0.01 0.1 1.0 1.1 1066 0 1 0.3 5 0.1 36 3 330 33 0.01 0.01 0.1 1.0 1.1 1066 0 1 0.3 5 0.1 36 3 330 33 0.01 0.01 0.1 1.0 1.1 1066 0 1 0.3 5 0.1 36 3 330 33 0.01 0.01 0.1 1.0 1.1 10 1066 0 1 0.3 5 0.1 36 3 330 33 0.01 0.01 0.1 1.1 1.2 4 1063 0 1 0.3 5 0.1 36 3 330 33 0.01 0.01 0.1 1.1 10 1066 0 1 0.3 5 0.1 36 3 330 33 0.01 0.01 0.1 1.1 10 1066 0 1 0.3 4 4.5 72 1.3 456 41 2,165 217 0.09 0.18 0.9 116 1067 0 2 1.1 17 0.3 108 10 514 51 0.02 0.04 0.2 28 1068														
0         35         10.8         50         3.5         740         52         301         31         0.13         0.10         1.4         10         1048           0         10         4.0         58         1.6         374         4         101         10         0.09         0.12         0.8         12         1050           0         9         4.1         66         1.2         170         12         541         54         0.05         0.12         0.5         6         1051           0         9         4.1         66         1.2         170         12         541         54         0.05         0.12         0.5         6         1052           0         6         2.6         35         1.2         147         354         471         47         0.02         0.08         0.3         6         1053           0         6         2.6         35         1.2         147         354         471         47         0.02         0.08         0.3         6         1053           0         6         1.9         14         0.9         155         6         22         2	0	4	1.8	10	0.4	105	9	10	1	0.03	0.03	0.2	1	1046
0 10 4.0 58 1.6 374 4 833 84 0.09 0.12 0.8 12 1049 0 10 4.1 58 1.6 374 4 101 10 0.09 0.12 0.8 12 1050 0 9 4.1 66 1.2 170 12 541 54 0.05 0.12 0.5 6 1051 0 9 4.1 66 1.2 170 12 151 15 0.05 0.12 0.5 6 1052 0 6 1.2 170 12 151 15 0.05 0.12 0.5 6 1052 0 6 1.2 170 12 151 15 0.05 0.12 0.5 6 1052 0 6 1.8 35 1.2 147 354 471 47 0.02 0.08 0.3 6 1053 0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054 0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054 0 6 1.8 35 1.2 147 339 142 15 0.02 0.08 0.3 6 1054 0 5 1.5 15 0.8 125 12 17 1 0.06 0.13 1.0 14 1056 0 5 1.5 15 0.8 125 12 17 1 0.06 0.13 1.0 14 1056 0 17 0.05 0.07 0.6 6 1057 0 5 1.0 8 0.4 153 39 18 2 0.01 0.02 0.2 2 1058 0 12 2.9 26 3.1 252 330 19 2 0.01 0.02 0.2 2 1058 0 12 2.9 26 3.1 252 330 19 2 0.01 0.02 0.2 2 1058 0 2 0.4 4 0.4 36 47 3 Tr Tr 0.01 Tr 1 1060 0 8 4.2 164 2.7 1,309 347 7,344 734 0.17 0.42 0.7 36 1061 0 34 8.3 211 1.8 690 7 1,305 130 0.17 0.42 0.7 36 1061 0 34 8.3 211 1.8 690 7 1,305 130 0.17 0.42 0.7 36 1061 0 34 8.3 211 1.8 690 7 1,305 130 0.17 0.42 0.7 36 1061 0 34 8.3 211 1.8 690 7 1,305 130 0.17 0.42 0.7 36 1061 0 5 2.6 42 0.8 286 24 1,357 136 0.06 0.10 0.6 82 1064 0 2 0.9 15 0.3 101 8 478 48 0.02 0.04 0.2 29 1065 0 1 0.3 5 0.1 36 3 330 33 0.01 0.01 0.01 0.1 10 1066 0 8 4.5 72 1.3 456 41 2,165 217 0.09 0.18 0.9 116 1067 0 2 1.1 17 0.3 108 10 514 51 0.02 0.04 0.2 28 1068	0		9.9		2.3	694	90			0.13	0.10	1.8	22	1047
0         10         4.1         58         1.6         374         4         101         10         0.09         0.12         0.8         12         1050           0         9         4.1         66         1.2         170         12         541         54         0.05         0.12         0.5         6         1051           0         9         4.1         66         1.2         170         12         151         15         0.05         0.12         0.5         6         1052           0         6         2.6         35         1.2         147         354         471         47         0.02         0.08         0.3         6         1053           0         6         1.8         35         1.2         147         339         142         15         0.02         0.08         0.3         6         1053           0         6         1.9         14         0.9         155         6         22         2         0.09         0.13         0.8         14         1055           0         5         1.5         15         0.8         125         12         17         1	0	35	10.8	50	3.5	740	52	301	31	0.13	0.10	1.4	10	1048
0         10         4.1         58         1.6         374         4         101         10         0.09         0.12         0.8         12         1050           0         9         4.1         66         1.2         170         12         541         54         0.05         0.12         0.5         6         1051           0         9         4.1         66         1.2         170         12         151         15         0.05         0.12         0.5         6         1052           0         6         2.6         35         1.2         147         354         471         47         0.02         0.08         0.3         6         1053           0         6         1.8         35         1.2         147         339         142         15         0.02         0.08         0.3         6         1053           0         6         1.9         14         0.9         155         6         22         2         0.09         0.13         0.8         14         1055           0         5         1.5         15         0.8         125         12         17         1	0	10	4.0	58	1.6	374	4	833	84	0.09	0.12	0.8	12	1049
0         6         2.6         35         1.2         147         354         471         47         0.02         0.08         0.3         6         1053           0         6         1.8         35         1.2         147         339         142         15         0.02         0.08         0.3         6         1054           0         6         1.9         14         0.9         155         6         22         2         0.09         0.13         0.8         14         1055           0         5         1.5         15         0.8         125         12         17         1         0.06         0.13         1.0         14         1055           0         17         3.4         27         1.3         519         131         60         7         0.05         0.07         0.6         6         1057           0         5         1.0         8         0.4         153         39         18         2         0.01         0.02         0.2         2         1058           0         12         2.9         26         3.1         252         330         19         2         0.0			4.1			374				0.09	0.12			1050
0         6         2.6         35         1.2         147         354         471         47         0.02         0.08         0.3         6         1053           0         6         1.8         35         1.2         147         339         142         15         0.02         0.08         0.3         6         1054           0         6         1.9         14         0.9         155         6         22         2         0.09         0.13         0.8         14         1055           0         5         1.5         15         0.8         125         12         17         1         0.06         0.13         1.0         14         1055           0         17         3.4         27         1.3         519         131         60         7         0.05         0.07         0.6         6         1057           0         5         1.0         8         0.4         153         39         18         2         0.01         0.02         0.2         2         1058           0         12         2.9         26         3.1         252         330         19         2         0.0		9												
0       6       1.8       35       1.2       147       339       142       15       0.02       0.08       0.3       6       1054         0       6       1.9       14       0.9       155       6       22       2       0.09       0.13       0.8       14       1055         0       5       1.5       15       0.8       125       12       17       1       0.06       0.13       1.0       14       1056         0       17       3.4       27       1.3       519       131       60       7       0.05       0.07       0.6       6       1057         0       5       1.0       8       0.4       153       39       18       2       0.01       0.02       0.2       2       1058         0       12       2.9       26       3.1       252       330       19       2       0.02       0.07       0.3       7       1059         0       2       0.4       4       0.4       36       47       3       Tr       Tr       0.01       Tr       1       1060         0       8       4.2       164       2.	0	9	4.1	66	1.2	1/0	12	151	15	0.05	0.12	0.5	6	1052
0       6       1.9       14       0.9       155       6       22       2       0.09       0.13       0.8       14       1055         0       5       1.5       15       0.8       125       12       17       1       0.06       0.13       1.0       14       1056         0       17       3.4       27       1.3       519       131       60       7       0.05       0.07       0.6       6       1057         0       5       1.0       8       0.4       153       39       18       2       0.01       0.02       0.2       2       1058         0       12       2.9       26       3.1       252       330       19       2       0.02       0.07       0.3       7       1059         0       2       0.4       4       0.4       36       47       3       Tr       Tr       0.01       Tr       1       1060         0       8       4.2       164       2.7       1,309       347       7,344       734       0.17       0.42       0.7       36       1061         0       34       8.3       211														
0       5       1.5       15       0.8       125       12       17       1       0.06       0.13       1.0       14       1056         0       17       3.4       27       1.3       519       131       60       7       0.05       0.07       0.6       6       1057         0       5       1.0       8       0.4       153       39       18       2       0.01       0.02       0.2       2       1058         0       12       2.9       26       3.1       252       330       19       2       0.02       0.07       0.3       7       1059         0       2       0.4       4       0.4       36       47       3       Tr       Tr       Tr       0.01       Tr       1       1060         0       8       4.2       164       2.7       1,309       347       7,344       734       0.17       0.42       0.7       36       1061         0       34       8.3       211       1.8       690       7       1,305       130       0.17       0.24       2.3       4       1062         0       40       10.9 <td>O</td> <td>U</td> <td>1.0</td> <td>33</td> <td>1.2</td> <td>147</td> <td>337</td> <td>142</td> <td>13</td> <td>0.02</td> <td>0.00</td> <td>0.5</td> <td>U</td> <td>1034</td>	O	U	1.0	33	1.2	147	337	142	13	0.02	0.00	0.5	U	1034
0       17       3.4       27       1.3       519       131       60       7       0.05       0.07       0.6       6       1057         0       5       1.0       8       0.4       153       39       18       2       0.01       0.02       0.2       2       1058         0       12       2.9       26       3.1       252       330       19       2       0.02       0.07       0.3       7       1059         0       2       0.4       4       0.4       36       47       3       Tr       Tr       0.01       Tr       1       1060         0       8       4.2       164       2.7       1,309       347       7,344       734       0.17       0.42       0.7       36       1061         0       34       8.3       211       1.8       690       7       1,305       130       0.17       0.24       2.3       4       1062         0       40       10.9       39       3.6       638       9       128       14       0.44       0.11       1.2       4       1063         0       5       2.6       42 <td></td> <td>6</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>2</td> <td></td> <td></td> <td></td> <td></td> <td></td>		6							2					
0       5       1.0       8       0.4       153       39       18       2       0.01       0.02       0.2       2       1058         0       12       2.9       26       3.1       252       330       19       2       0.02       0.07       0.3       7       1059         0       2       0.4       4       0.4       36       47       3       Tr       Tr       0.01       Tr       1       1060         0       8       4.2       164       2.7       1,309       347       7,344       734       0.17       0.42       0.7       36       1061         0       34       8.3       211       1.8       690       7       1,305       130       0.17       0.24       2.3       4       1062         0       40       10.9       39       3.6       638       9       128       14       0.44       0.11       1.2       4       1063         0       5       2.6       42       0.8       286       24       1,357       136       0.06       0.10       0.6       82       1064         0       2       0.9       15	0	5	1.5	15	0.8	125	12	17	1	0.06	0.13	1.0	14	1056
0       12       2.9       26       3.1       252       330       19       2       0.02       0.07       0.3       7       1059         0       2       0.4       4       0.4       36       47       3       Tr       Tr       0.01       Tr       1       1060         0       8       4.2       164       2.7       1,309       347       7,344       734       0.17       0.42       0.7       36       1061         0       34       8.3       211       1.8       690       7       1,305       130       0.17       0.24       2.3       4       1062         0       40       10.9       39       3.6       638       9       128       14       0.44       0.11       1.2       4       1063         0       5       2.6       42       0.8       286       24       1,357       136       0.06       0.10       0.6       82       1064         0       2       0.9       15       0.3       101       8       478       48       0.02       0.04       0.2       29       1065         0       1       0.3 <td< td=""><td>0</td><td>17</td><td>3.4</td><td>27</td><td>1.3</td><td>519</td><td>131</td><td>60</td><td>7</td><td>0.05</td><td>0.07</td><td></td><td>6</td><td>1057</td></td<>	0	17	3.4	27	1.3	519	131	60	7	0.05	0.07		6	1057
0       2       0.4       4       0.4       36       47       3       Tr       Tr       0.01       Tr       1       1060         0       8       4.2       164       2.7       1,309       347       7,344       734       0.17       0.42       0.7       36       1061         0       34       8.3       211       1.8       690       7       1,305       130       0.17       0.24       2.3       4       1062         0       40       10.9       39       3.6       638       9       128       14       0.44       0.11       1.2       4       1062         0       5       2.6       42       0.8       286       24       1,357       136       0.06       0.10       0.6       82       1064         0       2       0.9       15       0.3       101       8       478       48       0.02       0.04       0.2       29       1065         0       1       0.3       5       0.1       36       3       330       33       0.01       0.01       0.1       10       1066         0       8       4.5       7	0	5	1.0	8	0.4	153	39	18	2	0.01	0.02	0.2	2	1058
0       8       4.2       164       2.7       1,309       347       7,344       734       0.17       0.42       0.7       36       1061         0       34       8.3       211       1.8       690       7       1,305       130       0.17       0.24       2.3       4       1062         0       40       10.9       39       3.6       638       9       128       14       0.44       0.11       1.2       4       1063         0       5       2.6       42       0.8       286       24       1,357       136       0.06       0.10       0.6       82       1064         0       2       0.9       15       0.3       101       8       478       48       0.02       0.04       0.2       29       1065         0       1       0.3       5       0.1       36       3       330       33       0.01       0.01       0.1       10       1066         0       8       4.5       72       1.3       456       41       2,165       217       0.09       0.18       0.9       116       1067         0       2       1.1														
0       34       8.3       211       1.8       690       7       1,305       130       0.17       0.24       2.3       4       1062         0       40       10.9       39       3.6       638       9       128       14       0.44       0.11       1.2       4       1063         0       5       2.6       42       0.8       286       24       1,357       136       0.06       0.10       0.6       82       1064         0       2       0.9       15       0.3       101       8       478       48       0.02       0.04       0.2       29       1065         0       1       0.3       5       0.1       36       3       330       33       0.01       0.01       0.1       10       1066         0       8       4.5       72       1.3       456       41       2,165       217       0.09       0.18       0.9       116       1067         0       2       1.1       17       0.3       108       10       514       51       0.02       0.04       0.2       28       1068	0	2	0.4	4	0.4	36	47	3	Tr	Tr	0.01	Tr	1	1060
0       40       10.9       39       3.6       638       9       128       14       0.44       0.11       1.2       4       1063         0       5       2.6       42       0.8       286       24       1,357       136       0.06       0.10       0.6       82       1064         0       2       0.9       15       0.3       101       8       478       48       0.02       0.04       0.2       29       1065         0       1       0.3       5       0.1       36       3       330       33       0.01       0.01       0.1       10       1066         0       8       4.5       72       1.3       456       41       2,165       217       0.09       0.18       0.9       116       1067         0       2       1.1       17       0.3       108       10       514       51       0.02       0.04       0.2       28       1068	0	8	4.2	164	2.7	1,309	347	7,344	734	0.17	0.42	0.7	36	1061
0       40       10.9       39       3.6       638       9       128       14       0.44       0.11       1.2       4       1063         0       5       2.6       42       0.8       286       24       1,357       136       0.06       0.10       0.6       82       1064         0       2       0.9       15       0.3       101       8       478       48       0.02       0.04       0.2       29       1065         0       1       0.3       5       0.1       36       3       330       33       0.01       0.01       0.1       10       1066         0       8       4.5       72       1.3       456       41       2,165       217       0.09       0.18       0.9       116       1067         0       2       1.1       17       0.3       108       10       514       51       0.02       0.04       0.2       28       1068	0	34	8.3	211	1.8	690	7	1,305	130	0.17	0.24	2.3	4	1062
0     2     0.9     15     0.3     101     8     478     48     0.02     0.04     0.2     29     1065       0     1     0.3     5     0.1     36     3     330     33     0.01     0.01     0.1     10     1066       0     8     4.5     72     1.3     456     41     2,165     217     0.09     0.18     0.9     116     1067       0     2     1.1     17     0.3     108     10     514     51     0.02     0.04     0.2     28     1068							9	128		0.44				
0     2     0.9     15     0.3     101     8     478     48     0.02     0.04     0.2     29     1065       0     1     0.3     5     0.1     36     3     330     33     0.01     0.01     0.1     10     1066       0     8     4.5     72     1.3     456     41     2,165     217     0.09     0.18     0.9     116     1067       0     2     1.1     17     0.3     108     10     514     51     0.02     0.04     0.2     28     1068	0	5	2.6	42	0.8	286	24	1,357	136	0.06	0.10	0.6	82	1064
0 8 4.5 72 1.3 456 41 2,165 217 0.09 0.18 0.9 116 1067 0 2 1.1 17 0.3 108 10 514 51 0.02 0.04 0.2 28 1068		2	0.9	15	0.3	101		478	48	0.02	0.04	0.2	29	1065
0 2 1.1 17 0.3 108 10 514 51 0.02 0.04 0.2 28 1068	0	1					3	330	33					
0 2 1.1 17 0.3 108 10 514 51 0.02 0.04 0.2 28 1068	Ω	Q	45	72	1 3	456	<b>4</b> 1	2 165	217	U UO	0.18	0.0	116	1067
		2						514						
		10												

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	
Food No.	Food Description	Measure of edible portion	Weight (g)	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat (g)	Satu- rated (g)	Mono- unsatu- rated (g)	Poly- unsatu- rated (g)
Vea	etables and Vegetab	le Produc	ts (cont	inued)	)					
3	Brussels sprouts, cooked,		(3333	,						
	drained									
1070	From raw			87	61	4	1	0.2	0.1	0.4
1071	From frozen	I cup	155	87	65	6	1	0.1	Tr	0.3
	shredded									
1072	Raw	1 cup	70	92	18	1	Tr	Tr	Tr	0.1
1073	Cooked, drained			94	33	2	1	0.1	Tr	0.3
	Cabbage, Chinese, shredded,									
1074	cooked, drained	1	170	06	20	2	т	т.	т.,	0.1
1074 1075	Pak choi or bok choy Pe tsai	•		96 95	20 17	3 2	Tr Tr	Tr Tr	Tr Tr	0.1 0.1
1075				92	19	1	Tr	Tr	Tr	0.1
1077	Cabbage, savoy, raw, shredded.			91	19	1	Tr	Tr	Tr	Tr
1078	Carrot juice, canned			89	94	2	Tr	0.1	Tr	0.2
	Carrots									
1050	Raw		<b>50</b>	00	2.1		<b></b>	<b></b>	<b></b>	0.1
1079 1080	Whole, 7½" long			88 88	31 47	1 1	Tr Tr	Tr Tr	Tr Tr	0.1 0.1
1080	Grated Baby	_		90	47	Tr	Tr	Tr	Tr	Tr
1001	Cooked, sliced, drained	i ilicululli	10	70	4	11	11	11	11	11
1082	From raw	1 cup	156	87	70	2	Tr	0.1	Tr	0.1
1083	From frozen	•		90	53	2	Tr	Tr	Tr	0.1
1084	Canned, sliced, drained	1 cup	146	93	37	1	Tr	0.1	Tr	0.1
	Cauliflower					_	_	_	_	_
1085	Raw			92	3	Tr	Tr	Tr	Tr	Tr
1086	Cooked, drained, 1" pieces	1 cup	100	92	25	2	Tr	Tr	Tr	0.1
1087	From raw	1 cun	124	93	29	2	1	0.1	Tr	0.3
1088	Tiomituw	3 flowerets.		93	12	1	Tr	Tr	Tr	0.1
1089	From frozen			94	34	3	Tr	0.1	Tr	0.2
	Celery									
	Raw					_	_	_	_	_
1090	Stalk, 7½ to 8" long			95 05	6	Tr	Tr	Tr	Tr	Tr
1091	Pieces, diced	I cup	120	95	19	1	Tr	Tr	Tr	0.1
1092	Cooked, drained Stalk, medium	1 stalk	38	94	7	Tr	Tr	Tr	Tr	Tr
1093	Pieces, diced			94	27	1	Tr	0.1	Tr	0.1
1094				91	1	Tr	Tr	Tr	Tr	Tr
1095	Cilantro, raw	•		92	Tr	Tr	Tr	Tr	Tr	Tr
	Coleslaw, home prepared			82	83	2	3	0.5	0.8	1.6
	Collards, cooked, drained,									
1007	chopped	1	100	02	40			0.1	m	0.2
1097	From frozen			92	49 61	4 5	1 1	0.1	Tr Tr	0.3
1098	From frozen Corn, sweet, yellow	1 cup	170	88	61	3	1	0.1	Tr	0.4
	Cooked, drained									
1099	From raw, kernels on cob	1 ear	77	70	83	3	1	0.2	0.3	0.5
	From frozen									
1100	Kernels on cob			73	59	2	Tr	0.1	0.1	0.2
1101	Kernels	1 cup	164	77	131	5	1	0.1	0.2	0.3
1100	Canned	1	256	70	104	4	1	0.2	0.2	0.5
1102	Cream style Whole kernel, vacuum	1 cup	256	79	184	4	1	0.2	0.3	0.5
1103	pack	1 cup	210	77	166	5	1	0.2	0.3	0.5
		Cup		, ,	100	5	1	5.2	0.5	0.5
1104	Corn, sweet, white, cooked,									

<sup>\*</sup>White varieties contain only a trace amount of vitamin A; other nutrients are the same.

terol (mg) (g) fiber (g) (mg) (mg) (mg) (mg) Sodium (mg) Vitamin A (IU) (RE) (mg) (mg) (mg) (mg) (mg) (mg) (mg) (mg			bic acid	Food
0       13       6.4       37       1.1       504       36       913       91       0.16       0.1         0       4       1.6       33       0.4       172       13       93       9       0.04       0.0         0       7       3.5       47       0.3       146       12       198       20       0.09       0.0         0       3       2.7       158       1.8       631       58       4,366       437       0.05       0.1         0       3       3.2       38       0.4       268       11       1,151       115       0.05       0.0         0       4       1.4       36       0.3       144       8       28       3       0.04       0.0         0       4       2.2       25       0.3       161       20       700       70       0.05       0.0         0       22       1.9       57       1.1       689       68       25,833       2,584       0.22       0.1         0       7       2.2       19       0.4       233       25       20,253       2,025       0.07       0.0		ıg) (	(mg)	No.
0     13     6.4     37     1.1     504     36     913     91     0.16     0.1       0     4     1.6     33     0.4     172     13     93     9     0.04     0.0       0     7     3.5     47     0.3     146     12     198     20     0.09     0.0       0     3     2.7     158     1.8     631     58     4,366     437     0.05     0.1       0     3     3.2     38     0.4     268     11     1,151     115     0.05     0.0       0     4     1.4     36     0.3     144     8     28     3     0.04     0.0       0     4     2.2     25     0.3     161     20     700     70     0.05     0.0       0     22     1.9     57     1.1     689     68     25,833     2,584     0.22     0.1       0     7     2.2     19     0.4     233     25     20,253     2,025     0.07     0.0				
0     4     1.6     33     0.4     172     13     93     9     0.04     0.0       0     7     3.5     47     0.3     146     12     198     20     0.09     0.0       0     3     2.7     158     1.8     631     58     4,366     437     0.05     0.1       0     3     3.2     38     0.4     268     11     1,151     115     0.05     0.0       0     4     1.4     36     0.3     144     8     28     3     0.04     0.0       0     4     2.2     25     0.3     161     20     700     70     0.05     0.0       0     22     1.9     57     1.1     689     68     25,833     2,584     0.22     0.1       0     7     2.2     19     0.4     233     25     20,253     2,025     0.07     0.0		0.9	97	1070
0     7     3.5     47     0.3     146     12     198     20     0.09     0.0       0     3     2.7     158     1.8     631     58     4,366     437     0.05     0.1       0     3     3.2     38     0.4     268     11     1,151     115     0.05     0.0       0     4     1.4     36     0.3     144     8     28     3     0.04     0.0       0     4     2.2     25     0.3     161     20     700     70     0.05     0.0       0     22     1.9     57     1.1     689     68     25,833     2,584     0.22     0.1       0     7     2.2     19     0.4     233     25     20,253     2,025     0.07     0.0	8 (	0.8	71	1071
0     3     2.7     158     1.8     631     58     4,366     437     0.05     0.1       0     3     3.2     38     0.4     268     11     1,151     115     0.05     0.0       0     4     1.4     36     0.3     144     8     28     3     0.04     0.0       0     4     2.2     25     0.3     161     20     700     70     0.05     0.0       0     22     1.9     57     1.1     689     68     25,833     2,584     0.22     0.1       0     7     2.2     19     0.4     233     25     20,253     2,025     0.07     0.0		0.2	23	1072
0     3     3.2     38     0.4     268     11     1,151     115     0.05     0.0       0     4     1.4     36     0.3     144     8     28     3     0.04     0.0       0     4     2.2     25     0.3     161     20     700     70     0.05     0.0       0     22     1.9     57     1.1     689     68     25,833     2,584     0.22     0.1       0     7     2.2     19     0.4     233     25     20,253     2,025     0.07     0.0	8 (	0.4	30	1073
0     4     1.4     36     0.3     144     8     28     3     0.04     0.0       0     4     2.2     25     0.3     161     20     700     70     0.05     0.0       0     22     1.9     57     1.1     689     68     25,833     2,584     0.22     0.1       0     7     2.2     19     0.4     233     25     20,253     2,025     0.07     0.0		0.7	44	1074
0 4 2.2 25 0.3 161 20 700 70 0.05 0.0 0 22 1.9 57 1.1 689 68 25,833 2,584 0.22 0.1 0 7 2.2 19 0.4 233 25 20,253 2,025 0.07 0.0		0.6	19	1075
0 22 1.9 57 1.1 689 68 25,833 2,584 0.22 0.1 0 7 2.2 19 0.4 233 25 20,253 2,025 0.07 0.0		0.2	40	1076
0 7 2.2 19 0.4 233 25 20,253 2,025 0.07 0.0		0.2 0.9	22 20	1077 1078
	3 (	0.9	20	1078
0  11  22  20  06  266  20  20040  2004  011  0.0		0.7	7	1079
0 11 3.3 30 0.6 355 39 30,942 3,094 0.11 0.0		1.0	10	1080
0 1 0.2 2 0.1 28 4 1,501 150 Tr 0.0		0.1	1	1081
0 16 5.1 48 1.0 354 103 38,304 3,830 0.05 0.0		0.8	4	1082
0 12 5.1 41 0.7 231 86 25,845 2,584 0.04 0.0		0.6	4	1083
0 8 2.2 37 0.9 261 353 20,110 2,010 0.03 0.0	4 (	0.8	4	1084
0 1 0.3 3 0.1 39 4 2 Tr 0.01 0.0		0.1	6	1085
0 5 2.5 22 0.4 303 30 19 2 0.06 0.0	6 (	0.5	46	1086
0 5 3.3 20 0.4 176 19 21 2 0.05 0.0 0 2 1.5 9 0.2 77 8 9 1 0.02 0.0		0.5 0.2	55 24	1087 1088
0 2 1.5 9 0.2 77 8 9 1 0.02 0.0 0 7 4.9 31 0.7 250 32 40 4 0.07 0.1		0.6	24 56	1088
0 / 4.5 31 0.7 250 32 40 4 0.07 0.1		0.0	50	1007
0 1 0.7 16 0.2 115 35 54 5 0.02 0.0		0.1	3	1090
0 4 2.0 48 0.5 344 104 161 16 0.06 0.0	5 (	0.4	8	1091
0 2 0.6 16 0.2 108 35 50 5 0.02 0.0	2 (	0.1	2	1092
0 6 2.4 63 0.6 426 137 198 20 0.06 0.0		0.5	9	1093
0 Tr 0.1 3 Tr 9 Tr 131 13 Tr Tr		Γr	2	1094
0 Tr Tr 1 Tr 8 1 98 10 Tr Tr		Γr	1	1095
10 15 1.8 54 0.7 217 28 762 98 0.08 0.0	/ (	0.3	39	1096
0 9 5.3 226 0.9 494 17 5,945 595 0.08 0.2	0 1	1.1	35	1097
0 12 4.8 357 1.9 427 85 10,168 1,017 0.08 0.2		1.1	45	1098
0 10 22 2 05 102 12 167 17 017 06	<i>c</i> 1	1.2	5	1000
0 19 2.2 2 0.5 192 13 167 17 0.17 0.0		1.2	5	1099
0 14 1.8 2 0.4 158 3 133* 13* 0.11 0.0 0 32 3.9 7 0.6 241 8 361* 36* 0.14 0.1		1.0	3	1100
		2.1	5	1101
0 46 3.1 8 1.0 343 730 248* 26* 0.06 0.1	4 2	2.5	12	1102
0 41 4.2 11 0.9 391 571 506* 50* 0.09 0.1	5 2	2.5	17	1103
0 19 2.1 2 0.5 192 13 0 0 0.17 0.0	_ 1	1.2	5	1104

								Fatty acids		
Food		Measure of edible	Weight	Water	Calories	Pro- tein	Total fat	Satu- rated	Mono- unsatu- rated	Poly- unsatu- rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
Veg	etables and Vegetabl	e Products	(cont	inued)						
	Cucumber Peeled									
1105	Sliced	1 cup	119	96	14	1	Tr	Tr	Tr	0.1
1106	Whole, 81/4" long	1 large	280	96	34	2	Tr	0.1	Tr	0.2
1105	Unpeeled		104	0.6			<b></b>	<b></b>		0.1
1107 1108	Sliced			96 96	14 39	1 2	Tr Tr	Tr 0.1	Tr Tr	0.1 0.2
	Whole, 8 <sup>1</sup> / <sub>4</sub> " long	1 large	301	90	39	2	11	0.1	11	0.2
110)	drained	1 cup	105	90	35	2	1	0.2	Tr	0.3
	Dill weed, raw	5 sprigs	1	86	Tr	Tr	Tr	Tr	Tr	Tr
	Eggplant, cooked, drained	1 cup	99	92	28	1	Tr	Tr	Tr	0.1
1112	Endive, curly (including escarole), raw, small									
	pieces	1 cun	50	94	9	1	Tr	Tr	Tr	Tr
1113	Garlic, raw			59	4	Tr	Tr	Tr	Tr	Tr
1114	Hearts of palm, canned	1 piece	33	90	9	1	Tr	Tr	Tr	0.1
1115	Jerusalem artichoke, raw,		4.50				-		-	_
	sliced		150	78	114	3	Tr	0.0	Tr	Tr
1116	From raw		130	91	36	2	1	0.1	Tr	0.3
1117	From frozen	•		91	39	4	1	0.1	Tr	0.3
1118	Kohlrabi, cooked, drained,	•								
	slices	1 cup	165	90	48	3	Tr	Tr	Tr	0.1
1119	Leeks, bulb and lower									
	leaf portion, chopped or diced, cooked, drained	1 cun	104	91	32	1	Tr	Tr	Tr	0.1
	Lettuce, raw	r cup		7.	5 <b>-</b>	•				0.1
	Butterhead, as Boston types									
1120	Leaf			96	1	Tr	Tr	Tr	Tr	Tr
1121	Head, 5" dia Crisphead, as iceberg	I head	163	96	21	2	Tr	Tr	Tr	0.2
1122	Leaf	1 medium	8	96	1	Tr	Tr	Tr	Tr	Tr
1123	Head, 6" dia			96	65	5	1	0.1	Tr	0.5
1124	Pieces, shredded or									
	chopped	1 cup	55	96	7	1	Tr	Tr	Tr	0.1
1125	Looseleaf Leaf	1 leaf	10	94	2	Tr	Tr	Tr	Tr	Tr
1126	Pieces, shredded			94	10	1	Tr	Tr	Tr	0.1
	Romaine or cos									
1127	Innerleaf			95	1	Tr	Tr	Tr	Tr	Tr
1128	Pieces, shredded	1 cup	56	95	8	1	Tr	Tr	Tr	0.1
1129	Mushrooms Raw, pieces or slices	1 cun	70	92	18	2	Tr	Tr	Tr	0.1
1130	Cooked, drained, pieces			91	42	3	1	0.1	Tr	0.3
1131	Canned, drained, pieces			91	37	3	Tr	0.1	Tr	0.2
	Mushrooms, shiitake	_								
1132	Cooked pieces			83	80	2	Tr	0.1	0.1	Tr
1133	Dried	1 musnroom	4	10	11	Tr	Tr	Tr	Tr	Tr
1134	drained	1 cup	140	94	21	3	Tr	Tr	0.2	0.1
	Okra, sliced, cooked, drained									
1135	From raw	-		90	51	3	Tr	0.1	Tr	0.1
1136	From frozen	1 cup	184	91	52	4	1	0.1	0.1	0.1
	Onions Raw									
1137	Chopped	1 cup	160	90	61	2	Tr	Tr	Tr	0.1
1138	Whole, medium, 2½" dia	1 whole	110	90	42	1	Tr	Tr	Tr	0.1
1139	Slice, 1/8" thick	1 slice	14	90	5	Tr	Tr	Tr	Tr	Tr

Choles- terol	Carbo- hydrate	Total dietary	Calcium		Potas- sium	Sodiu		tamin A	Thiamin			Ascor- bic acid	Food
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(RE)	(mg)	(mg)	(mg)	(mg)	No.
0	3	0.8	17	0.2	176	2	88	8	0.02	0.01	0.1	3	1105
0	7	2.0	39	0.4	414	6	207	20	0.06	0.03	0.3	8	1106
0 0	3 8	0.8 2.4	15 42	0.3 0.8	150 433	2 6	224 647	22 63	0.02 0.07	$0.02 \\ 0.07$	0.2 0.7	6 16	1107 1108
0	7	3.0	147	1.9	244		12,285	1,229	0.14	0.18	0.5	19	1109
0 0	Tr 7	Tr 2.5	2 6	0.1 0.3	7 246	1 3	77 63	8 6	Tr 0.08	Tr 0.02	Tr 0.6	1 1	1110 1111
0	2	1.6	26	0.4	157	11	1,025	103	0.04	0.04	0.2	3	1112
0	1 2	0.1 0.8	5 19	0.1 1.0	12 58	1 141	$0 \\ 0$	0 0	0.01 Tr	Tr 0.02	Tr 0.1	1 3	1113 1114
0	26	2.4	21	5.1	644	6	30	3	0.30	0.09	2.0	6	1115
0	7	2.6	94	1.2	296	30	9,620	962	0.07	0.09	0.7	53	1116
0	7	2.6	179	1.2	417	20	8,260	826	0.06	0.15	0.9	33	1117
0	11	1.8	41	0.7	561	35	58	7	0.07	0.03	0.6	89	1118
0	8	1.0	31	1.1	90	10	48	5	0.03	0.02	0.2	4	1119
0	Tr	0.1	2	Tr	19	Tr	73	7	Tr	Tr	Tr	1	1120
0	4	1.6	52	0.5	419	8	1,581	158	0.10	0.10	0.5	13	1121
0	Tr	0.1	2	Tr	13	1	26	3	Tr	Tr	Tr	Tr	1122
0	11	7.5	102	2.7	852	49	1,779	178	0.25	0.16	1.0	21	1123
0	1	0.8	10	0.3	87	5	182	18	0.03	0.02	0.1	2	1124
0	Tr	0.2	7	0.1	26	1	190	19	0.01	0.01	Tr	2	1125
0	2	1.1	38	0.8	148	5	1,064	106	0.03	0.04	0.2	10	1126
0	Tr	0.2	4	0.1	29	1	260	26	0.01	0.01	0.1	2	1127
0	1	1.0	20	0.6	162	4	1,456	146	0.06	0.06	0.3	13	1128
0	3	0.8	4	0.7	259	3	0	0	0.06	0.30	2.8	2	1129
$0 \\ 0$	8 8	3.4 3.7	9 17	2.7 1.2	555 201	3 663	$0 \\ 0$	$0 \\ 0$	0.11 0.13	0.47 0.03	7.0 2.5	6 0	1130 1131
0	21	3.0	4	0.6	170	6	0	0	0.05	0.25	2.2	Tr	1132
0	3	0.4	Tr	0.0	55	Tr	0	0	0.03	0.25	0.5	Tr	1132
0	3	2.8	104	1.0	283	22	4,243	424	0.06	0.09	0.6	35	1134
0	12	4.0	101	0.7	515	8	920	93	0.21	0.09	1.4	26	1135
Ö	11	5.2	177	1.2	431	6	946	94	0.18	0.23	1.4	22	1136
0	14	2.9	32	0.4	251	5	0	0	0.07	0.03	0.2	10	1137
0	9	2.0	22	0.2	173	3	0	0	0.05	0.02	0.2	7	1138
0	1	0.3	3	Tr	22	Tr	0	0	0.01	Tr	Tr	1	1139

lable	9. Nutritive value of the Edible	e Part or Poou							Fatty acids	
Food	E. d Benefatter	Measure of edible	Weight	Water	Calories		Total fat	Satu-	Mono- unsatu- rated	Poly- unsatu- rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
Veg	etables and Vegetabl	e Product	ts (cont	inued)	)					
1140	Cooked (whole or sliced),									
	drained	_		88	92	3	Tr	0.1	0.1	0.2
1141	D 1 1 . 101	1 medium		88	41	1	Tr	Tr	Tr	0.1
1142	Dehydrated flakes Onions, spring, raw, top and bulb	. I tbsp	5	4	17	Tr	Tr	Tr	Tr	Tr
1143	Chopped	1 cup	100	90	32	2	Tr	Tr	Tr	0.1
1144	Whole, medium, 4½" long			90	5	Tr	Tr	Tr	Tr	Tr
1145	Onion rings, 2"-3" dia,									
	breaded, par fried, frozen,			• •						
1146	oven heated			29	244	3	16	5.2	6.5	3.1
	Parsley, raw	. 10 sprigs	10	88	4	Tr	Tr	Tr	Tr	Tr
1147	Parsnips, sliced, cooked, drained	1 cup	156	78	126	2	Tr	0.1	0.2	0.1
	Peas, edible pod, cooked, drained	. 1 cup	130	70	120	2		0.1	0.2	0.1
1148	From raw	. 1 cup	160	89	67	5	Tr	0.1	Tr	0.2
1149	From frozen	. 1 cup	160	87	83	6	1	0.1	0.1	0.3
	Peas, green									
1150	Canned, drained	_		82	117	8	1	0.1	0.1	0.3
1151	Frozen, boiled, drained	. I cup	160	80	125	8	Tr	0.1	Tr	0.2
	Peppers Hot chili, raw									
1152	Green	1 pepper	45	88	18	1	Tr	Tr	Tr	Tr
1153	Red			88	18	1	Tr	Tr	Tr	Tr
1154	Jalapeno, canned, sliced,									
	solids and liquids	. ¼ cup	26	89	7	Tr	Tr	Tr	Tr	0.1
	Sweet $(2\frac{3}{4}$ " long,									
	2½" dia)									
	Raw Green									
1155	Chopped	1 cup	149	92	40	1	Tr	Tr	Tr	0.2
1156	Ring (¼" thick)			92	3	Tr	Tr	Tr	Tr	Tr
1157	Whole (23/4" x	υ								
	2½")	. 1 pepper	119	92	32	1	Tr	Tr	Tr	0.1
	Red									
1158	1.1	. 1 cup	149	92	40	1	Tr	Tr	Tr	0.2
1159	Whole (23/4" x	1	110	02	22	1	т.,	т.,	Т.,	0.1
	2½") Cooked, drained, chopped	. 1 pepper	119	92	32	1	Tr	Tr	Tr	0.1
1160	Green	1 cup	136	92	38	1	Tr	Tr	Tr	0.1
1161	Red			92	38	1	Tr	Tr	Tr	0.1
	Pimento, canned			93	3	Tr	Tr	Tr	Tr	Tr
	Potatoes									
	Baked (2 <sup>1</sup> / <sub>3</sub> " x 4 <sup>3</sup> / <sub>4</sub> ")		• • • •			_	_	0.4	_	0.4
1163	With skin	•		71	220	5	Tr	0.1	Tr	0.1
1164	Flesh only	•		75 47	145	3	Tr Tr	Tr	Tr Tr	0.1
1165	Skin only Boiled (2½" dia)	. 1 SKIII	36	47	115	2	Tr	Tr	Tr	Tr
1166	Peeled after boiling	. 1 potato	136	77	118	3	Tr	Tr	Tr	0.1
1167	Peeled before boiling			77	116	2	Tr	Tr	Tr	0.1
1168		1 cup		77	134	3	Tr	Tr	Tr	0.1
	Potato products, prepared									
	Au gratin									
1169	From dry mix, with whole	1	245	70	220		10		2.0	0.2
1170	milk, butter	. 1 cup	245	79	228	6	10	6.3	2.9	0.3
1170	From home recipe, with butter	1 cup	245	74	323	12	19	11.6	5.3	0.7
1171	French fried, frozen, oven	. 1 Cup	273	/ 4	دےد	12	1)	11.0	٠.٥	0.7
/-	heated	. 10 strips	50	57	100	2	4	0.6	2.4	0.4
		F			-				•	

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodiun (mg)	n <u>Vi</u> (IU)	tamin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
0 0 0	21 10 4	2.9 1.3 0.5	46 21 13	0.5 0.2 0.1	349 156 81	6 3 1	0 0 0	0 0 0	0.09 0.04 0.03	0.05 0.02 0.01	0.3 0.2 Tr	11 5 4	1140 1141 1142
0	7 1	2.6 0.4	72 11	1.5 0.2	276 41	16 2	385 58	39 6	0.06 0.01	0.08 0.01	0.5 0.1	19 3	1143 1144
0	23 1	0.8 0.3	19 14	1.0 0.6	77 55	225 6	135 520	14 52	0.17 0.01	0.08 0.01	2.2 0.1	1 13	1145 1146
0	30	6.2	58	0.9	573	16	0	0	0.13	0.08	1.1	20	1147
0 0	11 14	4.5 5.0	67 94	3.2 3.8	384 347	6 8	210 267	21 27	0.20 0.10	0.12 0.19	0.9 0.9	77 35	1148 1149
0	21 23	7.0 8.8	34 38	1.6 2.5	294 269	428 139	1,306 1,069	131 107	0.21 0.45	0.13 0.16	1.2 2.4	16 16	1150 1151
0	4 4	0.7 0.7	8 8	0.5 0.5	153 153	3 3	347 4,838	35 484	0.04 0.04	0.04 0.04	0.4 0.4	109 109	1152 1153
0	1	0.7	6	0.5	50	434	442	44	0.01	0.01	0.1	3	1154
0	10 1	2.7 0.2	13 1	0.7 Tr	264 18	3 Tr	942 63	94 6	0.10 0.01	0.04 Tr	0.8 0.1	133 9	1155 1156
0	8	2.1	11	0.5	211	2	752	75	0.08	0.04	0.6	106	1157
0	10	3.0	13	0.7	264	3	8,493	849	0.10	0.04	0.8	283	1158
0	8	2.4	11	0.5	211	2	6,783	678	0.08	0.04	0.6	226	1159
0 0 0	9 9 1	1.6 1.6 0.2	12 12 1	0.6 0.6 0.2	226 226 19	3 3 2	805 5,114 319	80 511 32	0.08 0.08 Tr	0.04 0.04 0.01	0.6 0.6 0.1	101 233 10	1160 1161 1162
0 0 0	51 34 27	4.8 2.3 4.6	20 8 20	2.7 0.5 4.1	844 610 332	16 8 12	0 0 0	0 0 0	0.22 0.16 0.07	0.07 0.03 0.06	3.3 2.2 1.8	26 20 8	1163 1164 1165
0 0 0	27 27 31	2.4 2.4 2.8	7 11 12	0.4 0.4 0.5	515 443 512	5 7 8	0 0 0	0 0 0	0.14 0.13 0.15	0.03 0.03 0.03	2.0 1.8 2.0	18 10 12	1166 1167 2268
37	31	2.2	203	0.8	537	1,076	522	76	0.05	0.20	2.3	8	1169
56	28	4.4	292	1.6	970	1,061	647	93	0.16	0.28	2.4	24	1170
0	16	1.6	4	0.6	209	15	0	0	0.06	0.01	1.0	5	1171

Table	3. Nutritive value of the Edibi	e i ait oi i oou						Fatty acids			
									Mono-	Poly-	
Food No.	Food Description	Measure of edible portion	Weight	Water (%)	Calories (kcal)	Pro- tein (g)	Total fat	Satu- rated	unsatu- rated	unsatu- rated (g)	
140.	1 Ood Description	portion	(g)	(70)	(RCai)	(9)	(g)	(g)	(g)	(9)	
Veg	etables and Vegetab	le Produc	cts (cont	tinued	)						
Ŭ	Potato products, prepared (con		•		•						
	Hashed brown										
1172	From frozen (about 3" x						_				
1172	1½" x ½")	1 2		56	63	1	3	1.3	1.5	0.4	
1173	From home recipe	1 cup	156	62	326	4	22	8.5	9.7	2.5	
1174	From dehydrated flakes (without milk); whole										
	milk, butter, and salt added	1 cup	210	76	237	4	12	7.2	3.3	0.5	
	From home recipe	1 cup	210	70	231	4	12	1.2	3.3	0.5	
1175	With whole milk	1 cup	210	78	162	4	1	0.7	0.3	0.1	
1176	With whole milk and										
	margarine	1 cup	210	76	223	4	9	2.2	3.7	2.5	
1177	Potato pancakes,	1 1	7.0	47	207	_	10	2.2	2.5	5.0	
1178	home prepared			47 53	207 175	5 3	12 8	2.3 4.0	3.5 3.4	5.0 0.6	
1178	Potato puffs, from frozen Potato salad, home prepared			76	358	3 7	21	3.6	6.2	9.3	
11/)	Scalloped	1 cup	230	70	330	,	21	5.0	0.2	7.5	
1180	From dry mix, with whole										
	milk, butter	1 cup	245	79	228	5	11	6.5	3.0	0.5	
1181	From home recipe, with		~	0.4		_					
	butter	1 cup	245	81	211	7	9	5.5	2.5	0.4	
1182	Pumpkin Cooked, mashed	1 cup	245	94	49	2	Tr	0.1	Tr	Tr	
1183	Canned			90	83	3	1	0.1	0.1	Tr	
	Radishes, raw (¾" to 1" dia)			95	1	Tr	Tr	Tr	Tr	Tr	
	Rutabagas, cooked, drained,										
	cubes	1 cup	170	89	66	2	Tr	Tr	Tr	0.2	
1186	Sauerkraut, canned, solids and	1	226	0.2	4.5	2	TT.	0.1	m	0.1	
	liquid Seaweed	I cup	236	93	45	2	Tr	0.1	Tr	0.1	
1187	Kelp, raw	2 then	10	82	4	Tr	Tr	Tr	Tr	Tr	
1188	Spirulina, dried	•		5	3	1	Tr	Tr	Tr	Tr	
1189	Shallots, raw, chopped			80	7	Tr	Tr	Tr	Tr	Tr	
1190	Soybeans, green, cooked,	-									
	drained	1 cup	180	69	254	22	12	1.3	2.2	5.4	
	Spinach										
1191	Raw Chopped	1 cup	30	92	7	1	Tr	Tr	Tr	Tr	
1192	Leaf			92	2	Tr	Tr	Tr	Tr	Tr	
11/2	Cooked, drained				_						
1193	From raw	1 cup	180	91	41	5	Tr	0.1	Tr	0.2	
1194	From frozen (chopped or						_		_		
1105	leaf)			90	53	6	Tr	0.1	Tr	0.2	
1195	Canned, drained Squash	1 cup	214	92	49	6	1	0.2	Tr	0.4	
	Summer (all varieties),										
	sliced										
1196	Raw	1 cup	113	94	23	1	Tr	Tr	Tr	0.1	
1197	Cooked, drained	1 cup	180	94	36	2	1	0.1	Tr	0.2	
1198	Winter (all varieties), baked,	1	205	00	00	2		0.2	0.1	0.5	
1100	winter butternut frezen	I cup	205	89	80	2	1	0.3	0.1	0.5	
1199	Winter, butternut, frozen, cooked, mashed	1 cun	240	88	94	3	Tr	Tr	Tr	0.1	
	Sweetpotatoes	1 сыр	270	50	7-7	3		-1		0.1	
	Cooked (2" dia, 5" long raw)										
1200	Baked, with skin	•		73	150	3	Tr	Tr	Tr	0.1	
1201	Boiled, without skin	1 potato	156	73	164	3	Tr	0.1	Tr	0.2	

Choles- terol	hydrate	•	Calcium (mg)	Iron (mg)	Potas- sium	Sodi	um <u>\</u> (IU)	/itamin A (RE)	_ Thiamin			Ascor- bic acid	Food No.
(mg)	(g)	fiber (g)	(mg)	(mg)	(mg)	(mg)	(IU)	(KE)	(mg)	(mg)	(mg)	(mg)	NO.
0	8	0.6	4	0.4	126	10	0	0	0.03	0.01	0.7	2	1172
0	33	3.1	12	1.3	501	37	0	0	0.12	0.03	3.1	9	1173
29	32	4.8	103	0.5	489	697	378	44	0.23	0.11	1.4	20	1174
4	37	4.2	55	0.6	628	636	40	13	0.18	0.08	2.3	14	1175
4	35	4.2	55	0.5	607	620	355	42	0.18	0.08	2.3	13	1176
73	22	1.5	18	1.2	597	386	109	11	0.10	0.13	1.6	17	1177
0	24	2.5	24	1.2	300	589	13	2	0.15	0.06	1.7	5	1178
170	28	3.3	48	1.6	635	1,323	523	83	0.19	0.15	2.2	25	1179
27	31	2.7	88	0.9	497	835	363	51	0.05	0.14	2.5	8	1180
29	26	4.7	140	1.4	926	821	331	47	0.17	0.23	2.6	26	1181
0	12	2.7	37	1.4	564	2	2,651	265	0.08	0.19	1.0	12	1182
0	20	7.1	64	3.4	505	12	54,037	5,405	0.06	0.13	0.9	10	1183
0	Tr	0.1	1	Tr	10	1	Tr	Tr	Tr	Tr	Tr	1	1184
0	15	3.1	82	0.9	554	34	954	95	0.14	0.07	1.2	32	1185
0	10	5.9	71	3.5	401	1,560	42	5	0.05	0.05	0.3	35	1186
0	_1	0.1	17	0.3	9	23	12	1	0.01	0.02	Tr	Tr	1187
0	Tr 2	Tr 0.2	1 4	0.3 0.1	14 33	10 1	6 119	1 12	0.02 0.01	0.04 Tr	0.1 Tr	Tr 1	1188 1189
0	20	7.6	261	4.5	970	25	281	29	0.47	0.28	2.3	31	1190
O	20	7.0	201	4.5	710	23	201	2)	0.47	0.26	2.3	31	1170
0 0	1 Tr	0.8	30 10	0.8	167 56	24 8	2,015 672	202 67	0.02	0.06 0.02	0.2 0.1	8	1191 1192
0	7	0.3 4.3		0.3	839		14,742	1,474	0.01		0.1	3	1192
			245	6.4		126	ŕ		0.17	0.42		18	
0	10 7	5.7 5.1	277 272	2.9 4.9	566 740	163 58	14,790 18,781	1,478 1,879	0.11 0.03	0.32 0.30	$0.8 \\ 0.8$	23 31	1194 1195
0	5	2.1	23	0.5	220	2	221	23	0.07	0.04	0.6	17	1196
0	8	2.5	49	0.6	346	2	517	52	0.08	0.07	0.9	10	1197
0	18	5.7	29	0.7	896	2	7,292	730	0.17	0.05	1.4	20	1198
0	24	2.2	46	1.4	319	5	8,014	802	0.12	0.09	1.1	8	1199
0	35	4.4	41	0.7	508	15	31,860	3,186	0.11	0.19	0.9	36	1200
0	38	2.8	33	0.9	287	20	26,604	2,660	0.08	0.22	1.0	27	1201

Table 9. Nutritive Value of the Edible Part of Food

Tubic	3. Nutritive value of the Edible	. r urt 01 1 00u						Fatty acids				
								-	Mono-	Poly-		
Food		Measure of edible	Weight	Water	Calories	Pro- tein	Total fat	Satu- rated	unsatu- rated	unsatu- rated		
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)		
Veg	etables and Vegetabl	e Produc	ts (cont	inued)	)							
1202	Sweetpotatoes (continued)	1 .	105	67	1.4.4	1	2	1.4	0.7	0.2		
1202	Candied (2½" x 2" piece) Canned	_		67	144	1	3	1.4	0.7	0.2		
1203	Syrup pack, drained	-		72	212	3	1	0.1	Tr	0.3		
1204	Vacuum pack, mashed	•		76	232	4	1 T	0.1	Tr	0.2		
1205	Tomatillos, raw Tomatoes	. i meaium	34	92	11	Tr	Tr	Tr	0.1	0.1		
	Raw, year round average											
1206	Chopped or sliced	. 1 cup	180	94	38	2	1	0.1	0.1	0.2		
1207	Slice, medium, 1/4" thick	1 slice	20	94	4	Tr	Tr	Tr	Tr	Tr		
4.000	Whole					-	_	_	_			
1208	Cherry			94	4	Tr	Tr	Tr	Tr	Tr		
1209 1210	Medium, 2%" dia			94	26 46	1 2	Tr Tr	0.1 Tr	0.1 Tr	0.2		
1210	Canned, solids and liquid Sun dried	. 1 cup	240	94	40	2	11	11	11	0.1		
1211	Plain	1 piece	2	15	5	Tr	Tr	Tr	Tr	Tr		
1212	Packed in oil, drained	_		54	6	Tr	Tr	0.1	0.3	0.1		
1213	Tomato juice, canned, with	1										
	salt added	. 1 cup	243	94	41	2	Tr	Tr	Tr	0.1		
	Tomato products, canned											
1214	Paste			74	215	10	1	0.2	0.2	0.6		
1215 1216	Puree	-		87 89	100 74	4	Tr Tr	0.1 0.1	0.1	0.2		
1210	SauceSpaghetti/marinara/pasta	. 1 cup	243	89	/4	3	11	0.1	0.1	0.2		
	sauce. See Soups, Sauces, and Gravies.											
1217	Stewed			91	71	2	Tr	Tr	0.1	0.1		
1218	Turnips, cooked, cubes	. 1 cup	156	94	33	1	Tr	Tr	Tr	0.1		
	Turnip greens, cooked, drained											
1219	From raw (leaves and		1.4.4	0.2	20	2	TD.	0.1	m	0.1		
1220	stems)	•		93 90	29 49	2 5	Tr 1	0.1 0.2	Tr Tr	0.1 0.3		
1220	From frozen (chopped) Vegetable juice cocktail,	. 1 cup	104	90	49	3	1	0.2	11	0.5		
1221	canned	1 cup	242	94	46	2	Tr	Tr	Tr	0.1		
	Vegetables, mixed	T cup		, ,	.0	_				0.1		
1222	Canned, drained	1 cup	163	87	77	4	Tr	0.1	Tr	0.2		
1223	Frozen, cooked, drained			83	107	5	Tr	0.1	Tr	0.1		
1224	Waterchestnuts, canned, slices,											
	solids and liquids	. 1 cup	140	86	70	1	Tr	Tr	Tr	Tr		
Mis	cellaneous Items											
1225	Bacon bits, meatless	1 tbsp	7	8	31	2	2	0.3	0.4	0.9		
	Baking powders for home use	•										
	Double acting											
1226	Sodium aluminum sulfate			5	2	0	0	0.0	0.0	0.0		
1227	Straight phosphate	_		4	2	Tr	0	0.0	0.0	0.0		
1228	Low sodium			6 Tr	5 0	Tr	Tr	Tr	Tr	Tr		
1229	Baking soda Beef jerky			Tr 23	81	0 7	0 5	0.0 2.1	0.0 2.2	0.0 0.2		
1230	3 2			23 67	250	4	1	0.1	0.1	0.2		
1232	Catsup	1 tbsp		67	16	Tr	Tr	Tr	Tr	Tr		
1233		1 packet		67	6	Tr	Tr	Tr	Tr	Tr		
1234	Celery seed	•		6	8	Tr	1	Tr	0.3	0.1		
1235	Chili powder	. 1 tsp		8	8	Tr	Tr	0.1	0.1	0.2		
125	Chocolate, unsweetened, baking			,	1.10	-						
1236	Solid	•		1	148	3	16	9.2	5.2	0.5		
1237	Liquid	1 UZ	20	1	134	3	14	7.2	2.6	3.0		

<sup>\*</sup>For product with no salt added: If salt added, consult the nutrition label for sodium value.

Choles- terol (mg)	Carbo- hydrate (g)	Total dietary fiber (g)	Calcium (mg)	Iron (mg)	Potas- sium (mg)	Sodi (mg)	um <u>Vi</u> (IU)	tamin A (RE)	Thiamin (mg)	Ribo- flavin (mg)	Niacin (mg)	Ascor- bic acid (mg)	Food No.
8	29	2.5	27	1.2	198	74	4,398	440	0.02	0.04	0.4	7	1202
0	50	5.9	33	1.9	378	76	14,028	1,403	0.05	0.07	0.7	21	1203
0	54	4.6	56	2.3	796	135	20,357	2,035	0.09	0.15	1.9	67	1204
0	2	0.6	2	0.2	91	Tr	39	4	0.01	0.01	0.6	4	1205
0	8	2.0	9	0.8	400	16	1,121	112	0.11	0.09	1.1	34	1206
0	1	0.2	1	0.1	44	2	125	12	0.01	0.01	0.1	4	1207
0	1	0.2	1	0.1	38	2	106	11	0.01	0.01	0.1	3	1208
$0 \\ 0$	6 10	1.4 2.4	6 72	0.6 1.3	273 530	11 355	766 1,428	76 144	0.07 0.11	0.06 0.07	0.8 1.8	23 34	1209 1210
$0 \\ 0$	1 1	0.2 0.2	2 1	0.2 0.1	69 47	42 8	17 39	2 4	0.01 0.01	0.01 0.01	0.2 0.1	1 3	1211 1212
0	10	1.0	22	1.4	535	877	1,351	136	0.11	0.08	1.6	44	1213
0	~·		0.2		2.455				0.41	0.50	0.4		
$0 \\ 0$	51 24	10.7 5.0	92 43	5.1 3.1	2,455 1,065	231 85*	6,406 3,188	639 320	0.41 0.18	0.50 0.14	8.4 4.3	111 26	1214 1215
0	18	3.4	34	1.9	909	1,482	2,399	240	0.16	0.14	2.8	32	1216
0	17	2.6	84	1.9	607	564	1,380	138	0.12	0.09	1.8	29	1217
0	8	3.1	34	0.3	211	78	0	0	0.04	0.04	0.5	18	1218
0	6	5.0	197	1.2	292	42	7,917	792	0.06	0.10	0.6	39	1219
0	8	5.6	249	3.2	367	25	13,079	1,309	0.09	0.12	0.8	36	1220
0	11	1.9	27	1.0	467	653	2,831	283	0.10	0.07	1.8	67	1221
$\begin{array}{c} 0 \\ 0 \end{array}$	15 24	4.9 8.0	44 46	1.7 1.5	474 308	243 64	18,985 7,784	1,899 779	0.07 0.13	0.08 0.22	0.9 1.5	8 6	1222 1223
0	17	3.5	6	1.2	165	11	6	0	0.02	0.03	0.5	2	1224
0	2	0.7	7	0.1	10	124	0	0	0.04	Tr	0.1	Tr	1225
0	1	Tr	270	0.5	1	488	0	0	0.00	0.00	0.0	0	1226
0	1	Tr	339	0.5	Tr	363	0	0	0.00	0.00	0.0	0	1227
$0 \\ 0$	2	0.1	217	0.4	505	1 250	0	0	0.00	0.00	0.0	0	1228 1229
10	0 2	0.0 0.4	0 4	0.0 1.1	0 118	1,259 438	$0 \\ 0$	0	0.00 0.03	0.00 0.03	0.0 0.3	0	1229
0	65	3.1	46	1.7	1,154	2,846	2,438	245	0.21	0.18	3.3	36	1231
$0 \\ 0$	4 2	0.2 0.1	3 1	0.1 Tr	72 29	178 71	152 61	15 6	0.01 0.01	0.01 Tr	0.2 0.1	2 1	1232 1233
0	1	0.2	35	0.9	28	3	1	Tr	0.01	0.01	0.1	Tr	1234
0	1	0.9	7	0.4	50	26	908	91	0.01	0.02	0.2	2	1235
0 0	8	4.4 5.1	21	1.8	236	4 3	28 3	3 Tr	0.02	0.05	0.3	0	1236 1237
U	10	5.1	15	1.2	331	3	3	Tr	0.01	0.08	0.6	0	12

Table 9. Nutritive Value of the Edible Part of Food

									Fatty acids	
Food		Measure of edible	Weight	Water	Calories	Pro- tein	Total fat	Satu- rated	Mono- unsatu- rated	Poly- unsatu- rated
No.	Food Description	portion	(g)	(%)	(kcal)	(g)	(g)	(g)	(g)	(g)
Mis										
1238	Cinnamon	1 tsp	2	10	6	Tr	Tr	Tr	Tr	Tr
1239	Cocoa powder, unsweetened	1 cup	86	3	197	17	12	6.9	3.9	0.4
1240		1 tbsp		3	12	1	1	0.4	0.2	Tr
	Cream of tartar			2	8	0	0	0.0	0.0	0.0
	Curry powder			10	7	Tr	Tr	Tr	0.1	0.1
	Garlic powder	•		6	9	Tr	Tr	Tr	Tr	Tr
	Horseradish, prepared			85	2	Tr	Tr	Tr	Tr	Tr
1245	Mustard, prepared, yellow	1 tsp or 1 pac	скетэ	82	3	Tr	Tr	Tr	0.1	Tr
1246	Olives, canned Pickled, green	5 medium	17	78	20	Tr	2	0.3	1.6	0.2
1247	Ripe, black			80	25	Tr	2	0.3	1.7	0.2
1248				5	7	Tr	Tr	Tr	Tr	Tr
1249	Oregano, ground	•		7	5	Tr	Tr	Tr	Tr	0.1
	Paprika			10	6	Tr	Tr	Tr	Tr	0.2
	Parsley, dried			9	4	Tr	Tr	Tr	Tr	Tr
	Pepper, black			11	5	Tr	Tr	Tr	Tr	Tr
	Pickles, cucumber									
1253	Dill, whole, medium (3 <sup>3</sup> / <sub>4</sub> "									
	long)	1 pickle	65	92	12	Tr	Tr	Tr	Tr	0.1
1254	Fresh (bread and butter									
	pickles), slices 1½" dia,	2 11	2.4	=0	10			-		m.
1055	<sup>1</sup> / <sub>4</sub> " thick			79	18	Tr	Tr	Tr	Tr	Tr
	Pickle relish, sweet			62	20	Tr	Tr	Tr	Tr	Tr
1230	Pork skins/rinds, plain Potato chips	1 OZ	28	2	155	17	9	3.2	4.2	1.0
	Regular									
	Plain									
1257	Salted	1 oz	28	2	152	2	10	3.1	2.8	3.5
1258	Unsalted			2	152	2	10	3.1	2.8	3.5
1259	Barbecue flavor			2	139	2	9	2.3	1.9	4.6
1260	Sour cream and onion									
	flavor	1 oz	28	2	151	2	10	2.5	1.7	4.9
1261	Reduced fat	1 oz	28	1	134	2	6	1.2	1.4	3.1
1262	Fat free, made with									
	olestra	1 oz	28	2	75	2	Tr	Tr	0.1	0.1
10.00	Made from dried potatoes		20		1.50	2		2.7	2.1	
1263	Plain	1 oz	28	1	158	2	11	2.7	2.1	5.7
1264	Sour cream and onion flavor	1 07	20	2	155	2	10	2.7	2.0	5.3
1265	Reduced fat			2 1	142	2 2	7	1.5	1.7	3.8
1266				Tr	0	0	0	0.0	0.0	0.0
1200	Trail mix	1 tsp			Ü	Ü	· ·	0.0	0.0	0.0
1267	Regular, with raisins,									
	chocolate chips, salted									
	nuts and seeds	1 cup	146	7	707	21	47	8.9	19.8	16.5
1268	Tropical			9	570	9	24	11.9	3.5	7.2
1269	Vanilla extract	1 tsp	4	53	12	Tr	Tr	Tr	Tr	Tr
	Vinegar									
1270	Cider	-		94	2	0	0	0.0	0.0	0.0
1271	Distilled	1 tbsp	17	95	2	0	0	0.0	0.0	0.0
1070	Yeast, baker's	1 mlr -	7	0	21	2	т	т	0.2	т
1272 1273	Dry, active			8 8	21 12	3 2	Tr Tr	Tr Tr	0.2	Tr
1273	Compressed	1 tsp		8 69	18	1	Tr Tr	Tr	0.1 0.2	Tr Tr
14/4	Compressed	1 Carc	1 /	09	10	1	11	11	0.2	11

Choles-	Carbo-	Total	•		Potas-		N. P.		<b></b>	Ribo-		Ascor-	
terol (mg)	hydrate (g)	dietary fiber (g)	Calcium (mg)	iron (mg)	sium (mg)	Sodiu (mg)	m <u>vit</u> (IU)	amin A (RE)	Thiamin (mg)	flavin (mg)	Miacin (mg)	bic acid (mg)	Food No.
(1119)	(9)	ilber (g)	(iiig)	(IIIg)	(mg)	(1119)	(10)	(NL)	(1119)	(mg)	(IIIg)	(mg)	140.
0	2	1.2	28	0.9	11	1	6	1	Tr	Tr	Tr	1	1238
0	47	28.6	110	11.9	1,311	18	17	2	0.07	0.21	1.9	0	1239
0	3	1.8	7	0.7	82	1	1	Tr	Tr	0.01	0.1	0	1240
0	2	Tr	Tr	0.1	495	2	0	0	0.00	0.00	0.0	0	1241
0	1	0.7	10	0.6	31	1	20	2	0.01	0.01	0.1	Tr	1242
0	2	0.3	2	0.1	31	1	0	0	0.01	Tr	Tr	1	1243
0	1	0.2	3	Tr	12	16	Tr	0	Tr	Tr	Tr	1	1244
0	Tr	0.2	4	0.1	8	56	7	1	Tr	Tr	Tr	Tr	1245
0	Tr	0.2	10	0.3	9	408	51	5	0.00	0.00	Tr	0	1246
0	1	0.7	19	0.7	2	192	89	9	Tr	0.00	Tr	Tr	1247
0	2	0.1	8	0.1	20	1	0	0	0.01	Tr	Tr	Tr	1248
0	1	0.6	24	0.7	25	Tr	104	10	0.01	Tr	0.1	1	1249
0	1	0.4	4	0.5	49	1	1,273	127	0.01	0.04	0.3	1	1250
0	1 1	0.4 0.6	19 9	1.3 0.6	49 26	6 1	303 4	30 Tr	Tr Tr	0.02 0.01	0.1 Tr	2 Tr	1251 1252
U	1	0.0	9	0.0	20	1	4	11	11	0.01	11	11	1232
0	3	0.8	6	0.3	75	833	214	21	0.01	0.02	Tr	1	1253
0	4	0.4	8	0.1	48	162	34	3	0.00	0.01	0.0	2	1254
0	5	0.2	Tr	0.1	4	122	23	2	0.00	Tr	Tr	Tr	1255
27	0	0.0	9	0.2	36	521	37	11	0.03	0.08	0.4	Tr	1256
0	15	1.3	7	0.5	361	168	0	0	0.05	0.06	1.1	9	1257
0	15	1.4	7	0.5	361	2	0	0	0.05	0.06	1.1	9	1258
0	15	1.2	14	0.5	357	213	62	6	0.06	0.06	1.3	10	1259
2	15	1.5	20	0.5	377	177	48	6	0.05	0.06	1.1	11	1260
0	19	1.7	6	0.4	494	139	0	0	0.06	0.08	2.0	7	1261
0	17	1.1	10	0.4	366	185	1,469	441	0.10	0.02	1.3	8	1262
0	14	1.0	7	0.4	286	186	0	0	0.06	0.03	0.9	2	1263
1	15	0.3	18	0.4	141	204	214	28	0.05	0.03	0.7	3	1264
0	18	1.0	10	0.4	285	121	0	0	0.05	0.02	1.2	3	1265
0	0	0.0	1	Tr	Tr	2,325	0	0	0.00	0.00	0.0	0	1266
6	66	8.8	159	4.9	946	177	64	7	0.60	0.33	6.4	2	1267
0	92	10.6	80	3.7	993	14	69	7	0.63	0.16	2.1	11	1268
0	1	0.0	Tr	Tr	6	Tr	0	0	Tr	Tr	Tr	0	1269
0	1	0.0	1	0.1	15	Tr	0	0	0.00	0.00	0.0	0	1270
0	1	0.0	0	0.0	2	Tr	0	0	0.00	0.00	0.0	0	1271
0	3	1.5	4	1.2	140	4	Tr	0	0.17	0.38	2.8	Tr	1272
0	2	0.8	3	0.7	80	2	Tr	0	0.17	0.38	2.6 1.6	Tr	1272
0	3	1.4	3	0.6	102	5	0	0	0.32	0.22	2.1	Tr	1274
Ü	3	1,7	J	0.0	102	3	Ü	O	0.52	0.17	2.1	**	12/7

#### **Index for Table 9** Bok choy. See Pak-choi cabbage. Apple butter. See Fruit butter, apple. Breakfast cereals Hot type, cooked.......38 Avocados ...... 30 В Bacon bits .......86 Baking powders.......86 C Cabbage ...... 78 Candy......70-72 Beans Lima ......56 Beef stew ...... 60 Challah. See Egg bread. Berries. See type. Cheese ......16-18 Beverages ......14-16 Black-eyed peas Mature, dry ...... 54

Chicken	66	Cracked wheat bread	36
Chicken potpie	60	Crackers	46
Chicken soup		Cranberries, dried, sweetened	30
Broth	68	Cranberry juice cocktail	16
Cream of		Cranberry sauce	
Stock		Cream	
With noodles		Half-and-half	18
With rice	,	Light, coffee, or table	
With rice and vegetables		Sour	
Chickpeas		Whipped topping	
Chili con carne		Whipping	
Chili powder		Cream cheese	
<u> </u>	60	Cream of chicken soup	
Chimish as as	62	1	
Chimichanga	62	Cream of mushroom soup	
Chips	4.6	Cream of tartar	
Corn		Cream products, imitation	
Potato		Croissant	
Tortilla		Croissant with egg, cheese, bacon	
Chives, raw	78	Cucumbers	80
Chocolate		Cupcakes. See under Cakes.	
Baking	86	Curry powder	88
Candy	70-72		
Chocolate-flavored beverages	14	D	
Chocolate-flavored syrup or topping	74	Dandelion greens	80
Chocolate milk		Danish pastry	
Chocolate pudding		Daiquiri	
Cilantro, raw		Dates	
Cinnamon		Diet carbonated beverage	
Clam chowder		Dill weed, raw	
Manhattan	68	Doughnuts	
New England		_	
Clams		Duck	00
Club soda		F	
Cocoa		E	
		Eclair	
Cocoa powder, unsweetened		Egg bread	
		Egg substitute	
Cod		Eggnog	
Coffee		Eggplant	80
Cola-type beverages		Eggs	22
Coleslaw		Enchilada	62
Collards		Endive, curly	80
Cookies	44-46	English muffin	46
Corn chips	46	English muffin, egg, cheese, and bacon	62
Corndog	64	Espresso coffee	
Corn (hominy) grits	38	1	
Corn, sweet	78	F	
Corn syrup	74	Fast foods	60-64
Corned beef		Feta cheese	
Cornbread			
Cornmeal		FigsFilberts. See Hazelnuts.	30
Cornstarch			
Cottage cheese		Fish. See also under type of fish.	2 -
Couscous		Fillet, battered or breaded	
Cowpeas. See Black-eyed peas.		Sandwich	
Crab	26	Sticks	
Crab cake		Stock	
Crahmaat		Flounder	26

Frankfurter. See also Hot dog (fast food).		Honey	74
Chicken	66	Honeydew melon	32
Meat	60	Horseradish, prepared	88
French bread	36	Hot dog (fast food) See also Frankfurter	64
French dressing	24, 26	Hummus	54
French toast	48	Hush puppies	64
Frosting	72		
Frozen desserts		1	
Dairy	20	Ice cream	20
Nondairy	72	Ice cream sundae	62
Frozen yogurt	20	Ice milk. See also Ice cream, light	62
Fruit and juice bar	72	Ice pop	
Fruit butter, apple	72	Icing. See Frosting.	
Fruit cocktail		Indian fry (navajo) bread	36
Fruit drinks	76	Italian bread	
Fruit-flavored soda beverages	14	Italian dressing	
Fruit juices	28-36	Italian ices	
Fruit punch drink			
Fruitcake	42	J	
Fudge	72	Jams	74
		Jellies	
G		Jelly beans	
Garlic, raw	80	Jerusalem artichoke	
Garlic powder		serusurem urtienoke	
Gelatin dessert		К	
Gin		Kale	90
Ginger ale		Kasha. See Buckwheat groats.	00
Gingerbread		Kasna. See Buckwheat groats.  Kelp	Q/
Granola bar		Ketchup. See Catsup.	04
Grape drink		Kiwifruit	20
Grape juice		Kohlrabi	
Grape soda		Komraut	οι
Grapefruit		L	
Grapefruit juice		<del>_</del>	50.50
GrapesGrapes		Lamb	
Gravies		Lard	
Greens. See under type of vegetable.		Leeks	
Grits. See Corn (hominy) grits.		Lemon juice	
Ground beef	56	Lemon-lime soda	
Ground turkey		Lemonade	
Gumdrops		Lemons	
Gummy candies		Lentils	
Summy cundles	72	Lettuce	80
Н		Lima beans	7.
Haddock	26	Immature	
Halibut		Mature, dry	
Ham		Lime juice	
	30	Liqueur, coffee	14
Hamburger Ground beef	56	Liver	_
		Beef	
Sandwich		Chicken	
Hard candy		Lobster	
Hazelnuts		Luncheon meat	58-60
Hearts of palm			
Herring, pickled		M	
Hoisin sauce	/0	Macadamia nuts	
Hominy grits. See Corn (hominy) grits.		Macaroni	48

Macaroni and cheese	60	Oriental snack mix	48
Malted milk beverages	16	Oysters	26
Mandarin oranges. See Tangerines.			
Mangos	32	Р	
Maple syrup	74	Pak-choi cabbage	78
Margarine	22-24	Pancake syrup. See Syrup, table blend.	
Margarine-butter blend		Pancakes	48
Marinara sauce		Papayas	
Marshmallows		Paprika	
Matzo		Parmesan cheese	
Mayonnaise		Parsley	
Meatless burger		Dried	
Melons			
Milk		Raw	
Milk beverages		Parsnips	
Milk chocolate candy		Pasta sauce	
Milk shake		Pasta with meatballs	
		Pasteurized process cheese	
Minestrone soup		Pasteurized process cheese food	
Miso		Pasteurized process cheese spread	
Mixed fruit, frozen		Peaches	
Mixed grain bread		Peanut butter	
Mixed nuts		Peanuts	54
Molasses		Pears	34
Mozzarella cheese	18	Pea soup	68
Muenster cheese	18	Peas	
Muffins	48	Edible pod	82
Mushroom soup, cream of	68	Green	
Mushrooms	80	Split, dry	
Mustard, prepared	88	Pecans	
Mustard greens		Pepper or hot sauce	
		Pepper, black	
N		Pepper-type soda	
Nacho cheese sauce	70	Peppers	
Nachos		Perch, Ocean	
Nectarines		Pe-tsai cabbage	
Neufchatel		Pickle relish	
Noodles, chow mein		Pickles	
Noodles, egg		Pie crust	48
Noodle soup		Pie filling	20
NUTRI-GRAIN cereal bar	48	Apple	
		Cherry	
0		Pies, baked	
Oat bran		Pies, fried	
Oatmeal bread	36	Pimento	82
Oatmeal cereal	38	Pina colada	14
Ocean perch	26	Pineapple	34
Oils, salad or cooking	24	Pineapple-grapefruit juice drink	16
Okra		Pineapple juice	34
Olives	88	Pineapple-orange juice drink	16
Onion powder		Pine nuts	
Onion rings		Pistachio nuts	
Onion soup		Pita bread	
Onions		Pizza	
Orange juice		Plantain	
Orange soda		Plums	
		Pollock	
Oranges		Popcorn	
Oregano	ðð	1 opcom	

Popcorn cakes	50	Salmon	28
Popsicle. See Ice pop.		Salsa	70
Pork		Salt	88
Cured (ham)	58	Sandwich spread (pork, beef)	60
Fresh	58	Sandwiches. See under type of filling or Sub	marine.
Pork sausage	60	Sardines	28
Pork skins	88	Sauces	70
Potato chips	88	Sauerkraut	84
Potatoes	82	Sausages	58-60
Potato products		Scallops	28
Au gratin	82	Seaweed	84
French fried	82	Seeds, edible. See under type of seed.	
Hashed brown		Sesame seeds	54
Mashed	84	Shakes (fast food)	64
Potato pancakes	84	Shallots	84
Potato puffs	84	Sherbet	20
Potato salad		Shortening	20
Scalloped		Shrimp	
Pretzels		Snap beans	
Provolone cheese		Sodas. See Carbonated beverages.	
Preserves. See Jams and preserves.		Sole. See Flounder or sole	20
Prune juice	34	Soups	
Prunes		Sour cream	
Puddings		Sourdough bread. See French or vienna bread	
Pumpernickel bread		Southern peas. See Black-eyed peas.	
Pumpkin		Soy milk	54
Pumpkin seed kernels		Soy products	
Tumpkin seed kernels		Soy sauce	
R		Soybeans	
Radishes	Q.1	Spaghetti	
Raisin bread		Spaghetti bolognese	
Raisins		Spaghetti in tomato sauce with cheese	
Raspberries		Spaghetti sauce	
Refried beans		Spices. See type of spice.	
Relish, pickle		Spinach	84
Rhubarb		Spinach souffle	
Rice		Spirulina	
Rice beverage (RICE DREAM)		Sprouts	
Rice cakes		Alfalfa	
RICE KRISPIES Treat Squares		Mung bean	
Rice pudding		Squash	
Ricotta cheese		Squash seed kernels	
Roast beef		Starfruit. See Carambola.	
Roast beef sandwich		Steak	50
Rockfish		Strawberries	
Rolls		Stuffing. See Bread stuffing	
Root beer		Submarine sandwich	64
Roughy, orange		Sugars	
Rum		Sunchoke. See Jerusalem artichoke	
Russian dressing		Sunflower seeds	50
Rutabagas		Sweetpotatoes	
Rye bread		Sweet rolls	
11,0 01044		Swiss cheese	
S		Swordfish	
Salad, tossed (fast food)	61	Syrups	
Salad dressings		J 1	
Salami			
Dataili	00		

T	
Taco, beef	64
Taco salad	64
Taco shell	52
Tahini	
Tangerine juice	36
Tangerines	
Tapioca, pearl, dry	
Tapioca pudding	
Tea	
Teriyaki sauce	
Thousand island dressing	
Toaster pastries	
Tofu	
Tomatillos	86
Tomato	
Chili sauce	
Juice	
Paste	
Puree	
Sauce	
Soup	
Tomatoes	
Tortilla chips	
Tortillas	
Tostada	
Trail mix	
Trout	
Tuna	
Tuna salad	
Turkey	
Turnip greens	
Turnips	
2 <b>4</b> P	
V	
Vanilla extract	88
Vanilla pudding	
Veal	
Vegetable juice cocktail	
Vegetable soup	
Vegetables, mixed	
Vienna bread	36
Vienna sausages	60
Vinegar	
Vinegar and oil dressing	
Vodka	14
W	
Waffles	
Walnuts, English	
Water, tap	
Waterchestnuts	
Watermelon	
Wheat bread	
Wheat flours	52 52
w near verm roasied	7/

Whiskey	8 0 8 4
Yeast, baker's 8 Yogurt 2	

These 10 guidelines are intended for healthy adults and children 2 and older. Their purpose is to promote good health and reduce the risk of chronic diseases such as heart disease, cancer, diabetes, and stroke.

# **USDA Dietary Guidelines for Americans**

#### **AIM FOR FITNESS...**

- · Aim for a healthy weight.
- · Be physically active each day.

#### **BUILD A HEALTHY BASE...**

- · Let the Pyramid guide your food choices.
- Choose a variety of grains daily, especially whole grains.
- Choose a variety of fruits and vegetables daily.
- · Keep food safe to eat.


#### **CHOOSE SENSIBLY...**

- Choose a diet that is low in saturated fat and cholesterol and moderate in total fat.
- Choose beverages and foods to moderate your intake of sugars.
- Choose and prepare foods with less salt.
- If you drink alcoholic beverages, do so in moderation.

Source: U.S. Department of Agriculture/U.S. Department of Health and Human Services

**The Food Guide Pyramid** can help you choose a variety of foods to help achieve a balanced diet. Selecting foods from each group will provide the many nutrients our bodies need.

# **Food Guide Pyramid**A Guide to Daily Food Choices



#### What Counts as One Serving?

The amount of food that counts as one serving is listed below. If you eat a larger portion, count it as more than 1 serving. For example, a dinner portion of spaghetti would count as 2 or 3 servings of pasta.

No specific serving size is given for the fats, oils, and sweets group because the message is USE SPARINGLY.

# Milk, Yogurt, and Cheese

1 cup of milk or yogurt 1½ ounces of natural cheese 2 ounces of processed cheese

#### Meat, Poultry, Fish, Dry Beans, Eggs, and Nuts

2-3 ounces of cooked lean meat, poultry, or fish 1½ cup of cooked dry beans, 1 egg, or 2 tablespoons of peanut butter count as 1 ounce of lean meat

#### Vegetable

1 cup of raw leafy vegetables ½ cup of other vegetables, cooked, or chopped raw ¾ cup of vegetable juice

#### Fruit

1 medium apple, banana, orange ½ cup of chopped, cooked, or canned fruit ¾ cup of fruit juice

### Bread, Cereal, Rice, and Pasta

1 slice of bread 1 ounce of ready-to-eat cereal ½ cup of cooked cereal, rice, or pasta