


Task 4: Query the Table

1. Display all records from the cars table

SQL Query:

```
SELECT * FROM cars;
```

Output:



The screenshot shows the phpMyAdmin interface for a database named 'exhibition_db'. The 'Table: cars' is selected. The SQL query 'SELECT * FROM cars;' has been executed, and the results are displayed in a table. The table has 5 rows and 6 columns: car_id, make, model, price, and yom. The results are as follows:


car_id	make	model	price	yom
1	BMW	X3	35000	2010
2	Toyota	Corolla	20000	2012
3	Ford	Falcon	39000	2013
4	Holden	Astra	14000	2009
5	Holden	Commodore	28000	2009

2. Display make, model and price sorted by make and model

SQL Query:

```
SELECT make, model, price FROM cars ORDER BY make, model;
```

Output:



The screenshot shows the phpMyAdmin interface for a database named 'exhibition_db' and a table named 'cars'. The SQL query executed is `SELECT make, model, price FROM cars ORDER BY make, model;`. The results show 5 rows, with the first 4 displayed. The table has columns 'make', 'model', and 'price'.

make	model	price
BMW	X3	35000
Ford	Falcon	39000
Holden	Astra	14000
Holden	Commodore	28000
Toyota	Corolla	20000

3. Display make and model where price is greater than or equal to 20000

SQL Query:

```
SELECT make, model FROM cars WHERE price >= 20000;
```

Output:

The screenshot shows the phpMyAdmin interface for a database named 'exhibition_db' and a table named 'cars'. The query executed is `SELECT make, model FROM cars WHERE price >= 20000;`. The results show 3 rows of data:

make	model
BMW	X3
Toyota	Corolla
Ford	Falcon

The interface includes various tabs like Browse, Structure, SQL, Search, Insert, Export, Import, Privileges, Operations, Tracking, and Triggers. Below the query results, there are options to bookmark the query, a console, and a section for query results operations including Print, Copy to clipboard, Export, Display chart, and Create view.

4. Display average price of cars grouped by make

SQL Query:

```
SELECT make, AVG(price) FROM cars GROUP BY make;
```

Output:

The screenshot shows the phpMyAdmin interface for a database named 'exhibition_db' and a table named 'cars'. The SQL query executed is: `SELECT make, AVG(price) FROM cars GROUP BY make;`. The result shows four rows of data, each representing a car make and its average price.

make	AVG(price)
BMW	35000
Ford	39000
Holden	21000
Toyota	20000


The interface includes various tabs like Browse, Structure, SQL, Search, Insert, Export, Import, Privileges, Operations, Tracking, and Triggers. Below the query result, there are options to show all rows, filter rows, and extra options like Edit, Copy, and Delete for each row. At the bottom, there are options to bookmark the query and a console area.

5. Display make and model where price is between 10000 and 15000

SQL Query:

`SELECT make, model FROM cars WHERE price < 15000 AND price > 10000;`

Output:



Conclusion

The SQL queries were successfully executed using phpMyAdmin. Different SQL clauses such as SELECT, WHERE, ORDER BY, GROUP BY, and AVG() were used to retrieve and analyze data from the cars table.