

Lesson 3 Demo 11

ID, Class, Descendant Selectors

Objective: To develop the HTML file with id, class, and descendant selectors

Tools required: Ubuntu Linux VM

Prerequisites: Visual Studio Code

Steps to be followed:

- 1. Create a file with a .html extension
- 2. Create and save the code for id, class, and descendant selectors
- 3. The expected outcome

Step 1: Create a file with a .html extension

1.1 Create the file named idclass.html and idclass.css

Step 2: Create and save the code for id, class, and descendant selectors

- 2.1 Enter the below code:
- 2.2 Enter the below code in the idclass.html file:



</body>

2.3 Enter the following code in the Idclass.css file:

```
.center{
   text-decoration:dashed;
   color: bisque;
}

p.center{
   background-color: brown;
}
```



2.4 Enter the following code in the idclass.html file:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Document</title>
  <link rel="stylesheet" href="idclass.css">
</head>
<body>
 <h2>Form</h2>
  <div class="container">
   <form action="/action page.php">
   <div class="row">
    <div class="col-25">
     <label for="fname">First Name</label>
   </div>
    <div class="col-75">
     <input type="text" id="fname" name="firstname" placeholder="Your name..">
    </div>
   </div>
   <div class="row">
    <div class="col-25">
     <label for="lname">Last Name</label>
    </div>
    <div class="col-75">
     <input type="text" id="lname" name="lastname" placeholder="Your last name..">
    </div>
   </div>
   <div class="row">
    <div class="col-25">
     <label for="country">Country</label>
    </div>
    <div class="col-75">
```



```
<select id="country" name="country">
      <option value="canada">Canada</option>
      <option value="italy">Italy</option>
      <option value="usa">USA</option>
     </select>
    </div>
   </div>
   <div class="row">
    <div class="col-25">
     <label for="subject">Subject</label>
    </div>
    <div class="col-75">
     <textarea id="subject" name="subject" placeholder="Write subject.."
style="height:200px"></textarea>
    </div>
   </div>
   <br>
   <div class="row">
    <input type="submit" value="Submit">
   </div>
   </form>
  </div>
  </body>
</html>
```



2.5 Enter the following code in the **Idclass.css** file:

```
box-sizing: border-box;
}
input[type=text], select, textarea {
 width: 100%;
 padding: 12px;
 border: 1px solid #ccc;
 border-radius: 4px;
 resize: vertical;
}
label {
 padding: 12px 12px 12px 0;
 display: inline-block;
input[type=submit] {
 background-color: #c516bc;
 color: white;
 padding: 12px 20px;
 border: none;
```



```
border-radius: 4px;
 cursor: pointer;
 float: right;
}
input[type=submit]:hover {
 background-color: #220a19;
}
.container {
 border-radius: 5px;
 background-color: #f0dbf1;
 padding: 20px;
}
.col-25 {
 float: left;
 width: 25%;
 margin-top: 6px;
}
.col-75 {
 float: left;
 width: 75%;
 margin-top: 6px;
/* Clear floats after the columns */
.row:after {
 content: "";
 display: table;
 clear: both;
}
/*Responsive layout - when the screen is less than 600px wide*/
 .col-25, .col-75, input[type=submit] {
  width: 100%;
  margin-top: 0;
```



2.6 Save the file.

}

Step 3: The expected outcome







