Design a Dynamic Frontend with React

API Calling, JSX, and React Libraries

A Day in the Life of a MERN Stack Developer

You are working as a MERN stack developer for a banking organization that offers online banking services.

Your task is to create a feature that enables customers to view their account balance, transactions, and statements, and transfer money to other accounts.

This involves designing a secure, responsive web application that interfaces seamlessly with the banking API for account data, authentication, and transaction functionalities.

A Day in the Life of a MERN Stack Developer

The application must adhere to the highest standards of web development, ensuring security and efficiency.

To achieve all the above, along with some additional features, you will be learning a few concepts in this lesson that will help you find a solution to the above scenario.

Learning Objectives

By the end of this lesson, you will be able to:

- Identify the principles of RESTful architecture for better API design and implementation
- List the factors considered when choosing an API for project suitability and effectiveness
- Develop skills in making API calls using Fetch API and Axios for enhanced data interaction in React applications
- Work with the new JSX transform for improved coding efficiency in React development
- Utilize new React libraries for effective management of remote data fetching in web applications

API Calling with React and Axios, Handling API Response, Errors

Understanding RESTful API

RESTful API (Representational State Transfer) comprises principles for designing and developing web APIs that are scalable, flexible, and easy to maintain.



This architectural approach is widely used in constructing web services suitable for various clients, including web, mobile, and desktop applications.

RESTful API: Characteristics

RESTful APIs provide a standardized and flexible approach that:

1. Allows communication between applications over the Internet using HTTP requests
2. Relies on REST architectural style principles for its operation
3. Performs different operations on resources using different HTTP methods
4. Returns the data using the JSON or XML formats

RESTful API: Characteristics

The characteristics of RESTful APIs are:

- Statelessness
- Client-server architecture
- Uniform interface
- Hypermedia as the engine of application state (HATEOAS)

Factors for Choosing an API

The following are the factors to consider while choosing an API:

- Functionality
- Documentation
- Reliability
- Scalability
- Security
- Pricing
- Assistance and support
- Data format returned by API

Factors for Choosing an API: Functionality

Functionality is a vital factor to consider when choosing an API because it:

Factors for Choosing an API: Documentation

Documentation provides clear information about the API's features as it helps to:

- Guide API integration
- Specify API endpoints and parameters
- Outline error handling tasks
- Inform versioning
- Reduce development time
- Improve collaboration

Factors for Choosing an API: Reliability

Reliability is crucial when selecting an API as it ensures:

- System stability
- Data integrity
- Robust error handling
- Predictable performance
- Service level agreements (SLAs)
- Scalability
- Efficiency and cost reduction

Factors for Choosing an API: Scalability

A scalable API can manage a growing number of users and requests.

It can also address the following:



Factors for Choosing an API: Security

Security is another vital factor when choosing an API because it protects data and user privacy.

During API implementation, security also helps in the following:



Factors for Choosing an API: Pricing

When choosing an API, it is necessary to check the pricing because it can influence the following:



Factors for Choosing an API: Support

Assistance and support facilities must be considered when selecting an API as it is an essential part of:



Factors for Choosing an API: Data Format

The data format returned by an API must be considered when choosing an API because it addresses the following:



Making API Calls with React

The primary purpose of making API calls in React is to build modern web applications.

There are two ways to make API calls in React:

- Using the built-in Fetch API
- Using a third-party library like Axios

Using Built-in Fetch API

The steps to make an API call using the Fetch API in React are as follows:

1. Construct the request object
2. Call the **fetch()** function
3. Handle the response
4. Update the component state or perform actions

Making API Calls Using Axios

The steps to make an API call using Axios are as follows:



Using the Fetch API for Data Retrieval

The primary purpose of making API calls in React is to build modern web applications.

Consider the following points while using Fetch API for data retrieval in a React application:

- Ensure that the API calls are correctly performed
- Check that the data is retrieved and displayed correctly in the React application

Assisted Practice

JSON Response from the API **Duration: 20 Min.**

Problem Statement:

You have been assigned a task to build a simple app that displays the JSON response from the API.

Assisted Practice: Guidelines

Steps to be followed:

1. Create a new React app
2. Modify the **src/App.js** by defining a state variable
3. Run the app and view it in a browser

Handling API Responses and Errors

In React, API responses may include data, metadata, or error messages.
Here are the steps involved in handling API responses:



Handling API Errors

The steps involved in handling API errors are as follows:

1. Handle error responses
2. Extract error information
3. Update error state
4. Display error message
5. Implement error-handling logic

Handling API Errors

The most common HTTP status code and their meanings are:



- **200 OK**: The request was effective.
- **201 Created**: The request was effective, and a new resource was built.
- **400 Bad Request**: The request was deformed or not valid.
- **401 Unauthorized**: The request requires authentication.
- **403 Forbidden**: The request is not allowed.
- **404 Not Found**: The requested resource could not be found.
- **500 Internal Server Error**: An error occurred on the server.

Using Axios for Data Retrieval

Axios can be used to retrieve data from an API by providing the API endpoint and any required parameters or headers.

Here are some reasons why Axios is popular in React programming:



Sending Data with API Calls

The following steps must be implemented when sending data to an API using the HTTP method:



In this method, the Fetch API or Axios library is used.

Assisted Practice

API Calls Using Error Handling **Duration: 20 Min.**

Problem Statement:

You have been assigned a task to build a simple app that displays a loading message while the API call is being made, and then displays any errors.

Assisted Practice: Guidelines

Steps to be followed:

1. Create a new React app
2. Modify the **App.js** file in the **src** directory
3. Run the app

Support for the New JSX Transform, and Newly Launched Libraries

New JSX Transform in React

The JSX transform is a new feature introduced in React version 17, and has the following features:

- Changes the way JSX is transformed into the JavaScript code
- Improves performance and simplifies the React development process

Enabling the New JSX Transform

The following steps enable the new JSX transform into the React components:

1. Upgrade the React project to version 17 or higher

2. Add this code to the project's babel.config.js file

```
module.exports = {
 presets: ['@babel/preset-react'],
 plugins: ['@babel/plugin-
transform-react-jsx'],
};
```

Advantages of Using the New JSX Transform

The following are the benefits of using the new JSX transform:

1. Helps improve the performance and code readability
2. Generates more optimized code
3. Offers smaller bundle sizes
4. Removes the requirement of boilerplate code

Classic vs. New JSX Transform

The differences between classic and new JSX transform are as follows:

Classic JSX Transform	New JSX Transform
Requires a Babel	Does not require a Babel
Transforms JSX into React.createElement calls	Supports fragments without importing React.Fragment
Has limited optimization opportunities	Has better optimization opportunities
Produces verbose code output	Produces more concise code

Classic vs. New JSX Transform: An Example

The following code illustrates the difference between the classic JSX and the new JSX transform:

Classic JSX

```
import React from 'react';


const ClassicJSXExample = () => {
  return <input type="checkbox"
disabled={true} />;
};


export default ClassicJSXExample;
```

New JSX Transform

```
import React from 'react';


const NewJSXTransformExample = () => {
  return <input type="checkbox" disabled
/>;
};


export default NewJSXTransformExample;
```

The difference lies in the handling of Boolean attributes.

Limitations of the New JSX Transform

The following are the issues and limitations of the new JSX transform:

1. The new transform is not compatible with the older versions of the React app.
2. The new transform may present some edge cases with certain combinations of conditional rendering.
3. Developers must test code before switching, as some third-party libraries may not be compatible.

Limitations of the New JSX Transform: An Example

```
import React from 'react';

// Custom Component

const MyComponent = ({ isVisible }) => {

  return isVisible ? <div>Visible</div> :
null;

};

const NewJSXTransformExample = () => {

  const isVisible = false;

  return <MyComponent
isVisible={isVisible} />;

};

export default NewJSXTransformExample;
```

The code renders the **MyComponent** component conditionally based on the Boolean prop **isVisible**, demonstrating the usage of the new JSX transform.

Limitations of the New JSX Transform: An Example

```
const NewJSXTransformExample = () => {
  const isVisible = false;
  return <MyComponent
isVisible={isVisible} />;
};
```

The code renders the **MyComponent** component conditionally based on the Boolean prop **isVisible**, demonstrating the usage of the new JSX transform.

Assisted Practice

JSX Transform **Duration: 20 Min.**

Problem Statement:

You have been assigned a task to build an app that displays a heading and a paragraph using new JSX transform.

Assisted Practice: Guidelines

Steps to be followed:

1. Create a new React app
2. Create a simple function component
3. Run the app

ASSISTED PRACTICE

New React Libraries

The React ecosystem is constantly evolving and has introduced two new React libraries that can be used to build React applications.



Benefits of React Query

React Query simplifies the process of fetching data from APIs.



- Helps remove the complexities of fetching data from APIs
- Offers a declarative and intuitive API for managing data in components
- Provides advanced features such as caching, optimistic updates, and polling
- Shares compatibility with any data fetching library like Axios and Fetch API

Benefits of React Hook Form

React Hook Form offers the following benefits:

- Follows a minimalist approach, and provides a simple API
- Reduces the number of rerenders
- Supports advanced features such as conditional form inputs and error messages

Assisted Practice

React Libraries **Duration: 20 Min.**

Problem Statement:

You have been assigned a task to build a simple form that allows submitting a new post to a remote server with form validation and state management, using Axios and Formik.

Assisted Practice: Guidelines

Steps to be followed:

1. Create a new React app
2. Install the React libraries and import them into **App.js**
3. Run the app

ASSISTED PRACTICE

Key Takeaways

- RESTful API is an architectural style used for building web services that can be consumed by various clients.
- The new JSX transform is a feature in React that allows developers to use the new syntax, such as optional chaining.
- The advantages of the new JSX transform include improved developer experience, better readability, and code conciseness.
- React Query is a library for fetching data that provides a simpler and more efficient alternative to other data-fetching libraries.
- React Hook Form is a library for building flexible forms that support minimal setup and the use of React hooks.

Thank You