

README third-cycle author

Gerald Q. Maguire Jr.

14 September 2026

Abstract

This document describes the $\text{\LaTeX}$ thesis template developed for use at KTH Royal Institute of Technology (KTH) for third-cycle (doctoral and licentiate) theses. The template is **not prescriptive**: not every thesis will include every part illustrated here, as formats range from monographs to compilation theses, and structural requirements vary across subjects and research methodologies.

Configured for use with $\text{\LuaTeX}$, the template simplifies the authoring process by centralizing thesis metadata in a configuration file (`custom_configuration.tex`) and automating the generation of covers, title pages, divider tabs (if there are included publications), and metadata for Digitala Vetenskapliga Arkivet (DiVA) and Lokalt adb-baserat dokumentationssystem (LADOK) reporting. This guide provides detailed instructions for configuring, structuring, and writing the thesis, complementing the concise two-page `Quick_Start_Guide.tex` with in-depth technical advice and guidance on the defense and publication process.

Fundamental to the design of this template are several key factors:

- Helping students produce a high-quality thesis,
- Helping students be successful in their thesis defense, and
- Supporting all of the (relevant) phases of the thesis process.

This document is a work in progress.

Contents

1	Advice for the author	1
2	Configuring custom_configuration.tex file	2
2.1	Configure the title, subtitle, alternate title, and alternate subtitle . .	3
2.2	Author macros	4
2.3	Supervisor macros	7
2.4	Some other macros to set	8
2.5	Setting the National subject categories	9
2.6	Setting the UN's Sustainable Development Goals (SDGs) infor- mation	11
3	Background about the thesis and its defense	13
3.1	Forms of theses at KTH	14
3.1.1	Compilation thesis	16
3.1.2	Monograph	17
3.2	Typical lengths	18
4	Configuration of the template	18
4.1	Document class options	19
4.2	Setting the language of the thesis	21
4.3	Bibliography management package	21
4.4	Configuring for including publications	22
4.5	Setting some other options	23
5	Starting to write	23
5.1	Working abstract	23
5.2	Structure of the abstracts and summaries	24
5.3	Structured abstracts	25
5.4	Abstracts must be able to stand alone	26
5.5	Automated checking of some properties of abstracts	26
5.6	Additional abstract(s)	28
5.7	Acronyms	28
5.8	Some predefined macros to help when writing	29
5.9	Removing and hiding parts that you do not want	29
5.10	Removing README_notes and README files	29

6	Considerations while writing	30
6.1	Copyright or Creative Commons License	30
6.1.1	Example configuration to have a CC BY-NC-ND license .	31
6.1.2	Example configuration to have a CC BY-NC-ND license with a Euro symbol rather than a Dollar sign	31
6.1.3	Example configuration to have a CC0 license	32
6.2	Use of fonts	32
6.2.1	Use of fonts on the covers, title page, and book info pages	34
6.2.2	Use of fonts within the thesis	34
6.3	One big thesis file or a master file with includes of the parts	35
7	Including publications	36
7.1	Including the PDF of a publication	37
7.2	Details of how the code works	38
7.2.1	The first step	38
7.2.2	The second step	38
7.2.3	The (optional) third step	38
8	Declaration about the use of generative AI	39
9	Errata	39
10	Advanced topics	40
10.1	Advanced issues concerning characters	40
10.2	Second author	46
10.3	Typical thesis lengths	47
11	Further documentation	54
12	Math alphabets with their mappings to Unicode	54
	References	59

1 Advice for the author

One of the hardest problems an author faces is getting started writing, *i.e.*, the blank sheet of paper — empty file barrier. The template (located in the file `examplethesis.tex`) provides a non-blank starting point, helping avoid the blank-page barrier. Additionally, the template provides some initial structure, basically, an Introduction, Methods, Results, and Discussion (IMRAD) structure, so that there are hints of where to place material. Moreover, there are places (and notes) about material that the author should consider adding; for example, the “required reflections” section in the final chapter.

The template also provides examples of common content types, so you can easily find examples of how to include a figure, table, code listing, *etc.* These examples are not exhaustive. Quite often, the author will want or need to learn new $\text{\LaTeX}$ commands in the course of writing their thesis. The need to learn additional $\text{\LaTeX}$ commands depends largely on how much the author wants to control the thesis details and on their interest (or lack thereof) in $\text{\LaTeX}$ programming.

As an author, the first step is to make your own copy of the template. If you are using Overleaf and have opened the template from a Uniform Resource Locator (URL), click **File** in the upper left-hand corner. Then select **Make a copy**. Use an informative project name; for example, include your name in the project title so supervisors can readily identify it. If you are using GitHub, you can clone the project from <https://github.com/gqmaguirejr/KTH-3rd-cycle-template-restructured>. You can also set up Overleaf to synchronize with your GitHub repository (using “Integrations → GitHub”).

The template **only** works with Lua $\text{\TeX}$. If you are using Overleaf, it is easy to select the compiler (*i.e.*, $\text{\TeX}$ engine) by using the drop-down menu “File → Settings → Compiler”. You must configure the $\text{\LaTeX}$ engine and set the main document to `examplethesis.tex`.

Overleaf makes many of the fonts you might use available. If you are running locally, you must ensure you have installed the fonts you need.

Before configuring the template, decide whether you will write a monograph or a compilation thesis. Section 3 provides some background about theses and the defense process.

Next, ensure the information about you, your supervisor(s), and the degree is correct in `custom_configuration.tex`; this information uses various macros, as described in Section 2 and Section 4.

With the administrative configuration completed, you are ready to begin writing — see Section 5.

2 | Configuring custom_configuration.tex file

Note that if you are using Overleaf:

Invite your supervisors to your project

You can invite your supervisors to your project, and they can provide direct comments and corrections on your drafts.

Log in to Overleaf with your KTH Royal Institute of Technology (KTH) account

If you log in to Overleaf with your KTH account, you get a version of Overleaf that lets you turn on “Track changes” which is very useful (particularly if you have invited your supervisors to join your project). It also gives you a larger time budget* to compile (which can be useful if you have a lot of TikZ figures or other things that take a lot of time for the L^AT_EX engine to render).

Timeouts If you have just started a new session (or started working after a long idle time), you may experience a timeout. This commonly happens because the fonts that you are (or were) using are no longer in the font cache. If you think this is the case, then add an “early” `\end{document}` early in your document and compile again. Once the fonts are cached, you can comment out this early `\end{document}`. For a better solution, see the document `Saving_and_restoring_font_cache.tex`; note that this solution is particularly useful when you are using multiple large fonts.

Another cause for timeouts is large images or large amounts of TikZ. One temporary way to handle this is to set the `draft` option in your document class (this reserves space for figures without loading or rendering raster graphics). A longer-term solution for TikZ is to compile these into images in another document and then include the image.

2 Configuring custom_configuration.tex file

The template is highly configurable, letting you enter data once and reuse it. Many macros have been defined. By setting values via these macros, you can set them once and reuse them in many places, reducing the work of updating

*Giving you ~240 s of wall-clock time, rather than 100 s.

them while ensuring consistency. Another reason for many of the macros is to collect the information that is needed to report the thesis, *i.e.*, to report the title(s), abstracts, keywords, and thesis in Digitala Vetenskapliga Arkivet (DiVA), create an errata document (if needed), and, after the defense, to report the title(s) and grade in Lokalt adb-baserat dokumentationssystem (LADOK). For some further (technical) information about this, see Section 2.2.

The `custom_configuration.tex` is designed to capture some overall information about the thesis that is likely to be known (at least in draft form) at the time you are starting your thesis. In fact, much of the material (such as your information and your supervisors' information) will be known since you started your third-cycle studies!

2.1 Configure the title, subtitle, alternate title, and alternate subtitle

One of the first things that the author(s) will want to do is add the working title and subtitle to the thesis. This is done using the `\title`, `\subtitle`, `\alttitle`, and `\altsubtitle` macros as shown below:

```
\title{This is the title in the language of the thesis}
\subtitle{A subtitle in the language of the thesis}

% give the alternative title - i.e., if the thesis is in
  ↳ English,
% then give a Swedish title
\alttitle{Detta är den svenska översättningen av titeln}
\altsubtitle{Detta är den svenska översättningen av
  ↳ undertiteln}
% alternative, if the thesis is in Swedish, then give an
  ↳ English title
%\alttitle{This is the English translation of the title}
%\altsubtitle{This is the English translation of the
  ↳ subtitle}
```

As mentioned earlier, the above macros configure the title, subtitle (if any), alternative title, and alternative subtitle (if any) on the cover and title page. These macros also save the data for later use with DiVA and LADOK. This saved data can also be used to generate announcements for the defense and other purposes. All of this enables you to enter the data **once** while ensuring that all subsequent uses will be consistent.

4 | Configuring custom_configuration.tex file

Although you do not need to fill in an alternative title (alttitle) and an optional alternative subtitle (altsubtitle) until later, it seems reasonable to locate them together with the title and subtitle information. You will likely revise these fields over time.

² The title will be set on the cover and the title page in Figtree Bold and Semibold. However, Figtree does not include Greek characters (and many other characters and symbols); thus, if you want to include such characters, you have to do a little more work, see Section 10.1.

2.2 Author macros

The template assumes there can be only one author, or at most two. Generally, third-cycle theses only have one author*.

For the author, there are a number of macros defined to store information about the author, so that it can later be used in multiple places — for example, the KTH cover (produced with `\kthcover`), the title page (produced with `\titlepage`, the “For DiVA” section[†] at the end of the thesis (produced with `\divainfo{pg:lastPageofPreface}{pg:lastPageofMainmatter}`), and possibly a JavaScript Object Notation (JSON) file named `fordiva.json` produced as a byproduct of the `\divainfo`. Additionally, the author’s name will be included in the DiVA entry, in the LADOK grade entry, and on the diploma.

The author-related macros are:

<code>\authorsLastname{ }</code>	the last name of the author [‡]
<code>\authorsFirstname{ }</code>	the first name of the author
<code>\email{ }</code>	the KTH e-mail address of the author
<code>\kthid{ }</code>	the author’s kthid, this generally starts with the string “u1” and is a unique identifier for every KTH user

*It is *extremely rare* for there to be a second author for a third-cycle thesis, but if there is, see Section 10.2.

[†]Note that the actual section name has DiVA set in all caps - which hopefully should **not** occur in the thesis! If the string DiVA set in all caps does have to appear, then the section heading should be preceded by four euro signs and followed by four more euro signs (as is done in this document).

[‡]Note that the author’s name can include a suffix, such as “, Jr.” or “ Jr.”, set as the author prefers to write their name.

<code>\orcid{}</code>	ensure this is the author’s official, registered Open Researcher and Contributor ID (ORCID) ID — see https://orcid.org/ .
<code>\authorsSchool{}</code>	the argument is generally of the form: <code>\schoolAcronym{XXX}</code> . The currently supported school acronyms are: “ABE”, “CBH”, “EECS”, “ITM”, and “SCI”. There is also a fake school XXX for use in the template. These are defined in the file <code>school_subjects_3rdcycle.ins</code> .

Establishing a consistent professional name early in your career is vital for accurate citation and discovery. If your legal name changes, you may note this in your thesis to ensure your full body of work is linked to you. To facilitate this, establish and maintain an ORCID identifier (<https://orcid.org/>).

If you have a name that is frequently misspelled or spelled in different ways, or you have a name that is very common, it is sometimes useful to establish a specific name to write under professionally (*i.e.*, a “professional name”) and then use this consistently. For example, some students have added a middle initial or a full middle name to distinguish themselves from others with the same name. Despite this, you might have some instances where your professional name is misspelled, and you may need to point this out in your thesis. You might also have works where you used a pen name, *i.e.*, a pseudonym, and now wish to be identified as the author; if so, tell your readers.

If the author is not in Stockholm, Sweden, when the acknowledgments are written, then add that information via the macros described below. This information will be used when generating the acknowledgments signature, *i.e.*, the text at the end of the acknowledgments; it gives the place where the author(s) is/are when writing the acknowledgments, as well as the date and name(s).

6 | Configuring custom_configuration.tex file

`\authorCity{A City}` specify the city

`\authorCountry{A Country}` specify the country

`\authorCityCountryDate{}` pass into this function the month and year for the acknowledgment. This can be a string such as January 2022 or it can be a $\LaTeX$ macro expression, such as:
`\MONTH\enspace\the\year.`

If the author was working at a company, such as “Företaget AB”, or an organization, such as “CERN”, they can specify this using one of the following macros.

```
%%% If your work was done at a company or an external
    ↪ organization
%\hostcompany{Företaget AB} % If the work was done at a
    ↪ host company
%\hostorganization{CERN} % if there was a host organization
```

A limitation of the current template is that I do not handle multiple companies, as I assume that there is a single host company/organization or employer. However, you can list names within the two text fields (but include only a single `\hostcompany` or a single `\hostorganization`). As of the DiVA administrators’ meeting of 2022-03-25, if there is a list of names, they should be separated by a semicolon or vertical bar (*i.e.*, the ‘|’ character) and the information should be entered in a uniform manner (*i.e.*, “på ett enhetligt sätt”). However, a list of partner names in canonical form is not yet available. Moreover, it was also noted that if the name of the company or organization is confidential, then the field should contain the string “Confidential” and when the DiVA entry is made, the actual name of the company or organization should be entered in the “Internal” information field (*i.e.*, “intern kommentar”) in DiVA. Unfortunately, it is unclear how the DiVA administrator would know this information. However, the KTH Biblioteket (KTHB) bibliometrics unit is interested in this data, as is the Gemensamt verksamhetsstöd (GVS) unit working with industrial relations.

2.3 Supervisor macros

Several macros are defined to handle information about each of your supervisors. You can edit these entries in the `custom_configuration.tex` file or generate them using a program.

Listing 1 shows the case of a program generating the information for a supervisor who has the e-mail address “maguire@kth.se”. It shows the case for the first supervisor when the supervisor is in the Canvas course 11. Because the supervisor is enrolled in this course, the program can get information about the supervisor based on their e-mail address. Listing 2 shows the case for supervisor ‘B’. Listing 3 shows the case for an external supervisor ‘C’. Note that the information about the school and department (in the case of a supervisor within KTH) requires the user have a KTH Application Programming Interface (API) key ^{*}.

Listing 1: Generating L^AT_EX commands for a KTH supervisor

```
./whoami_for_latex.py maguire@kth.se 11
% If not the first supervisor, then replace supervisorAs with
  ↪ supervisorBs or supervisorCAs as appropriate
\supervisorAsLastname{Maguire}
\supervisorAsFirstname{Gerald Quentin}
\supervisorAsEmail{maguire@kth.se}
% If the supervisor is from within KTH add their KTHID, School
  ↪ and Department info
\supervisorAsKTHID{u1d13i2c}
\supervisorAsSchool{\schoolAcronym{XXX}}
\supervisorAsDepartment{unknown}
```

Listing 2: Generating L^AT_EX commands for a KTH supervisor B

```
./whoami_for_latex.py maguire@kth.se 11 B
\supervisorBsLastname{Maguire}
\supervisorBsFirstname{Gerald Quentin}
\supervisorBsEmail{maguire@kth.se}
% If the supervisor is from within KTH add their KTHID, School
  ↪ and Department info
\supervisorBsKTHID{u1d13i2c}
\supervisorBsSchool{\schoolAcronym{XXX}}
\supervisorBsDepartment{unknown}
```

^{*}However, if you do **not** have an API key, the program cannot output the school or department information. You are, of course, free to write your own program, revise the program, or manually edit the entry in the file. The program is available from <https://github.com/gqmaguirejr/Canvas-tools>.

Listing 3: Generating L^AT_EX commands for an external supervisor

```
./whoami_for_latex.py json@company.com 11 C
Could not find user with e-mail address json@company.com in
  ↪ course 11
You will need to manually edit the following entry
\supervisorCsLastname{lastname}
\supervisorCsFirstname{firstname}
\supervisorCsEmail{json@company.com}
% Other: for a supervisor outside of KTH add their organization
  ↪ info
\supervisorCsOrganization{xxxxx University , Department of yyyy}
```

2.4 Some other macros to set

Some additional configuration that the author might do is to set the values of the macros related to the course cycle, date of the thesis, degree/exam name, subject area, and if the work for the degree is done external to KTH to set the host information (see the file `custom_configuration.tex`). Consider the snippet below for a doctoral student in Information and Communication Technology (INFKTEKN):

```
\date{\today}           % set the date to today - can be used in
  ↪ rare cases,
                        % if another date is needed on the title
                        ↪ page

\courseCycle{3}

% Education subject codes are listed in lib/school_subjects
  ↪ _3rdcycle.ins
\educationSubjectcode{INFKTEKN} % stores your education
  ↪ subject code for later use

% Use the default subject for your educational code or
  ↪ manually specify it
\subjectArea{\educationcodeToString{INFKTEKN}}
% looks up the English or Swedish name of your subject
```

Note that in the macros you have to give the English or Swedish names in the arguments to `\degreeName` and `\subjectArea` (depending on the language used for the thesis).

The set of possible values for the degree names in the arguments to `\degreeName` are:

```
\degreeName{Doctorate}
%\degreeName{Licentiate}

% To support Doctor of Philosophy and Licentiate of
  ↳ Philosophy degrees in addition to Tekn. Dr. and Tekn.
  ↳ Lic. - Uncomment the following line.
%\degreeModifier{Philosophy}
```

If you have set the language of the thesis to Swedish, the template will automatically insert the appropriate degree names in Swedish on the cover.

You can find a list of the third-cycle program codes and school acronyms in the file: `lib/schools_and_programs_3rd_cycle.ins`.

2.5 Setting the National subject categories

National subject categories are a **required** field in the DiVA record. These categories follow a definition by SCB (nowadays known as Statistikmyndigheten or in English: Statistics Sweden) and HSV (Högskoleverket - nowadays known as Universitetskanslersämbetet (UK-ämbetet) and Universitets- och högskolerådet (UHR) or in English: Swedish Higher Education Authority and Swedish Council for Higher Education). While these codes refer to research areas, these codes are also used at KTH to indicate the area of the thesis. The Linköping University library advises using 5-digit codes when possible.

An example of a thesis in Computer Science and Computer Systems:

```
\nationalsubjectcategories{10201, 10206}
```

You can find examples of the subjects and their codes in Table 1. The complete list can be found at <https://www.scb.se/contentassets/3a12f556522d4bdc887c4838a37c7ec7/standard-for-svensk-indelning--av-forskningsamnen-2011-uppdaterad-aug-2016.pdf> and

<https://www.scb.se/contentassets/10054f2ef27c437884e8cde0d38b9cc4/oversattningsnyckel-forskningsamnen.pdf>

`README_notes/National_Subject_Categories.tex` also contains the full list. This file can be processed separately by selecting this filename as the main document or by simply clicking on the file in the list of files and then clicking on the “Recompile” button. The full list is ~16 pages long.

Table 1: Examples of some national subject categories and their codes

Code	Category (in Swedish)	Category (in English)
102	Data- och informationsvetenskap (Datateknik)	Computer and Information Sciences
10201	Datavetenskap (datalogi)	Computer Sciences
10202	Systemvetenskap, informationssystem och informatik (samhällsvetenskaplig inriktning under 50804)	Information Systems (Social aspects to be 50804)
10203	Bioinformatik (beräkningsbiologi) (tillämpningar under 10610)	Bioinformatics (Computational Biology) (applications to be 10610)
10204	Människa-datorinteraktion (interaktionsdesign) (Samhällsvetenskapliga aspekter under 50803)	Human Computer Interaction (Social aspects to be 50803)
10205	Programvaruteknik	Software Engineering
10206	Datorteknik	Computer Engineering
10207	Datorseende och robotik (autonoma system)	Computer Vision and Robotics (Autonomous Systems)
10208	Språkteknologi (språkvetenskaplig databehandling)	Language Technology (Computational Linguistics)
10209	Medieteknik	Media and Communication Technology
10299	Annan data- och informationsvetenskap	Other Computer and Information Science
202	Elektroteknik och elektronik	Electrical Engineering, Electronic Engineering, Information Engineering
20201	Robotteknik och automation	Robotics
20202	Reglerteknik	Control Engineering
20203	Kommunikationssystem	Communication Systems
20204	Telekommunikation	Telecommunications
20205	Signalbehandling	Signal Processing
20206	Datorsystem	Computer Systems
20207	Inbäddad systemteknik	Embedded Systems
20299	Annan elektroteknik och elektronik	Other Electrical Engineering, Electronic Engineering, Information Engineering

2.6 Setting the UN's Sustainable Development Goals (SDGs) information

The UN's Sustainable Development Goals (SDGs) codes are needed for a field in the DiVA record. Some examples of these SDGs are shown in Table 2.

<code>\SDGs{ }</code>	comma-separated list of SDG codes - each a numerical value
-----------------------	---

You should include those that your thesis contributes to. An example of a thesis supporting SDGs 8 and 9:

 $\backslash \text{SDGs} \{8, 9\}$

Table 2: UN's SDGs

SDG	Category (in English)	Category (in Swedish)
1	No poverty	Ingen fattigdom
2	Zero hunger	Ingen hunger
3	Good health and well-being	God hälsa och välbefinnande
4	Quality education	God utbildning för alla
5	Gender equality	Jämställdhet
6	Clean water and sanitation	Rent vatten och sanitet för alla
7	Affordable and clean energy	Hållbar energi för alla
8	Decent work and economic growth	Anständiga arbetsvillkor och ekonomisk tillväxt
9	Industry, innovation and infrastructure	Hållbar industri, innovationer och infrastruktur
10	Reduced inequalities	Minskad ojämlikhet
11	Sustainable cities and communities	Hållbara städer och samhällen
12	Responsible consumption and production	Hållbar konsumtion och produktion
13	Climate action	Bekämpa klimatförändringarna
14	Life below water	Hav och marina resurser
15	Life on land	Ekosystem och biologisk mångfald
16	Peace, justice and strong institutions	Fredliga och inkluderande samhällen
17	Partnerships for the goals	Genomförande och globalt partnerskap

As with most of the information in the `custom_configuration` file, you can revise it as needed, but it is helpful to provide a starting point to keep your focus.

3 Background about the thesis and its defense

The thesis (if a monograph) or the kappa (if a compilation thesis) becomes a public document from the time of the posting (“nailing up”*) of the thesis in public. At KTH, the thesis should “be made available (posted) in both printed and electronic form, at least three weeks prior to the doctoral defense or licentiate seminar” (see About posting a thesis). This period **excludes** the summer recess and semester breaks.

The printer must send printed copies of the full thesis to the National Library of Sweden and a list of repository libraries distributed around Sweden. Additionally, it is customary to send the thesis to others, such as the department(s) at other universities that might be interested in this thesis. At KTH, the public document can be made available via DiVA, and a printed copy is **always** available on request from the Registrar’s Office at KTH (*registrator@kth.se*).

An important thing to understand about the doctoral/licentiate oral disputation (or public defense[†]) is that it is the **thesis** (published weeks in advance) - plus possible errata (presented *before* the start of the defense)[‡] - that has to be defended[§]. At KTH, there is **no** possibility to *revise* a thesis *after* a defense. This is unlike the case in many U.S. universities where the thesis is not published before the oral defense; hence, the thesis can be revised *after* the defense to address issues brought up at the defense.

At KTH, the outcome of the defense (as decided by the grading committee)[¶] is either **Pass** or **Fail**^{||}. If the decision is **Fail**, then the student will need to write a new thesis and defend it, but the previously published thesis remains in DiVA, and the previous thesis is still in the national and repository libraries. Note that there is **no** possibility to simply revise the thesis and have a new defense^{**}.

*In Swedish: spikningen

†Chapter 8, Section 13 of the *Higher Education Ordinance* (1993:100), dissertations shall be defended publicly

‡For formatting of the errata see Section 9.

§The oral defense is really a defense of the **thesis** and **not** an *evaluation* of the **student**.

¶The members of the grading committee do not include the supervisors of the student. The members of the grading committee cannot have any conflicts of interest with the student, such as having been a co-author with the student on prior publications, sponsored the student’s research, *etc.*

||For further background see, “Guideline on Third-Cycle Studies”, V-2019-0111 https://intra.kth.se/polopoly_fs/1.1306945.1724056475!/Guideline-on-Third-Cycle-Studies-V-2024-0221%20%28translation-of-Swedish-original%29.pdf, last amended by V2024-0221.

**This is unlike the case at Stockholm University, where there is the possibility for a student

14 | Background about the thesis and its defense

The paragraph above emphasizes the importance of an **Errata** — if there are any changes that should be made since the thesis was published, as they need to be announced *before* the defense.

Traditionally, the convener of the defense asks the student two questions:

1. “Do you wish to withdraw your thesis before the defense?”
2. “Do you have any errata to announce before the defense?”

If the answer to the first question is “Yes”, then there is no second question and the defense ends. If the answer to the first question is “No” and the answer to the second question is “Yes”, then the student presents the errata. In simple cases, this might be done orally, but in more complex cases, the student makes a printed version of the errata available (along with the printed thesis) at the time of the defense. These errata formally become part of the thesis that is to be defended. Therefore, the errata should be uploaded as supplementary material for the thesis in DiVA, as they help define what the thesis was that was defended.

3.1 Forms of theses at KTH

There are two major forms of third-cycle theses at KTH*:

1. Compilation thesis (see Section 3.1.1) and
2. Monograph (see Section 3.1.2).

A large fraction of third-cycle theses at KTH are compilation theses, and most of the rest are monographs. Therefore, the template should help students using the compilation thesis form.

For example, in 2024, for all of KTH, there were about 2× as many compilation theses as monographs at the licentiate level and 10× as many at the doctoral level. However, there is very high variance between the schools, with

who fails to address the written deficiencies noted by the opponent and grading committee and then submit (once) a revised thesis — to address these issues to the satisfaction of the grading committee. If the student fails to do so, then they will need to do a new thesis and have a new defense.

*While the template includes support for textual & image artifacts and references to other types of artifacts, I have not fully considered additional types of media, such as video, audio, physical artifacts, ..., and artistic output. I apologize in advance that the template might not suit a student in a doctoral program, such as: Architecture, “Art, Technology and Design”; and others. Constructive suggestions for improving the template are welcome.

some schools having no or few licentiate monographs while EECS had more licentiate monographs than compilation theses and only having 5× the number of compilation theses as monographs at the doctoral level (see Table 3). Section 10.3 also shows the variance between schools.

Table 3: Theses 2020–2024. 'C' = Compilation type thesis and 'M' = monograph type of thesis.

School	Year	Total Thesis	Licentiate		Doctoral		C/M ratios	
			M	C	M	C	licentiate	doctoral
ABE	2020	738		13	9	22		2.4
ABE	2021	715	1	18	9	23	18	2.6
ABE	2022	711	1	11	3	34	11	11.3
ABE	2023	653	2	19	8	23	9.5	2.9
ABE	2024	734	4	11	7	19	2.75	2.7
CBH	2020	296		3		57		
CBH	2021	290		5		51		
CBH	2022	338		1		65		
CBH	2023	307		6		50		
CBH	2024	384		1		63		
EECS	2020	954	8	5	15	37	0.63	2.5
EECS	2021	926	8	6	20	42	0.75	2.1
EECS	2022	932	6	6	13	56	1	4.3
EECS	2023	960	9	9	18	50	1	2.8
EECS	2024	998	8	7	13	65	0.88	5.0
ITM	2020	610		2	4	45		11.3
ITM	2021	599	2	6		47	3	
ITM	2022	483	2	7		30	3.5	
ITM	2023	703		2	3	31		10.3
ITM	2024	545		1	1	22		22.0
SCI	2020	394		8		43		
SCI	2021	409		7		50		
SCI	2022	358		5	1	61		61.0
SCI	2023	444	1	10	1	53	10	53.0
SCI	2024	391		7	1	53		53.0

3.1.1 Compilation thesis

A compilation thesis, in Swedish *sammanläggning*, consists of a “Kappa”, *i.e.*, a comprehensive summary of the thesis, and a set of publications (included in the thesis*). Ideally, the Kappa helps establish the so-called “red thread” that ties the set of included publications together. Because the kappa is written *after* the publications included in the thesis, it can exploit information from all the separate publications — (ideally) to tie them together in a readily understandable way.

For an excellent description of the kappa, issues to consider when writing it, and its relation to the Intended Learning Outcomes (ILOs) associated with a given degree, see KI’s web page *Content of the thesis* at <https://staff.ki.se/doctoral-education/time-to-defend-your-thesis/content-of-the-thesis>. The document “EECS Kappa guidance-20240910.pdf” relates the degree objectives of the Individual Study Plan (ISP) to the parts of the kappa.

One problem with a compilation thesis is that (especially for industrial doctoral students) these publications may span a long period of time. During this time, the notation that is used may have changed, assumptions and constraints may have changed, background information may have changed, *etc.* This can make it difficult for a reader to simply read the set of included publications and understand how they fit together, *i.e.*, see the bigger picture - hence, the advantage of a monograph.

The changes noted in the previous paragraph may also make the oral defense of a compilation thesis more difficult — as the student, opponent, and others may have to work harder to use information from the kappa to understand the totality of the thesis being defended.

An advantage (as seen by many) is that there has already been a peer review of each of the peer-reviewed publications; hence, the grading committee will generally recognize the individual publications as having been defended. As a result, the focus will be on the kappa and whether the kappa, together with the included publications, reaches the level expected for the degree for which the student is applying.

NB As logically, the thesis consists of two parts: the kappa and the included publications — these may be formatted in $\LaTeX$ as Part I and Part II or `\part{Kappa}` and `\part{Included publications}`. These parts would typically be numbered with capital Roman numerals.

*Note that the Karolinska Institutet (KI) documentation refers to these publications as “the constituent papers”.

This template defines such formatting; **despite** the conflict with US-AB's numbering of included publications. I consider this acceptable, as this template employs a different scheme for referencing the included publications; hence, capital Roman numerals have a consistent meaning — they denote the parts of the overall document.

For information about how to include your publications, see Section 7.

NB Some programs have specific requirements on the number of papers and the student's contributions to them. For example, the “Studieplan för ämne på forskarnivå: Nationalekonomi” 2017-02-16, dnr: V-2017-0040 specifies that the compilation thesis should include at least four publishable scientific articles. Of these, the doctoral student must be the responsible first author of at least one article and the sole author of at least one article. It goes on to say that by the time of the defense, at least two articles should be accepted for publication in internationally recognized scientific journals with peer review.

3.1.2 Monograph

While it might seem that a monograph lacks the “the work has already been peer-reviewed” aspect of a compilation thesis, this is *not* always the case. Many theses that are written as a monograph may be based on one or more peer-reviewed papers, patents, and other peer-reviewed content. As a result, there are monographs that have papers, patents, *etc.*, that are *implicitly* included in the thesis — these publications will be enumerated and the student's contributions to each of them will be specified. This is typically done in the first chapter of the thesis in a section entitled “Research Contributions”.

When the author(s) has (have) retained the copyright for a publication, they can include a new version of this publication as a chapter in their thesis. This chapter usually has a suitable citation to the published work and if there are co-authors, it indicates that the co-authors have agreed to the inclusion of this material into the thesis. The citation and note about the agreement by the co-authors are usually included on the first page of the chapter.*

In some cases, some or all of the student's relevant publications are included as appendices to the thesis to simplify making them available to the reader. There are also monographs where none of the material has previously been peer-reviewed.

*Some research groups have a policy that a given publication can only be included in the thesis of *one* student. Then the other students in the group will refer to the publication and/or chapter when writing their own thesis.

An advantage of a monograph is that the student has the opportunity to present the work in an integrated fashion, using all of the knowledge and insights that they have gained in their research. This typically means that the monograph can use consistent notation, models, *etc.*, ; rather than having different notations and models that might exist in prior publications (if any). This often makes the defense by the student simpler (due to the consistency that they can exploit), but it may lack the advantage of the argumentation based on previously published peer-reviewed publications. For the latter reason, it is important for the student to be able to carefully describe their contributions and the results of previous work.

NB It is perhaps important at this point to note that at KTH there is **no** general requirement that the student have *any* published peer-reviewed publications, but rather the requirement is that the whole thesis would be at the level of an internationally peer-reviewed publication. As noted above, a program can have specific requirements.

NB It is also worth noting that a doctoral thesis may include material from the student's own licentiate thesis; hence, this material has been previously orally defended.

3.2 Typical lengths

Doctoral and licentiate candidates frequently inquire about expected page counts. While there is no institutional upper bound on thesis length, very few third-cycle theses exceed 1 000 pages, and document length does *not* necessarily correlate with scholarly quality. You should include the material you consider relevant without worrying about page counts. This freedom allows you to structure and place your content to make the reader's task easier. Section 10.3 (starting on page 47) provides an empirical breakdown of thesis lengths across KTH schools and types of theses.

4 Configuration of the template

The template is highly configurable. Two major mechanisms are used: passing configuration options to the document class, *i.e.*, `\documentclass` (Section 4.1) and setting various values via macros. A third mechanism is via flags, but much of this happens behind the scenes.

Note that in many of the following examples of passing configuration options to the document class, you can pass multiple options separated by commas.

4.1 Document class options

One of the first steps is to configure the document class options. Listing 4 shows the `\documentclass` with *some* of the options. Note that the option indicating your choice of the main language is set in title case; this is to avoid confusion with the babel options that can be given in lowercase — but need **not** be given in this template — because your choice of English or Swedish will automatically pass the correct values to babel.

Listing 4: Configuring the documentClass

```
\documentclass [
English,           % the language of the body of the
    ↪ document: English or Swedish
%includepublications, % uncomment - if you want to include
    ↪ publications for a compilation thesis - also creates
    ↪ divider pages
%includeExtraAbstracts, % uncomment to allow abstracts in
    ↪ languages beyond English & Swedish
%nomomenclature,      % add the option nomenclature
%digitaloutput,        % optimize for digital output (this
    ↪ changes the color palette)
%final,               % turn off all of the todo notes
%%%%%%%%%% Fonts/Scripts and Languages %%%%%%%%%%%
%EnableAlbanianAbstract, % include Albanian abstract
%
%EnableArabicFont,      % enable Arabic font
%EnableArabicAbstract, % include Arabic abstract
%
%EnableCatalanAbstract, % include Catalan abstract
%
%EnableCentralkurdishAbstract, % include Centralkurdish
    ↪ Abstract
%
%EnableChineseSimplifiedFont, % enable Chinese Simplified
    ↪ font
%EnableChineseSimplifiedAbstract,% include Chinese
    ↪ Simplified abstract
%
%EnableDanishAbstract,  % include Danish abstract
%EnableDutchAbstract,   % include Dutch abstract
```

20 | Configuration of the template

```
%EnableEstonianAbstract, % include Estonian abstract
%EnableFinnishAbstract,  % include Finnish abstract
%EnableFrenchAbstract,   % include French abstract
%EnableGermanAbstract,   % include German abstract
%
%EnableGreekFont,        % enable Greek font support
%EnableGreekAbstract,    % include Greek abstract (this will
    ↪ enable Greek font support if it is not already enabled
    ↪ )
%
% ...
]{kththesis}
```

1. Your first choice is the language of the body of the thesis (see Section 4.2).
2. If you are going to write a compilation thesis, then enable the `includepublications` option, by uncommenting this line. Otherwise, the default is to format as a monograph.
3. If you want abstracts in addition to the required English and Swedish abstracts, then enable the `includeExtraAbstracts` option by uncommenting it. Then choose which language abstract(s) to include by uncommenting the appropriate `EnableXXXXAbstract` option. Note that it is possible to enable some of the fonts *independently* of abstracts that might use this font. For example, you might want to have Greek characters in a short passage; thus, you need to give the option `EnableGreekFont` and use the `\foreignlanguage{greek}{xxxxxx}` construct. However, if you want to have an abstract in Greek, then give the option `EnableGreekAbstract`; this will automatically enable the Greek font. If you enable a font that uses right-to-left order, bidirectional printing (also known as `bidirectional` in `babel`) will be automatically enabled.

If you do *not* enable the `includeExtraAbstracts` option, then the template will give you a message about enabling this option and adding additional abstracts. Note that if you enable the option and do *not* enable any additional abstracts, the page of information is *not* shown.

You can add support for other languages and abstracts. This is relatively easy if you want to use a language supported by babel. * If not, there is additional work to be done.

4. If you want to have a nomenclature page, enable the `nomenclature` option.
5. If you want to optimize the colors for digital media, then enable the `digitaloutput` option.

4.2 Setting the language of the thesis

You can set the default language to “English” or “Swedish” by passing an option to the `\documentclass` command.

The language option “Swedish” sets the conditional `\ifinswedish` to true. Among other things, this conditional configures the KTH cover and the title page to use the chosen language.

The template is designed to handle a thesis written in English or Swedish[†]. This template **only** supports English and Swedish covers (as no other cover format has been defined).

If you need to have another language for the body of the thesis, change the configuration of babel in the `kththesis.cls` file and change the language specified in `\selectlanguage{english}` before the commands: `\setcounter{page}{1}` and `\chapter{Introduction}`.

Babel also allows you to change the variant of English from ‘american’ to ‘australian’, ‘british’, ‘canadian’, or ‘newzealand’.

4.3 Bibliography management package

The template is designed to work with the `BIBLATEX` package, which is more modern and supports more entry types than `BIBTEX`, such as datasets and software. Additionally, `BIBLATEX` supports a number of *Non-standard Types*[‡], see

*A list of these languages is given in Section 1.7 of the babel documentation.

[†]As of 2026-09-10, the breakdown by language according to DiVA is: English 10 118, Swedish 280, Spanish 4, Danish 3 (one of these is actually in English), German 3, French 2, Italian 1, Norwegian 1, Polish 1, Portuguese 1, and Russian 1.

[‡]Such as: artwork, audio, commentary, image, jurisdiction, legislation, legal, letter, movie, music, performance, review, standard, and video

§ 2.1.3 of the documentation for the `BIBLATEX` package (*The BIBLATEX Package: Programmable Bibliographies and Citations*). `BIBLATEX` also offers additional citation functionality, such as `\fullcite`. `BIBLATEX` supports a large number of languages (see *Table 2: Supported Languages* of the package documentation). See also Bibliography management with `biblatex`. The template supports many types of Persistent Identifiers (PIDs); see `lib/biblatex-and-friends.tex` for details.

You can, of course, also modify the formatting of the citations and bibliography. See, for example, the following code snippet:

```
% Default style (common for engineering theses):
\usepackage[language=english,
  style=ieee,
  isbn=true,
  maxbibnames=99, % Print full author lists in
    ↪ bibliography
  maxcitenames=2, % Keep in-text citations
    ↪ compact (e.g., Yu et al. [10])
  mincitenames=1, % Truncate to first author +
    ↪ et al. in citations
  giveninits=false, % Render full given names
    ↪ where available
  refsection=none,
  refsegment=none,
  datamodel=ext-eprint, % Support extended PIDs (
    ↪ Handles, MR, etc.)
  backend=biber]{biblatex}

% Alternatively, an author-year scheme:
%\usepackage[bibstyle=authoryear, citestyle=authoryear,
  ↪ maxbibnames=99, language=english, backend=biber]{
  ↪ biblatex}

\addbibresource{references.bib}
%\DeclareLanguageMapping{norsk}{norwegian}
```

4.4 Configuring for including publications

If you are including publications in your thesis, add the `includepublications` option to the `\documentclass`. For further details, see Section 7.

4.5 Setting some other options

To optimize for digital output (this changes the color palette), add the option: `digitaloutput`. There are also options for A4 (the default) or G5 paper: `a4paper` or `g5paper` (respectively). There is an option for `nomenclature` to produce and refer to equations. There is the standard `draft` option that renders empty space rather than images. Finally, there is the option `final` that removes the notes and `todo` comments.

5 Starting to write

I generally recommend that every student start by writing a working abstract; this will help you stay focused (see Section 5.1). It also helps to think about which acronyms you want to include. If you are going to use an acronym multiple times, you should add it to your set of acronyms; see Section 5.7. Also helpful when writing are some predefined macros; see Section 5.8. Using acronyms and the predefined macros will save you time and help to ensure consistency in your writing.

Do not be afraid of commenting out or hiding parts of the template that you do not need; see Section 5.9. If you know that you are not going to need specific README files, you can delete them; see Section 5.10.

5.1 Working abstract

To find where you can start to enter your abstract, look in the `examplethesis.tex` file for the line:

```
\generalExpl{Enter your abstract here!}
```

The template already includes a lot of information to help you enter text, equations, *etc.* in your abstract.

NB Abstracts are supposed to stand by themselves; this means no cross-references, citations, *etc.* For more about this see Sections 5.4 and 5.5

While you can include figures and tables in an abstract, (i) this is relatively rare, and (ii) this may cause problems when the abstract is entered into DiVA.

This template and the tools that I have written to help enter the metadata into DiVA do **not** support tables and figures in abstracts.

I suggest avoiding using defined acronyms in abstracts; instead, spell them out rather than using the glossary commands. This is because the `glossaries` package (used to support acronyms) does not directly support multiple languages, and I do not understand how to programmatically create plurals of acronyms in Swedish or other languages. Even in an English abstract, it is desirable to avoid using the glossary commands, as this makes subsequent processing of the abstracts harder, since one has to make sure that the list of acronyms and their definitions are provided to any program that will process this $\text{\LaTeX}$ source code. For this reason, later versions of this template attach the `acronyms.tex` file.

5.2 Structure of the abstracts and summaries

The basic $\text{\LaTeX}$ structure for an abstract or summary is shown below (for the case of an English abstract and a Swedish summary *i.e.*, sammanfattning):

```
\selectlanguage{english}
\begin{abstract}
% The first abstract should be in the language of the
% ↪ thesis.
% Abstract fungerar på svenska också.
  \markboth{\abstractname}{}
\begin{ThesisAbstract}{eng}
\engExpl{Enter your abstract here and remove this line!}
\end{ThesisAbstract}

\keywordHeading{Keywords}
\begin{ThesisKeywords}{eng}
\InsertKeywords{english}
\end{ThesisKeywords}
\end{abstract}
\cleardoublepage
\selectlanguage{swedish}
\begin{abstract}
  \markboth{\abstractname}{}
\begin{ThesisAbstract}{swe}
Skriv in din svenska sammanfattning eller abstrakt här!
\end{ThesisAbstract}

\keywordHeading{Nyckelord}
\begin{ThesisKeywords}{swe}
```

```

\InsertKeywords{swedish}
\end{ThesisKeywords}
\sweExpl{Nyckelord som beskriver innehållet i uppsatsen
  ↪ eller rapporten}
\end{abstract}
\cleardoublepage

```

The three-character code used for the language (such as “eng” or “swe”) is the ISO 639-2 Code – specifically the “B” (bibliographic) variant of these codes — as these codes are used in the DiVA metadata to tag which language is used.

The two abstracts above are special because they used the `\InsertKeywords{XXXX}` command. This is done so that the keywords defined in the `custom_configuration.tex` file can be automatically inserted into the abstracts **and** so that these keywords are known when processing the $\LaTeX$ preface, and thus can be put in the Portable Document Format (PDF) document’s metadata.

5.3 Structured abstracts

Some fields commonly use structured abstracts. These typically have the following parts:

```

Background/Objectives
  <text>
Method
  <text>
Results
  <text>
Conclusions
  <text>

```

Such structured abstracts are typically longer (in word count) than typical abstracts. For an example of such a structured abstract, see [1]. The document is available in both English (*Humor as a protective factor against anxiety and depression*) and Spanish (*El humor como factor protector de la ansiedad y la depresión*) via <https://pmc.ncbi.nlm.nih.gov/articles/PMC6994741/>.

5.4 Abstracts must be able to stand alone

The abstract needs to be able to stand alone; therefore, you **cannot** include citations to your references — as the references are **not** part of the abstract! It is possible (but very rare) to have footnotes as part of the abstract. However, be aware that often, if the abstract is manually entered in DiVA, the footnote might not be entered. In this case, unless your full text is available (*e.g.*, via DiVA), a reader might not have an easy way to find out what the footnote says.

5.5 Automated checking of some properties of abstracts

This template performs some simple checks on the abstract's contents. For example, the template generates warnings if the author includes a citation or cross-reference in the abstract.

To check the abstract, a pair of functions was introduced to save and restore commands, as was done in the package `phfnote`:

```
%% Macros from the package phfnote
% \phfnoteSaveDefs<{}>{identifier}<{}>{list of macro >names}
  ↳ saves the current definitions of the given list of
  ↳ macros under the identifier. The list of macros is
  ↳ specified as a comma-separated list of macro names.

\def\phfnoteSaveDefs#1#2{%
  \csgdef{phfnote@restoredefs@#1}{}%
  \def\@tmpa{#2}%
  \@for\@next:=\@tmpa\do{%
    \global\csletcs{phfnote@restoredefs@#1@ \@next}{\@next}%
    \expandafter\xappto\csname phfnote@restoredefs@#1\endcsname
      ↳ {%
    \noexpand\csletcs{\@next}{phfnote@restoredefs@#1@ \@next}%
  }%
}%

% \phfnoteRestoreDef<{}>{identifier} - restores the saved
  ↳ macros
\def\phfnoteRestoreDefs#1{%
  \ifcsname phfnote@restoredefs@#1\endcsname%
    \csname phfnote@restoredefs@#1\endcsname%
```

```

\else%
  \PackageError{phfnote}{\string\phfnoteRestoreDefs: no such
    definitions stored (#1)}{}
\fi%
}

```

Given these two new macros, we use hooks (provided by the `etoolbox` package) to save the definition of `\cite` before the abstract and restore it afterward — as well as to redefine `\cite` to produce a warning if used within the abstract. Note that in the PDF output, there will be **!cite!** at the place (in the PDF) where the `\cite` was - to draw the user's attention to the error. The same mechanism applies to several other macros.

The code is:


```

\BeforeBeginEnvironment{abstract}{\phfnoteSaveDefs{origcmds
  ↪ }{cite, ref, Cref, cref}%
\renewcommand{\cite}[1]{\NotoSansFont \textcolor{red}{!?\
  ↪ uuline{cite}!?)}\PackageWarning{kththesis}{attempt to
  ↪ use cite command in an abstract}}%
\renewcommand{\ref}[1]{\NotoSansFont \textcolor{red}{!?\
  ↪ uuline{ref}!?)}\PackageWarning{kththesis}{attempt to
  ↪ use ref command in an abstract}}%
\renewcommand{\Cref}[1]{\NotoSansFont \textcolor{red}{!?\
  ↪ uuline{Cref}!?)}\PackageWarning{kththesis}{attempt to
  ↪ use Cref command in an abstract}}%
\renewcommand{\cref}[1]{\NotoSansFont \textcolor{red}{!?\
  ↪ uuline{cref}!?)}\PackageWarning{kththesis}{attempt to
  ↪ use cref command in an abstract}}%
}

\AfterEndEnvironment{abstract}{\phfnoteRestoreDefs{origcmds
  ↪ }}

```

The above produces a warning message that provides the page number where the `\cite` was used in an abstract (see Figure 1). This code could be expanded to handle other undesirable commands in an abstract.



```
Package kththesis Warning: attempt to use cite command in an abstract on input line
523. .examplethesis.tex, 523
```

Figure 1: Example of a warning for use of a citation in an abstract)

The combination of two red Exclamation Question Marks (!?, unicode U+2049) with the command between them (double underlined) was selected as: (i) this string is unlikely in the user’s text, (ii) it was colored red to make it highly visible, and (iii) the offending command is double underlined to help make it visible (even to those who cannot see the color red). While this combination of characters is sometimes turned into an Interrobang glyph (? , unicode U+203D), I chose the Exclamation Question Mark glyph because I found the Interrobang too subtle visually. Additionally, I found that when using struck-through or struck-out characters rather than the double underline, it was too hard to read the name of the command.

5.6 Additional abstract(s)

All theses at KTH are **required** to have an abstract in both *English* and *Swedish*. However, many students also want to add abstracts in additional languages. The template comes pre-configured with skeleton abstracts in many other languages; simply enable them in the `\documentclass`. If you want to use a language that is not already supported, instructions are provided for adding an additional language.

If you use a language that needs a special font, you can add this font to the `kththesis.cls` file. However, this is not necessarily a simple thing to do; see the `README_programmer_notes.tex` file.

5.7 Acronyms

You may want to define an acronym to help you with your writing, as this can both reduce the amount of typing and help your reader by providing consistent use of acronyms. You can find the acronym definitions in the file `lib/acronyms.tex`. The file contains some examples. I generally sort the lines alphabetically to help you find which acronyms have already been defined and to keep track of those I have added.

5.8 Some predefined macros to help when writing

The file `lib/defines.tex` includes some macros that will help you when writing. This includes `\etc`, to give you “*etc.*”, `\eg`, `\ie`, and `\etal`. The file also defines `\first`, `\Second`, ... `\eighth` to give you (i), (ii), (iii), ... (viii). Note that ‘Second’ is written with an initial capital letter to avoid conflict with the unit ‘second’ in the `siunitx` package.

5.9 Removing and hiding parts that you do not want

You will likely find parts of the template you do not want/need. One way to deal with this is to delete them; another is to comment them out. Personally, I like to comment things out in case I actually want to read them in the $\LaTeX$ source file or uncomment them later. To comment out a portion of the file, simply use the `comment` environment:

```
\begin{comment}
  **** what you want to comment out ****
\end{comment}
```

The `comment` package is one of the first packages in the `kththesis.cls` file, so you can use these two commands — almost everywhere. Note that both commands must be placed at the **start of lines**, otherwise they will not work as intended!

For example, if you are not interested in the Swedish language `todo` notes, you can look for lines with “`\sweExpl`” in them and comment them out (or delete them). You can also uncomment the line `\renewcommand\sweExpl[1]{}{}` in the `custom_configuration` file, and these notes will not be shown when you compile the thesis. Similarly, for other types of explanations and warnings.

⚠ Commenting out some parts of the document or `kththesis.cls` file can break the functionality of the template!

5.10 Removing README_notes and README files

At some point, you will no longer want the various README information. You can then remove the **README_notes** directory and the files `Quick_Start_Guide.tex` and `README_3rd_cycle_author.tex`. However, you might find them useful (even if you do *not* read them), as they provide a lot of $\LaTeX$ examples.

6 Considerations while writing

After you start writing, you will have other issues to address. One of these is what copyright or license you want to use; see Section 6.1. Another consideration will be using a variety of fonts. Consistent font use can help your reader and facilitate your writing. However, there are some issues to be concerned with; see Section 6.2. As you write, you may want to split your document up into pieces to make it easier for you to work with it; see Section 6.3.

If you are writing a compilation thesis, you also need to organize your publications and ensure that you have all of the relevant permissions; see Section 7.

By the late stage of your writing, you should think about whether you need to have a statement about your use of generative AI; see Section 8.

After printing, you also need to consider writing about any errata that have been found before the start of the defense; see Section 9.

6.1 Copyright or Creative Commons License

The student must decide whether to use a traditional copyright or another form, such as a Creative Commons (CC) license. However, in Sweden, each thesis is a public document; therefore, the student *cannot* prevent the university from providing a printed copy to anyone who asks for one (see Section 3). Therefore, if a student uses the traditional copyright form, the student must give the university permission to distribute printed copies of the thesis. Regarding DiVA, the KTH Library has a Media Agreement form * for this purpose.

It is possible to have several variants of the bookinfo page[†]:

copyright If you want to have a bookinfo page, include the line saying `\bookinfo` page.

Creative Commons (CC) If you want to have a bookinfo page but want to have a Creative Commons license, then include `\bookinfo` page and use and configure the `doclicense` package as described below.

none If you do **not** want to have a bookinfo page, comment the line saying `\bookinfo` page and add a `\cleardoublepage`.

* Agreement regarding publication

[†] When printed double-sided, the bookinfo page is the back of the title page.

For background about Creative Commons licenses, see: <https://www.kb.se/samverkan-och-utveckling/oppen-tillgang-och-bibsamkonsortiet/open-access-and-bibsam-consortium/open-access/creative-commons-faq-for-researchers.html> and <https://kib.ki.se/en/publish-analyse/publish-your-article-open-access/open-licence-your-publication-cc>.

Note that the lowercase version of the Creative Commons license has to be used in the modifier, *i.e.*, one of: “by”, “by-nc”, “by-nd”, “by-nc-nd”, “by-sa”, “by-nc-sa”, or “zero”. For the list of supported licenses, see the `doclicense` package documentation.

Note that if the `doclicense` package is used, it automatically redefines `\bookinfo` to be `\bookinfoCC`.

6.1.1 Example configuration to have a CC BY-NC-ND license

```
\usepackage[
  type={CC},
  modifier={by-nc-nd},
  version={4.0},
  hyphenation={RaggedRight},
]{doclicense}
```

Note that the option “hyphenation=RaggedRight” can be used with the configuration of the package to set the license information with a ragged right margin rather than as a filled and justified paragraph.

6.1.2 Example configuration to have a CC BY-NC-ND license with a Euro symbol rather than a Dollar sign

```
\usepackage[
  type={CC},
  modifier={by-nc-nd},
  version={4.0},
  imagemodifier={-eu-88x31}, % to get Euro symbol rather
    ↳ than Dollar sign
  hyphenation={RaggedRight},
]{doclicense}
```

6.1.3 Example configuration to have a CC0 license

```
\usepackage[
  type={CC},
  modifier={zero},
  version={1.0},
]{doclicense}
```

6.2 Use of fonts

Font choice is a very individual matter and may be affected by the kind of content you are writing, the language you are writing in, and what you want to convey to your reader. However, some points to keep in mind are:

- Use fonts with serifs for the body of your thesis; their presence makes it much easier for your reader.
- Use sans serif fonts for headings. This helps your reader distinguish them from the body.
- Be very careful when using fonts that are not widely available*. Unless you embed the fonts that you have used, your readers may not see what you want them to see. Ideally, you should embed all fonts — even if you only embed the subset you use.
- Although there are fonts that have a huge number of characters in them, they might not have the characters that you need.
- There are also fonts that, although they have a vast number of characters in them, do not have the math table that $\text{\LaTeX}$ needs to be able to set mathematical content[†].

*For example, even though it is widely used, not everyone has the Arial font. Additionally, it is a proprietary font; thus, you need to have an appropriate license to use it.

[†]An example of such a font is Google's Noto font. Although it includes a vast number of characters, it lacks a math table — although there is an awareness of this missing feature. This is a reason why text set in Noto needs special effort to intersperse mathematical expressions in it — *i.e.*, explicitly adding commands to set the mathematical expressions in another font. For example, if you configure unicode characters (such as ♂ and ♀, shown in this section — you can include them in title, subtitles, *etc.*).

- Many fonts are proprietary; thus, you need to consider whether you have an appropriate license to use them.

Caution, the thesis template “Avhandlingsmall Word” from <https://www.kth.se/student/studier/examensarbete/avhandlingarochexamensarbeten/mall-for-avhandling-1.458236> uses a number of proprietary fonts.

What can you do when the fonts you use are missing characters that you need to use? One solution is to use a font that includes the character(s) you want, then use them where you need them. For example, one can access additional symbols with code such as*:

```
% dangerous bend (caution Sign) ⚠
\newunicodechar{⚠}{\iffontchar\font`⚠ ⚠\else{{\mystixmathfont ⚠}}\fi}

% female symbol ♀
\newunicodechar{♀}{\iffontchar\font`♀ ♀\else{{\mystixmathfont ♀}}\fi}
% Male symbol ♂
\newunicodechar{♂}{\iffontchar\font`♂ ♂\else{{\mystixmathfont ♂}}\fi}
% \checkmark symbol ✓
\newunicodechar{✓}{\iffontchar\font`✓ ✓\else{{\mystixmathfont ✓}}\fi}
```

The above commands enable you to use these unicode characters *without* being in math mode. The commands basically say, if the character is in the current font, then just use it, else replace it with the Scientific and Technical Information Exchange (STIX) Two Math character shown.

The characters above were chosen more or less randomly, except for ♀, which was included because it occurs in a thesis title (as described in a README file) and dangerous bend (caution Sign) ⚠ as it is used in this document and other documents.

The details of working with different fonts and characters are a rather complex area and not for the faint-hearted. However, if you **really** want to have specific characters, Lua^LTeX has the means to help you realize what you want. For some examples, see the font setup in `kththesis.cls` and the titles of some of the example publications (see other README files).

*Note the use of `escapechar` in the listing to escape to $\TeX$ to render the glyphs using `\mystixmathfont`.

6.2.1 Use of fonts on the covers, title page, and book info pages

The thesis template “Avhandlingssmall Word” from <https://www.kth.se/student/studier/examensarbete/avhandlingar/examensarbeten/mall-for-avhandling-1.458236> does not include the cover, title page, and book info pages, as the assumption is that US-AB will make these pages for a third-cycle thesis. However, for students and their supervisors, it is important to include at least the title and book information pages so they can identify the document and ensure the content is correct. Therefore, I have developed covers, title page, and book information page based on my examination of some existing printed theses or PDF files of recent theses. These pages primarily use different font faces from the Figtree font family.

Section 2.1 on page 3 discusses issues with including mathematical content or characters not in Figtree in titles, subtitles, and headings.

An open question is *which* unicode characters you should utilize when there are multiple characters that look very similar? For example, there is Latin Small Letter Alpha (U+0251 α), Greek Small Letter Alpha (U+03B1 α), and Mathematical Italic Small Alpha (U+1D6FC α) — with its bold (U+1D6C2 α) and bold italic (U+1D736 α) versions, as well as sans-serif bold (U+1D770 α) and sans-serif bold italic (U+1D7AA α) versions.

While it generally is possible to get the glyphs that you want displayed on your cover, title page, and book info pages, there might be trouble getting these into LADOK and even with the use of Hypertext Mark-up Language (HTML) code to get them into DiVA. For more details, see Section 10.1.

6.2.2 Use of fonts within the thesis

The thesis template “Avhandlingssmall Word” specifies the use of fonts for the preface pages and the body of the thesis. Figtree has been used as a sans serif font for headings. They specified Georgia, a proprietary font, as the serif font for the body.

In contrast, this template uses TeX Gyre Termes, a Times-like font, as the main font; TeX Gyre Heros, a Helvetica-like font, as the sans serif font; TeX Gyre Cursor, a Courier-like font, as the monospaced font; and STIX Two Math font as a math font*. Additionally, TeX Gyre Pagella Math can be used as the math font.

*See the STIX Fonts project (stixfonts) at <https://www.stixfonts.org/>.

Additionally, the template makes available the STIX Two Math font as `\mystixmathfont`. This font contains a very large number (more than 5 200) of glyphs; see the CTAN* documentation for the package “`stix2-otf` — OpenType Unicode text and maths fonts”. Moreover, the STIX fonts are available under the SIL Open Font License. For additional information, see OpenType-based math typesetting: An introduction to the STIX2 OpenType fonts.

An example of defining a new font `\mystixmathfontSSa` is:

```
% To access the Stylistic Set 1 <ss01> such as  $\mathcal{H}$ 
\newfontfamily\mystixmathfontSSa{STIX Two Math}[
  ↪ StylisticSet=1]
```

This defines a new font that utilizes the Stylistic Set 1 <ss01> — giving you access to roundhand glyphs rather than Chancery Script alphanumeric symbols (often referred to as Mathematical Script or Calligraphic characters). It is also possible to access character variants of OpenType fonts by specifying an option, such as `[CharacterVariant=3]`. For a discussion of OpenType features, see <http://learn.microsoft.com/en-us/typography/opentype/spec/featuretags>.

6.3 One big thesis file or a master file with includes of the parts

Many students split their thesis into multiple files (such as `introduction.tex`, `background.tex`, `method.tex`, `what-you-did.tex`, `results-and-analysis.tex`, `discussion.tex`, `conclusion-and-future-work.tex`) and then include these in their main document (with a series of `\include{xxxx}`). There can be a problem with compiling the project in Overleaf, as Overleaf does not always handle the separate files as one document (unless you use `\documentclass[examplethesis.tex]{subfiles}` for each of the files and use `\subfile{filename}` to include them in your main file - these commands tell L^AT_EX that a file is part of a larger document and identify the parent document)[†]. Although I have had some students do this successfully, and they liked being able to compile just a part of their thesis. I have not used this for the `examplethesis.tex` file[‡].

*Comprehensive T_EX Archive Network

[†]Even then, it may have problems - for example with getting the correct fontspec information for Figtree.

[‡]I thought it was simpler to have it as a single file.

There are some advantages to splitting the document into different parts:

- Overleaf has a limit on the number of changes that it can track - but this limit is per-file! [Yes, I have gotten bitten by this when I attempted to make more changes and comments than this limit and had to stop marking up a manuscript.]
- Additionally, Overleaf has a per-file size limit (*i.e.*, how large a file can be) — again this is per-file [Yes, I have gotten bitten by this when exporting a Jupyter notebook that produced a $\text{\LaTeX}$ file larger than 50 MB.]

Similarly, many students like to group their figures along with their chapters, *i.e.*, introducing a folder for each part of the thesis and placing both the text and the figures relevant to this section into the folder. A similar approach can be used with included code snippets, tables, *etc.*

Ultimately, I think the main issue is how separate the files are and whether they can be worked on as if they were very independent. This generally is true in third-cycle theses, as the chapters tend to be rather independent - typically with one publication as the focus of a chapter.

However, some might see splitting as a matter of taste, or as different ways to organize your writing. So you and your supervisor(s) might want to discuss which choice best suits your purposes.

7 Including publications

If you are including publications in your thesis, they are typically placed at the end of the thesis, and before each publication is a divider page. The divider page has a tab with a label, such as 'Paper A' or perhaps just a capital Roman numeral. These tabs make it easier for your reader to refer to the publication when you reference it in your thesis or defense. It is also helpful to have some of the details about the publication and the permission to use the publication in your thesis on this divider page. Especially when someone else or another entity holds the copyright, the copyright holder often requires certain information on a page before the included publication.

Add the `includepublications` option to the `\documentclass` to configure the template for including publications. If you have done so, then the end of the `examplethesis.tex` file shows an example of publications with the reference information on the divider page. In addition to the reference, the author

may include other information, such as copyright permissions, *etc.* For illustration purposes, the divider pages and some pages from the included publication are shown for a subset of the publications shown in the List of Publications. How to include the PDF of publications is described in Section 7.1.

The process is fairly straightforward. The $\text{\LaTeX}$ code shown in the main document before the line containing `\label{pg:lastPageofMainmatter}` does all of the magic. If you want more information about how the code works, see Section 7.2. You will need to modify the contents of the `Included_publications` folder and the code to suit your publications.

7.1 Including the PDF of a publication

Inserting the PDF of publications is very simple, as shown in Listing 5. You can set the scaling of the included pages, specify the page range to include, add a frame around the page, and even include a running heading. The last probably requires enabling fancy headings for the pages. Also note that you need to include `\usepackage{pdfpages}`*. If you want to include an image, you can use `\includegraphics{filename}` or perhaps scaled as `\includegraphics[scale=0.90]{filename}`.

Listing 5: Using `\includepdf{}` to include the PDF of a publication

```
\cleardoublepage
%% Include rfc1235.txt.pdf
%% can include as options pagecommand={\thispagestyle{fancy
  ↪ }}, frame to keep pagination and running headings
% Just include 2 pages for this example
\includepdf[pages={1-2}, scale=1.0]{Included_publications/
  ↪ rfc1235.txt.pdf}
```

While this section focused on including PDF files and possibly figures, it is also possible to include $\text{\LaTeX}$ code for a publication (such as an unpublished manuscript); however, doing this may lead to extra material in your table of contents, list of Figures/Tables/... - so you might want to make a PDF of the document and then include the resulting PDF in your thesis.

*This is included by default in `lib/includes.tex`.

7.2 Details of how the code works

For those who want to understand the details of how the code works, see the following subsections and the section on “Divider pages” in the `README_for_3rd_cycle_version.tex` file.

7.2.1 The first step

For each included publication, the first step is to create an empty page and add the fancy tab at the correct position. This is done using the code shown in Listing 6. In this case, the fancy table will be labeled “Paper A” and positioned at the first tab position (position 1). Subsequent invocations of the `\myfancytab` macro should increment the position. The macro will automatically handle the vertical offsets modulo the maximum number of tab positions on a page, as set by `\fancytabsCount`.

Listing 6: First step for each included publications

```
\thispagestyle{empty}
\myfancytab[RIGHT]{\ref*{paper:A}}{1}
```

7.2.2 The second step

The second step is to add the information about this publication. For the case of `BIBLATEX`, this is very easy - we simply use the `\fullcite` command.

7.2.3 The (optional) third step

Optionally, as a third step, one can add information that the copyright owner wants on the divider before the included publication (see, for example, the case for Paper C).

8 Declaration about the use of generative AI

As increasing use is made of Generative AI tools, some institutions have an official declaration by the student about the use of such tools. An example of such a declaration is the following from KI's webpage *Content of the thesis* at <https://staff.ki.se/doctoral-education/time-to-defend-your-thesis/content-of-the-thesis> (Page updated: 06-11-2024):

The following AI assisted tools.....specify name and version.....were used in writing the “kappa”/comprehensive summary of the thesis, for purpose Describe also how/in what way AI assisted tools have been used in the writing process. Tools/services used for language support and reference management do not need to be declared and the declaration is not mandatory if AI assisted tools only have been used for these purposes.

I take full responsibility for the content of the “kappa”/comprehensive summary of the thesis.

9 Errata

As described in Section 3, the errata have to be announced before the student starts their actual oral defense. I have not found a standard format for this, as a printed document. Looking at a number of errata that are in DiVA for theses at KTH, most have a title of “Errata” or “Errata for doctoral/licentiate thesis” followed by a reference to the thesis. This reference can be as short as the title of the thesis & the author or as long as a full reference (with ISBN). The key is that it should be possible to identify the relevant thesis from the information at the top of the errata. **NB** If you use the `errata.tex` file in this project, it will automatically include this information.

The errata can concern the thesis text and may also include text from published papers. Each item in the errata should identify where the correction should be applied and what the correction is. The identification can include a page number (or page range), section heading, figure/table/equation/... , publication identifier, *etc.* The aim is for the reader to identify exactly where the change should be made.

The corrections can range from spelling errors, missing letters, words, phrases, citations, International Standard Book Numbers (ISBNs), Digital Object Identifiers (DOIs), URLs, etc. to errors in the text, equations, tables, figures, listings, corrected citations, *etc.* For example, there might have been a change in the name of the volume that a paper appeared in after the thesis was submitted for printing. Corrections to tables, figures, *etc.*, may affect parts of the text, potentially invalidating some of the text. This invalidated text would be reproduced in a struck-out style (using the L^AT_EX command `\sout{<text>}`). This text is then followed by the text that should replace the struck-out text. For an example of such a change and corrected text, see page 2 of <https://kth.diva-portal.org/smash/get/diva2:1554753/FULLTEXT03.pdf>

It may also be desirable to add sections to the errata, so that it is easy for the reader to know what part of the thesis the corrections are for; for example, by chapter or publication.

If the errata list is longer than one page, then the pages should be numbered.

10 Advanced topics

This section covers a number of advanced topics: Advanced issues concerning characters (Section 10.1), how to handle the rare case of a second author (Section 10.2), and some details of typical thesis lengths (Section 10.3). These subsections are located here as they are probably only of interest to a small number of authors and to keep the earlier sections shorter.

10.1 Advanced issues concerning characters

2 The issue of what characters can be placed in a title (subtitle, keywords, and abstracts) and how to enter them is a bit complex, but you should be able to achieve much of what you want - at the cost of some effort. Ultimately, the characters that will be placed into DiVA and LADOK must be unicode, encoded using Unicode Transformation Format (UTF), specifically UTF-8. While DiVA utilizes HTML for these fields, allowing you to include some markup, LADOK does not support any markup.

2 If you have titles or subtitles that cannot be converted to pure Unicode (such as subscripts with capital letters or other symbols), you should also use the optional commands `\titleInPlainText`, `\subtitleInPlainText`, `\alttitleInPlainText`, and `\altsubtitleInPlainText` in your

`custom_configuration.tex` `custom_configuration_plaintext.tex` files to provide versions of titles and subtitles that can be used with LADOK and when requesting an ISBN. Compiling `Generate_titles_in_plain_text.tex` will produce a file named `extra_plaintext.tex` containing plain text versions of the titles and subtitles (both main and alternate).

As noted earlier the title will be set on the cover and the title page in Figtree Bold and Semibold. However, as Figtree does not include Greek characters (and many other characters and symbols), you have to do a little more work. You can enter UTF-8 characters directly into your $\text{\LaTeX}$ file, but you cannot use the $\text{\TeX}$ commands, such as `\Gamma` - as this will produce an error message in the log file:

```
Missing character: There is no  $\Gamma$  (U+1D6E4) in font
[./Figtree/static/Figtree-Bold.ttf]/OT: script=latn; language=dflt; mapping=tex-text;!
```

In the above error message the ' Γ ' is actually output as a small box with the digits "01D6E4" in it. This is the hexadecimal value of the character "MATHEMATICAL ITALIC CAPITAL GAMMA". However, you can enter the character Γ using the hexadecimal code: `^^^^^01d792` - for a "MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL GAMMA". You should choose the "SANS-SERIF BOLD ITALIC" version of the character, since the title is set in Figtree Bold, a sans-serif bold font. In the `defines.tex` file you can find an include of a file of "Mathematical Alphanumeric Symbols, U+1D400 - U+1D7FF" unicode characters that have been defined to render the character using the STIX Two Math font*.

Alternatively, if you set your math font to use STIX Two Math with:

```
\setmathfont{STIX Two Math}[version=normal]
```

and use write Γ (using `\Gamma`) in your title, you will **not** get a missing character message. This occurs because the math font actually has a "MATHEMATICAL ITALIC CAPITAL GAMMA" character, but it will be the **serif** version and not a *bold italic* version - since the *bold italic* version of this character is at a different codepoint in the font.

Note that while the "MATHEMATICAL ITALIC CAPITAL GAMMA" character will appear in the PDF, you will get warnings from `hyperref` about using the math in the title:

*The file's name is `unicode_blocks/U+1D400-U+1D7FF-Mathematical Alphanumeric Symbols.tex`.

```
Package hyperref Warning: Token not allowed in a PDF
↳ string (Unicode): removing `math shift' on input
↳ line 56.
```

```
Package hyperref Warning: Token not allowed in a PDF
↳ string (Unicode): removing `\'Gamma' on input line
↳ 56.
```

Unfortunately, you cannot simply use the math expression `\mathit{\Gamma}` in the title, as this generates both a warning from hyperref:

```
Package hyperref Warning: Token not allowed in a PDF string (Unicode): removing
↳ `\'Gamma' on input line 56.
```

and warnings:

```
Font shape `TU/STIXTwoMath(4)/b/n' undefined
Font shape `TU/STIXTwoMath(4)/sb/n' undefined
```

because STIX Two Math has no bold face (or semibold face), but only bold face *characters* within the font.

Also note that when you get a hyperref warning, the character is **not** put into the metadata in the PDF file (such as the title and other properties). However, if you put the character in using `^^^1d792`, then this character appears in the document’s metadata, the PDF, and the `fordiva.json` file.

NB You can insert Greek characters such as Γ , Δ , α , β , γ , ..., by directly entering them, but if you place these into a title, they will *not* be set in boldface, since they are rendered using the STIX Two Math font which knows nothing about the boldface being used for the title (and, as noted earlier, this font actually does not have a bold version).

Overleaf and many other programs support unicode, so the easiest thing to do is directly enter the characters that you want and not worry too much about the specific font or font face. In most cases, your reader will be glad to have the character there, rather than missing! However, in some cases, you will want and need to have even a specific variant of a character, such as a script “H” ($\mathcal{H}$, $\mathscr{H}$ or $\mathfrak{H}$) or a bold script “H” ($\mathbf{\mathcal{H}}$ or $\mathbf{\mathscr{H}}$) for a Hamiltonian operator or $\mathfrak{H}$ for Hilbert space.

So what happens if you want to put one of these bold script “H”s into your title? Consider the following title:

```
\title{This is the title in the language of the thesis}
\texorpdfstring{\mystixmathfont ^^^1d4d7}{^^^1d4d7^^^fe00} or
```

```
\texorpdfstring{\mystixmathfontSSa ^^^^1d4d7}{<span
style="font-feature-settings: 'ss01' 1;">^^^^1d4d7^^^^</span>}}
```

The linebreak before the “or” has been inserted for readability.

The resulting cover is shown in Figure 2.

This is the title in the language of the thesis $\mathcal{H}$ or $\mathcal{H}$

A subtitle in the language of the thesis

FAKE A. STUDENT

Figure 2: Cover with bold script Hs.

Figure 3 shows the cover together with the document’s properties. Curiously, in this figure it looks like both “H”s have been rendered as the roundhand script “H” rather than the first being rendered as a chancery script “H”.





Figure 3: Cover with bold script “H”s and the document’s properties

Figure 4 shows a similar rendering of the “H”s when using emacs to look at the

contents of the `fordiva.json` file. As expected, we see the $\LaTeX$ commands to render the character in the two different fonts.



```
{
  "Author1": {"Last name": "Student", "First name": "Fake A.", "Local User Id": "u1XXXXXX", "ORCID": "xxxxx-xxxx-xxxx-xxxx", "E-mail": "XXXXXXXXXX@kth.se", "organisation": {"L1": "*****School of XXX*****"}},
  "Cycle": "3", "Credits": "",
  "Degree1": {"Educational program": "*****Unknown subject area*****", "programcode": "KTHXXX", "Degree": "XXX", "subjectArea": "*****Unknown subject area*****"},
  "Title": {"Main title": "This is the title in the language of the thesis \mystixmathfont \mathbb{R} or \mystixmathfontSSa \mathbb{R}", "Subtitle": "A subtitle in the language of the thesis", "Language": "eng"}, "Alternative title": {"Main title": "Detta \u00e4r den svenska \u00f6vers\u00e4ttningen av titeln", "Subtitle": "Detta \u00e4r den svenska \u00f6vers\u00e4ttningen av undertiteln", "Language": "swe"}},
}
```

Figure 4: The `fordiva.json` showing the `title` field as shown when using emacs.

However, if we cut the title out from the property display and place it into an HTML file, as shown in the list below. One gets the browser view as shown in Figure 5.

```

<!DOCTYPE html>
<html>
<head>
  <title>Loading a Local Font and displaying the script Hs in
    ↳ different
    stylistic sets</title>
  <style>
    /* Define the font family using a file from your project.
    ↳ */
    @font-face {
      font-family: 'STIX Two Math';
      src: url('fonts/STIXTwoMath-Regular.otf')
        ↳ format('opentype');
      font-weight: normal;
      font-style: normal;
    }

    /* Now, you can use the font-family by its name - with
    ↳ fall back to
    serif font */
    body {
      font-family: 'STIX Two Math', serif;
      font-size: 22px;
    }

  </style>
</head>
<body>

<p>Exploiting the default and directly setting the ss01 feature
  ↳ for the second
  H, we get:<br>This is the title in the language of the
  thesis ℋ or <span style="font-feature-settings: 'ss01' 1;">
  ↳ ℋ</span>. A subtitle in the language of the thesis.</p>

</body>
</html>

```

Exploiting the default and directly setting the ss01 feature for the second H, we get:
 This is the title in the language of the thesis **ℋ** or **ℋ**. A subtitle in the language of the thesis.

Figure 5: View of the title in a browser

While the above has shown that we can get what we wanted on the cover and title page while outputting some other string in the PDF properties, a problem remains — what should be the HTML string that is emitted? I do not think that we can assume that the new Cora-based DiVA will include a font such as STIX Two Math or that it will support MathJax (when we might emit $\mathcal{H}$ or H or $\mathbf{H}$ or the named character: $\&\text{HilbertSpace}$; — moreover, browsers seem to try to guess which version of the glyph to use!).

10.2 Second author

Nearly all authors can ignore this subsection!

If there is a second author and the place, month, and year are **all** the same, then specify the month and year for only the **first** author:

```
\authorCityCountryDate{\MONTH\enspace\the\year}
```

If there is a second author and the place is different, then say:

```
\authorCityCountryDate{ }
```

If there is a second author, the macros are:

`\secondAuthorsLastname{ }` the last name of the 2nd author

`\secondAuthorsFirstname{ }` the first name of the 2nd author

`\secondemail{ }` the KTH e-mail address of the 2nd author

`\secondkthid{ }` the 2nd author's kthid

`\secondorcid{ }` the 2nd author's ORCID

`\secondAuthorsSchool{ }` the school of the 2nd author

If the second author is not in the same place as the first author, then add the relevant information using the macros below. This information will be used when generating the acknowledgments signature.

`\secondAuthorCity{A City}` specify the city

`\secondAuthorCountry{A Country}` specify the country

`\secondAuthorCityCountryDate{\MONTH\enspace\the\year}` pass into this function the month and year for the acknowledgment

If the second author is at the same place as the first author, then comment out or delete the `\secondAuthorCityCountryDate{ }` as shown below:

```
%\secondAuthorCityCountryDate{ }
```


10.3 Typical thesis lengths

The “Studieplan för ämne på forskarnivå: Nationalekonomi” 2017-02-16, dnr: V-2017-0040 says in §5, that a monograph is typically 80 000..100 000 words *i.e.*, 220..260 pages while a kappa is 30..50 pages. Some statistics about third-cycle thesis lengths (during 2022 to 12 September 2026) are shown in Table 4. Note that this table and Figures 6 to 10 are based upon the total number of pages, *i.e.*, the sum of the number of preface, body, and appendices pages. This data is based on DiVA exporting a Metadata Object Description Schema (MODS) [2] file where the DiVA public type codes (‘publicationTypeCode’) for third-cycle theses are: ‘comprehensiveDoctoralThesis’, ‘comprehensiveLicentiateThesis’, ‘monographDoctoralThesis’, and ‘monographLicentiateThesis’. These terms came from the SVEP (Samordning av den Svenska högskolans Elektroniska Publicering* project and they are being replaced[3].


*Co-ordination of Electronic Publishing within Swedish Higher Education

Table 4: Thesis lengths 2022 to 11 September 2026


School	thesis type	number	Total Length				
			min	max	mean	median	stdev
ABE	comprehensive Doctoral	142	19	576	87.92	80.50	54.11
ABE	monograph Doctoral	32	99	781	311.34	270.50	138.45
ABE	comprehensive Licentiate	85	21	131	52.98	48.00	17.95
ABE	monograph Licentiate	9	27	271	154.33	142.00	78.09
CBH	comprehensive Doctoral	302	39	176	79.94	76.00	21.93
CBH	monograph Doctoral	1	128	128	128.00	128.00	
CBH	comprehensive Licentiate	16	25	128	58.75	58.50	22.49
EECS	comprehensive Doctoral	341	30	341	97.40	85.00	45.17
EECS	monograph Doctoral	83	102	338	192.93	186.00	49.28
EECS	comprehensive Licentiate	36	36	197	66.42	59.50	29.76
EECS	monograph Licentiate	41	71	185	114.46	105.00	31.59
ITM	comprehensive Doctoral	190	39	379	126.96	111.50	56.46
ITM	monograph Doctoral	4	76	270	180.00	187.00	82.39
ITM	comprehensive Licentiate	21	44	169	86.38	79.00	37.30
ITM	monograph Licentiate	4	44	120	82.25	82.50	35.26
SCI	comprehensive Doctoral	237	22	525	108.59	88.00	70.51
SCI	monograph Doctoral	5	77	277	165.00	152.00	84.53
SCI	comprehensive Licentiate	33	24	203	63.52	48.00	39.23




(a) ABE comprehensive Doctoral



(b) ABE comprehensive Licentiate



(c) ABE monograph Doctoral



(d) ABE monograph Licentiate

Figure 6: ABE third-cycle thesis length — Note that there are few monographs and only a few have a common length. Among the doctoral monographs, there are a couple that are quite long.







Figure 7: CBH third-cycle thesis length — Note that there are no monograph Licentiate theses and only one monograph Doctoral thesis.




(a) EECS comprehensive Doctoral



(b) EECS comprehensive Licentiate



(c) EECS monograph Doctoral



(d) EECS monograph Licentiate

Figure 8: EECS third-cycle thesis length — Note that there are a fair number of monographs with a median length of 105 (licentiate) and 186 (doctoral) pages.







Figure 9: ITM third-cycle thesis length — Note that there are few monographs.



(a) SCI comprehensive Doctoral



(b) SCI comprehensive Licentiate



(c) SCI monograph Doctoral

Figure 10: SCI third-cycle thesis length — Note that there are no monograph licentiate theses and few doctoral monographs.

11 Further documentation

If you have more detailed questions about the underlying template itself, see the `README_notes/README_notes.tex` file.

If you have even more detailed questions about the third-cycle template, see the `README_for_3rd_cycle_version.tex` file.

12 Math alphabets with their mappings to Unicode

Earlier in this document, several instances of Unicode values were used. It may be helpful to understand the mapping of math commands to these Unicode ranges. Table 5 is adapted from <https://tug.ctan.org/fonts/stix2-type1/stix2.dtx>.

By looking at this table, you can better understand the earlier statement “because STIX Two Math has no bold face (or semibold face), but only bold face *characters* within the font” - as the bold face version of a character is found at a different codepoint within the font — as one can readily see when comparing the first two rows. The same occurs when considering other typefaces, such as italics (in the third row).

Table 5: Math alphabets with their mappings to Unicode

• indicates that it is covered by STIX Two fonts but not directly in Unicode *i.e.*, to access these you have to utilize the StylisticSet=1 as I did when defining `\mystixmathfontSSa`.

	A–Z	a–z	Γ–Ω	α–ω	0–9
<code>\mathrm</code>	00041–0005A	00061–0007A	00393–003A9	003B1–003C9	00030–00039
<code>\mathbf</code>	1D400–1D419	1D41A–1D433	1D6AA–1D6C0	1D6C2–1D6DA	1D7CE–1D7D7
<code>\mathit</code>	1D434–1D44D	1D44E–1D467	1D6E4–1D6FA	1D6FC–1D714	
<code>\mathbfit</code>	1D468–1D481	1D482–1D49B	1D71E–1D734	1D736–1D74E	
<code>\mathcal</code>	•				
<code>\mathscr</code>	1D49C–1D4B5	1D4B6–1D4CF			
<code>\mathbfscr</code>	1D4D0–1D4E9	1D4EA–1D503			
<code>\mathsf</code>	1D5A0–1D5B9	1D5BA–1D5D3			1D7E2–1D7EB
<code>\mathbfsf</code>	1D5D4–1D5ED	1D5EE–1D607	1D758–1D76E	1D770–1D788	1D7EC–1D7F5
<code>\mathsf{fit}</code>	1D608–1D621	1D622–1D63B			
<code>\mathbf{sf}</code>	1D63C–1D655	1D656–1D66F	1D792–1D7A8	1D7AA–1D7C2	
<code>\mathbb</code>	1D538–1D551	1D552–1D56B			1D7D8–1D7E1
<code>\mathfrak</code>	1D504–1D51D	1D51E–1D537			
<code>\mathbf{frak}</code>	1D56C–1D585	1D586–1D59F			
<code>\mathhtt</code>	1D670–1D689	1D68A–1D6A3			1D7F6–1D7FF

List of Acronyms and abbreviations

API	Application Programming Interface
DiVA	Digitala Vetenskapliga Arkivet
DOI	Digital Object Identifier
GVS	Gemensamt verksamhetsstöd
HTML	Hypertext Mark-up Language
IMRAD	Introduction, Methods, Results, and Discussion
ISBN	International Standard Book Number
ISP	Individual Study Plan
JSON	JavaScript Object Notation
KI	Karolinska Institutet
KTH	KTH Royal Institute of Technology
KTHB	KTH Biblioteket
LADOK	Lokalt adb-baserat dokumentationssystem
MODS	Metadata Object Description Schema
ORCID	Open Researcher and Contributor ID
PDF	Portable Document Format
PID	Persistent Identifier
SDG	Sustainable Development Goal
STIX	Scientific and Technical Information Exchange
URL	Uniform Resource Locator
UTF	Unicode Transformation Format

References

- [1] Álvaro Menéndez-Aller, Álvaro Postigo, Pelayo Montes-Álvarez, Francisco José González-Primo, and Eduardo García-Cueto, “Humor as a protective factor against anxiety and depression”, en, *International Journal of Clinical and Health Psychology*, vol. 20, no. 1, pp. 38–45, Jan. 2020, ISSN: 16972600. doi: 10 . 1016 / j . ijchp . 2019 . 12 . 002. [Online]. Available: <https://linkinghub.elsevier.com/retrieve/pii/S1697260019302509>.
- [2] National Library of Sweden, *Swepub MODS format specification*, Version 3.0. National Library of Sweden, Sep. 2019. [Online]. Available: https://www.kb.se/namespace/swepub/mods-format-specification/SWP_MODS_3.pdf.
- [3] National Library of Sweden, *Swepub MODS format specification*, Version 4.0. National Library of Sweden, Aug. 2023. [Online]. Available: https://kb.se/namespace/swepub/mods-format-specification/SWP_MODS_4.pdf.