

FRANCOISM, THE GRAPHIC NOVEL:


**A PROOF OF CONCEPT AND A BIT OF A PROCESS DOCUMENT
BASED ON ITC-069 / FREAK-008, FORTHCOMING FROM INSIDE THE CASTLE**

GLENN S. RITCHEY III

FEBRUARY 2026

FOR DR. ANASTASIA SALTER'S CRITICAL MAKING GRADUATE SEMINAR

**TEXTS & TECHNOLOGY PHD PROGRAM
UNIVERSITY OF CENTRAL FLORIDA**





I'll do my best to succinctly explain my process through this, my "proof of concept" for another project I figured will

wrap up.

So, when deciding what my comic should be I wanted to play with the randomization of image and text.

To me, this looks like Markov chains these days. I mentioned I recently completed a gen-writing residency where I produced a "novelized non-film" called *Francoism*. I have a lot of data sitting around, so I wanted to develop a chapter into a graphic novel.

This proof of concept is for "La Sombra Del Piacere (1981)," generated from 42 films and 375 stills.



Jess Franco's highly orientalist Dr. Wong's *Virtual Hell* (1999) uses comic book aesthetics in a way that always stuck with me. I also thought of Severin Films' *Cinestop*, a special pre-order zine that had stills from *Così Dolce...Così Perversa*; a comic adaptation of the film

BUT WHEN I THOUGHT I WAS DONE...

I was happy with the images I chose and how I made this remix work. But I guess enough is never enough. I needed more randomization, more control over the image-text.

...THEY CALL IT ART, BUT IT'S JUST PORN!...

Even if it were only to make my generated novel make more sense and feel less like a weird waste of time...to myself.

So I went a-Claude'n to create the comic version of Francoism's python script.

Code v2.1.7
Welcome back Glenn!
as 4.5 · Claude Pro ·
claude.nintendo644@passmail.net's Organization
~/Documents

Looking to create a python script that will condense text I have generated
with other enclosed by quotation marks or words that appear with a dash,
maximum of 12 and a minimum of two. The amount of expositio
set of project files. The root for these files is
-int?

- Just organize by panel number?
 - Should selecting 5.txt automatically associate with 5 images/?
5. **Interactive features:** Beyond file selection (1-20), should the user be able to:
- Set exact counts for dialogue/SFX/exposition within the min/max?
 - Preview and re-roll individual selections?
 - Save output to a specific location?
6. **Sampling method:** Random selection, or preserve some ordering from the source?

1. extraction for dialogue should only be within quotation marks and the words that come after an em dash, but only when the providing text and images that I manipulate myself. They should be organized into their own folder where the panel images are. Images will be those automatically associated with the .txt file, but the images for the panels.; 5. No. Just provide the output needs to come from the same source. So '1.txt' needs to have images from '1_images/'.

That clarifies things well. Let me check the image folder structure to understand what gets copied.

```
Bash(ls -la ~/output/1_images/ | head -20)
```

```
total 12
drwxr-xr-x 2 user user 4096 Jan 3 22:11 .
drwxr-xr-x 2 user user 4096 Jan 16 09:41 ..
-rw-r--r-- 1 user user  133 Jan 3 22:11 0133.jpg
-rw-r--r-- 1 user user  133 Jan 3 22:11 0337.jpg
-rw-r--r-- 1 user user  133 Jan 3 22:11 0257.jpg
```

```
ls -la ~/output/1_images/ | wc
```

```
total 12
drwxr-xr-x 2 user user 4096 Jan 3 22:11 .
drwxr-xr-x 2 user user 4096 Jan 16 09:41 ..
-rw-r--r-- 1 user user  133 Jan 3 22:11 0133.jpg
-rw-r--r-- 1 user user  133 Jan 3 22:11 0337.jpg
-rw-r--r-- 1 user user  133 Jan 3 22:11 0257.jpg
```

images/ with 338 numbered panel images. One more clarification:

Panel (e.g., matching the dialogue count)?

include?

like dialogue (2-12), or just include whatever is sampled?

structure:

~/images/

logue lines

is each

The main issue was that there were a lot of NSFW images in my data...The project aimed for completionism and Franco directed some Adult features.



Sorry for the confusion, but the images are in '~/output/N_images/images/'. Copy a random amount of 5-6 images. No more or less if the user requests on the basis of pornographic images being included in the output. They will have to review their images if there were pornographic images in the output. The output structure looks great.



But it still was not enough...

Eventually I had some panels that worked and I had .txt files for dialogue, exposition, and sfx. As seen to the left, I got started...





I decided it should better reflect my style.



ALL STATIONARY

I'M AN ANGEL
LYING NEXT TO
THE COURT OF
EARL BAILEY...

SHE'S VERY
SENSUAL

YOU MEAN
SISTER
KATHLEEN.

BUT WHAT DIFFERENCE
DOES IT LEAVE?

OH, FOR
GOD'S SAKE...

[MUSIC]

WE'RE GONNA
HAVE A DRINK OR
GET OUT.

THE 6TH OF JANUARY.

HE HE,
HE, HE.

THE
GODSON
OF ONE
THING I'M
SURE.

WHY DO YOU
KNOW ABOUT
HIM?

I'M SURE HE'LL
AGREE TO A
LESSER CHAR

[MUSIC]