MCQ (1) on CSS3

IDB-BISEW IT Scholarship Project Batch ID: WDPF/DPLD-A/39/01 Instructor Name: Syed Ziaul Habib

- 1. Where in an HTML document is the correct place to refer to an external style sheet?
 - a) In the <body> section
 - b) At the end of the document
 - c) At the top of the document
 - d) In the <head> section
 - e) Between head and body
- 2. Which HTML tag is used to define an internal style sheet?
 - a. css
 - b. text/style
 - c. style
 - d. script
- 3. Which HTML attribute is used to define inline styles?
 - a. font
 - b. styles
 - c. css
 - d. text
 - e. style
- 4. Which is the correct CSS syntax?
 - a. body {color: black}
 - b. body:color=black
 - c. {body:color=black(body}
 - d. {body;color:black}
- 5. CSS offers which of the following options for setting Color value?
 - a. Color Keywords
 - b. Hexadecimal Notation
 - c. Grayscale
 - d. RGB
 - e. RGBA.
- 6. The font-weight property accepts which of the following values?
 - a. Bold
 - b. Italic
 - c. Normal
 - d. Bolder

- 7. We need to space between text which of the following property have to use?
 - a. Text Space
 - b. Line-Space
 - c. Letter spacing
 - d. font-spacing
- 8. How to set the color of the line (s.?
 - a. text-color-line
 - b. text-decoration-color
 - c. font-decoration-color
 - d. None of them
- 9. How do you insert a comment in a CSS file?
 - a. /* this is a comment */
 - b. 'this is a comment
 - c. // this is a comment //
 - d. // this is a comment
- 10. Which property is used to change the background color?
 - a. bgcolor:
 - b. background-color:
 - c. color:
- 11. How do you add a background color for all "<h1>" elements?
 - a. all.h1 {background-color:#FFFFFF}
 - b. h1.all {background-color:#FFFFFF}
 - c. h1 {background-color:#FFFFFF}
- 12. How do you change the text color of an element?
 - a. text-color:
 - b. color:
 - c. text-color=
 - d. font-color:
- 13. Which CSS property controls the text size?
 - a. font-style
 - b. text-style
 - c. font-size
 - d. text-size

- 14. What is the correct CSS syntax for making all the elements bold?
 - a. p {text-size:bold}
 - b. p {font-weight:bold}
 - c. style:bold
 - d. p {font:bold}
- 15. How do you display hyperlinks without an underline?
 - a. a {decoration:no underline}
 - b. a {text-decoration:no underline}
 - c. a {underline:none}
 - d. a {text-decoration:none}
- 16. How do you make each word in a text start with a capital letter?
 - a. text-transform:uppercase
 - b. text-transform:capitalize
 - c. You can't do that with CSS
- 17. How do you change the font of an element?
 - a. font-face:
 - b. font-family:
 - c. f:
 - d. font-style:
- 18. How do you make the text bold?
 - a. font:b
 - b. style:bold
 - c. font-weight:bold
- 19. How do you display a border like this?

The top border = 10 pixels,

The bottom border = 5 pixels,

The left border = 20 pixels,

The right border = 1pixel?

- a. border-width:10px 20px 5px 1px
- b. border-width:10px 1px 5px 20px
- c. border-width:10px 5px 1px 1px
- d. border-width:5px 20px 10px 1px

- 20. How do you change the left margin of an element?
 - a. padding:
 - b. indent:
 - c. margin:
 - d. text-indent:
 - e. margin-left:
- 21. To define the space between the element's border and content, you use the padding property, but are you allowed to use negative values?
 - a. Yes
 - b. No
- 22. How do you make a list that lists its items with squares?
 - a. type: square
 - b. list-style-type: square
 - c. list-type: square
 - d. style-list: square
- 23. What is the correct HTML for referring to an external style sheet?
 - a. a. rel="stylesheet" type="text/css" href="mainstyle.css">
 - b. <style src="mainstyle.css">
 - c. <stylesheet>mainstyle.css</stylesheet>
 - d. d. d. = "stylesheet" type="text/css" href="mainstyle.css">
- 24. The ______ attribute can be added to most (X.HTML) elements to identify the element as belonging to a group of elements within an (X.HTML) document.
 - a. id
 - b. div
 - c. span
 - d. class
- 25. The ______ pseudo-class can be used in a style rule to change the appearance of links that the visitor has already clicked.
 - a. focus
 - b. visited
 - c. active
 - d. link

26. ID name should not start with a number 35. In what form are style rules presented? a. False a. selector { property: value } b. True b. selector { property= value } c. selector (property: value. 27. What does the ID selector do? d. selector (property= value. a. Apply the style to a specific element b. Apply the style to all the elements 36. Which values for font-family property is valid? c. Apply the style to a group of elements a. Times New Roman, serif d. Apply the style to elements of the same type b. "Times New Roman", serif c. Times New Roman; serif; d. "Times New Roman"; "serif" 28. What selector should you use when applying a style to multiple elements? a. ID 37. How to apply a style to several specific element b. Class a. Use the type selector with , delimiter c. Type b. Use the type selector with . delimiter d. Any of the above c. Use the ID selector with; delimiter d. Use the ID selector with > delimiter 29. "a:hover" and "a:active" are both examples of what? 38. The border="____" attribute makes an image a. pseudo-classes b. attribute selectors borderless. c. ids a. null d. selectors b. no c. none 30. Which of the following statements is not correct? d. 0 a. classes are identified a number sign (#. b. classes are identified with a dot (... 39. Which of the following attributes of the tag c. ids are identified with a number sign (#. displays alternate text for the image? d. none of them a. caption b. text 31. Each element can have only one ID and each page c. alt can have only one element with that ID. d. identify <mark>a. True</mark> b. False 40. A _____ consist of a property and a value, 32. You can use the same ID on multiple elements. a. Tag a. True b. False b. Attribute c. Deceleration 33. Which one is the example of styling links? d. This is H1 a. a:link e. h1 {color: red;} b. a:hover c. all of the above 41. Which overflow value forces scrollbars to appear d. not a & b in an element even when unnecessary? a. overflow: visible; 34. How can we change the look of cursor?

a. By font property

b. By text property

d. All of them.

c. By cursor property

b. overflow: auto;

c. overflow: scroll;

d. overflow: hidden;

- 42. Can images replace the numbers/bullets in both ordered and unordered lists?
 - a. Yes
 - b. No
- 43. Which method is ideal for applying the same style to an entire website?
 - a. Internal CSS
 - b. Inline CSS
 - c. External CSS
- 44. Can CSS classes and ids both be used (referenced. more than once on the same webpage?
 - a. Yes
 - b. No
- 45. Each element can have only one ID and Each page can have only one element with that ID.
 - a. True
 - b. False
- 46. What is the difference between margins and padding?
 - a. margins add whitespace inside the border and padding adds whitespace outside
 - b. padding adds whitespace and margins increase the border size
 - c. there is no difference
 - d. margins add whitespace and padding increases the border size
 - e. padding adds whitespace inside the border and margins add whitespace outside
- 47. From the inside out, which of the following portrays the correct order of a box model?
 - a. margin, border, padding, content
 - b. content, margin, border, padding
 - c. border, margin, content, padding
 - d. content, padding, border, margin
 - e. padding, content, margin, border
- 48. Which of the following does CSS not do?
 - a. layout
 - b. design
 - c. style
 - d. content
 - e. format

- 49. How would you set a background image with CSS?
 - a. background-attachment: url(.;
 - b. background-image: src(.;
 - c. background: #FFF url(.;
 - d. background-url:;
- 50. What is the correct HTML for making a text input field?
 - a. <input type="textfield">
 - b. <textinput type="text">
 - c. <textfield>
 - d. <input type="text">
- 51. What is the correct HTML for making a drop-down list?
 - a. <select>
 - b. <list>
 - c. <input type="list">
 - d. <input type="dropdown">
- 52. What is the correct HTML for making a text area?
 - a. <input type="textarea">
 - b. <textarea>
 - c. <input type="textbox">
- 53. Which property is used to convert to uppercase the first letter after every space?
 - a. text-transform: capitalize;
 - b. Font-transform: capitalize;
 - c. Font: capitalize;
 - d. Capitalize;
- 54. How to remove the underline from text?
 - a. text-decoration: none;
 - b. underline: none;
 - c. font-decoration: none;
 - d. decoration: none;
- 55. Adjusts the horizontal space between characters use the property?
 - a. letter-spacing.
 - b. word-spacing.
 - c. hor-spacing.
 - d. char-spacing.

- 56. The text decoration property accepts the following values except
 - a. Underline
 - b. overline
 - c. bold
 - d. none
- 57. The white-space property gives you control over the handling of whitespace and new lines. It accepts the following values except
 - a. Pre-line
 - b. Pre-wrap
 - c. wrap: white-space
 - d. nowrap
- 58. Text transform property accepts following values except
 - a. Capitalize
 - b. Uppercase
 - c. Lowercase
 - d. Capital-letter
- 59. For style the text italic we use the property
 - a. text-style: italic
 - b. text: italic
 - c. font-style: italic
 - d. font: italic
- 60. Which of following font formats are browser supports?
 - a. .eot, .ttf, .otf
 - b. .woff, .svg,
 - c. .png, .gif, .jpg
 - d. .pdf
- 61. Which are the correct CSS syntax to assign padding property as top, bottom, right, left?
 - a. padding: 10px 20px;
 - b. padding: 10px;
 - c. padding-left:10; padding-top:20;
- 62. Which value is/are accepted by overflow properties?
 - a. visible
 - b. hidden
 - c. fixed
 - d. normal

- 63. Which value is/are supported by display property?
 - a. block
 - b. block-inline
 - c. table
 - d. none
- 64. Which properties set a minimum width for an element?
 - a. width
 - b. min-width
 - c. max-width
 - d. none
- 65. Height properties can be applied to any element, except inline text, or table columns.
 - a. True
 - b. False
- 66. What is padding?
 - a. Horizontal and vertical space surrounding the content.
 - b. Space surrounding the border.
 - Horizontal and vertical space outside the border.
 - d. Space around the margin.
- 67. There are nine background properties altogether in CSS. Which of the following have been introduced with CSS3?
 - a. background-repeat
 - b. background-size
 - c. background-origin
 - d. background-clip
- 68. All of the individual properties are concerned with background images, except
 - a. background-repeat
 - b. background-size
 - c. background-color
 - d. background-position
- 69. It's a good idea to choose one of the following, if you want to use a background color with alpha transparency which creates a translucent effect.
 - a. a color keyword
 - b. an rgb()value
 - c. an hsl()value

- d. an rgba()or hsla()value
- 70. The background-color property works only with solid and translucent colors. It can't be used to apply a gradient. Css3 treats gradients as what?
 - a. colors
 - b. translucent colors
 - c. images
 - d. solid borders
- 71. When you add a background image to an element, by default, where does the browser place the image of the element?
 - a. at the top left
 - b. at the middle
 - c. at the top right
 - d. at the top center
- 72. What is the default value for background-repeat property?
 - a. repeat
 - b. repeat-x
 - c. repeat-y
 - d. no-repeat
- 73. What happens if you set background-repeat to no-repeat, its displayed _____?
 - a. once
 - b. twice
 - c. numerous
 - d. none
- 74. The background-attachment property does not accept which of the following value?
 - a. scroll
 - b. local
 - c. fixed
 - d. none
- 75. For which of given pair values, the top-left corner of the background image is placed 30px horizontally and 50px vertically from the top left of the element?
 - a. 30px 50px
 - b. 50px 30px
 - c. -30px 50px
 - d. none

- 76. Elements that currently has the user's mouse pointer hovering over it represents one of the following pseudo-class?
 - a. :hover
 - b. :active
 - c. :focus
 - d. got focus
- 77. Which of the following is used to represent visited hyperlink?
 - a. :visited
 - b. :clicked
 - c. :focus
 - d. :link
- 78. How do you display hyperlinks without an underline?
 - a. a{text-decoration:none}
 - b. a{text-weight:none}
 - c. a={text-decoration:non.underline}
 - d. a:text-decoration:none;
- 79. How do you make a unordered list without bullet points?
 - a. list-style-type:no-bullet;
 - b. list:none;
 - c. list-style-type:none;
 - d. style-of-list:none;
- 80. a:hover and a:active are both examples of what?
 - a. psudo-classes
 - b. attribute selectors
 - c. ids
 - d. selectors
 - e. child-selectors
- 81. Which CSS positioning properties allow to not moving an element even if the window is scrolled?
 - a. fixed
 - b. relative
 - c. absolute
 - d. static

- 82. What is the default value of "position" attribute in CSS?
 - a. fixed
 - b. static
 - c. absolute
 - d. All of them
- 83. Which of the following is/are use to display an image behind an absolutely positioned paragraph text?
 - a. Set negative z-index for the image
 - b. Set positive z-index for the image
 - c. Set negative x-index for the image
 - d. Set positive y-index for the image
- 84. Background-position sets the position of the background image what happens if its value is 0% 0%?
 - a. Image will have zero width and height so it will be hidden.
 - Image will be positioned at the upper left corner.
 - c. Image will be positioned at the lower right corner
 - d. None of the above
- 85. Which style property can be used to display only some part of an image?
 - a. Snap
 - b. Clip
 - c. Scroll
 - d. Visible
- 86. CSS position attribute takes values are as:
 - a. static, relative, absolute and fixed.
 - b. static, align, absolute and fixed.
 - c. center, relative, absolute and fixed.
 - d. static, relative, absolute and floated.
- 87. What is used to consolidate their icons in most major sites, including Amazon, YouTube, and Apple?
 - a. css sprites
 - b. borders
 - c. background
 - d. none

- 88. Which of the below is the correct syntax to set a background image?
 - a. body{background-image:url('coral.gif');}
 - b. body{background-image:url('coral.gif)};
 - c. body{background-image:url(coral.gif)}
 - d. body{background-image:url(coral.gif)};
- 89. Which is the correct CSS syntax for clip property?
 - a. clip: rect(0, 55px, 55px, 0);
 - b. clip: rectangle(0, 55px, 55px, 0);
 - c. Both a and b
 - d. None of them.