




DWG.
NO.

ZGS1500-230727-01




TECHNICAL DATA	
RATING	1500kVA
PRIMARY VOLTAGE	24940V
SECONDARY VOLTAGE	4160Y/2402V
FREQUENCY	60Hz
VECTOR GROUP	Dyn1
WINDING MATERIAL	Aluminum
LOAD LOSS AT RATED VOLTAGE	14500W Tol +5%
NO LOAD LOSSES	2000W Tol +5%
IMPEDANCE	5.75% Tol±10%
ALTITUDE	≤1000m
No. OF TAPPOSITION	5,(±2×2.5%)
COLOR	Musell Green
CORE FORM	Three-phase three column
INSULATING OIL	<2PPM PCB
FLUID	MINERAL OIL

ITEM	WEIGHT(Kg)
Body weight	1800
Tank & accessories	1540
Total oil weight	1260
Total weight	4600

ITEM	FITTINGS AND DESCRIPTIONS	QTY
1	Front compartment	1
2	Tank and cover assembly	1
3	Radiators (PC1100-16/520)	3
4	Base	1
5	Oil drain valve (DN50)	1
6	Ground Stainless steel	7
7	Tap changer	1
8	Load Switch	1
9	OIL FILL VALVE	1
10	Oil Level indicator (YZF-90)	1
11	Vent valve	1
12	Pressure relief device (YZF-35/50KJ)	1
13	Vacuum manometer (YZ-70)	1
14	Name plate	1
15	OIL THERMOMETER (BWY-803A)	1
16	LIFTING LUGS	4
17	High voltage backup current-limiting fuse 140A	3
18	High voltage overload fuse 65A	3
19	Through rod type casing (10KV 400A)	4
20	Through rod type casing (25KV 315A)	3
21	Type DM Access Interlock	1
22	Terminal box	1
23	Metal Oxide Surge Arrester	3


TYPE ZGS-Z-1500/24.94/4.16					DWG. NAME General Assembly Drawing		
DRAWN	CHECKED	CHECKED		APPROVED	FIRST ANGLE PROJECTION	SCALE	1/25
Mike Wang	Iris Ji	Ella Wei		Sam	REF. DWG. NO.		
					DWG. NO.	ZGS1500-230727-01	
							



TYPE				DWG. NAME			
ZGS-Z-1500/24.94/4.16				Base Structure Drawing			
DRAWN	CHECKED	CHECKED	APPROVED	FIRST ANGLE PROJECTION	SCALE	1/25	
Mike Wang	Iris Ji	Ella Wei	Sam	REF. DWG. NO.			REV. NO.
				DWG. NO.	ZGS1500-230727-01		

NOTE:

- 1.ALL DIMENSIONS ARE IN MILLIMETERS
- 2.MATERIAL:STAINLESS STEEL
- 3.THICKNESS :1mm
- 4.LETTER COLOR: BLACK



1piece/set

CHANGE

TYPE
 ZGS-1500/24.94/4.16

DWG. NAME
 Name plate

FIRST ANGLE
 PROJECTION

SCALE
 1/5

DRAWN
 CHECKED
 CHECKED
 APPROVED

Mike Wang
 Iris Ji
 Ella Wei
 Sam



REV.
 NO.