







ITEM	WEIGHT(LBS)
CORE WEIGHT	1605 LBS
TOTAL OIL WEIGHT	1510 LBS
TOTAL WEIGHT	4830 LBS

TECHNICAL DATA	
RATING	300KVA
PRIMARY VOLTAGE(V)	12470Grdy/7200V
SECONDARY VOLTAGE(V)	208Grdy/120
FREQUENCY	60Hz
VECTOR GROUP	YNyn0
CONDUCTOR	ALUMINUM
PRIMARY BIL VOLTAGE	MINERAL OIL
SECONDARY BIL VOLTAGE	95kV
INSULATING OIL	30kV
TEMPERATURE RISE	65°C
EFFICIENCY	99.27%
IMPEDANCE	4.0-6.0%
ALTITUDE	≤1000m
COLOR	MUBSELL NO.7,0 GY 3.2/1.5
CORE FORM	THREE-PHASE THREE-COLUMN



PARTS LIST		
ITEM	DESCRIPTION	QTY
1	HV BUSHING (TGZ-25/200)WITH 200AMP BUSHING WELL INSERTS	6
2	PARKING STAND BRACKET	5
3	DRIP TRAY	3
4	BAYONET FUSE(4000353C12M)	3
5	OIL LEVEL GAUGE(UHZ-01)	1
6	FILL PLUG	1
7	PRESSURE RELIEF VALVE	1
8	VACUUM PRESSURE GAUGE(YZ-70)	1
9	OIL TEMPERATURE GAUGE(BWS-70)	1
10	NAMEPLATE	1
11	DOOR HANDLE	1
12	LV BUSHING(FTG1-1/1000,6 HOLE,BIL:30kV)	4
13	GROUND STEEL PADS	4
14	1"DRAIN VALVE WITH 3/8" SAMPLER	1
15	FLIP TOP COVER	1
16	LIFTING LUG	4
17	ELSP FUSE(CBUC08080C100)	3
18	TAP CHANGER(WSLI3 63/20-6×5)	1
19	BUSHING SPADE SUPPORT	4
20	CONNECTED STEEL-PLATE	4

VECTOR GROUP

TYPE
• ZGSL-H-300/12.47/0.208

DWG. NAME

General Assembly Drawing

DRAWN	CHECKED	CHECKED	APPROVED
-------	---------	---------	----------

FIRST ANGLE
PROJECTION

SCALE	
-------	--

--	--

Mike	Jack	Iris		Sam
------	------	------	--	-----

ZGS300-20231116-01


JZD
SINCE 1989 FROM US

REV.
NO

Δ

NOTE:

- 1.ALL DIMENSIONS ARE IN MILLIMETERS
- 2.MATERIAL:STAINLESS STEEL
- 3.THICKNESS :1mm
- 4.LETTER COLOR: BLACK



CHANGE		TYPE		DWG. NAME	
		ZGSL-H-300/12.47/0.208		Name Plate	
FIRST ANGLE PROJECTION		SCALE 1/2		DRAWN	CHECKED
				MikeJack	Iris
					Sam
				REF. DWG. NO.	REV. NO.
				DWG. NO.	
				ZGS300-20231116-01	

