






TANK BASE DETAIL



PRIMARY BUSHING DETAIL

SECONDARY BUSHING DETAIL



ITEM	DESCRIPTION
1	TRANSFORMER COMPARTMENT
2	PRIMARY BUSHING, 200 BIL, 630 AMP C/W 4 HOLE SPADE
3	SECONDARY BUSHING 110 BIL, 1200 AMP, C/W 4 HOLE SPADE
4	WELDED COVER
5	MANHOLE, 12"x44" BOLTED, TYPICAL
6	PRESSURE VACUUM GAUGE C/W REGULATOR
7	DRAIN VALVE 1" C/W SAMPLER
8	1" TOP FILL PLUG
9	PRESSURE RELIEF VALVE
10	NAMEPLATE, ALUMINUM
11	TANK SKID BASE, SUITABLE FOR SKIDDING
12	OIL LEVEL GAUGE C/W 1 SET OF CONTACTS
13	THERMOMETER C/W 2 SETS OF CONTACTS
14	GROUNDING PAD, 2 DIAGONALLY OPPOSITE
15	X0 GROUND STRAP (REMOVE IF CONNECTING TO NGR)
16	TAP SWITCH C/W PADLOCKING FACILITIES
17	COVER LIFTING LUG
18	TANK LIFTING LUG
19	JACKING AREA
20	PRIMARY THROAT
21	SECONDARY CABLEBOX C/W COVER AND BOTTOM ALUMINUM BLANKING PLATE
22	LARGE PRD C/W HOOD & 1 SET OF CONTACTS
23	PRESSURE VACUUM SWITCH C/W 2 SETS OF CONTACTS
24	STAINLESS STEEL CABLE BOX
25	RADIATOR, WELD-ON
26	PROVISION FOR MOUNTING NGR FOUR 5/8" DIA. HOLES
27	TOP FILL VACUUM SPRAY NOZZLE AND PLUG
28	VACUUM PULLING PLUG

NOTES

1. INDICATES CENTER OF GRAVITY
2. PAINT FINISH: SYNERGY ORANGE
3. DIMENSIONS IN BRACKETS [] ARE mm
4. DESIGNED WITH EXTRA CORE & COIL BRACING.
5. RATED FOR OPERATION AT 1300M ASL.

WEIGHTS	LB.	KG.
CORE & COILS	16621	7555
TANK AND FITTINGS	6743	3065
OIL 998 GAL, 4535 L.	8836	4016
TOTAL	32200	14636

UNIT INFORMATION

TEMPERATURE RISE: 65°C
HIGH VOLTAGE: 24940 DELTA
LV POSITION : 7200Y/4160
HV WINDING MATERIAL: COPPER
LV WINDING MATERIAL: COPPER
SPEC: CAN/CSA C88-M9



DIMENSIONS : INCH [mm]









JIEZOU POWER

Signature

TITLE:
3PH SMALL POWER TRANSFORMER 7500KVA
DRAWN/APPROVED BY: MIKE W/SAM
DATE: SEP 30, 2023
DWG NO: S7500-231011-01



OIL TEMPERATURE INDICATORS



DIMENSIONS : INCH [mm]



JIEZOU POWER

TITLE:

3PH SMALL POWER TRANSFORMER 7500KVA

DRAWN/APPROVED BY:

DATE: SEP 30, 2023

DWG NO:S7500-231011-01

