Team 10 · Experiment log

DTA EEL, Abgabegrund 41 · 26–27 Oct 2026 · results from `reports/`, cost and latency from Langfuse (session = run ID)

↑ better ↓ worse = same + new

EXPERIMENT	WHAT WE DID	RESULT	BETTER / WORSE	LANGFUSE: WORTH A SCREENSHOT	TIME
AI HELPERS ON THE 300 TEST CASES (CODE ALONE: 300 / 300 EVERY TIME)					
Exp 1 · prompt v1 `AGENTS-HARNESS-20261026-223252`	Double-check AI flags anything doubtful	**183 / 300** 147 cases to a person	+ baseline AI too cautious	Double-check: `175 calls · $0.13 · p50 6.4 s` 4 traces lost to network errors	22:32–23:08 35 min
Exp 2 · prompt v2 `AGENTS-HARNESS-20261026-235609`	A flag needs evidence: field, value seen, value expected	**295 / 300** 40 to a person	↑ 147 → 40 also cheaper, faster	Double-check: `$0.13 → $0.11 · p50 6.4 → 4.7 s` Compare both sessions side by side	23:56–00:20 24 min
Rule change `computed offline`	An AI flag on an error code already found keeps it an error	**300 / 300** 21 to a person	↑ 40 → 21 fixed all 5 failures	—	—
Exp 3 · prompt v3 `AGENTS-HARNESS-20261027-002646`	Show the German rule text, speak only to disagree	**299 / 300** 33 to a person	↓ vs v2 kept v2	**Best screenshot:** Double-check `2.61 M tokens vs 0.42 M (6×) · $0.36 vs $0.11 (3×) · p95 11.5 s` more context, worse result	00:26–00:55 29 min
Exp 4 · v2 + new rule `AGENTS-HARNESS-20261027-005809`	Real run of the computed setup	**299 / 300** 16 to a person	↑ 40 → 16	`358 calls · $0.17 per 300 cases`	00:58–01:22 25 min

EXPERIMENT	WHAT WE DID	RESULT	BETTER / WORSE	LANGFUSE: WORTH A SCREENSHOT	TIME
Exp 5a · repeat ×2 `…-010057-v2rep2 / -v2rep3`	Same setup again, to see the spread	**300 · 299** 14 · 18 to a person	= stable average 16, ±2	Cost identical in all 3 runs: `$0.173`	01:00–01:25 24 min
Exp 5b · no Explainer `…-010057-v2noexpl`	Removed one agent (Explainer AI)	**300 / 300** 18 to a person	= same result ↑ −34 % cost	`$0.11 vs $0.17 · 16 vs 24 min` but no plain-language summary	01:00–01:16 16 min
FULL LOOP: STAGE 0 → 1 → 2 → 3					
Design run `AGENTS-design-20261026-222512`	Rule writer + Test writer (Sonnet) with checkers	**20 tests** expected results by code	+ first real run earlier try BLOCKED (answer cut)	Trace tree with rewrite loops · Rule writer `p50 50 s · $0.39 of $0.64`	22:25–22:32 7 min
Stage 2 → 3 `AGENTS-verdict-20261027-012918`	Judge the tests the AI wrote	**30 / 30** 0 to a person	+ gap 1 closed	`$0.025 for 30 cases`	01:29–01:32 4 min
Full loop `AGENTS-full-20261027-014300`	Rules → tests → verdict → one report signature; criteria linked to code checks	**29 / 29** 12 of 15 criteria linked	+ gaps 2, 3 closed 3 criteria → person	**Session view:** gate G1 → G3 → 29 × G5 → G5 report `$0.52, 92 % in the two Sonnet writers; ≈ $0.001 per case verdict`	01:43–01:52 10 min
Find sections `SOURCES-20261027-021434`	AI picks relevant sections from 1,219 chunks	**22 / 22** 39 picked, 17 extra	+ stage 0	Scores `source_recall_A = 1.0 · source_recall_B = 1.0 · $0.004 · 21 s`	02:14 < 1 min
Check records `AGENTS-verdict-20261027-021514`	Re-judge 29 cases with one record per code check	**29 / 29**	↑ traceability	One trace: `checks → check F2 … C13`, expected vs actual per check	02:15–02:17 3 min
F1 fix `AGENTS-verdict-20261027-024151`	Message-format checks F1, F4, F6 always run	**29 / 29** F1 in 29 / 29 cases	↑ F1 was in 0 / 29	Look for `check F1` in this session (not yet confirmed in Langfuse)	02:41–02:44 3 min

EXPERIMENT	WHAT WE DID	RESULT	BETTER / WORSE	LANGFUSE: WORTH A SCREENSHOT	TIME
EXPERIMENT A: THREE NEW SETS OF 200 CASES (V2 + NEW RULE + EXPLAINER, RUN IN PARALLEL)					
Sick leave …-020511-expa-sick	200 new cases, same rules, new seed	**200 / 200** 12 to a person, 0 clean	= code alone 200 / 200	238 calls · $0.12	02:05–02:21 17 min
Story 1 · accident / rehab …-020511-expa-story1	200 cases, reason of absence varies	**200 / 200** 13 to a person, 0 clean	= code alone 200 / 200	226 calls · $0.11	02:05–02:20 15 min
Story 3 · short uncertified days …-020511-expa-story3	200 cases, uncertified short absences	**200 / 200** 3 to a person, 0 clean	= code alone 200 / 200	142 calls · $0.07 · all 600 cases $0.30	02:05–02:15 10 min

Missed errors: 0 in every run. "To a person" = cases where the Double-check AI sent a check for human review.

Cost is Langfuse's estimate for the AI calls only. Times are run start to report file; parallel runs slow each other.

Limits: test cases and the checker come from the same reading of the rules; payroll output is simulated.