

Predator–Prey Relationships at Gaviota

Prey detected in scats by species, category, count, and frequency

<i>Prey species</i>	<i>Category</i>	<i>Count</i>	<i>total_diet_items</i>	<i>% of diet items</i>
Coyote (n = 129)				
<i>deer mouse</i>	Terrestrial	68	281	24.2
<i>bottas pocket gopher</i>	Terrestrial	37	281	13.2
<i>california vole</i>	Terrestrial	27	281	9.6
<i>brandts cormorant</i>	Marine	20	281	7.1
<i>western harvest mouse</i>	Terrestrial	20	281	7.1
<i>brush rabbit</i>	Terrestrial	18	281	6.4
<i>pelagic cormorant</i>	Marine	10	281	3.6
<i>domestic cattle</i>	Terrestrial	9	281	3.2
<i>california ground squirrel</i>	Terrestrial	8	281	2.8
<i>california sea lion</i>	Marine	7	281	2.5
<i>chicken</i>	Terrestrial	6	281	2.1
<i>cricket</i>	Terrestrial	5	281	1.8
<i>wild boar</i>	Terrestrial	5	281	1.8
<i>california alligator lizard</i>	Terrestrial	4	281	1.4
<i>wild turkey</i>	Terrestrial	4	281	1.4
<i>heermans kangaroo rat</i>	Terrestrial	3	281	1.1
<i>woodrat</i>	Terrestrial	3	281	1.1
<i>common raven</i>	Terrestrial	2	281	0.7
<i>gopher snake</i>	Terrestrial	2	281	0.7
<i>skiltons skink</i>	Terrestrial	2	281	0.7
<i>frog</i>	Unknown	2	281	0.7
<i>american shad</i>	Marine	1	281	0.4
<i>clam</i>	Marine	1	281	0.4
<i>harbor seal</i>	Marine	1	281	0.4
<i>sharpnose anchovy</i>	Marine	1	281	0.4
<i>acorn woodpecker</i>	Terrestrial	1	281	0.4
<i>black rat</i>	Terrestrial	1	281	0.4
<i>california quail</i>	Terrestrial	1	281	0.4
<i>carpet beetle</i>	Terrestrial	1	281	0.4
<i>downy woodpecker</i>	Terrestrial	1	281	0.4

Predator–Prey Relationships at Gaviota

Prey detected in scats by species, category, count, and frequency

<i>Prey species</i>	<i>Category</i>	<i>Count</i>	<i>total_diet_items</i>	<i>% of diet items</i>
<i>dung beetle</i>	Terrestrial	1	281	0.4
<i>harvestor ant</i>	Terrestrial	1	281	0.4
<i>house mouse</i>	Terrestrial	1	281	0.4
<i>mule deer</i>	Terrestrial	1	281	0.4
<i>song sparrow</i>	Terrestrial	1	281	0.4
<i>striped skunk</i>	Terrestrial	1	281	0.4
<i>white crowned sparrow</i>	Terrestrial	1	281	0.4
<i>american robin</i>	Unknown	1	281	0.4
<i>rove beetle</i>	Unknown	1	281	0.4
<i>spotted towhee</i>	Unknown	1	281	0.4
<i>Terrestrial subtotal</i>	Terrestrial	235	281	83.6
<i>Marine subtotal</i>	Marine	41	281	14.6
<i>Unknown subtotal</i>	Unknown	5	281	1.8
Bobcat (n = 35)				
<i>bottas pocket gopher</i>	Terrestrial	10	48	20.8
<i>california vole</i>	Terrestrial	8	48	16.7
<i>deer mouse</i>	Terrestrial	6	48	12.5
<i>brush rabbit</i>	Terrestrial	5	48	10.4
<i>mule deer</i>	Terrestrial	5	48	10.4
<i>woodrat</i>	Terrestrial	5	48	10.4
<i>heermans kangaroo rat</i>	Terrestrial	4	48	8.3
<i>california quail</i>	Terrestrial	2	48	4.2
<i>western rattlesnake</i>	Terrestrial	1	48	2.1
<i>western scrub jay</i>	Terrestrial	1	48	2.1
<i>wild boar</i>	Terrestrial	1	48	2.1
<i>Terrestrial subtotal</i>	Terrestrial	48	48	100.0
Wild Boar (n = 61)				
<i>cricket</i>	Terrestrial	5	16	31.2
<i>stonefly</i>	Terrestrial	4	16	25.0
<i>domestic cattle</i>	Terrestrial	3	16	18.8
<i>earwig</i>	Terrestrial	2	16	12.5
<i>dung beetle</i>	Terrestrial	1	16	6.2

Predator–Prey Relationships at Gaviota

Prey detected in scats by species, category, count, and frequency

<i>Prey species</i>	<i>Category</i>	<i>Count</i>	<i>total_diet_items</i>	<i>% of diet items</i>
<i>wild turkey</i>	Terrestrial	1	16	6.2
<i>Terrestrial subtotal</i>	Terrestrial	16	16	100.0