Costs and order fluctuations: first observed runs

H2 and H4 show the predicted direction in Astra and Sol; replication is still underway.



B vs A: Astra +28.7% | Sol +7.2%

C vs B: Astra -79.1% | Sol -40.1%

C vs B: Astra -78.9% | Sol -40.9%

First context per model | 50 dependent chains/condition | 24 weeks | requested high effort
Transcript review pending. Descriptive simulation; no significance claim or measured clock deadline.

Luna: 2 completed attempts excluded for procedural deviations. Claude: not collected.

Outstanding orders: H1 and H3 patterns not observed

H1 and H3 use pipeline-response sensitivity as a proxy; neither is established.



First context per model | 50 dependent chains/condition | 24 weeks | requested high effort
Transcript review pending. Descriptive simulation; no significance claim or measured clock deadline.

Luna: 2 completed attempts excluded for procedural deviations. Claude: not collected.

Observed effects as more chains enter the calculation

First 5, 10, 20, 30, 40 and 50 chains from the same context; a descriptive size check.



Each point still uses ONE context per model. These curves do not estimate statistical significance.

First context per model | 50 dependent chains/condition | 24 weeks | requested high effort
Transcript review pending. Descriptive simulation; no significance claim or measured clock deadline.

Luna: 2 completed attempts excluded for procedural deviations. Claude: not collected.