

Cucumber Report

12 sept 2023 19:55:33

Start : sept 12, 7:55:21.088 p. m.

End : sept 12, 7:55:31.742 p. m.

Duration : 10.654 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 1



FAILED - 8

SKIPPED - 0

PASSED - 11

FAILED - 8


SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Employees endpoint</u>	10.654 s	9	1	8	0	31	11	8	12

#	Feature Name	Scenario Name
1	<u>Employees endpoint</u>	<u>/employees/{id} should return the needed employee</u>
2		<u>/employees/{id} should return error message</u>
3		<u>/create should create an employee</u>
4		<u>/create should return error message</u>
5		<u>/Update should change employee information</u>
6		<u>/Update should return error message</u>
7		<u>/Delete should delete employee</u>
8		<u>/Delete should return error message</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@getAll	1	1	0	0	1	0	1	0
@getById	2	0	2	0	1	0	1	0
@post	2	0	2	0	1	0	1	0
@Update	2	0	2	0	1	0	1	0
@Delete	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Employees endpoint	9	1	8	0	10.654 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Employees endpoint</u>	<u>/employees should return all the employees</u>	3	3	0	0	4.683 s
2		<u>/employees/{id} should return the needed employee</u>	3	1	1	1	1.135 s
3		<u>/employees/{id} should return error message</u>	3	1	1	1	0.709 s
4		<u>/create should create an employee</u>	5	1	1	3	0.974 s
5		<u>/create should return error message</u>	3	1	1	1	0.588 s
6		<u>/Update should change employee information</u>	5	1	1	3	0.587 s
7		<u>/Update should return error message</u>	3	1	1	1	0.561 s
8		<u>/Delete should delete employee</u>	3	1	1	1	0.772 s
9		<u>/Delete should return error message</u>	3	1	1	1	0.562 s

Employees endpoint



FAILED	DURATION - 10.654 s	Scenarios		Steps	
/ 7:55:21.088 p. m. // 7:55:31.742 p. m. /		Total - 9		Total - 31	
		Pass - 1		Pass - 11	
		Fail - 8		Fail - 8	
		Skip - 0		Skip - 12	

/employees should return all the employees

<div>PASSED</div> <div>DURATION - 4.683 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:55:21.093 p. m. // 7:55:25.776 p. m. /			
Employees endpoint			
@getAll			



#	Step / Hook Details	Status	Duration
1	Given I perform a GET to the employees endpoint	PASSED	3.298 s
2	Then I verify status code 200 is returned	PASSED	0.043 s
3	And I verify that the body does not have size 0	PASSED	1.311 s

/employees/{id} should return the needed employee

<div>FAILED</div> <div>DURATION - 1.135 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 7:55:25.792 p. m. // 7:55:26.927 p. m. /</div>				
<div>Employees endpoint</div>				
<div>@getById</div>				

#	Step / Hook Details	Status	Duration			
1	Given I perform a GET to the employees endpoint with Id "3"	PASSED	1.066 s			
2	<div>Then I verify status code 200 is returned</div> <div>java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) at ?.I verify status code 200 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/resources/Employees.feature:14) * Not displayable characters are replaced by '?'. </div>	FAILED	0.055 s			
3	<div>And I verify the following data in the body response with id</div> <table><tr><td>Ashton Cox</td><td>86000</td><td>66</td></tr></table>	Ashton Cox	86000	66	SKIPPED	0.008 s
Ashton Cox	86000	66				



/employees/{id} should return error message

<div>FAILED</div> <div>DURATION - 0.709 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 7:55:26.947 p. m. // 7:55:27.656 p. m. /				
Employees endpoint				
@getById				

#	Step / Hook Details	Status	Duration
1	Given I perform a GET to the employees endpoint with Id "27"	PASSED	0.702 s
2	Then I verify status code 404 is returned <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) at ?.I verify status code 404 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/ </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	resources/Employees.feature:22) * Not displayable characters are replaced by '?'. 3 And I verify the message "Employee Not Found" is displayed		
		SKIPPED	0.000 s



/create should create an employee

FAILED	DURATION - 0.974 s	 <p>Steps Total - 5 Pass - 1 Fail - 1 Skip - 3</p> 
/ 7:55:27.663 p. m. // 7:55:28.637 p. m. /		
Employees endpoint		
@post		

#	Step / Hook Details	Status	Duration
1	Given I perform a POST to the create endpoint with the following data Diego 3500 26	PASSED	0.966 s
2	Then I verify status code 200 is returned java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) at ?.I verify status code 200 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/ resources/Employees.feature:29) * Not displayable characters are replaced by '?'. </pre>		
3	And I verify that the body does not have size 0	SKIPPED	0.000 s
4	And I verify the message "Successfully! Record has been added." is displayed	SKIPPED	0.001 s
5	And I verify the following data in the body response	SKIPPED	0.000 s
	Diego 3500 26		

/create should return error message

FAILED	DURATION - 0.588 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 7:55:28.646 p. m. // 7:55:29.234 p. m. /				
Employees endpoint				
@post				

#	Step / Hook Details	Status	Duration
1	Given I perform a POST to the create endpoint with the following data	PASSED	0.581 s
	sfsd 26		
2	Then I verify status code 400 is returned	FAILED	0.004 s
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) at ?.I verify status code 400 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/resources/Employees.feature:40) * Not displayable characters are replaced by '?'. </pre>		
3	And I verify the message "Bad request" is displayed	SKIPPED	0.001 s



/Update should change employee information

FAILED DURATION - 0.587 s / 7:55:29.241 p. m. // 7:55:29.828 p. m. / Employees endpoint @Update		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
--	--	---	--

#	Step / Hook Details	Status	Duration
1	Given I perform a PUT to the update endpoint with the following data on ID "3"	PASSED	0.581 s

#	Step / Hook Details	Status	Duration
	Test 1234 56		
2	<p>Then I verify status code 200 is returned</p> <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) at ?.I verify status code 200 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/resources/Employees.feature:48) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.003 s
3	And I verify that the body does not have size 0	SKIPPED	0.001 s
4	And I verify the message "Successfully! Record has been updated." is displayed	SKIPPED	0.000 s
5	And I verify the following data in the body response	SKIPPED	0.001 s
	Test 1234 56		



/Update should return error message

<div>FAILED</div> <div>DURATION - 0.561 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 7:55:29.834 p. m. // 7:55:30.395 p. m. /</div>				
<div>Employees endpoint</div>				
<div>@Update</div>				

#	Step / Hook Details	Status	Duration
1	Given I perform a PUT to the update endpoint with the following data on ID "3"	PASSED	0.557 s
	<div>sfsd 26</div>		
2	Then I verify status code 400 is returned	FAILED	0.002 s
	<pre>java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)</pre>		

#	Step / Hook Details	Status	Duration
	at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) at ?.I verify status code 400 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/resources/Employees.feature:59) * Not displayable characters are replaced by '?'.		
3	And I verify the message "Bad request" is displayed	SKIPPED	0.000 s

/Delete should delete employee

FAILED	DURATION - 0.772 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 7:55:30.400 p. m. // 7:55:31.172 p. m. /				
Employees endpoint				
@Delete				

#	Step / Hook Details	Status	Duration
1	Given I perform a DELETE to the delete endpoint on ID "5"	PASSED	0.619 s
2	And I verify the correct employee "5" has been deleted <pre> java.lang.AssertionError: 1 expectation failed. XML path data doesn't match. Expected: 5 Actual: <nullnullToo Many Requestsnullnull html, body { background-color: #fff; color: #636b6f; font-family: 'Nunito', sans-serif; font-weight: 100; height: 100vh; margin: 0; } .full-height { height: 100vh; } .flex-center { align-items: center; display: flex; justify-content: center; } .position-ref { position: relative; } .code { border-right: 2px solid; font-size: 26px; padding: 0 15px 0 15px; text-align: center; } .message { font-size: 18px; text-align: center; } 429 Too Many Requests > </pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)	FAILED	0.152 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:270) at io.restassured.specification.ResponseSpecification\$body\$1.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at io.restassured.specification.ResponseSpecification\$body\$1.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:117) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:244) at stepDefinitions.EmployeesSteps.verifyEmployeeID(EmployeesSteps.java:104) at ?.I verify the correct employee "5" has been deleted(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/resources/Employees.feature:66) * Not displayable characters are replaced by '?'. </pre>		
3	And I verify the message "Successfully! Record has been deleted" is displayed	SKIPPED	0.000 s

/Delete should return error message

FAILED DURATION - 0.562 s / 7:55:31.180 p. m. // 7:55:31.742 p. m. / Employees endpoint @Delete		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given I perform a DELETE to the delete endpoint on ID ""	PASSED	0.553 s
2	Then I verify status code 400 is returned <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <301>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) at ?.I verify status code 400 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/resources/Employees.feature:73) * Not displayable characters are replaced by '?'. </pre>		
3	And I verify the message "Bad request" is displayed	SKIPPED	0.000 s