

| Feature | | Scenario | | | | Step | | | |
|--------------------|----------|----------|---|---|---|------|----|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| Employees endpoint | 10.260 s | 9 | 1 | 8 | 0 | 31 | 11 | 8 | 12 |


FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|--------------------|---|
| 1 | Employees endpoint | /employees/{id} should return the needed employee |
| 2 | | /employees/{id} should return error message |
| 3 | | /create should create an employee |
| 4 | | /create should return error message |
| 5 | | /Update should change employee information |
| 6 | | /Update should return error message |
| 7 | | /Delete should delete employee |
| 8 | | /Delete should return error message |

| TAG | | Scenario | | | Feature | | | | |
|----------|---|----------|---|---|---------|---|---|---|--|
| Name | T | P | F | S | T | P | F | S | |
| @getAll | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | |
| @getById | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | |
| @post | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | |
| @Update | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | |
| @Delete | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 | |


FEATURES SUMMARY

-- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------------|---|---|---|---|----------|
| 1 | Employees endpoint | 9 | 1 | 8 | 0 | 10.260 s |

SCENARIOS SUMMARY -- 6 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------|---|---|---|---|---|----------|
| 1 | Employees endpoint | /employees should return all the employees | 3 | 3 | 0 | 0 | 3.996 s |
| 2 | | /employees/{id} should return the needed employee | 3 | 1 | 1 | 1 | 0.880 s |
| 3 | | /employees/{id} should return error message | 3 | 1 | 1 | 1 | 0.672 s |
| 4 | | /create should create an employee | 5 | 1 | 1 | 3 | 1.551 s |
| 5 | | /create should return error message | 3 | 1 | 1 | 1 | 0.575 s |
| 6 | | /Update should change employee information | 5 | 1 | 1 | 3 | 0.603 s |
| 7 | | /Update should return error message | 3 | 1 | 1 | 1 | 0.586 s |
| 8 | | /Delete should delete employee | 3 | 1 | 1 | 1 | 0.767 s |
| 9 | | /Delete should return error message | 3 | 1 | 1 | 1 | 0.556 s |

Employees endpoint


| FAILED DURATION - 10.260 s | Scenarios | | Steps | |
|--|-----------|-----|------------|----|
| | Total - 9 | | Total - 31 | |
| / 7:17:05.328 p. m. // 7:17:15.588 p. m. / | Pass - 1 | 9 | Pass - 11 | 31 |
| | Fail - 8 | , i | Fail - 8 | |
| | Skip - 0 | | Skip - 12 | |

/employees should return all the employees



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I perform a GET to the employees endpoint | PASSED | 3.025 s |
| 2 | Then I verify status code 200 is returned | PASSED | 0.034 s |
| 3 | And I verify that the body does not have size 0 | PASSED | 0.909 s |


/employees/{id} should return the needed employee



DETAILED SECTION -- 8 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given I perform a GET to the employees endpoint with Id "3" | PASSED | 0.847 s |
| 2 | Then I verify status code 200 is returned | FAILED | 0.028 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. |] | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) | | |
| | at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) | | |
| | at ?.I verify status code 200 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/ | | |
| | resources/Employees.feature:14) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | And I verify the following data in the body response with id | SKIPPED | 0.003 s |
| | Ashton Cox 86000 66 | | |

DETAILED SECTION -- 9 --




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I perform a GET to the employees endpoint with Id "27" | PASSED | 0.663 s |
| 2 | Then I verify status code 404 is returned | FAILED | 0.006 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <429>. | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) | | |
| | at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. | | |
| | java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) | | |
| | at ?.I verify status code 404 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/ | | |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | resources/Employees.feature:22) * Not displayable characters are replaced by '?'. | | |
| 3 | And I verify the message "Employee Not Found" is displayed | SKIPPED | 0.000 s |

/create should create an employee




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I perform a POST to the create endpoint with the following data | PASSED | 1.548 s |
| | Diego 3500 26 | | |
| 2 | Then I verify status code 200 is returned | FAILED | 0.001 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite*ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl*HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl.validateResponselfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponselfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(PlainObjectMetaMethodSite.java:43) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |

DETAILED SECTION -- 11 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) at ?.I verify status code 200 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/resources/Employees.feature:29) * Not displayable characters are replaced by '?'. | | |
| 3 | And I verify that the body does not have size 0 | SKIPPED | 0.001 s |
| 4 | And I verify the message "Successfully! Record has been added." is displayed | SKIPPED | 0.000 s |
| 5 | And I verify the following data in the body response Diego 3500 26 | SKIPPED | 0.000 s |


/create should return error message



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform a POST to the create endpoint with the following data | PASSED | 0.569 s |
| | sfsd 26 | | |
| 2 | Then I verify status code 400 is returned | FAILED | 0.004 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) | | |
| | at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. | | |
| | java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) | | |
| | at ?.I verify status code 400 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/ | | |
| | resources/Employees.feature:40) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | And I verify the message "Bad request" is displayed | SKIPPED | 0.001 s |

/Update should change employee information




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform a PUT to the update endpoint with the following data on ID "3" | PASSED | 0.591 s |

DETAILED SECTION -- 13 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | Test 1234 56 | | |
| 2 | Then I verify status code 200 is returned | FAILED | 0.005 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance()(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance()(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Onstructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImplsHamcrestAssertionClosuresvalidate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl.sHamcrestAssertionClosuresvalidate(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.stainters2svalidateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(PelainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.dolnvoke(PlainObjectMetaM | | |
| 3 | And I verify that the body does not have size 0 | SKIPPED | 0.000 s |
| 4 | And I verify the message "Successfully! Record has been updated." is displayed | SKIPPED | 0.000 s |
| 5 | And I verify the following data in the body response | SKIPPED | 0.002 s |
| | Test 1234 56 | | |

DETAILED SECTION -- 14 --




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I perform a PUT to the update endpoint with the following data on ID "3" | PASSED | 0.578 s |
| | sfsd 26 | | |
| 2 | Then I verify status code 400 is returned | FAILED | 0.004 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <429>. | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) | | |
| | at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) | | |
| | $at\ io. rest assured. internal. Response Specification Impl \$ Hamcrest Assertion Closure. validate (Response Specification Impl. groovy: 512)$ | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org. code haus. groovy. runtime. call site. Pogo Meta Method Site \$Pogo Cached Method Site No Unwrap No Coerce. invoke (Pogo Meta Method Site.) at org. code haus. groovy. runtime. call site. Pogo Meta Method Site. The site of the first organization organization of the first organization of the first organization organizatio | | |
| | java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |

DETAILED SECTION -- 15 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) at ?.I verify status code 400 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/resources/Employees.feature:59) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | And I verify the message "Bad request" is displayed | SKIPPED | 0.001 s |

/Delete should delete employee




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I perform a DELETE to the delete endpoint on ID "5" | PASSED | 0.605 s |
| 2 | And I verify the correct employee "5" has been deleted | FAILED | 0.159 s |
| | java.lang.AssertionError: 1 expectation failed. XML path data doesn't match. Expected: 5 Actual: <nullnulltoo #636b6f;="" #fff;="" 'nunito',="" .429<="" .code="" .flex-center="" .full-height="" .message="" .position-ref="" 0="" 0;="" 100;="" 100vh;="" 15px="" 15px;="" 18px;="" 26px;="" 2px="" align-items:="" background-color:="" body="" border-right:="" center;="" color:="" display:="" flex;="" font-family:="" font-size:="" font-weight:="" height:="" html,="" justify-content:="" many="" margin:="" padding:="" position:="" relative;="" requestsnullnull="" sans-serif;="" solid;="" text-align:="" th="" {="" }=""><th></th><th></th></nullnulltoo> | | |

DETAILED SECTION -- 16 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. | | |
| | java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:270) | | |
| | at io.restassured.specification.ResponseSpecification\$body\$1.callCurrent(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) | | |
| | at io.restassured.specification.ResponseSpecification\$body\$1.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:117) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:244) | | |
| | at stepDefinitions.EmployeesSteps.verifyEmployeeID(EmployeesSteps.java:104) | | |
| | at ?.I verify the correct employee "5" has been deleted(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/ | | |
| | src/test/resources/Employees.feature:66) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | And I verify the message "Successfully! Record has been deleted" is displayed | SKIPPED | 0.000 s |

/Delete should return error message



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform a DELETE to the delete endpoint on ID "" | PASSED | 0.551 s |
| 2 | Then I verify status code 400 is returned | FAILED | 0.002 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <301>. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

DETAILED SECTION -- 17 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) | | |
| | at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. | | |
| | java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at stepDefinitions.EmployeesSteps.verifyStatusCode(EmployeesSteps.java:36) | | |
| | at ?.I verify status code 400 is returned(file:///C:/UPB/2023/Certificación%20II/ProyectosTercerParcial/RestAssureExample/src/test/ | | |
| | resources/Employees.feature:73) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | And I verify the message "Bad request" is displayed | SKIPPED | 0.001 s |