

i Swagger Editor has evolved! Codegen, save, and export features are now part of SmartBear API Hub.

[Learn More](#) [Try API Hub](#)

Sign

in

to

API

Hub

Try

API

Hub



File ▾

Edit ▾

Insert ▾

Generate

Server ▾

Generate

Client ▾

About ▾

Sign
in
to
API
Hub

Try
API
Hub

Legal Aid Tool

1.0.0 OAS 3.0

This API intended to deploy on aws API Gateway

Authorize



Student endpoints accessible by students



POST

/student/text_generation Generate a response from the LLM



Parameters

Try it out

Name

Description

case_id * required

ID of the case

string

case_id

(query)

Request body

application/json

Example Value Schema

```
{  
  "message_content": "string"  
}
```

Responses

Code	Description	Links
200	Response with generated array and input value Media type application/json Controls Accept header.	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${TextGenLambdaDockerFunc.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST"}

POST /student/summary_generation Generate a summary from the LLM



Try it out

Parameters

Name	Description
case_id * required string (query)	ID of the case case_id

Request body	application/json
--------------	------------------

Example Value Schema

```
{  
  "message_content": "string"  
}
```

Responses

Code	Description	Links
200	Response with generated array and input value Media type application/json Controls Accept header.	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${SummaryLambdaDockerFunc.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST"}
apigateway-	integration

GET**/student/get_summaries** Gets all summaries of a case**Try it out****Parameters****Name****Description****case_id** * required

ID of the case

string

case_id

(query)

Responses**Code****Description****Links**

200

Response with generated array and input value

No links

Media type

application/json

Controls Accept header.

Example Value Schema[
 {}
]

400

Bad Request

No links

401

Unauthorized

No links

429

Too Many Requests

No links

500

Internal Server Error

No links

Extensions

Field	Value
-------	-------

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-31/functions/${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av integration"}
```

GET /student/get_cases Get all cases of a student


[Try it out](#)

Parameters

Name	Description
------	-------------

user_id * required The ID of the user

string
(query)

Responses

Code	Description	Links
------	-------------	-------

200 List of cases of the student

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "message_id": "string",
    "session_id": "string",
    "student_sent": true,
    "message_content": "string",
    "time_sent": "2025-06-06T17:18:43.684Z"
  }
]
```

400 Bad Request

No links

Media type

application/json

Code	Description	Links
	Example Value Schema <pre>{ "error": "session_id query parameter is required" }</pre>	
404	Not Found <p>Media type</p> <p>application/json</p>	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "aws_lambda_PROXY", "timeout": 30}

GET	/student/get_disclaimer	Get disclaimer of a student	 
-----	-------------------------	-----------------------------	---

Parameters

Try it out

Name	Description
user_id * required	The ID of the user string (query)

Responses

Code	Description	Links
200	<p>disclaimer object</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px; display: inline-block;">application/json</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "message_id": "string", "session_id": "string", "student_sent": true, "message_content": "string", "time_sent": "2025-06-06T17:18:43.691Z" }]</pre>	No links
400	<p>Bad Request</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px; display: inline-block;">application/json</div> <p>Example Value Schema</p> <pre>{ "error": "session_id query parameter is required" }</pre>	No links
404	<p>Not Found</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px; display: inline-block;">application/json</div> <p>Example Value Schema</p> <pre>{ "error": "Session not found" }</pre>	No links
500	Internal Server Error	No links

Extensions

Field	Value
-------	-------

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-31/functions/${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av integration"}
```

GET /student/recent_cases Get all cases of a student



Parameters

[Try it out](#)

Name	Description
------	-------------

user_id * required The ID of the user

string

user_id

(query)

Responses

Code	Description	Links
------	-------------	-------

200 List of cases of the student

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "message_id": "string",
    "session_id": "string",
    "student_sent": true,
    "message_content": "string",
    "time_sent": "2025-06-06T17:18:43.698Z"
  }
]
```

400 Bad Request

No links

Media type

application/json

Example Value Schema

Code	Description	Links
	<pre>{ "error": "session_id query parameter is required" }</pre>	
404	Not Found Media type application/json	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws"} {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws"}

POST /student/initialize_audio_file Initialize an audio file record for a student  

Parameters

Try it out

Name	Description
------	-------------

audio_file_id * required Unique identifier for the audio file

string
(query)

audio_file_id

s3_file_path * required S3 file path where the audio will be stored

string
(query)

s3_file_path

Name	Description
cognito_id * required string (query)	Cognito ID of the student uploading the audio <input type="text" value="cognito_id"/>

Responses

Code	Description	Links
200	Audio file initialized successfully	No links
	Media type application/json	
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "audio_file_id": "string", "user_id": "string", "s3_file_path": "string" }</pre>	
400	Missing parameters	No links
404	User not found	No links
500	Internal server error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws"} {"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "aws"}

GET

/student/message_counter

Get the number of messages a user is able to send (according to the quota)



Parameters

[Try it out](#)

Name	Description
user_id * required	ID of user string (query)

Responses

Code	Description	Links
200	Number of messages in the session Media type application/json Controls Accept header.	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-apigateway-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av integration"}

PUT /student/message_counter Update the number of messages in a session



Parameters

[Try it out](#)

Name	Description
------	-------------

user_id * required	ID of user
---------------------------	------------

string (query)	user_id
-------------------	---------

Responses

Code	Description	Links
200	Message count updated successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
-------	-------

x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av integration
-----------	---

PUT /student/view_case Update the time a case was viewed at to current time  

Parameters

[Try it out](#)

Name	Description
------	-------------

case_id * required	ID of case
---------------------------	------------

Name	Description
string (query)	case_id

Responses

Code	Description	Links
200	Case viewing tracked in database successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "aws_lambda_PROXY", "timeout": 30}

POST /student/create_user Create a student



Try it out

Name	Description
user_email (query)	email of the user
username string	username of the user

Name	Description
(query)	username
first_name	first name of the user
string	first_name
(query)	
cognito_id	user's cognito_id
string	cognito_id
(query)	
last_name	last name of the user
string	last_name
(query)	

Responses

Code	Description	Links
200	Student Created	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations","passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws_lambda_integration"}

GET /student/get_name Get the list of student name



Parameters**Try it out****Name Description****user_id** id of the user**string** **(query)**
user_id**Responses**

Code	Description	Links
200	Roles Available	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions**Field Value**

x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av integration}

GET /student/message_limit Get the message limit parameter  **Parameters****Try it out****Name Description****user_id** id of the user

Name	Description
string (query)	user_id

Responses

Code	Description	Links
200	Roles Available	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

POST /student/case Create a case for a student



[Try it out](#)

Parameters

Name	Description
user_id * required	id of the student (cognito_id)

Request body required

application/json

Example Value Schema

```
{  
  "case_title": "string",  
  "case_type": "string",  
  "jurisdiction": "string",  
  "case_description": "string",  
  "province": "string",  
  "statute": "string"  
}
```

Responses

Code	Description	Links
200	Case created successfully	<i>No links</i>
	Media type	
	application/json	
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "case_id": "string", "case_hash": "string", "case_title": "string" }</pre>	
400	Invalid value	<i>No links</i>
401	Unauthorized	<i>No links</i>
429	Too Many Requests	<i>No links</i>
500	Internal Server Error	<i>No links</i>

Extensions

Field	Value
-------	-------

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-
apigateway- 31/functions/${CaseGenLambdaDockerFunc.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"PO
integration
```

POST /student/create_ai_message Create an AI response message for a session



Parameters

[Try it out](#)

Name	Description
------	-------------

case_id * required ID of the case the message is discussing

string
(query)

Request body required

[application/json](#)

Example Value Schema

```
{
  "message_content": "string"
}
```

Responses

Code	Description	Links
------	-------------	-------

200 AI message created

No links

Media type

[application/json](#)

Controls Accept header.

Example Value Schema

```
{
  "session_id": "string",
  "message_content": "string"
}
```

Code	Description	Links
400	Invalid value or missing parameter	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws_lambda_integration"}

GET /student/get_transcriptions Get all transcriptions of a case



[Try it out](#)

Name	Description
user_id * required	The ID of the user string (query)
case_id * required	The ID of the case string (query)

Responses

Code	Description	Links
200	List of transcriptions of the case Media type	No links

Links**Code****application/json**

Controls Accept header.

Example Value Schema

```
[
  {
    "message_id": "string",
    "session_id": "string",
    "student_sent": true,
    "message_content": "string",
    "time_sent": "2025-06-06T17:18:43.765Z"
  }
]
```

400

Bad Request

No links

Media type

application/json**Example Value** Schema

```
{
  "error": "session_id query parameter is required"
}
```

404

Not Found

No links

Media type

application/json**Example Value** Schema

```
{
  "error": "Session not found"
}
```

500

Internal Server Error

*No links***Extensions****Field****Value**

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-
apigateway- 31/functions/${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av
integration
```

GET**/student/transcription** Get specific transcription of a file

Parameters**Try it out**

Name	Description
------	-------------

audio_file_id * requiredThe ID of the audio file
string
(query)

audio_file_id

Responses

Code	Description	Links
------	-------------	-------

200 audio text of the student *No links*

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "message_id": "string",
    "session_id": "string",
    "student_sent": true,
    "message_content": "string",
    "time_sent": "2025-06-06T17:18:43.773Z"
  }
]
```

400 Bad Request *No links*

Media type

application/json**Example Value** Schema

```
{
  "error": "session_id query parameter is required"
}
```

404 Not Found *No links*

Media type

application/json**Example Value** Schema

Code	Description	Links
500	<pre>{ "error": "Session not found" }</pre> <p>Internal Server Error</p>	No links

Extensions

Field Value

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-
apigateway- 31/functions/${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av
integration
```

GET /student/notifications Get last 7 days worth of notifications of a student



[Try it out](#)

Parameters

Name Description

user_id * required The ID of the user

string

user_id

(query)

Responses

Code	Description	Links
200	List of cases of the student	No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
{
    "message_id": "string",
```

Code	Description	Links
	<pre> "session_id": "string", "student_sent": true, "message_content": "string", "time_sent": "2025-06-06T17:18:43.783Z" }] </pre>	
400	Bad Request	No links
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>	
	Example Value Schema	
	<pre>{ "error": "session_id query parameter is required" }</pre>	
404	Not Found	No links
	<p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div>	
	Example Value Schema	
	<pre>{ "error": "Session not found" }</pre>	
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av integration"}

GET	/student/disclaimer	Check if student accepted disclaimer	 
-----	---------------------	--------------------------------------	---

Parameters		Try it out
Name	Description	
user_id * required	The ID of the user	

Name	Description
string (query)	user_id

Responses

Code	Description	Links
200	<p>Whether disclaimer has been accepted</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px; display: inline-block;">application/json</div> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "message_id": "string", "session_id": "string", "student_sent": true, "message_content": "string", "time_sent": "2025-06-06T17:18:43.794Z" }]</pre>	No links
400	<p>Bad Request</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px; display: inline-block;">application/json</div> <p>Example Value Schema</p> <pre>{ "error": "session_id query parameter is required" }</pre>	No links
404	<p>Not Found</p> <p>Media type</p> <div style="border: 2px solid green; padding: 2px; display: inline-block;">application/json</div> <p>Example Value Schema</p> <pre>{ "error": "Session not found" }</pre>	No links

Code	Description	Links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction Arn}/invocations","passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av integration"}

PUT /student/disclaimer Marks given message as read



[Try it out](#)

Parameters

Name	Description
------	-------------

user_id * required	ID of the user
string (query)	user_id

Responses

Code	Description	Links
200	Disclaimer accepted successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field **Value**

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-  
apigateway- 31/functions/${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av  
integration
```

GET **/student/notes** Get all notes in a case**Parameters****Try it out****Name** **Description****case_id** * required The ID of the case

string

case_id

(query)

Responses**Code** **Description****Links**

200

Notes for the session

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{  
    "notes": "string"  
}
```

400

Bad Request

No links

Media type

application/json**Example Value** Schema

```
{  
    "error": "case_id is required"  
}
```

Code	Description	Links
404	Not Found Media type application/json	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "aws_lambda_PROXY", "timeout": 30}

PUT /student/notes Update notes in a session

**Try it out**

Name	Description
------	-------------

case_id * required The ID of the case
 string
 (query)

Request body required**application/json****Example Value** Schema

```
{
  "notes": "string"
}
```

Responses

Code	Description	Links
200	Notes updated successfully	No links
400	Bad Request	No links
404	Case not found	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av integration"}

GET /student/audio_to_text Generate audio to text



Parameters

[Try it out](#)

Name	Description
------	-------------

case_id * required case ID

string
(query)

file_type * required Type of file

string
(query)

file_name * required Name of the file

string
(query)

Responses

Code	Description	Links
200	Presigned URL generated successfully Media type application/json Controls Accept header.	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${audioToTextFunction Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

GET /student/generate_presigned_url Generate a presigned URL for uploading files



[Try it out](#)

Parameters

Name	Description
case_id * required	case ID <input type="text" value="case_id"/>

Name	Description
file_type * required	Type of file string (query)
file_name * required	Name of the file string (query)

Responses

Code	Description	Links
200	Presigned URL generated successfully Media type application/json Controls Accept header.	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${GeneratePreSignedURLFunc Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST"}

PUT /student/read_message Marks given message as read

**Parameters****Try it out****Name** **Description****message_id** * required ID of the case to be reviewedstring
(query)

message_id

Responses**Code** **Description****Links**

200 Message read successfully No links

400 Bad Request No links

401 Unauthorized No links

429 Too Many Requests No links

500 Internal Server Error No links

Extensions**Field** **Value**

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-
apigateway- 31/functions/${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av
integration
```

PUT /student/review_case Send case for review

**Parameters****Try it out**

Name	Description
case_id * required	ID of the case to be reviewed string (query)
cognito_id * required	id of the student updating case string (query)

Responses

Code	Description	Links
200	Case updated successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws"}

PUT /student/unarchive_case Unarchive case 🔒 ▾

PUT /student/archive_case Archive case to not be used 🔒 ⌂

Parameters

Try it out

Name	Description
case_id * required	ID of the case to be archive string (query)
cognito_id * required	id of the student updating case string (query)

Responses

Code	Description	Links
200	Case updated successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av integration"}

PUT /student/edit_case Update notes in a session



Try it out

Parameters

Name	Description
case_id * required <small>string (query)</small>	The ID of the case case_id

Request body required application/json

Example Value Schema

```
{
  "case_title": "string",
  "case_description": "string",
  "case_type": "string",
  "status": "string",
  "jurisdiction": [
    "string"
  ],
  "province": "string",
  "statute": "string"
}
```

Responses

Code	Description	Links
200	Case updated successfully	No links
400	Bad Request	No links
404	Case not found	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av

Field	Value
integration	

DELETE /student/delete_case Delete certain case



Parameters

Try it out

Name	Description
------	-------------

case_id * required ID of the case
string
(query)

cognito_id * required ID of the user who wants to delet
string
(query)

Responses

Code	Description	Links
200	Case deleted successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
-------	-------

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-"
apigateway- 31/functions/${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av"
integration
```

DELETE /student/delete_transcription Delete certain transcription



Parameters

[Try it out](#)

Name	Description
------	-------------

audio_file_id * required ID of the audio file

string
(query)

audio_file_id

Responses

Code	Description	Links
------	-------------	-------

200	Transcription deleted successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
-------	-------

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-"
apigateway- 31/functions/${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av"
integration
```

DELETE /student/delete_summary Delete certain summary



Parameters

[Try it out](#)

Name	Description
------	-------------

summary_id * required ID of the summary
string
(query)

Responses

Code	Description	Links
200	Case deleted successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
-------	-------

x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"av integration}

Instructor

endpoints accessible by instructors



GET /instructor/name Get instructor name



Parameters

[Try it out](#)

Name	Description
name * required <small>string (query)</small>	name of the instructor <input type="text" value="name"/>

Responses

Code	Description	Links
200	Successfully returned name of instructor	No links
	Media type	
	application/json	
	Controls Accept header.	
	Example Value	
	Schema	
	{ "presignedurl": "string" }	
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":integration}

GET /instructor/cases_to_review Get cases to be reviewed



Parameters**Try it out**

Name	Description
------	-------------

cognito_id * required ID of the instructor

string
(query)

Responses

Code	Description	Links
200	Received all profile picture URLs successfully	No links
	Media type	
	application/json	
	Controls Accept header.	
	Example Value Schema	
	<pre>["string"]</pre>	
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
-------	-------

x-amazon-apigateway-integration {"uri":"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunction.Arn}/invocations","passthroughBehavior":"when_no_match","httpMethod":"GET","type":"aws"}

PUT

/instructor/send_feedback Send Feedback to the student on the case



Parameters

[Try it out](#)

Name Description

case_id * required ID of the case to be reviewed
 string
 (query)

instructor_email * required Email of the instructor responding to student
 string
 (query)

Responses

Code	Description	Links
200	Feedback updated successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field Value

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-31/functions/${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":integration}
```

GET

/instructor/view_students View students assigned to instructor



Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	Students retrieved successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"

Admin

endpoints accessible by admins



POST /admin/elevate_instructor Elevate a user to instructor role



Parameters

[Try it out](#)

Name	Description
email * required string (query)	Email of the user to be elevated <input type="text" value="email"/>

Responses

Code	Description	Links
200	User role updated to instructor Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "User role updated to instructor." }</pre>	<i>No links</i>
201	New user created and elevated to instructor Media type application/json Example Value Schema <pre>{ "message": "New user created and elevated to instructor." }</pre>	<i>No links</i>
400	Bad Request Media type application/json Example Value Schema <pre>{ "error": "Email is required" }</pre>	<i>No links</i>
500	Internal Server Error Media type	<i>No links</i>

Code	Description	Links				
	application/json					
Example Value Schema						
{ "error": "Internal server error" }						
Extensions						
<table border="1"><thead><tr><th>Field</th><th>Value</th></tr></thead><tbody><tr><td>x-amazon-</td><td>{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws:integration"</td></tr></tbody></table>			Field	Value	x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws:integration"
Field	Value					
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws:integration"					
GET	/admin/instructors Get all instructors					
Parameters		Try it out				
<table border="1"><thead><tr><th>Name</th><th>Description</th></tr></thead><tbody><tr><td>instructor_email * required string (query)</td><td>Email of the admin accessing the list of instructors <input type="text" value="instructor_email"/></td></tr></tbody></table>			Name	Description	instructor_email * required string (query)	Email of the admin accessing the list of instructors <input type="text" value="instructor_email"/>
Name	Description					
instructor_email * required string (query)	Email of the admin accessing the list of instructors <input type="text" value="instructor_email"/>					
Responses						
Code	Description	Links				
200	List of instructors retrieved successfully	No links				
400	Bad Request	No links				
401	Unauthorized	No links				
429	Too Many Requests	No links				

Code	Description	Links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws:integration"}

GET /admin/prompt Get all system prompts ever used in descending order (most recent first)  

Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	List of prompts retrieved successfully	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws:integration"}

POST /admin/prompt Create a new system prompt  

Parameters**Try it out**

No parameters

Request body required**application/json****Example Value** Schema

```
{
  "system_prompt": "string"
}
```

Responses

Code	Description	Links
200	System prompt created successfully	<i>No links</i>
400	Bad Request	<i>No links</i>
500	Internal Server Error	<i>No links</i>

Extensions**Field** **Value**

x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws:integration"}

POST [/admin/assign_instructor_to_student](#) Assign an instructor to a student
**Try it out**

No parameters

Request body required**application/json**

Example Value Schema

```
{
  "instructor_id": "string",
  "student_id": "string"
}
```

Responses

Code	Description	Links
200	Assignment created successfully	No links
400	Bad Request	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws-integration"}

GET /admin/students Get all students for a given instructor



Try it out

No parameters

Responses

Code	Description	Links
200	List of students	No links

Code	Description	Links
	<p>Media type</p> <div style="border: 2px solid green; padding: 2px; display: inline-block;">application/json</div> <p>Controls Accept header.</p>	
	Example Value Schema <pre>[[{ "student_id": "string" }]]</pre>	
400	Bad Request	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws/integration"}

GET /admin/message_limit Get message limit 🔒 ⌂

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Parameter retrieved successfully	No links
400	Bad Request	No links
401	Unauthorized	No links

Code	Description	Links
429	Too Many Requests	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-apigateway-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws-integration"}

POST /admin/message_limit Assign an instructor to a student



Parameters

[Try it out](#)

No parameters

Request body required

application/json

Example Value Schema

```
{
  "instructor_id": "string",
  "student_id": "string"
}
```

Responses

Code	Description	Links
200	Assignment created successfully	No links
400	Bad Request	No links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "aws/integration"}

GET /admin/instructorStudents Get all students for an instructor



Parameters

[Try it out](#)

Name	Description
------	-------------

instructor_id * required Id of the instructor to find students for

string
(query)

instructor_id

Responses

Code	Description	Links
------	-------------	-------

200 List of student ids [No links](#)

Media type

application/json

Controls Accept header.

[Example Value](#) Schema

```
[  
  {  
    "student_id": "string"  
  }  
]
```

400 Bad Request [No links](#)

500 Internal Server Error [No links](#)

Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws:integration"}

DELETE

[/admin/delete_instructor_student_assignment](#)
Delete an instructor assignment to one student

**Parameters****Try it out****Name****Description****instructor_id** * required

string

(query)

User ID of the instructor

instructor_id

student_id * required

string

(query)

User ID of the student

student_id

Responses**Code****Description****Links**

200

Instructor unassigned from student successfully

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "message": "Instructor unassigned from student successfully."
}
```

400

Bad Request

No links

Media type

application/json**Example Value** Schema

Code	Description	Links
	<pre>{ "error": "Instructor ID and Student ID query parameter is required" }</pre>	
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-apigateway-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws-integration"}

GET /admin/disclaimer Get all previous disclaimer entries  

Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	List of previous disclaimers	No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "disclaimer_text": "string",
    "last_updated": "2025-06-06T17:18:43.988Z"
  }
]
```

Code	Description	Links
500	Internal Server Error	No links

Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "aws"} Integration

POST /admin/disclaimer Save a new disclaimer



Parameters

[Try it out](#)

No parameters

Request body required

application/json

Example Value Schema

```
{
  "disclaimer_text": "string",
  "user_id": "string"
}
```

Responses

Code	Description	Links
200	Saved disclaimer entry	No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "disclaimer_text": "string",
```

Code	Description	Links
	<pre>"last_updated": "2025-06-06T17:18:43.997Z" }</pre>	
400	Missing or invalid request	No links
500	Internal Server Error	No links

Extensions

Field Value

x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"aws/integration"}

POST /admin/lower_instructor Lower an instructor to a student role



[Try it out](#)

Parameters

Name Description

cognito_id * required ID of the user to be lowered from instructor to student

string
(query)

cognito_id

Responses

Code	Description	Links
200	Instructor role lowered to student	No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "message": "User role updated to student for example@example.com"
```

Code	Description	Links
	}	
400	Bad Request	No links
Media type application/json		
Example Value Schema		
<pre>{ "error": "User is not an instructor or email is missing" }</pre>		
500	Internal Server Error	No links
Extensions		
Field	Value	
x-amazon-	{ "uri": { "Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations" }, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "aws-integration" }	

default



- OPTIONS /student/text_generation CORS support
 ▼
- OPTIONS /student/summary_generation CORS support
 ▼
- OPTIONS /student/get_summaries CORS support
 ▼
- OPTIONS /student/get_cases CORS support
 ▼
- OPTIONS /student/get_disclaimer CORS support
 ▼
- OPTIONS /student/recent_cases CORS support
 ▼
- OPTIONS /student/initialize_audio_file CORS support
 ▼

OPTIONS /student/message_counter CORS support ▾

OPTIONS /student/view_case CORS support ▾

OPTIONS /student/create_user CORS support ▾

OPTIONS /student/get_name CORS support ▾

OPTIONS /student/message_limit CORS support ▾

OPTIONS /student/case CORS support ▾

OPTIONS /student/create_ai_message CORS support ▾

OPTIONS /student/get_transcriptions CORS support ▾

OPTIONS /student/transcription CORS support ▾

OPTIONS /student/notifications CORS support ▾

OPTIONS /student/disclaimer CORS support ▾

OPTIONS /student/notes CORS support ▾

OPTIONS /student/audio_to_text CORS support ▾

OPTIONS /student/generate_presigned_url CORS support ▾

OPTIONS /student/case_page CORS support ▾

OPTIONS /student/read_message CORS support ▾

OPTIONS /student/get_messages CORS support ▾

OPTIONS /student/instructors CORS support ▾

OPTIONS /student/review_case CORS support ▾

OPTIONS /student/unarchive_case CORS support ▾

OPTIONS /student/archive_case CORS support ▾

OPTIONS /student/edit_case CORS support ▾

OPTIONS /student/delete_case CORS support ▾

OPTIONS /student/delete_transcription CORS support ▾

OPTIONS /student/delete_summary CORS support ▾

OPTIONS /instructor/name CORS support ▾

OPTIONS /instructor/cases_to_review CORS support ▾

OPTIONS /instructor/send_feedback CORS support ▾

OPTIONS /instructor/view_students CORS support ▾

OPTIONS /admin/elevate_instructor CORS support ▾

OPTIONS /admin/instructors CORS support ▾

OPTIONS /admin/prompt CORS support ▾

OPTIONS /admin/assign_instructor_to_student CORS support ▾

OPTIONS /admin/students CORS support ▾

OPTIONS /admin/message_limit CORS support ▾

OPTIONS /admin/instructorStudents CORS support ▾

OPTIONS /admin/delete_instructor_student_assignment CORS support 

OPTIONS /admin/disclaimer CORS support 

OPTIONS /admin/lower_instructor CORS support 

student

GET /student/case_page Get a the case info  

GET /student/get_messages Retrieve messages related to a case  

GET /student/instructors
Retrieve instructors supervising the (student) user sending the request  