

i Swagger Editor has evolved! Codegen, save, and export features are now part of SmartBear API Hub.

[Learn More](#) [Try API Hub](#)



File ▾ Edit ▾ Insert ▾ Generate Server ▾ Generate Client ▾ About ▾

Try API Hub ↗

# CIT Learning Assistant API

1.0.0 OAS 3.0

This API intended to deploy on aws API Gateway

Authorize

## Student endpoints accessible by students



POST /student/text\_generation Generate a response from the LLM

### Parameters

[Try it out](#)

Name	Description
<b>case_id</b> * required	ID of the case
string (query)	<input type="text" value="case_id"/>
<b>session_id</b> * required	ID of the session since multiple sessions can exist within a table
string (query)	<input type="text" value="session_id"/>
<b>patient_id</b> * required	ID of the patient used to find the patient name which becomes the conversation's label
string (query)	<input type="text" value="patient_id"/>
<b>session_name</b>	Name of the session passed from the front-end after it has been created by the LLM

Name	Description	
string (query)	session_name	
Request body	application/json	
<b>Example Value</b> Schema		
{ "message_content": "string" }		
<b>Responses</b>		
Code	Description	Links
200	Response with generated array and input value  Media type application/json  Controls Accept header.	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

**Field****Value**

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-  
apigateway- 31/functions/${TextGenLambdaDockerFunc.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST",  
integration
```

**POST****/student/title\_generation** Generate a title from the LLM**Parameters****Try it out****Name****Description****case\_id** \* required

ID of the case

string

case\_id

(query)

**Request body****application/json****Example Value** Schema

```
{  
  "message_content": "string"  
}
```

**Responses****Code****Description****Links**

200

Response with generated array and input value

No links

Media type

**application/json**

Controls Accept header.

**Example Value** Schema

```
{  
  "llm_output": "string"  
}
```

Code	Description	Links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${TitleGenLambdaDockerFunc Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST"}

POST /student/summary\_generation Generate a summary from the LLM



[Try it out](#)

## Parameters

Name	Description
<b>case_id</b> * required	ID of the case

string  
(query)

Request body

application/json

## Example Value Schema

```
{
  "message_content": "string"
}
```

## Responses

Code	Description	Links
200	Response with generated array and input value  Media type <b>application/json</b>  Controls Accept header.	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${SummaryLambdaDockerFunc.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"Fintegration

GET /student/get\_summaries Gets all summaries of a case



## Parameters

**Try it out**

Name	Description
<b>case_id</b> * required	ID of the case
string (query)	case_id

## Responses

Code	Description	Links
200	Response with generated array and input value  Media type  <b>application/json</b>  Controls Accept header.	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arн}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

GET	/student/message_counter Get the number of messages a user is able to send (according to the quota)	 
-----	--	---

## Parameters

**Try it out**

Name	Description
<b>user_id</b> * required string (query)	ID of user  <input type="text" value="user_id"/>

## Responses

Code	Description	Links
200	Number of messages in the session  Media type <b>application/json</b>  Controls Accept header.	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

PUT /student/message\_counter Update the number of messages in a session



## Parameters

**Try it out**

Name	Description
<b>user_id</b> * required	ID of user string (query)

## Responses

Code	Description	Links
200	Message count updated successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

<b>DELETE</b>	/student/delete_last_message	 
	Delete last exchange between student and AI in certain conversation in DynamoDB table	

Parameters	<b>Try it out</b>
------------	-------------------

Name	Description
<b>session_id</b> * required	ID of the session since multiple sessions can exist within a table string

Name	Description
(query)	

## Responses

Code	Description	Links
200	Last exchange with student and AI deleted successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${DeleteLastMessage.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":

PUT /student/update\_session\_name Update session name



## Parameters

[Try it out](#)

Name	Description
session_id * required	ID of the session to update string (query)

Request body required

application/json

**Example Value** Schema

```
{  
  "session_name": "string"  
}
```

**Responses**

Code	Description	Links
200	Session name updated successfully	No links
400	Bad Request	No links
404	Session not found	No links
500	Internal Server Error	No links

**Extensions****Field** **Value**

x-amazon-apigateway-integration {"uri":"\${Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations","passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"integration"}

**POST** /student/create\_user Create a student

**Try it out****Parameters****Name** **Description**

user\_email email of the user

string (query) user\_email

username username of the user

Name	Description
string (query)	username
first_name	first name of the user
string (query)	first_name
cognito_id	user's cognito_id
string (query)	cognito_id
last_name	last name of the user
string (query)	last_name

## Responses

Code	Description	Links
200	Student Created	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arн}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

GET /student/get\_user\_roles Get the list of available regions



## Parameters

[Try it out](#)

Name	Description
user_email	email of the user
string (query)	user_email

## Responses

Code	Description	Links
200	Roles Available	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arns}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

GET /student/get\_name Get the list of student name



## Parameters

[Try it out](#)

**Name**    **Description****user\_id**    id of the user**string**    **(query)**  
user\_id**Responses****Code**    **Description****Links**

200	Roles Available	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

**Extensions****Field**    **Value**

x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"integration}

**POST**    **/student/case**    Create a case for a student**Try it out****Parameters**

Name	Description
<b>user_id</b> * required <small>string (query)</small>	id of the student (cognito_id) <input type="text" value="user_id"/>

**Request body** required

application/json

**Example Value** Schema

```
{  
  "case_title": "string",  
  "case_type": "string",  
  "jurisdiction": "string",  
  "case_description": "string"  
}
```

## Responses

Code	Description	Links
200	Case created successfully	No links
	Media type	
	<input type="text" value="application/json"/>	
	Controls Accept header.	
	<b>Example Value</b> Schema	
	<pre>{   "case_id": "string",   "case_hash": "string" }</pre>	
400	Invalid value	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

### Field

### Value

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-  
apigateway- 31/functions/${DataIngestLambdaDockerFunc.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":  
integration
```

**DELETE** /student/delete\_session Delete a session for a student interaction



### Parameters

**Try it out**

#### Name

#### Description

##### **session\_id** \* required

string  
(query)

ID of the session to delete

##### **email** \* required

string  
(query)

Email of the student

##### **simulation\_group\_id** \* required

string  
(query)

ID of the group

##### **patient\_id** \* required

string  
(query)

ID of the patient

### Responses

#### Code

#### Description

#### Links

200

Session deleted

No links

Media type

**application/json**

Controls Accept header.

Code	Description	Links
	Example Value	Schema
	{ "session_id": "string" }	
400	Invalid value or missing parameter	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

POST /student/create\_message Create a message for a session



[Try it out](#)

Name	Description
------	-------------

**session\_id** \* required ID of the session where the message is sent

string  
(query)

session\_id

**email** \* required Email of the student sending the message

string  
(query)

email

**simulation\_group\_id** \* required ID of the group related to the session

string  
(query)

simulation\_group\_id

**patient\_id** \* required ID of the patient related to the session

Name	Description	
string (query)	patient_id	
Request body <small>required</small>	application/json	
<b>Example Value</b> Schema		
{ "message_content": "string" }		
<b>Responses</b>		
Code	Description	Links
200	Message created  Media type application/json  Controls Accept header.	No links
400	Invalid value or missing parameter	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links
<b>Extensions</b>		

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arн}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

POST /student/create\_ai\_message Create an AI response message for a session



## Parameters

[Try it out](#)

Name	Description
<b>case_id</b> * required	ID of the case the message is discussing
string (query)	case_id

## Request body required

application/json

## Example Value Schema

```
{  
  "message_content": "string"  
}
```

## Responses

Code	Description	Links
200	AI message created	No links

Media type

application/json

Controls Accept header.

## Example Value Schema

```
{  
  "session_id": "string",
```

Code	Description	Links
	"message_content": "string" }	
400	Invalid value or missing parameter	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

POST /student/enroll\_student Enroll a student in a group



[Try it out](#)

Name	Description
------	-------------

**student\_email** \* required Email of the student to enroll

string  
(query)

student\_email

**group\_access\_code** \* required Access code of the group

string  
(query)

group\_access\_code

## Responses

Code	Description	Links
200	<p>Student enrolled successfully</p> <p>Media type</p> <div style="border: 2px solid #ccc; padding: 2px; display: inline-block;"> <b>application/json</b> </div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{   "message": "Student enrolled successfully." }</pre>	No links
400	<p>Bad Request</p> <p>Media type</p> <div style="border: 2px solid #ccc; padding: 2px; display: inline-block;"> <b>application/json</b> </div> <p><b>Example Value</b> Schema</p> <pre>{   "error": "student_email and group_access_code query parameters are required" }</pre>	No links
404	<p>Not Found</p> <p>Media type</p> <div style="border: 2px solid #ccc; padding: 2px; display: inline-block;"> <b>application/json</b> </div> <p><b>Example Value</b> Schema</p> <pre>{   "error": "Invalid group access code or simulation group not available." }</pre>	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

GET /student/get\_cases Get all cases of a student



## Parameters

[Try it out](#)

Name	Description
------	-------------

<b>user_id</b> * required	The ID of the user
string (query)	user_id

## Responses

Code	Description	Links
------	-------------	-------

200	List of cases of the student	<i>No links</i>
-----	------------------------------	-----------------

Media type

**application/json**

Controls Accept header.

**Example Value** Schema

```
[  
  {  
    "message_id": "string",  
    "session_id": "string",  
    "student_sent": true,  
    "message_content": "string",  
    "time_sent": "2025-04-17T18:54:15.533Z"  
  }  
]
```

400	Bad Request	<i>No links</i>
-----	-------------	-----------------

Media type

**application/json**

**Example Value** Schema

```
{  
  "error": "session_id query parameter is required"  
}
```

404	Not Found	<i>No links</i>
-----	-----------	-----------------

Media type

Code	Description	Links
<b>application/json</b>		
<b>Example Value</b> Schema		
	<pre>{   "error": "Session not found" }</pre>	
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

GET /student/notifications Get last 7 days worth of notifications of a student



[Try it out](#)

## Parameters

Name	Description
<b>user_id</b> * required	The ID of the user

**string**  
(query)

## Responses

Code	Description	Links
200	List of cases of the student	No links

Media type

**application/json**

Controls Accept header.

Code	Description	Links
------	-------------	-------

**Example Value** Schema

```
[
  {
    "message_id": "string",
    "session_id": "string",
    "student_sent": true,
    "message_content": "string",
    "time_sent": "2025-04-17T18:54:15.538Z"
  }
]
```

400 Bad Request

*No links*

Media type

**application/json****Example Value** Schema

```
{
  "error": "session_id query parameter is required"
}
```

404 Not Found

*No links*

Media type

**application/json****Example Value** Schema

```
{
  "error": "Session not found"
}
```

500 Internal Server Error

*No links***Extensions**

Field	Value
-------	-------

x-amazon-apigateway-integration: {"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"}, "passthroughBehavior": "when\_no\_match", "httpMethod": "POST", "type": "integration"}

GET /student/notes Get all notes in a case

**Try it out****Parameters**

Name	Description
<b>case_id</b> * required string (query)	The ID of the case case_id

## Responses

Code	Description	Links
200	Notes for the session  Media type <b>application/json</b>  Controls Accept header.  <b>Example Value</b> Schema  <pre>{     "notes": "string" }</pre>	No links
400	Bad Request  Media type <b>application/json</b>  <b>Example Value</b> Schema  <pre>{     "error": "case_id is required" }</pre>	No links
404	Not Found  Media type <b>application/json</b>  <b>Example Value</b> Schema  <pre>{     "error": "Notes not found" }</pre>	No links

Code	Description	Links
500	Internal Server Error	No links

## Extensions

### Field Value

x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arн}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"integration}

PUT /student/notes Update notes in a session



### Parameters

[Try it out](#)

### Name Description

**case\_id** \* required The ID of the case

string

case\_id

(query)

### Request body required

application/json

### Example Value Schema

```
{  
  "notes": "string"  
}
```

## Responses

Code	Description	Links
200	Notes updated successfully	No links

Code	Description	Links
400	Bad Request	No links
404	Case not found	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

GET /student/generate\_presigned\_url Generate a presigned URL for uploading files



[Try it out](#)

## Parameters

Name	Description
<b>case_id</b> * required	case ID string (query)
<b>file_type</b> * required	Type of file string (query)
<b>file_name</b> * required	Name of the file string (query)

## Responses

Code	Description	Links
200	Presigned URL generated successfully  Media type  <b>application/json</b>  Controls Accept header.	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${GeneratePreSignedURLFunc.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST"}

POST /student/update\_patient\_score Update patient score based on LLM verdict



[Try it out](#)

Name	Description
<b>patient_id</b> * required string (query)	ID of the simulation group patient  <input type="text" value="patient_id"/>

Name	Description
<b>student_email</b> * required string (query)	Email of the student student_email
<b>simulation_group_id</b> * required string (query)	ID of the simulation group simulation_group_id
<b>llm_verdict</b> * required boolean (query)	LLM verdict to determine the score of the student interaction --

## Responses

Code	Description	Links
200	Student Interaction score updated successfully  Media type <b>application/json</b>  Controls Accept header.	No links
400	Bad Request  Media type <b>application/json</b>  Example Value Schema  <pre>{     "message": "Student Interaction score updated successfully." }</pre>	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arns}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

PUT /student/read\_message Marks given message as read



## Parameters

[Try it out](#)

Name	Description
<b>message_id</b> * required	ID of the case to be reviewed
string (query)	message_id

## Responses

Code	Description	Links
200	Message read successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
-------	-------

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-31/functions/${studentFunction.Arн}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}
```

**POST****/student/get\_profile\_pictures**

Get profile picture URLs for a list of patients in a specific group

**Parameters****Try it out****Name****Description****simulation\_group\_id** \* required

ID of the group

**string****(query)**

simulation\_group\_id

**Responses****Code****Description****Links**

200

Received all profile picture URLs successfully

No links

Media type

**application/json**

Controls Accept header.

**Example Value** Schema

```
{
  "profile_pictures": {
    "additionalProp1": "string",
    "additionalProp2": "string",
    "additionalProp3": "string"
  }
}
```

400

Bad Request

No links

401

Unauthorized

No links

429

Too Many Requests

No links

Code	Description	Links
500	Internal Server Error	No links

## Extensions

### Field Value

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-
apigateway- 31/functions/${GetProfilePicturesStudent.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POS-
integration
```

GET

/student/get\_completion\_status

Fetch all interactions with completion status for the specified simulation group



### Parameters

[Try it out](#)

Name	Description
<b>simulation_group_id</b> * required	ID of the group string (query)
<b>student_email</b> * required	Email of the student string (query)

## Responses

Code	Description	Links
200	Successfully retrieved completion statuses for interactions Media type <b>application/json</b> Controls Accept header.	No links

Example Value Schema

Code	Description	Links
	<pre>{   "statuses": [     {       "student_interaction_id": "string",       "is_completed": true,       "patient_name": "string"     }   ] }</pre>	
400	Bad Request - Missing query parameters	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

PUT /student/review\_case Send case for review  

### Parameters

[Try it out](#)

Name	Description
<b>case_id</b> * required	ID of the case to be reviewed  <input type="text" value="case_id"/>
<b>cognito_id</b> * required	id of the student updating case  <input type="text" value="cognito_id"/>

### Responses

Code	Description	Links
200	Case updated successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arн}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

PUT /student/edit\_case Update details of a case



### Parameters

[Try it out](#)

Name	Description
------	-------------

**case\_id** \* required ID of the case to be updated

string  
(query)

case\_id

**cognito\_id** \* required id of the student updating case

string  
(query)

cognito\_id

**Request body** required

application/json

**Example Value** Schema

```
{
  "case_title": "string",
  "case_description": "string",
  "case_type": "string",
  "status": "string"
}
```

## Responses

Code	Description	Links
200	Case updated successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

**DELETE** /student/delete\_case Delete certain case



Try it out

## Parameters

Name	Description
<b>case_id</b> * required	ID of the case string (query)

Name	Description
cognito_id <small>* required</small>	ID of the user who wants to delete string (query)

## Responses

Code	Description	Links
200	Case deleted successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arн}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

**DELETE** /student/delete\_summary Delete certain summary



**Try it out**

## Parameters

Name	Description
<b>summary_id</b> * required <small>string (query)</small>	ID of the summary summary_id

## Responses

Code	Description	Links
200	Case deleted successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

## Instructor

endpoints accessible by instructors



GET /instructor/student\_group Get student groups



### Parameters

[Try it out](#)

Name	Description
------	-------------

**email** \* required email of the instructor

**string**  
(query)

## Responses

Code	Description	Links
------	-------------	-------

200 Groups student is a part of are returned successfully *No links*

Media type

**application/json**

Controls Accept header.

**Example Value** Schema

```
{
  "presignedurl": "string"
}
```

400 Bad Request *No links*

401 Unauthorized *No links*

429 Too Many Requests *No links*

500 Internal Server Error *No links*

## Extensions

Field	Value
-------	-------

```
x-amazon-apigateway-integration: {"uri": {"Fn::Sub": "arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-31/functions/${instructorFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}
```

GET /instructor/students Get a list of all students of the instructor



**Parameters****Try it out****Name**      **Description****cognito\_id** \* required Cognito ID of the instructor

string

(query)

cognito\_id

**Responses****Code**      **Description****Links**

200 Students of the instructor

*No links*

Media type

**application/json**

Controls Accept header.

**Example Value**   Schema

```
[
  "string"
]
```

400 Bad Request

*No links*

401 Unauthorized

*No links*

429 Too Many Requests

*No links*

500 Internal Server Error

*No links***Extensions****Field**      **Value**

x-amazon-apigateway-integration {"uri":"{Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${GetFilesFunctionArn}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"GET","type":"integration"

GET /instructor/get\_student\_cases Get cases of the a particular student



## Parameters

[Try it out](#)

Name	Description
<b>cognito_id</b> * required	ID of the instructor
string (query)	<input type="text" value="cognito_id"/>
<b>student_id</b> * required	ID of the student
string (query)	<input type="text" value="student_id"/>

## Responses

Code	Description	Links
200	Received all profile picture URLs successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

Media type

**application/json**

Controls Accept header.

**Example Value** Schema

```
[  
    "string"  
]
```

400

Bad Request

No links

401

Unauthorized

No links

429

Too Many Requests

No links

500

Internal Server Error

No links

## Extensions

**Field****Value**

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-  
apigateway- 31/functions/${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"GET","type":  
integration
```

GET

/instructor/cases\_to\_review Get cases to be reviewed

**Parameters****Try it out****Name****Description****cognito\_id** \* required

ID of the instructor

string

cognito\_id

(query)

**Responses****Code****Description****Links**

200

Received all profile picture URLs successfully

No links

Media type

**application/json**

Controls Accept header.

**Example Value** Schema

```
[  
    "string"  
]
```

400

Bad Request

No links

401

Unauthorized

No links

429

Too Many Requests

No links

500

Internal Server Error

No links

## Extensions

### Field

### Value

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-
apigateway- 31/functions/${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"GET","type":'
integration
```

GET

[/instructor/get\\_all\\_files](#)

Get a list of all the document files for a specific group and patient



## Parameters

[Try it out](#)

### Name

### Description

**simulation\_group\_id** \* required

string  
(query)

ID of the group

**patient\_id** \* required

string  
(query)

ID of the patient

**patient\_name** \* required

string  
(query)

Name of the patient

## Responses

### Code

### Description

### Links

200

Received all the files for the group and patient successfully

No links

Media type

Controls Accept header.

**Example Value** Schema

```
{
  "files": [
    "string"
  ]
}
```

Code	Description	Links
	]	
}		
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${GetFilesFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type": "integration"}

POST

/instructor/get\_profile\_pictures

Get profile picture URLs for a list of patients in a specific group



## Parameters

[Try it out](#)

Name	Description
simulation_group_id * required <small>string (query)</small>	ID of the group <input type="text" value="simulation_group_id"/>

## Responses

Code	Description	Links
200	Received all profile picture URLs successfully <small>Media type application/json</small>	No links

Code	Description	Links
<small>Controls Accept header.</small>		
	<b>Example Value</b> Schema	
	<pre>{   "profile_pictures": {     "additionalProp1": "string",     "additionalProp2": "string",     "additionalProp3": "string"   } }</pre>	
400	Bad Request	<i>No links</i>
401	Unauthorized	<i>No links</i>
429	Too Many Requests	<i>No links</i>
500	Internal Server Error	<i>No links</i>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${GetProfilePictures Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

GET /instructor/groups Get simulation groups where the instructor is enrolled



[Try it out](#)

## Parameters

Name	Description
------	-------------

**email** \* required Email of the instructor  
**string**  
*(query)*

## Responses

Code	Description	Links
200	Simulation groups retrieved successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunctionArn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type'

**DELETE /instructor/delete\_file** Delete certain file



### Parameters

**Try it out**

Name	Description
------	-------------

**simulation\_group\_id** \* required ID of the simulation group

**string**  
(query)

simulation\_group\_id

**patient\_id** \* required ID of the patient

**string**  
(query)

patient\_id

**patient\_name** \* required Name of the patient

**string**  
(query)

patient\_name

Name	Description
<b>file_type</b> * required string (query)	Type of file (pdf or jpg) <input type="text" value="file_type"/>
<b>file_name</b> * required string (query)	Name of the file <input type="text" value="file_name"/>
<b>folder_type</b> * required string (query)	Type of folder <input type="text" value="folder_type"/>

## Responses

Code	Description	Links
200	File deleted successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${DeleteFileFunc Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

**DELETE** /instructor/delete\_patient\_s3 Delete certain file



## Parameters

[Try it out](#)

Name	Description
<b>simulation_group_id</b> * required string (query)	ID of the group <input type="text" value="simulation_group_id"/>
<b>patient_id</b> * required string (query)	ID of the patient <input type="text" value="patient_id"/>
<b>patient_name</b> * required string (query)	Name of the patient <input type="text" value="patient_name"/>

## Responses

Code	Description	Links
200	File deleted successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${DeletePatientFunc.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":}

GET /instructor/view\_patients Get all patients in a given group



## Parameters

[Try it out](#)

Name	Description
<b>simulation_group_id</b> * required	The ID of the group to retrieve patients from
string (query)	simulation_group_id

## Responses

Code	Description	Links
200	Patients retrieved successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

GET /instructor/analytics Get analytics data for a specific group



## Parameters

[Try it out](#)

Name	Description
<b>simulation_group_id</b> * required <small>string (query)</small>	ID of the group for which analytics are requested simulation_group_id

## Responses

Code	Description	Links
200	Analytics data retrieved successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type': integration}

PUT /instructor/reorder\_patient Reorder and edit an existing patient



Try it out

## Parameters

Name	Description
<b>patient_id</b> * required	ID of the patient to be reordered or edited string (query)
<b>patient_number</b> * required	New number for the patient integer (query)
<b>instructor_email</b> * required	Email of the instructor making the change string (query)

**Request body** required

application/json

**Example Value** Schema

```
{  
  "patient_name": "string"  
}
```

**Responses**

Code	Description	Links
200	Patient updated successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

**Extensions**

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type':integration

POST /instructor/create\_patient Create a new patient within a simulation group



## Parameters

[Try it out](#)

Name	Description
<b>simulation_group_id</b> * required	ID of the simulation group where the patient will be created

string  
(query)

simulation\_group\_id

**patient\_name** \* required

string  
(query)

Name of the new patient

patient\_name

**patient\_age** \* required

integer  
(query)

Age of the new patient

patient\_age

**patient\_gender** \* required

string  
(query)

Gender of the new patient

patient\_gender

**patient\_number** \* required

integer  
(query)

Number of the new patient

patient\_number

**instructor\_email** \* required

string  
(query)

Email of the instructor creating the patient

instructor\_email

**Request body** required

application/json

Example Value Schema

```
{
  "patient_prompt": "string"
}
```

## Responses

Code	Description	Links
200	Patient created successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type"

PUT /instructor/send\_feedback Send Feedback to the student on the case



Try it out

## Parameters

Name	Description
case_id * required	ID of the case to be reviewed string (query)
instructor_email * required	Email of the instructor updating the patient string

Name	Description
(query)	

## Responses

Code	Description	Links
200	Patient updated successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":

GET /instructor/previous\_prompts  
Retrieve all previous prompts for a specific group and instructor


[Try it out](#)

## Parameters

Name	Description
simulation_group_id * required	ID of the group
string (query)	simulation_group_id
instructor_email * required	Email of the instructor
string	

Name	Description
(query)	instructor_email

## Responses

Code	Description	Links
200	Successfully retrieved previous prompts	No links
	Media type	
	<b>application/json</b>	
	Controls Accept header.	
	<b>Example Value</b>	Schema
	<pre>[   {     "timestamp": "2025-04-17T18:54:15.585Z",     "previous_prompt": "string"   } ]</pre>	
400	Bad Request - Missing query parameters	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunctionArn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type": "integration"}

GET	/instructor/student_patients_messages	 
	Retrieve all conversations for a student for a specific patient in a group	

## Parameters

**Try it out**

Name	Description
<b>simulation_group_id</b> * required string (query)	ID of the group simulation_group_id
<b>student_email</b> * required string (query)	Email of the student student_email

## Responses

Code	Description	Links
200	Successfully retrieved student messages  Media type application/json  Controls Accept header.	No links
400	Bad Request - Missing query parameters	No links
500	Internal Server Error	No links

## Extensions

Field	Value
-------	-------

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-"
apigateway- 31/functions/${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type' integration
```

GET

[/instructor/get\\_completion\\_status](#)

Fetch all interactions with completion status for the specified simulation group



## Parameters

[Try it out](#)

Name	Description
------	-------------

**simulation\_group\_id** \* required ID of the group

**string**  
(query)

simulation\_group\_id

**student\_email** \* required Email of the student

**string**  
(query)

student\_email

## Responses

Code	Description	Links
------	-------------	-------

200 Successfully retrieved completion statuses for interactions

No links

Media type

**application/json**

Controls Accept header.

## Example Value Schema

```
{
  "statuses": [
    {
      "student_interaction_id": "string",
      "is_completed": true,
      "patient_name": "string"
    }
  ]
}
```

Code	Description	Links
400	Bad Request - Missing query parameters	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunctionArn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

PUT /instructor/toggle\_completion Switch the completion status of an interaction



## Parameters

[Try it out](#)

Name	Description
<b>student_interaction_id</b> * required	ID of the interaction string (query)

## Responses

Code	Description	Links
200	Successfully toggled completion status for interaction Media type <b>application/json</b>	No links

Controls Accept header.

**Example Value** Schema

```
{
  "student_interaction_id": "string",
```

Code	Description	Links
	<pre>"is_completed": true }</pre>	
400	Bad Request - Missing query parameters	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunctionArn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type'

PUT /instructor/toggle\_llm\_completion Switch the LLM completion Boolean for a patient  

## Parameters

[Try it out](#)

Name	Description
------	-------------

**patient\_id** \* required ID of the patient  
 string  
 (query)

## Responses

Code	Description	Links
200	Successfully toggled LLM completion Boolean for patient	No links

Media type   
 Controls Accept header.

**Example Value** Schema

Code	Description	Links
	<pre>{   "message": "string",   "llm_completion": true }</pre>	
400	Bad Request - Missing query parameters	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunctionArn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

PUT /instructor/prompt Update system prompt for a group



[Try it out](#)

### Parameters

Name	Description
------	-------------

**simulation\_group\_id** \* required ID of the group to update the prompt

string  
(query)

simulation\_group\_id

**instructor\_email** \* required Email of the instructor updating the prompt

string  
(query)

instructor\_email

**Request body** required

application/json

**Example Value** Schema

```
{
  "prompt": "string"
}
```

## Responses

Code	Description	Links
200	System prompt updated successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type": "integration"}

GET /instructor/view\_students View students enrolled in a group



## Parameters

[Try it out](#)

Name	Description
<b>simulation_group_id</b> * required string (query)	ID of the group to view enrolled students <input type="text" value="simulation_group_id"/>

## Responses

Code	Description	Links
200	Students retrieved successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunctionArn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type':integration}

**DELETE /instructor/delete\_student** Delete a student from a group



### Parameters

**Try it out**

Name	Description
<b>simulation_group_id</b> * required	ID of the group from which the student will be deleted
string (query)	<input type="text" value="simulation_group_id"/>
<b>user_email</b> * required	Email of the student to be deleted
string (query)	<input type="text" value="user_email"/>
<b>instructor_email</b> * required	Email of the instructor performing the deletion
string (query)	<input type="text" value="instructor_email"/>

## Responses

Code	Description	Links
200	Student deleted successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
404	Student not found in the simulation group	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

### Field Value

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-31/functions/${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type' integration
```

**DELETE /instructor/delete\_patient** Delete a patient



[Try it out](#)

### Parameters

#### Name Description

**patient\_id** \* required The ID of the patient to delete

string  
(query)

patient\_id

## Responses

Code	Description	Links
200	Patient deleted successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunctionArn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type':integration}

GET /instructor/get\_prompt Get the system prompt for a group



Try it out

## Parameters

Name	Description
------	-------------

**simulation\_group\_id** \* required The ID of the group  
 string  
 (query)

simulation\_group\_id

## Responses

Code	Description	Links
200	Prompt retrieved successfully  Media type	No links

Code	Description	Links
	<b>application/json</b>	
	Controls Accept header.	
	<b>Example Value</b> Schema	
	{ "system_prompt": "string" }	
400	Bad Request	No links
401	Unauthorized	No links
404	Simulation group not found	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type'

PUT /instructor/generate\_access\_code Generate a new access code for a simulation group  

## Parameters

[Try it out](#)

Name	Description
------	-------------

<b>simulation_group_id</b> * required <small>string (query)</small>	The ID of the simulation group <input type="text" value="simulation_group_id"/>
--	--

## Responses

Code	Description	Links
200	Access code generated successfully	No links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunctionArn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type':integration}

GET /instructor/get\_access\_code Get the access code for a group



Try it out

### Parameters

Name	Description
<b>simulation_group_id</b> * required	The ID of the group string (query)

### Responses

Code	Description	Links
200	Access code retrieved successfully	No links

Code	Description	Links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunctionArn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

GET

/instructor/view\_student\_messages



Get all messages for a specific student in a specific group

## Parameters

[Try it out](#)

Name	Description
<b>simulation_group_id</b> * required string (query)	The ID of the group <input type="text" value="simulation_group_id"/>
<b>student_email</b> * required string (query)	The email of the student <input type="text" value="student_email"/>

## Responses

Code	Description	Links
200	Messages retrieved successfully	No links

Code	Description	Links
400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${instructorFunctionArn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

## Admin endpoints accessible by admins



POST /admin/elevate\_instructor Elevate a user to instructor role



### Parameters

[Try it out](#)

Name	Description
<b>email</b> * required	Email of the user to be elevated string (query)

### Responses

Code	Description	Links
200	User role updated to instructor Media type	No links

Code	Description	Links
	<p><b>application/json</b></p> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{     "message": "User role updated to instructor." }</pre>	
201	New user created and elevated to instructor	<i>No links</i>
	Media type	
	<p><b>application/json</b></p> <p><b>Example Value</b> Schema</p> <pre>{     "message": "New user created and elevated to instructor." }</pre>	
400	Bad Request	<i>No links</i>
	Media type	
	<p><b>application/json</b></p> <p><b>Example Value</b> Schema</p> <pre>{     "error": "Email is required" }</pre>	
500	Internal Server Error	<i>No links</i>
	Media type	
	<p><b>application/json</b></p> <p><b>Example Value</b> Schema</p> <pre>{     "error": "Internal server error" }</pre>	

## Extensions

**Field****Value**

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-  
apigateway- 31/functions/${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"a  
integration
```

GET

/admin/instructors Get all instructors

**Parameters****Try it out****Name****Description****instructor\_email \* required**

Email of the admin accessing the list of instructors

string

(query)

instructor\_email

**Responses****Code****Description****Links**

200

List of instructors retrieved successfully

No links

400

Bad Request

No links

401

Unauthorized

No links

429

Too Many Requests

No links

500

Internal Server Error

No links

**Extensions**

**Field**      **Value**

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-31/functions/${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}
```

GET

/admin/prompt Get all system prompts ever used in descending order (most recent first)

**Parameters****Try it out**

No parameters

**Responses****Code**      **Description****Links**

200      List of prompts retrieved successfully

*No links*

500      Internal Server Error

*No links***Extensions****Field**      **Value**

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-31/functions/${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}
```

POST

/admin/prompt Create a new system prompt

**Parameters****Try it out**

No parameters

**Request body** required**application/json**

**Example Value** Schema

```
{  
    "system_prompt": "string"  
}
```

**Responses**

Code	Description	Links
200	System prompt created successfully	No links
400	Bad Request	No links
500	Internal Server Error	No links

**Extensions****Field** Value

x-amazon-apigateway-integration: {"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"}, "passthroughBehavior": "when\_no\_match", "httpMethod": "POST", "type": "lambda"}

POST /admin/assign\_instructor\_to\_student Assign an instructor to a student

**Parameters****Try it out**

No parameters

**Request body** required

application/json

**Example Value** Schema

```
{  
    "instructor_id": "string",
```

```

    "student_id": "string"
}

```

## Responses

Code	Description	Links
200	Enrollment created successfully	No links
400	Bad Request	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

GET /admin/students Get all groups for a given instructor where enrolment type is instructor



[Try it out](#)

## Parameters

No parameters

## Responses

Code	Description	Links
200	List of groups	No links

Media type

application/json

Controls Accept header.

Code	Description	Links
	Example Value	Schema
	[ { "student_id": "string" } ]	
400	Bad Request	No links
500	Internal Server Error	No links

## Extensions

### Field Value

x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-  
apigateway- 31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when\_no\_match","httpMethod":"POST","type":"a  
integration

GET

/admin/instructorStudents

Get all groups for a given instructor where enrolment type is instructor



### Parameters

[Try it out](#)

### Name Description

**instructor\_id** \* required Id of the instructor to find groups for

string

(query)

instructor\_id

## Responses

Code	Description	Links
200	List of groups  Media type  application/json	No links

Code	Description	Links
<small>Controls Accept header.</small>		
	<b>Example Value</b> Schema <pre>[     {         "student_id": "string"     } ]</pre>	
400	Bad Request	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"lambda"}

POST /admin/updateGroupAccess update the access of a group



Try it out

Name	Description
------	-------------

**simulation\_group\_id** \* required ID of the group

string  
(query)

simulation\_group\_id

**access** \* required Email of the instructor

boolean  
(query)

--

## Responses

Code	Description	Links
200	Instructor re-enrolled successfully  Media type  <b>application/json</b>  Controls Accept header.	No links
400	Bad Request  Media type  <b>application/json</b>  Example Value Schema  <pre>{     "enrolment_id": "string",     "simulation_group_id": "string",     "user_email": "string",     "enrolment_type": "string",     "time_enroled": "2025-04-17T18:54:15.621Z" }</pre>	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

**DELETE** /admin/delete\_instructor\_enrolments Delete all enrolments for an instructor  

## Parameters

**Try it out**

Name	Description
<b>instructor_email</b> * required	Email of the instructor whose enrolments are to be deleted

Name	Description
string (query)	instructor_email

## Responses

Code	Description	Links
200	Instructor enrolments deleted successfully	No links
	<p>Media type</p> <div style="border: 2px solid green; padding: 2px; display: inline-block;">application/json</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{     "message": "Instructor enrolments deleted successfully." }</pre>	
400	Bad Request	No links
	<p>Media type</p> <div style="border: 2px solid green; padding: 2px; display: inline-block;">application/json</div> <p><b>Example Value</b> Schema</p> <pre>{     "error": "instructor_email query parameter is required" }</pre>	
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"

**DELETE** /admin/delete\_group\_instructor\_enrolments Delete all instructor enrolments for a group



## Parameters

[Try it out](#)

Name	Description
------	-------------

**simulation\_group\_id** \* required ID of the group for which instructor enrolments are to be deleted

string  
(query)

## Responses

Code	Description	Links
200	Group instructor enrolments deleted successfully	No links
	Media type	
	<input type="button" value="application/json"/>	
	Controls Accept header.	
	<b>Example Value</b> Schema	
	{ "message": "Group instructor enrolments deleted successfully." }	
400	Bad Request	No links
	Media type	
	<input type="button" value="application/json"/>	
	Controls Accept header.	
	<b>Example Value</b> Schema	
	{ "error": "simulation_group_id query parameter is required" }	
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-	{"uri":{"Fn::Sub":"arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}

DELETE /admin/delete\_group Delete a group and all related records



## Parameters

[Try it out](#)

Name	Description
<b>simulation_group_id</b> * required	ID of the group to be deleted

string  
(query)

simulation\_group\_id

## Responses

Code	Description	Links
------	-------------	-------

200 Group and related records deleted successfully

No links

Media type

application/json

Controls Accept header.

[Example Value](#) [Schema](#)

```
{  
  "message": "Group and related records deleted successfully."  
}
```

400 Bad Request

No links

Media type

application/json

[Example Value](#) [Schema](#)

```
{  
  "error": "simulation_group_id query parameter is required"  
}
```

Code	Description	Links
500	Internal Server Error	No links

## Extensions

### Field Value

```
x-amazon- {"uri":{"Fn::Sub":"arn:aws:apigateway:${AWS::Region}:lambda:path/2015-03-
apigateway- 31/functions/${adminFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"a
integration
```

POST /admin/lower\_instructor Lower an instructor to a student role



[Try it out](#)

### Parameters

#### Name Description

**email** \* required Email of the user to be lowered from instructor to student  
 string  
 (query)

## Responses

### Code Description Links

200	Instructor role lowered to student	No links
-----	------------------------------------	----------

Media type

**application/json**

Controls Accept header.

**Example Value** Schema

```
{
  "message": "User role updated to student for example@example.com"
}
```

400	Bad Request	No links
-----	-------------	----------

Code	Description	Links
	<p>Media type</p> <div style="border: 2px solid black; padding: 2px; display: inline-block;">application/json</div>	
500	<p>Example Value Schema</p> <pre>{\n    "error": "User is not an instructor or email is missing"\n}</pre> <p>Internal Server Error</p>	<i>No links</i>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${adminFunction.Arn}/invocations"}, "passthroughBehavior": "when_no_match", "httpMethod": "POST", "type": "integration"}

## default



**OPTIONS /student/text\_generation** CORS support



Enable CORS by returning correct headers

### Parameters

[Try it out](#)

No parameters

### Responses

Code	Description	Links
200	<p>Request success</p> <p>Media type</p>	<i>No links</i>

Code	Description	Links
	Controls Accept header.	
<b>Headers:</b>		
Name	Description	Type
Access-Control-Allow-Origin		string
Access-Control-Allow-Methods		string
Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS** /student/title\_generation CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type Controls Accept header.	No links
	<b>Headers:</b>	

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS**    `/student/summary_generation`    CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<a href="#">No links</a>

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /student/get\_summaries CORS support** ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /student/message\_counter CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /student/delete\_last\_message CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS** /student/update\_session\_name CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS** /student/create\_user CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<i>No links</i>

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /student/get\_user\_roles CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /student/get\_name CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	<a href="#">No links</a>

**Headers:**

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \\\"statusCode\\\" : 200\\n\\n"}, "responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"!*!","method.response.header.Access-Control-Allow-Origin": "*!*"}, "responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS** /student/case CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>  <b>Headers:</b>	<i>No links</i>

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /student/delete\_session** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /student/create\_message CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n \"statusCode\" : 200\n"}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n"}}}}

**OPTIONS** /student/create\_ai\_message CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /student/enroll\_student** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \\\"statusCode\\\" : 200\\n\\n"}, "responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"!*","method.response.header.Access-Control-Allow-Origin":"!*"}, "responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS**    `/student/get_cases`    CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<a href="#">No links</a>

### Headers:

Code	Description	Links
Name	Description	Type
Access-Control-Allow-Origin		string
Access-Control-Allow-Methods		string
Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n \"statusCode\" : 200\n"}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n"}}}}

**OPTIONS /student/notifications** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /student/notes CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS** /student/generate\_presigned\_url CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<i>No links</i>

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /student/update\_patient\_score CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /student/case\_page CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS** /student/read\_message CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS** /student/get\_messages CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	<i>No links</i>

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /student/get\_profile\_pictures CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS** /student/get\_completion\_status CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /student/review\_case CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \\\"statusCode\\\" : 200\\n\\n"}, "responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"}, "responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS** /student/edit\_case CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <small>Controls Accept header.</small>	<i>No links</i>

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS** /student/delete\_case CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /student/delete\_summary CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/student\_group** CORS support 

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>  <b>Headers:</b>	<a href="#">No links</a>

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/students** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS /instructor/get\_student\_cases CORS support** ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/cases\_to\_review** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/get\_all\_files** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/get\_profile\_pictures** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /instructor/groups CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/delete\_file** CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>  <b>Headers:</b>	<a href="#">No links</a>

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/delete\_patient\_s3 CORS support** ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/view\_patients** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS /instructor/analytics** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \\\"statusCode\\\" : 200\\n\\n"}, "responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"!*!","method.response.header.Access-Control-Allow-Origin":"!*!"}, "responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS /instructor/reorder\_patient** CORS support 

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<a href="#">No links</a>

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/create\_patient** CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<a href="#">No links</a>

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/send\_feedback** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/previous\_prompts** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links
Name	Description	Type
Access-Control-Allow-Origin		string
Access-Control-Allow-Methods		string
Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"}, "responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"}, "responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS /instructor/student\_patients\_messages** CORS support 

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<a href="#">No links</a>

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS /instructor/get\_completion\_status** CORS support ^

Enable CORS by returning correct headers

Parameters	Try it out
------------	------------

No parameters

Responses	Try it out
-----------	------------

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/toggle\_completion** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/toggle\_llm\_completion** CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<a href="#">No links</a>

### Headers:

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \\\"statusCode\\\" : 200\\n\\n"}, "responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"!*!","method.response.header.Access-Control-Allow-Origin": "*!*"}, "responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS** /instructor/prompt CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>  <b>Headers:</b>	<i>No links</i>

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/view\_students** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n \"statusCode\" : 200\n"}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n"}}}}

**OPTIONS /instructor/delete\_student** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS /instructor/delete\_patient** CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<a href="#">No links</a>

### Headers:

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

  

### Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*"}, "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}

**OPTIONS /instructor/get\_prompt** CORS support ^

Enable CORS by returning correct headers

### Parameters

Try it out

No parameters

### Responses

Code	Description	Links
200	Request success  Media type  <small>Controls Accept header.</small>	<i>No links</i>

#### Headers:

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"},"responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS /instructor/generate\_access\_code** CORS support 

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<a href="#">No links</a>

### Headers:

Code	Description	Links
Name	Description	Type
Access-Control-Allow-Origin		string
Access-Control-Allow-Methods		string
Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n \"statusCode\" : 200\n"}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n"}}}}

**OPTIONS /instructor/get\_access\_code** CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<a href="#">No links</a>

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n \"statusCode\" : 200\n"}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n"}}}}

**OPTIONS /instructor/view\_student\_messages** CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \\\"statusCode\\\" : 200\\n\\n"}, "responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"!*","method.response.header.Access-Control-Allow-Origin":"!*"}, "responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS**    `/admin/elevate_instructor`    CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<a href="#">No links</a>

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /admin/instructors CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /admin/prompt CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /admin/assign\_instructor\_to\_student CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /admin/students CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /admin/instructorStudents CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /admin/updateGroupAccess CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	<code>Access-Control-Allow-Origin</code>		<code>string</code>
	<code>Access-Control-Allow-Methods</code>		<code>string</code>
	<code>Access-Control-Allow-Headers</code>		<code>string</code>

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type":"mock","requestTemplates":{"application/json":"\\n \"statusCode\" : 200\\n\\n"},"responses":{"default":{"statusCode":200,"responseParameters":{"method.response.header.Access-Control-Allow-Headers":"Content-Type,X-Amz-Date,Authorization,X-Api-Key","method.response.header.Access-Control-Allow-Methods":"*","method.response.header.Access-Control-Allow-Origin":"*"}, "responseTemplates":{"application/json":"{}\\n"}}}}

**OPTIONS** /admin/delete\_instructor\_enrolments CORS support ^

Enable CORS by returning correct headers

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  <a href="#">Controls Accept header.</a>	<a href="#">No links</a>

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /admin/delete\_group\_instructor\_enrolments CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /admin/delete\_group CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

### Headers:

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

## Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        \"statusCode\" : 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

**OPTIONS** /admin/lower\_instructor CORS support ^

Enable CORS by returning correct headers

## Parameters

Try it out

No parameters

## Responses

Code	Description	Links
200	Request success  Media type  Controls Accept header.	No links

**Headers:**

Code	Description	Links	
	Name	Description	Type
	Access-Control-Allow-Origin		string
	Access-Control-Allow-Methods		string
	Access-Control-Allow-Headers		string

  

### Extensions

Field	Value
x-amazon-apigateway-integration	{"type": "mock", "requestTemplates": {"application/json": "\n        statusCode": 200\n    "}, "responses": {"default": {"statusCode": "200", "responseParameters": {"method.response.header.Access-Control-Allow-Headers": "Content-Type,X-Amz-Date,Authorization,X-Api-Key", "method.response.header.Access-Control-Allow-Methods": "*/*", "method.response.header.Access-Control-Allow-Origin": "*/*"}, "responseTemplates": {"application/json": "{}\n    "}}}}

## student

^

GET

/student/case\_page Get a the case info



^

### Parameters

[Try it out](#)

Name	Description
------	-------------

<b>case_id</b> * required	ID of the case
string (query)	case_id

### Responses

Code	Description	Links
200	Recieved all the files for the group and patient successfully  Media type	No links

Code	Description	Links
------	-------------	-------

**application/json**

Controls Accept header.

**Example Value** Schema

```
{
  "files": [
    {}
  ]
}
```

400	Bad Request	No links
401	Unauthorized	No links
429	Too Many Requests	No links
500	Internal Server Error	No links

## Extensions

Field	Value
-------	-------

x-amazon-apigateway-integration: {"uri": {"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"}, "passthroughBehavior": "when\_no\_match", "httpMethod": "POST", "type": "integration"}

GET /student/get\_messages Retrieve messages related to a case



[Try it out](#)

## Parameters

Name	Description
------	-------------

<b>case_id</b> * required	ID of the case to retrieve messages for
string (query)	case_id

## Responses

Code	Description	Links
200	Successfully retrieved messages for the case	No links
	Media type	
	<b>application/json</b>	
	Controls Accept header.	
	<b>Example Value</b>	Schema
	[ { "type": "human", "message_content": "string", "time_sent": "2025-04-17T18:54:15.753Z", "case_title": "string" } ]	
400	Bad Request	No links
404	No messages found for the provided case ID	No links
500	Internal Server Error	No links

## Extensions

Field	Value
x-amazon-apigateway-integration	{"uri":{"Fn::Sub": "arn:aws:apigateway:\${AWS::Region}:lambda:path/2015-03-31/functions/\${studentFunction.Arn}/invocations"},"passthroughBehavior":"when_no_match","httpMethod":"POST","type":"integration"}