

OER API

Overview

OpenEd AI Assistant API

Tags

User

endpoints accessible by the general public

Admin

endpoints accessible by admins

Paths

POST /admin/users Create a new admin user

Responses

Code	Description	Links															
201	<p>Admin user created</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"><thead><tr><th>Name</th><th>Description</th><th>Schema</th></tr></thead><tbody><tr><td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>display_name <i>optional</i></td><td></td><td>string</td></tr><tr><td>email <i>optional</i></td><td></td><td>string</td></tr><tr><td>role <i>optional</i></td><td></td><td>string</td></tr></tbody></table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	display_name <i>optional</i>		string	email <i>optional</i>		string	role <i>optional</i>		string	No Links
Name	Description	Schema															
id <i>optional</i>		string (uuid)															
display_name <i>optional</i>		string															
email <i>optional</i>		string															
role <i>optional</i>		string															
409	Email already exists	No Links															
500	Internal Server Error	No Links															

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/reported-items Get all reported FAQs and shared prompts

Responses

Code	Description	Links									
200	<p>List of reported items</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>reported FAQs <i>optional</i></td> <td></td> <td>< object > array</td> </tr> <tr> <td>reported Prompts <i>optional</i></td> <td></td> <td>< object > array</td> </tr> </tbody> </table>	Name	Description	Schema	reported FAQs <i>optional</i>		< object > array	reported Prompts <i>optional</i>		< object > array	No Links
Name	Description	Schema									
reported FAQs <i>optional</i>		< object > array									
reported Prompts <i>optional</i>		< object > array									
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT /admin/reported-items/faq/{faq_id}/dismiss Dismiss a reported FAQ

Parameters

Type	Name	Description	Schema
path	faq_id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	FAQ report dismissed	No Links
400	Bad Request	No Links
401	Unauthorized	No Links

Code	Description	Links
404	FAQ not found	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

DELETE /admin/reported-items/faq/{faq_id} Delete a reported FAQ

Parameters

Type	Name	Description	Schema
path	faq_id <i>required</i>		string (uuid)

Responses

Code	Description	Links
204	FAQ deleted	No Links
400	Bad Request	No Links
401	Unauthorized	No Links
404	FAQ not found	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT /admin/reported-items/prompt/{prompt_id}/dismiss Dismiss a reported prompt

Parameters

Type	Name	Description	Schema
path	prompt_id <i>required</i>		string (uuid)

Responses

Code	Description	Links
200	Prompt report dismissed	No Links
400	Bad Request	No Links

Code	Description	Links
401	Unauthorized	No Links
404	Prompt not found	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

DELETE /admin/reported-items/prompt/{prompt_id}

Delete a reported prompt

Parameters

Type	Name	Description	Schema
path	prompt_id <i>required</i>		string (uuid)

Responses

Code	Description	Links
204	Prompt deleted	No Links
400	Bad Request	No Links
401	Unauthorized	No Links
404	Prompt not found	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

***GET /admin/settings/token-limit* Get daily token limit**

Responses

Code	Description	Links						
200	<p>Current token limit setting</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>tokenLimit <i>optional</i></td><td>Token limit value ('NONE' for unlimited or a number)</td><td>string</td></tr> </tbody> </table>	Name	Description	Schema	tokenLimit <i>optional</i>	Token limit value ('NONE' for unlimited or a number)	string	No Links
Name	Description	Schema						
tokenLimit <i>optional</i>	Token limit value ('NONE' for unlimited or a number)	string						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT /admin/settings/token-limit Update daily token limit

Responses

Code	Description	Links									
200	<p>Token limit updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>tokenLimit <i>optional</i></td><td></td><td>string</td></tr> </tbody> </table>	Name	Description	Schema	message <i>optional</i>		string	tokenLimit <i>optional</i>		string	No Links
Name	Description	Schema									
message <i>optional</i>		string									
tokenLimit <i>optional</i>		string									
400	Bad Request - Invalid token limit value	No Links									
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/settings/system-prompt Get system prompt

Responses

Code	Description	Links						
200	<p>Current system prompt</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"><thead><tr><th>Name</th><th>Description</th><th>Schema</th></tr></thead><tbody><tr><td>systemPrompt <i>optional</i></td><td>The system prompt for the chat assistant</td><td>string</td></tr></tbody></table>	Name	Description	Schema	systemPrompt <i>optional</i>	The system prompt for the chat assistant	string	No Links
Name	Description	Schema						
systemPrompt <i>optional</i>	The system prompt for the chat assistant	string						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT /admin/settings/system-prompt Update system prompt

Responses

Code	Description	Links									
200	<p>System prompt updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"><thead><tr><th>Name</th><th>Description</th><th>Schema</th></tr></thead><tbody><tr><td>message <i>optional</i></td><td></td><td>string</td></tr><tr><td>systemPrompt <i>optional</i></td><td></td><td>string</td></tr></tbody></table>	Name	Description	Schema	message <i>optional</i>		string	systemPrompt <i>optional</i>		string	No Links
Name	Description	Schema									
message <i>optional</i>		string									
systemPrompt <i>optional</i>		string									
400	Bad Request	No Links									
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/analytics Get analytics data

Parameters

Type	Name	Description	Schema
query	timeRange <i>optional</i>	Time range for analytics data	enum (7d,30d,3m)

Responses

Code	Description	Links									
200	<p>Analytics data including time series and textbook statistics</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>timeSeries <i>optional</i></td><td></td><td>< object > array</td></tr> <tr> <td>chatSessionsByTextbook <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table>	Name	Description	Schema	timeSeries <i>optional</i>		< object > array	chatSessionsByTextbook <i>optional</i>		< object > array	No Links
Name	Description	Schema									
timeSeries <i>optional</i>		< object > array									
chatSessionsByTextbook <i>optional</i>		< object > array									
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /public/config/welcomeMessage Get the welcome message displayed on the homepage

Responses

Code	Description	Links						
200	<p>Returns a JSON object with the welcome message</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>welcome Message <i>optional</i></td><td></td><td>string</td></tr> </tbody> </table>	Name	Description	Schema	welcome Message <i>optional</i>		string	No Links
Name	Description	Schema						
welcome Message <i>optional</i>		string						
500	Internal Server Error	No Links						

PUT /admin/config/welcomeMessage Update the welcome message displayed on the homepage

Responses

Code	Description	Links
200	Welcome message updated	No Links
400	Bad request	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks Get all textbooks with user and question counts

Responses

Code	Description	Links						
200	<p>List of textbooks with statistics</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>textbooks <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table>	Name	Description	Schema	textbooks <i>optional</i>		< object > array	No Links
Name	Description	Schema						
textbooks <i>optional</i>		< object > array						

Code	Description	Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id} Get detailed information for a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																																													
200	<p>Detailed textbook information with statistics</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th data-bbox="303 384 457 422">Name</th><th data-bbox="457 384 1192 422">Description</th><th data-bbox="1192 384 1203 422">Schema</th></tr> </thead> <tbody> <tr> <td data-bbox="303 428 457 534">id <i>optional</i></td><td data-bbox="457 428 1192 534"></td><td data-bbox="1192 428 1203 534">string (uuid)</td></tr> <tr> <td data-bbox="303 541 457 646">title <i>optional</i></td><td data-bbox="457 541 1192 646"></td><td data-bbox="1192 541 1203 579">string</td></tr> <tr> <td data-bbox="303 653 457 759">authors <i>optional</i></td><td data-bbox="457 653 1192 759"></td><td data-bbox="1192 653 1203 736">< string > array</td></tr> <tr> <td data-bbox="303 765 457 871">publisher <i>optional</i></td><td data-bbox="457 765 1192 871"></td><td data-bbox="1192 765 1203 804">string</td></tr> <tr> <td data-bbox="303 878 457 983">publish_date <i>optional</i></td><td data-bbox="457 878 1192 983"></td><td data-bbox="1192 878 1203 916">string</td></tr> <tr> <td data-bbox="303 990 457 1096">summary <i>optional</i></td><td data-bbox="457 990 1192 1096"></td><td data-bbox="1192 990 1203 1028">string</td></tr> <tr> <td data-bbox="303 1102 457 1208">language <i>optional</i></td><td data-bbox="457 1102 1192 1208"></td><td data-bbox="1192 1102 1203 1140">string</td></tr> <tr> <td data-bbox="303 1215 457 1320">level <i>optional</i></td><td data-bbox="457 1215 1192 1320"></td><td data-bbox="1192 1215 1203 1253">string</td></tr> <tr> <td data-bbox="303 1327 457 1477">status <i>optional</i></td><td data-bbox="457 1327 1192 1477"></td><td data-bbox="1192 1327 1203 1455">enum (Active,Disabled,In gesting)</td></tr> <tr> <td data-bbox="303 1484 457 1635">source_url <i>optional</i></td><td data-bbox="457 1484 1192 1635"></td><td data-bbox="1192 1484 1203 1522">string</td></tr> <tr> <td data-bbox="303 1641 457 1747">license <i>optional</i></td><td data-bbox="457 1641 1192 1747"></td><td data-bbox="1192 1641 1203 1680">string</td></tr> <tr> <td data-bbox="303 1754 457 1859">created_at <i>optional</i></td><td data-bbox="457 1754 1192 1859"></td><td data-bbox="1192 1754 1203 1859">string (date-time)</td></tr> <tr> <td data-bbox="303 1866 457 1971">updated_at <i>optional</i></td><td data-bbox="457 1866 1192 1971"></td><td data-bbox="1192 1866 1203 1971">string (date-time)</td></tr> <tr> <td data-bbox="303 1978 457 2084">metadata <i>optional</i></td><td data-bbox="457 1978 1192 2084"></td><td data-bbox="1192 1978 1203 2016">object</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	title <i>optional</i>		string	authors <i>optional</i>		< string > array	publisher <i>optional</i>		string	publish_date <i>optional</i>		string	summary <i>optional</i>		string	language <i>optional</i>		string	level <i>optional</i>		string	status <i>optional</i>		enum (Active,Disabled,In gesting)	source_url <i>optional</i>		string	license <i>optional</i>		string	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																																													
id <i>optional</i>		string (uuid)																																													
title <i>optional</i>		string																																													
authors <i>optional</i>		< string > array																																													
publisher <i>optional</i>		string																																													
publish_date <i>optional</i>		string																																													
summary <i>optional</i>		string																																													
language <i>optional</i>		string																																													
level <i>optional</i>		string																																													
status <i>optional</i>		enum (Active,Disabled,In gesting)																																													
source_url <i>optional</i>		string																																													
license <i>optional</i>		string																																													
created_at <i>optional</i>		string (date-time)																																													
updated_at <i>optional</i>		string (date-time)																																													
metadata <i>optional</i>		object																																													

Code	Description	Links
400	Invalid textbook ID	No Links
404	Textbook not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/analytics/practice Get aggregated practice material analytics

Responses

Code	Description	Links									
200	Aggregated practice material analytics data <i>Content</i> application/json <i>Properties</i> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>total_generated <i>optional</i></td> <td></td> <td>integer</td> </tr> <tr> <td>by_type <i>optional</i></td> <td></td> <td>< object > array</td> </tr> </tbody> </table>	Name	Description	Schema	total_generated <i>optional</i>		integer	by_type <i>optional</i>		< object > array	No Links
Name	Description	Schema									
total_generated <i>optional</i>		integer									
by_type <i>optional</i>		< object > array									
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id}/practice_analytics Get practice material analytics for a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id	Textbook UUID <i>required</i>	string (uuid)

Responses

Code	Description	Links															
200	<p>Practice material analytics data</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>total_generated <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>by_type <i>optional</i></td><td></td><td>< object > array</td></tr> <tr> <td>by_difficulty <i>optional</i></td><td></td><td>< object > array</td></tr> <tr> <td>recent_activity <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table>	Name	Description	Schema	total_generated <i>optional</i>		integer	by_type <i>optional</i>		< object > array	by_difficulty <i>optional</i>		< object > array	recent_activity <i>optional</i>		< object > array	No Links
Name	Description	Schema															
total_generated <i>optional</i>		integer															
by_type <i>optional</i>		< object > array															
by_difficulty <i>optional</i>		< object > array															
recent_activity <i>optional</i>		< object > array															
400	Invalid textbook ID	No Links															
401	Unauthorized	No Links															
500	Internal Server Error	No Links															

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT /admin/textbooks/{textbook_id}/practice_analytics

Update textbook information

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																																										
200	<p>Textbook updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>authors <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td>publisher <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>publish_date <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>summary <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>language <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>level <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>status <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>source_url <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>license <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	title <i>optional</i>		string	authors <i>optional</i>		< string > array	publisher <i>optional</i>		string	publish_date <i>optional</i>		string	summary <i>optional</i>		string	language <i>optional</i>		string	level <i>optional</i>		string	status <i>optional</i>		string	source_url <i>optional</i>		string	license <i>optional</i>		string	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																										
id <i>optional</i>		string (uuid)																																										
title <i>optional</i>		string																																										
authors <i>optional</i>		< string > array																																										
publisher <i>optional</i>		string																																										
publish_date <i>optional</i>		string																																										
summary <i>optional</i>		string																																										
language <i>optional</i>		string																																										
level <i>optional</i>		string																																										
status <i>optional</i>		string																																										
source_url <i>optional</i>		string																																										
license <i>optional</i>		string																																										
created_at <i>optional</i>		string (date-time)																																										
updated_at <i>optional</i>		string (date-time)																																										
400	Invalid request or textbook ID	No Links																																										
404	Textbook not found	No Links																																										
401	Unauthorized	No Links																																										

Code	Description	Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

DELETE

/admin/textbooks/{textbook_id}/practice_analytics

Delete a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id	Textbook UUID <i>required</i>	string (uuid)

Responses

Code	Description	Links
204	Textbook deleted successfully	No Links
400	Invalid textbook ID	No Links
404	Textbook not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id}/jobs Get ingestion jobs for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id	Textbook UUID <i>required</i>	string (uuid)

Responses

Code	Description	Links						
200	<p>List of ingestion jobs for the textbook</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>jobs <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table>	Name	Description	Schema	jobs <i>optional</i>		< object > array	No Links
Name	Description	Schema						
jobs <i>optional</i>		< object > array						
400	Invalid textbook ID	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id}/ingestion_status

Get detailed ingestion status

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links															
200	<p>Ingestion status details</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>total_sections <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>ingested_sections <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>image_count <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>images <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table>	Name	Description	Schema	total_sections <i>optional</i>		integer	ingested_sections <i>optional</i>		integer	image_count <i>optional</i>		integer	images <i>optional</i>		< object > array	No Links
Name	Description	Schema															
total_sections <i>optional</i>		integer															
ingested_sections <i>optional</i>		integer															
image_count <i>optional</i>		integer															
images <i>optional</i>		< object > array															
400	Invalid textbook ID	No Links															
401	Unauthorized	No Links															
500	Internal Server Error	No Links															

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id}/analytics Get analytics for a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)
query	timeRange <i>optional</i>	Time range for analytics data	enum (7d,30d,3m)

Responses

Code	Description	Links						
200	<p>Analytics data for the textbook</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>timeSeries</td><td><i>optional</i></td><td>< object > array</td></tr> </tbody> </table>	Name	Description	Schema	timeSeries	<i>optional</i>	< object > array	No Links
Name	Description	Schema						
timeSeries	<i>optional</i>	< object > array						
400	Invalid request or textbook ID	No Links						
404	Textbook not found	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id}/faqs Get FAQs for a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id	Textbook UUID <i>required</i>	string (uuid)

Responses

Code	Description	Links						
200	<p>List of FAQs</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>faqs</td><td><i>optional</i></td><td>< object > array</td></tr> </tbody> </table>	Name	Description	Schema	faqs	<i>optional</i>	< object > array	No Links
Name	Description	Schema						
faqs	<i>optional</i>	< object > array						
400	Invalid textbook ID	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/textbooks/{textbook_id}/shared_prompts Get shared user prompts for a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links						
200	<p>List of shared prompts</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>prompts <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table>	Name	Description	Schema	prompts <i>optional</i>		< object > array	No Links
Name	Description	Schema						
prompts <i>optional</i>		< object > array						
400	Invalid textbook ID	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

POST /admin/textbooks/{textbook_id}/refresh Trigger textbook re-ingestion

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links							
201	<p>Refresh job created successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </tbody> </table> <pre> <.<!Name <.<!Description <.<!Schema <.<!id <i>optional</i> <.<! <.<!string (uuid) <.<!textbook_id <i>optional</i> <.<! <.<!string (uuid) <.<!status <i>optional</i> <.<! <.<!enum (pending,running,failed,done,canceled) <.<!created_at <i>optional</i> <.<! <.<!string (date-time) </pre> <table border="1"> <tr> <td>object</td></tr> </table>	Name	Description	Schema	message <i>optional</i>		string	object	No Links
Name	Description	Schema							
message <i>optional</i>		string							
object									
400	Invalid textbook ID	No Links							
404	Textbook not found	No Links							
401	Unauthorized	No Links							
500	Internal Server Error	No Links							

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /admin/prompt_templates Get all prompt templates

Responses

Code	Description	Links						
200	<p>List of prompt templates</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"><thead><tr><th>Name</th><th>Description</th><th>Schema</th></tr></thead><tbody><tr><td>template s optional</td><td></td><td>< object > array</td></tr></tbody></table>	Name	Description	Schema	template s optional		< object > array	No Links
Name	Description	Schema						
template s optional		< object > array						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	adminAuthorizer	

POST /admin/prompt_templates Create a new prompt template

Responses

Code	Description	Links																											
201	<p>Prompt template created successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><code>id</code> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><code>name</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>description</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>type</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>visibility</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>metadata</code> <i>optional</i></td><td></td><td>object</td></tr> <tr> <td><code>created_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><code>updated_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	<code>id</code> <i>optional</i>		string (uuid)	<code>name</code> <i>optional</i>		string	<code>description</code> <i>optional</i>		string	<code>type</code> <i>optional</i>		string	<code>visibility</code> <i>optional</i>		string	<code>metadata</code> <i>optional</i>		object	<code>created_at</code> <i>optional</i>		string (date-time)	<code>updated_at</code> <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																											
<code>id</code> <i>optional</i>		string (uuid)																											
<code>name</code> <i>optional</i>		string																											
<code>description</code> <i>optional</i>		string																											
<code>type</code> <i>optional</i>		string																											
<code>visibility</code> <i>optional</i>		string																											
<code>metadata</code> <i>optional</i>		object																											
<code>created_at</code> <i>optional</i>		string (date-time)																											
<code>updated_at</code> <i>optional</i>		string (date-time)																											
400	Invalid request	No Links																											
401	Unauthorized	No Links																											
500	Internal Server Error	No Links																											

Type	Name	Scopes
<code>apiKey</code>	adminAuthorizer	

GET /admin/prompt_templates/{template_id} Get a specific prompt template

Parameters

Type	Name	Description	Schema
path	template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links																																	
200	<p>Prompt template details</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><code>id</code> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><code>name</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>description</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>type</code> <i>optional</i></td><td></td><td>enum (RAG,quiz_generation,mcq_generation,audio_generation)</td></tr> <tr> <td><code>current_version_id</code> <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td><code>created_by</code> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><code>visibility</code> <i>optional</i></td><td></td><td>enum (private,org,public)</td></tr> <tr> <td><code>metadata</code> <i>optional</i></td><td></td><td>object</td></tr> <tr> <td><code>created_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><code>updated_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	<code>id</code> <i>optional</i>		string (uuid)	<code>name</code> <i>optional</i>		string	<code>description</code> <i>optional</i>		string	<code>type</code> <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation)	<code>current_version_id</code> <i>optional</i>		integer	<code>created_by</code> <i>optional</i>		string (uuid)	<code>visibility</code> <i>optional</i>		enum (private,org,public)	<code>metadata</code> <i>optional</i>		object	<code>created_at</code> <i>optional</i>		string (date-time)	<code>updated_at</code> <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																	
<code>id</code> <i>optional</i>		string (uuid)																																	
<code>name</code> <i>optional</i>		string																																	
<code>description</code> <i>optional</i>		string																																	
<code>type</code> <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation)																																	
<code>current_version_id</code> <i>optional</i>		integer																																	
<code>created_by</code> <i>optional</i>		string (uuid)																																	
<code>visibility</code> <i>optional</i>		enum (private,org,public)																																	
<code>metadata</code> <i>optional</i>		object																																	
<code>created_at</code> <i>optional</i>		string (date-time)																																	
<code>updated_at</code> <i>optional</i>		string (date-time)																																	
400	Invalid template ID	No Links																																	
404	Template not found	No Links																																	

Code	Description	Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

***PUT /admin/prompt_templates/{template_id}* Update a prompt template**

Parameters

Type	Name	Description	Schema
path	template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links																														
200	<p>Prompt template updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><i>id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>name</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>description</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>type</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>visibility</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>current_version_id</i> <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td><i>metadata</i> <i>optional</i></td><td></td><td>object</td></tr> <tr> <td><i>created_at</i> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><i>updated_at</i> <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	<i>id</i> <i>optional</i>		string (uuid)	<i>name</i> <i>optional</i>		string	<i>description</i> <i>optional</i>		string	<i>type</i> <i>optional</i>		string	<i>visibility</i> <i>optional</i>		string	<i>current_version_id</i> <i>optional</i>		integer	<i>metadata</i> <i>optional</i>		object	<i>created_at</i> <i>optional</i>		string (date-time)	<i>updated_at</i> <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																														
<i>id</i> <i>optional</i>		string (uuid)																														
<i>name</i> <i>optional</i>		string																														
<i>description</i> <i>optional</i>		string																														
<i>type</i> <i>optional</i>		string																														
<i>visibility</i> <i>optional</i>		string																														
<i>current_version_id</i> <i>optional</i>		integer																														
<i>metadata</i> <i>optional</i>		object																														
<i>created_at</i> <i>optional</i>		string (date-time)																														
<i>updated_at</i> <i>optional</i>		string (date-time)																														
400	Invalid request or template ID	No Links																														
404	Template not found	No Links																														
401	Unauthorized	No Links																														
500	Internal Server Error	No Links																														

Type	Name	Scopes
apiKey	adminAuthorizer	

DELETE /admin/prompt_templates/{template_id} Delete a prompt template

Parameters

Type	Name	Description	Schema
path	template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links
204	Template deleted successfully	No Links
400	Invalid template ID	No Links
404	Template not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

DELETE /chat_sessions/{chat_session_id} Delete a specific chat session

Parameters

Type	Name	Description	Schema
path	chat_session_id <i>required</i>	Chat session UUID	string (uuid)

Responses

Code	Description	Links
204	Chat session deleted successfully	No Links
404	Chat session not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

POST /chat_sessions/{chat_session_id}/text_generation

Generate text response for a chat session

Parameters

Type	Name	Description	Schema
path	chat_session_id <i>required</i>	Chat session UUID	string (uuid)

Responses

Code	Description	Links									
200	<p>Generated text response</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>response <i>optional</i></td> <td></td> <td>string</td> </tr> <tr> <td>sources <i>optional</i></td> <td></td> <td>< object > array</td> </tr> </tbody> </table>	Name	Description	Schema	response <i>optional</i>		string	sources <i>optional</i>		< object > array	No Links
Name	Description	Schema									
response <i>optional</i>		string									
sources <i>optional</i>		< object > array									
400	Invalid request	No Links									
404	Chat session not found	No Links									
500	Internal Server Error	No Links									

GET /user/publicToken Get a JWT token for non-authenticated user

Responses

Code	Description	Links						
200	<p>JWT token</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>token <i>optional</i></td> <td></td> <td>string</td> </tr> </tbody> </table>	Name	Description	Schema	token <i>optional</i>		string	No Links
Name	Description	Schema						
token <i>optional</i>		string						
500	Internal Server Error	No Links						

OPTIONS /user/publicToken CORS support

Enable CORS by returning correct headers

Responses

Code	Description	Links												
200	<p>Request success</p> <p><i>Headers</i></p> <table border="1"><thead><tr><th>Name</th><th>Description</th><th>Schema</th></tr></thead><tbody><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr><tr><td>Access-Control-Allow-Methods</td><td></td><td>string</td></tr><tr><td>Access-Control-Headers</td><td></td><td>string</td></tr></tbody></table>	Name	Description	Schema	Access-Control-Allow-Origin		string	Access-Control-Allow-Methods		string	Access-Control-Headers		string	No Links
Name	Description	Schema												
Access-Control-Allow-Origin		string												
Access-Control-Allow-Methods		string												
Access-Control-Headers		string												

POST /user_sessions Create a new user session

Responses

Code	Description	Links												
200	<p>Session created successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>sessionId <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>userSessionId <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>role <i>optional</i></td><td>Role of the user session</td><td>enum (student,instructor)</td></tr> </tbody> </table>	Name	Description	Schema	sessionId <i>optional</i>		string (uuid)	userSessionId <i>optional</i>		string (uuid)	role <i>optional</i>	Role of the user session	enum (student,instructor)	No Links
Name	Description	Schema												
sessionId <i>optional</i>		string (uuid)												
userSessionId <i>optional</i>		string (uuid)												
role <i>optional</i>	Role of the user session	enum (student,instructor)												
401	Unauthorized	No Links												
500	Internal Server Error	No Links												

Type	Name	Scopes
apiKey	userAuthorizer	

***GET /user_sessions/{session_id}* Get and validate a user session by ID**

Parameters

Type	Name	Description	Schema
path	session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links																								
200	<p>User session details (also updates last_active_at timestamp)</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><code>id</code> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><code>session_title</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>context</code> <i>optional</i></td><td></td><td>object</td></tr> <tr> <td><code>created_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><code>last_active_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><code>expires_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><code>metadata</code> <i>optional</i></td><td></td><td>object</td></tr> </tbody> </table>	Name	Description	Schema	<code>id</code> <i>optional</i>		string (uuid)	<code>session_title</code> <i>optional</i>		string	<code>context</code> <i>optional</i>		object	<code>created_at</code> <i>optional</i>		string (date-time)	<code>last_active_at</code> <i>optional</i>		string (date-time)	<code>expires_at</code> <i>optional</i>		string (date-time)	<code>metadata</code> <i>optional</i>		object	No Links
Name	Description	Schema																								
<code>id</code> <i>optional</i>		string (uuid)																								
<code>session_title</code> <i>optional</i>		string																								
<code>context</code> <i>optional</i>		object																								
<code>created_at</code> <i>optional</i>		string (date-time)																								
<code>last_active_at</code> <i>optional</i>		string (date-time)																								
<code>expires_at</code> <i>optional</i>		string (date-time)																								
<code>metadata</code> <i>optional</i>		object																								
400	Invalid session ID	No Links																								
404	User session not found	No Links																								
401	Unauthorized	No Links																								
500	Internal Server Error	No Links																								

Type	Name	Scopes
<code>apiKey</code>	userAuthorizer	

***PUT /user_sessions/{session_id}* Update user session role**

Parameters

Type	Name	Description	Schema
path	session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links																											
200	<p>User session updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>session_title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>context <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>role <i>optional</i></td><td></td><td>enum (student,instructor)</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>last_active_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>expires_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	session_title <i>optional</i>		string	context <i>optional</i>		object	role <i>optional</i>		enum (student,instructor)	created_at <i>optional</i>		string (date-time)	last_active_at <i>optional</i>		string (date-time)	expires_at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																											
id <i>optional</i>		string (uuid)																											
session_title <i>optional</i>		string																											
context <i>optional</i>		object																											
role <i>optional</i>		enum (student,instructor)																											
created_at <i>optional</i>		string (date-time)																											
last_active_at <i>optional</i>		string (date-time)																											
expires_at <i>optional</i>		string (date-time)																											
metadata <i>optional</i>		object																											
400	Invalid request or session ID	No Links																											
404	User session not found	No Links																											
401	Unauthorized	No Links																											
500	Internal Server Error	No Links																											

Type	Name	Scopes
apiKey	userAuthorizer	

GET /user_sessions/{session_id}/interactions Get user interactions for a session

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	Number of interactions to skip (default 0)	integer
query	limit <i>optional</i>	Number of interactions to return (default 20, max 100)	integer
path	session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links							
200	<p>List of user interactions for session</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>interactions <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table> <pre> <.<!Name <.<!Description <.<!Schema <.<!limit <i>optional</i> <.<! <.<!integer <.<!offset <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!hasMore <i>optional</i> <.<! <.<!boolean </pre> <table border="1"> <tr> <td>object</td></tr> </table>	Name	Description	Schema	interactions <i>optional</i>		< object > array	object	No Links
Name	Description	Schema							
interactions <i>optional</i>		< object > array							
object									
400	Invalid parameters	No Links							
401	Unauthorized	No Links							
500	Internal Server Error	No Links							

Type	Name	Scopes
apiKey	userAuthorizer	

POST /user_sessions/{session_id}/interactions Create user interaction for session

Parameters

Type	Name	Description	Schema
path	session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links																														
201	<p>User interaction created successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>sender_role <i>optional</i></td><td></td><td>enum (AI,User)</td></tr> <tr> <td>query_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>response_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>message_meta <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>source_chunks <i>optional</i></td><td></td><td>array</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>order_index <i>optional</i></td><td></td><td>integer</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	session_id <i>optional</i>		string (uuid)	sender_role <i>optional</i>		enum (AI,User)	query_text <i>optional</i>		string	response_text <i>optional</i>		string	message_meta <i>optional</i>		object	source_chunks <i>optional</i>		array	created_at <i>optional</i>		string (date-time)	order_index <i>optional</i>		integer	No Links
Name	Description	Schema																														
id <i>optional</i>		string (uuid)																														
session_id <i>optional</i>		string (uuid)																														
sender_role <i>optional</i>		enum (AI,User)																														
query_text <i>optional</i>		string																														
response_text <i>optional</i>		string																														
message_meta <i>optional</i>		object																														
source_chunks <i>optional</i>		array																														
created_at <i>optional</i>		string (date-time)																														
order_index <i>optional</i>		integer																														
400	Invalid request	No Links																														
401	Unauthorized	No Links																														
500	Internal Server Error	No Links																														

Type	Name	Scopes
apiKey	userAuthorizer	

GET

/user_sessions/{session_id}/chat_sessions/{chat_session_id}/interactions Get user interactions for a specific chat session

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	Number of interactions to skip (default 0)	integer
query	limit <i>optional</i>	Number of interactions to return (default 20, max 100)	integer
path	session_id <i>required</i>	User session UUID	string (uuid)
path	chat_session_id <i>required</i>	Chat session UUID	string (uuid)

Responses

Code	Description	Links							
200	<p>List of user interactions for the specific chat session</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>interactions <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table> <pre> <.<!Name <.<!Description <.<!Schema <.<!limit <i>optional</i> <.<! <.<!integer <.<!offset <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!hasMore <i>optional</i> <.<! <.<!boolean </pre> <table border="1"> <tr> <td>object</td></tr> </table>	Name	Description	Schema	interactions <i>optional</i>		< object > array	object	No Links
Name	Description	Schema							
interactions <i>optional</i>		< object > array							
object									
400	Invalid parameters	No Links							
401	Unauthorized	No Links							
404	User session not found	No Links							
500	Internal Server Error	No Links							

Type	Name	Scopes
apiKey	userAuthorizer	

GET /user_sessions/{session_id}/analytics Get analytics events for a session

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	Number of analytics events to skip (default 0)	integer
query	limit <i>optional</i>	Number of analytics events to return (default 20, max 100)	integer
path	session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links							
200	<p>List of analytics events for session</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>analytics <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table> <pre> <.<!Name <.<!Description <.<!Schema <.<!limit <i>optional</i> <.<! <.<!integer <.<!offset <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!hasMore <i>optional</i> <.<! <.<!boolean </pre> <table border="1"> <tr> <td>object</td> </tr> </table>	Name	Description	Schema	analytics <i>optional</i>		< object > array	object	No Links
Name	Description	Schema							
analytics <i>optional</i>		< object > array							
object									

Code	Description	Links
400	Invalid parameters	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

POST /user_sessions/{session_id}/analytics Create analytics event for session

Parameters

Type	Name	Description	Schema
path	session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links																		
201	Analytics event created successfully <i>Content</i> application/json <i>Properties</i> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>user_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>event_type <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>properties <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	user_session_id <i>optional</i>		string (uuid)	event_type <i>optional</i>		string	properties <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																		
id <i>optional</i>		string (uuid)																		
user_session_id <i>optional</i>		string (uuid)																		
event_type <i>optional</i>		string																		
properties <i>optional</i>		object																		
created_at <i>optional</i>		string (date-time)																		
400	Invalid request	No Links																		
401	Unauthorized	No Links																		

Code	Description	Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

GET /interactions/{interaction_id} Get a specific user interaction by ID

Parameters

Type	Name	Description	Schema
path	interaction_id	Interaction UUID <i>required</i>	string (uuid)

Responses

Code	Description	Links																														
200	<p>User interaction details</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>sender_role <i>optional</i></td><td></td><td>enum (AI,User)</td></tr> <tr> <td>query_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>response_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>message_meta <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>source_chunks <i>optional</i></td><td></td><td>array</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>order_index <i>optional</i></td><td></td><td>integer</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	session_id <i>optional</i>		string (uuid)	sender_role <i>optional</i>		enum (AI,User)	query_text <i>optional</i>		string	response_text <i>optional</i>		string	message_meta <i>optional</i>		object	source_chunks <i>optional</i>		array	created_at <i>optional</i>		string (date-time)	order_index <i>optional</i>		integer	No Links
Name	Description	Schema																														
id <i>optional</i>		string (uuid)																														
session_id <i>optional</i>		string (uuid)																														
sender_role <i>optional</i>		enum (AI,User)																														
query_text <i>optional</i>		string																														
response_text <i>optional</i>		string																														
message_meta <i>optional</i>		object																														
source_chunks <i>optional</i>		array																														
created_at <i>optional</i>		string (date-time)																														
order_index <i>optional</i>		integer																														
404	Interaction not found	No Links																														
401	Unauthorized	No Links																														
500	Internal Server Error	No Links																														

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /interactions/{interaction_id} Update a specific user interaction

Parameters

Type	Name	Description	Schema
path	interaction_id <i>required</i>	Interaction UUID	string (uuid)

Responses

Code	Description	Links																														
200	<p>User interaction updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>sender_role <i>optional</i></td><td></td><td>enum (AI,User)</td></tr> <tr> <td>query_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>response_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>message_meta <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>source_chunks <i>optional</i></td><td></td><td>array</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>order_index <i>optional</i></td><td></td><td>integer</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	session_id <i>optional</i>		string (uuid)	sender_role <i>optional</i>		enum (AI,User)	query_text <i>optional</i>		string	response_text <i>optional</i>		string	message_meta <i>optional</i>		object	source_chunks <i>optional</i>		array	created_at <i>optional</i>		string (date-time)	order_index <i>optional</i>		integer	No Links
Name	Description	Schema																														
id <i>optional</i>		string (uuid)																														
session_id <i>optional</i>		string (uuid)																														
sender_role <i>optional</i>		enum (AI,User)																														
query_text <i>optional</i>		string																														
response_text <i>optional</i>		string																														
message_meta <i>optional</i>		object																														
source_chunks <i>optional</i>		array																														
created_at <i>optional</i>		string (date-time)																														
order_index <i>optional</i>		integer																														
404	Interaction not found	No Links																														
401	Unauthorized	No Links																														
500	Internal Server Error	No Links																														

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE /interactions/{interaction_id} Delete a specific user interaction

Parameters

Type	Name	Description	Schema
path	interaction_id <i>required</i>	Interaction UUID	string (uuid)

Responses

Code	Description	Links
204	User interaction deleted successfully	No Links
404	Interaction not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

GET /analytics/{analytics_id} Get a specific analytics event by ID

Parameters

Type	Name	Description	Schema
path	analytics_id <i>required</i>	Analytics event UUID	string (uuid)

Responses

Code	Description	Links																		
200	<p>Analytics event details</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>user_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>event_type <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>properties <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	user_session_id <i>optional</i>		string (uuid)	event_type <i>optional</i>		string	properties <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																		
id <i>optional</i>		string (uuid)																		
user_session_id <i>optional</i>		string (uuid)																		
event_type <i>optional</i>		string																		
properties <i>optional</i>		object																		
created_at <i>optional</i>		string (date-time)																		
404	Analytics event not found	No Links																		
401	Unauthorized	No Links																		
500	Internal Server Error	No Links																		

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /analytics/{analytics_id} Update a specific analytics event

Parameters

Type	Name	Description	Schema
path	analytics_id <i>required</i>	Analytics event UUID	string (uuid)

Responses

Code	Description	Links																		
200	<p>Analytics event updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>user_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>event_type <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>properties <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	user_session_id <i>optional</i>		string (uuid)	event_type <i>optional</i>		string	properties <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																		
id <i>optional</i>		string (uuid)																		
user_session_id <i>optional</i>		string (uuid)																		
event_type <i>optional</i>		string																		
properties <i>optional</i>		object																		
created_at <i>optional</i>		string (date-time)																		
404	Analytics event not found	No Links																		
401	Unauthorized	No Links																		
500	Internal Server Error	No Links																		

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE /analytics/{analytics_id} Delete a specific analytics event

Parameters

Type	Name	Description	Schema
path	analytics_id <i>required</i>	Analytics event UUID	string (uuid)

Responses

Code	Description	Links
204	Analytics event deleted successfully	No Links
404	Analytics event not found	No Links

Code	Description	Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

***GET /textbooks* Get paginated list of available textbooks**

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	Number of textbooks to skip (default 0)	integer
query	limit <i>optional</i>	Number of textbooks to return (default 20, max 100)	integer

Responses

Code	Description	Links									
200	<p>List of textbooks</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>textbooks</td><td></td><td>< object > array</td></tr> <tr> <td><i>optional</i></td><td></td><td></td></tr> </tbody> </table> <p><.<!Name</p> <p><.<!Description</p> <p><.<!Schema</p> <p><.<!limit <i>optional</i></p> <p><.<! <.<!integer</p> <p><.<!offset <i>optional</i></p> <p><.<! <.<!integer</p> <p><.<!total <i>optional</i></p> <p><.<! <.<!integer</p> <p><.<!hasMore <i>optional</i></p> <p><.<! <.<!boolean</p> <p>object</p>	Name	Description	Schema	textbooks		< object > array	<i>optional</i>			No Links
Name	Description	Schema									
textbooks		< object > array									
<i>optional</i>											
401	Unauthorized	No Links									
500	Internal Server Error	No Links									

Type	Name	Scopes
apiKey	userAuthorizer	

POST /textbooks Create a new textbook

Responses

Code	Description	Links																																										
201	<p>Textbook created successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>authors <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td>license <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>source_url <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>publisher <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>year <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>summary <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>language <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>level <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	title <i>optional</i>		string	authors <i>optional</i>		< string > array	license <i>optional</i>		string	source_url <i>optional</i>		string	publisher <i>optional</i>		string	year <i>optional</i>		integer	summary <i>optional</i>		string	language <i>optional</i>		string	level <i>optional</i>		string	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																																										
id <i>optional</i>		string (uuid)																																										
title <i>optional</i>		string																																										
authors <i>optional</i>		< string > array																																										
license <i>optional</i>		string																																										
source_url <i>optional</i>		string																																										
publisher <i>optional</i>		string																																										
year <i>optional</i>		integer																																										
summary <i>optional</i>		string																																										
language <i>optional</i>		string																																										
level <i>optional</i>		string																																										
created_at <i>optional</i>		string (date-time)																																										
updated_at <i>optional</i>		string (date-time)																																										
metadata <i>optional</i>		object																																										
400	Invalid request	No Links																																										
401	Unauthorized	No Links																																										
500	Internal Server Error	No Links																																										

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /textbooks/{textbook_id} Get a specific textbook by ID

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																																										
200	<p>Textbook details</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><i>id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>title</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>authors</i> <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td><i>license</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>source_url</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>publisher</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>year</i> <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td><i>summary</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>language</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>level</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>created_at</i> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><i>updated_at</i> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><i>metadata</i> <i>optional</i></td><td></td><td>object</td></tr> </tbody> </table>	Name	Description	Schema	<i>id</i> <i>optional</i>		string (uuid)	<i>title</i> <i>optional</i>		string	<i>authors</i> <i>optional</i>		< string > array	<i>license</i> <i>optional</i>		string	<i>source_url</i> <i>optional</i>		string	<i>publisher</i> <i>optional</i>		string	<i>year</i> <i>optional</i>		integer	<i>summary</i> <i>optional</i>		string	<i>language</i> <i>optional</i>		string	<i>level</i> <i>optional</i>		string	<i>created_at</i> <i>optional</i>		string (date-time)	<i>updated_at</i> <i>optional</i>		string (date-time)	<i>metadata</i> <i>optional</i>		object	No Links
Name	Description	Schema																																										
<i>id</i> <i>optional</i>		string (uuid)																																										
<i>title</i> <i>optional</i>		string																																										
<i>authors</i> <i>optional</i>		< string > array																																										
<i>license</i> <i>optional</i>		string																																										
<i>source_url</i> <i>optional</i>		string																																										
<i>publisher</i> <i>optional</i>		string																																										
<i>year</i> <i>optional</i>		integer																																										
<i>summary</i> <i>optional</i>		string																																										
<i>language</i> <i>optional</i>		string																																										
<i>level</i> <i>optional</i>		string																																										
<i>created_at</i> <i>optional</i>		string (date-time)																																										
<i>updated_at</i> <i>optional</i>		string (date-time)																																										
<i>metadata</i> <i>optional</i>		object																																										
404	Textbook not found	No Links																																										
401	Unauthorized	No Links																																										
500	Internal Server Error	No Links																																										

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /textbooks/{textbook_id} Update a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																																										
200	<p>Textbook updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><code>id</code> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><code>title</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>authors</code> <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td><code>license</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>source_url</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>publisher</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>year</code> <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td><code>summary</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>language</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>level</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>created_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><code>updated_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><code>metadata</code> <i>optional</i></td><td></td><td>object</td></tr> </tbody> </table>	Name	Description	Schema	<code>id</code> <i>optional</i>		string (uuid)	<code>title</code> <i>optional</i>		string	<code>authors</code> <i>optional</i>		< string > array	<code>license</code> <i>optional</i>		string	<code>source_url</code> <i>optional</i>		string	<code>publisher</code> <i>optional</i>		string	<code>year</code> <i>optional</i>		integer	<code>summary</code> <i>optional</i>		string	<code>language</code> <i>optional</i>		string	<code>level</code> <i>optional</i>		string	<code>created_at</code> <i>optional</i>		string (date-time)	<code>updated_at</code> <i>optional</i>		string (date-time)	<code>metadata</code> <i>optional</i>		object	No Links
Name	Description	Schema																																										
<code>id</code> <i>optional</i>		string (uuid)																																										
<code>title</code> <i>optional</i>		string																																										
<code>authors</code> <i>optional</i>		< string > array																																										
<code>license</code> <i>optional</i>		string																																										
<code>source_url</code> <i>optional</i>		string																																										
<code>publisher</code> <i>optional</i>		string																																										
<code>year</code> <i>optional</i>		integer																																										
<code>summary</code> <i>optional</i>		string																																										
<code>language</code> <i>optional</i>		string																																										
<code>level</code> <i>optional</i>		string																																										
<code>created_at</code> <i>optional</i>		string (date-time)																																										
<code>updated_at</code> <i>optional</i>		string (date-time)																																										
<code>metadata</code> <i>optional</i>		object																																										
404	Textbook not found	No Links																																										
401	Unauthorized	No Links																																										
500	Internal Server Error	No Links																																										

Type	Name	Scopes
apiKey	adminAuthorizer	

DELETE /textbooks/{textbook_id} Delete a specific textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links
204	Textbook deleted successfully	No Links
404	Textbook not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /textbooks/{textbook_id}/faq Get FAQ cache for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links
200	FAQ cache entries <i>Content</i> application/json	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

POST /textbooks/{textbook_id}/faq Add FAQ entry to textbook cache

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																					
201	<p>FAQ entry created</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td><i>id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>question_text</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>answer_text</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>usage_count</i> <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td><i>last_used_at</i> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><i>cached_at</i> <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	<i>id</i> <i>optional</i>		string (uuid)	<i>question_text</i> <i>optional</i>		string	<i>answer_text</i> <i>optional</i>		string	<i>usage_count</i> <i>optional</i>		integer	<i>last_used_at</i> <i>optional</i>		string (date-time)	<i>cached_at</i> <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																					
<i>id</i> <i>optional</i>		string (uuid)																					
<i>question_text</i> <i>optional</i>		string																					
<i>answer_text</i> <i>optional</i>		string																					
<i>usage_count</i> <i>optional</i>		integer																					
<i>last_used_at</i> <i>optional</i>		string (date-time)																					
<i>cached_at</i> <i>optional</i>		string (date-time)																					
400	Invalid request	No Links																					
401	Unauthorized	No Links																					
500	Internal Server Error	No Links																					

Type	Name	Scopes
apiKey	userAuthorizer	

GET /faq/{faq_id} Get a specific FAQ entry by ID

Parameters

Type	Name	Description	Schema
path	faq_id <i>required</i>	FAQ entry UUID	string (uuid)

Responses

Code	Description	Links																					
200	FAQ entry details <i>Content</i> application/json <i>Properties</i> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>question_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>answer_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>usage_count <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>last_used_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>cached_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	question_text <i>optional</i>		string	answer_text <i>optional</i>		string	usage_count <i>optional</i>		integer	last_used_at <i>optional</i>		string (date-time)	cached_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																					
id <i>optional</i>		string (uuid)																					
question_text <i>optional</i>		string																					
answer_text <i>optional</i>		string																					
usage_count <i>optional</i>		integer																					
last_used_at <i>optional</i>		string (date-time)																					
cached_at <i>optional</i>		string (date-time)																					
404	FAQ entry not found	No Links																					
401	Unauthorized	No Links																					
500	Internal Server Error	No Links																					

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /faq/{faq_id} Update a specific FAQ entry

Parameters

Type	Name	Description	Schema
path	faq_id <i>required</i>	FAQ entry UUID	string (uuid)

Responses

Code	Description	Links																					
200	FAQ entry updated successfully <i>Content</i> application/json <i>Properties</i> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>question_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>answer_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>usage_count <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>last_used_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>cached_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	question_text <i>optional</i>		string	answer_text <i>optional</i>		string	usage_count <i>optional</i>		integer	last_used_at <i>optional</i>		string (date-time)	cached_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																					
id <i>optional</i>		string (uuid)																					
question_text <i>optional</i>		string																					
answer_text <i>optional</i>		string																					
usage_count <i>optional</i>		integer																					
last_used_at <i>optional</i>		string (date-time)																					
cached_at <i>optional</i>		string (date-time)																					
404	FAQ entry not found	No Links																					
401	Unauthorized	No Links																					
500	Internal Server Error	No Links																					

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE /faq/{faq_id} Delete a specific FAQ entry

Parameters

Type	Name	Description	Schema
path	faq_id <i>required</i>	FAQ entry UUID	string (uuid)

Responses

Code	Description	Links
204	FAQ entry deleted successfully	No Links
404	FAQ entry not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

POST /faq/{faq_id}/report Report an FAQ entry as inaccurate or inappropriate

Parameters

Type	Name	Description	Schema
path	faq_id <i>required</i>	FAQ entry UUID	string (uuid)

Responses

Code	Description	Links																		
200	<p>FAQ reported successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><code>id</code> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><code>faq_id</code> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><code>reported_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><code>reason</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>message</code> <i>optional</i></td><td></td><td>string</td></tr> </tbody> </table>	Name	Description	Schema	<code>id</code> <i>optional</i>		string (uuid)	<code>faq_id</code> <i>optional</i>		string (uuid)	<code>reported_at</code> <i>optional</i>		string (date-time)	<code>reason</code> <i>optional</i>		string	<code>message</code> <i>optional</i>		string	No Links
Name	Description	Schema																		
<code>id</code> <i>optional</i>		string (uuid)																		
<code>faq_id</code> <i>optional</i>		string (uuid)																		
<code>reported_at</code> <i>optional</i>		string (date-time)																		
<code>reason</code> <i>optional</i>		string																		
<code>message</code> <i>optional</i>		string																		
400 Invalid request																				
404 FAQ entry not found																				
401 Unauthorized																				
500 Internal Server Error																				

Type	Name	Scopes
<code>apiKey</code>	userAuthorizer	

GET /textbooks/{textbook_id}/chat_sessions Get paginated chat sessions for a textbook

Parameters

Type	Name	Description	Schema
<code>path</code>	<code>textbook_id</code> <i>required</i>	Textbook UUID	string (uuid)
<code>query</code>	<code>limit</code> <i>optional</i>	Number of sessions per page (default 50, max 100)	integer
<code>query</code>	<code>page</code> <i>optional</i>	Page number (default 1)	integer

Responses

Code	Description	Links							
200	<p>Paginated chat sessions for textbook</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>chat_sessions <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table> <pre> <.<!Name <.<!Description <.<!Schema <.<!page <i>optional</i> <.<! <.<!integer <.<!limit <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!total_pages <i>optional</i> <.<! <.<!integer </pre> <table border="1"> <tr> <td>object</td></tr> </table>	Name	Description	Schema	chat_sessions <i>optional</i>		< object > array	object	No Links
Name	Description	Schema							
chat_sessions <i>optional</i>		< object > array							
object									
401	Unauthorized	No Links							
500	Internal Server Error	No Links							

Type	Name	Scopes
apiKey	userAuthorizer	

POST /textbooks/{textbook_id}/chat_sessions Create chat session for textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																					
201	<p>Chat session created</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>user_sessions ion_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>context <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	user_sessions ion_id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	context <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																					
id <i>optional</i>		string (uuid)																					
user_sessions ion_id <i>optional</i>		string (uuid)																					
textbook_id <i>optional</i>		string (uuid)																					
context <i>optional</i>		object																					
created_at <i>optional</i>		string (date-time)																					
metadata <i>optional</i>		object																					
400	Invalid request	No Links																					
404	Textbook not found	No Links																					
401	Unauthorized	No Links																					
500	Internal Server Error	No Links																					

Type	Name	Scopes
apiKey	userAuthorizer	

GET

/textbooks/{textbook_id}/chat_sessions/user/{user_session_id} Get chat sessions for a textbook filtered by user session

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)
path	user_session_id <i>required</i>	User session UUID	string (uuid)

Responses

Code	Description	Links
200	Chat sessions for textbook and user <i>Content</i> application/json	No Links
400	Invalid parameters	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

GET /chat_sessions/{chat_session_id}/interactions Get all interactions for a shared chat session (public endpoint)

Parameters

Type	Name	Description	Schema
path	chat_session_id <i>required</i>	Chat session UUID	string (uuid)

Responses

Code	Description	Links												
200	<p>Chat session interactions</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>chat_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>interactions <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table>	Name	Description	Schema	chat_session_id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	interactions <i>optional</i>		< object > array	No Links
Name	Description	Schema												
chat_session_id <i>optional</i>		string (uuid)												
textbook_id <i>optional</i>		string (uuid)												
interactions <i>optional</i>		< object > array												
400	Invalid chat_session_id	No Links												
404	Chat session not found	No Links												
500	Internal Server Error	No Links												

POST /chat_sessions/fork Create a new chat session by forking an existing one

Responses

Code	Description	Links																		
201	<p>Chat session forked successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>chat_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>user_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>interactions_copied <i>optional</i></td><td>Number of interactions copied from source chat session</td><td>integer</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	chat_session_id <i>optional</i>		string (uuid)	user_session_id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	interactions_copied <i>optional</i>	Number of interactions copied from source chat session	integer	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																		
chat_session_id <i>optional</i>		string (uuid)																		
user_session_id <i>optional</i>		string (uuid)																		
textbook_id <i>optional</i>		string (uuid)																		
interactions_copied <i>optional</i>	Number of interactions copied from source chat session	integer																		
created_at <i>optional</i>		string (date-time)																		
400	Invalid request or source chat session not found	No Links																		
401	Unauthorized	No Links																		
500	Internal Server Error	No Links																		

Type	Name	Scopes
apiKey	userAuthorizer	

GET /textbooks/{textbook_id}/sections Get sections for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links
200	Sections for textbook <i>Content</i> application/json	No Links
400	Invalid parameters	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

***POST /textbooks/{textbook_id}/sections* Create section for textbook**

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																														
201	<p>Section created</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><code>id</code> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><code>textbook_id</code> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><code>parent_section_id</code> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><code>title</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>order_index</code> <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td><code>page_start</code> <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td><code>page_end</code> <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td><code>summary</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>created_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	<code>id</code> <i>optional</i>		string (uuid)	<code>textbook_id</code> <i>optional</i>		string (uuid)	<code>parent_section_id</code> <i>optional</i>		string (uuid)	<code>title</code> <i>optional</i>		string	<code>order_index</code> <i>optional</i>		integer	<code>page_start</code> <i>optional</i>		integer	<code>page_end</code> <i>optional</i>		integer	<code>summary</code> <i>optional</i>		string	<code>created_at</code> <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																														
<code>id</code> <i>optional</i>		string (uuid)																														
<code>textbook_id</code> <i>optional</i>		string (uuid)																														
<code>parent_section_id</code> <i>optional</i>		string (uuid)																														
<code>title</code> <i>optional</i>		string																														
<code>order_index</code> <i>optional</i>		integer																														
<code>page_start</code> <i>optional</i>		integer																														
<code>page_end</code> <i>optional</i>		integer																														
<code>summary</code> <i>optional</i>		string																														
<code>created_at</code> <i>optional</i>		string (date-time)																														
400	Invalid request	No Links																														
404	Textbook not found	No Links																														
401	Unauthorized	No Links																														
500	Internal Server Error	No Links																														

Type	Name	Scopes
apiKey	userAuthorizer	

GET /sections/{section_id} Get a specific section by ID

Parameters

Type	Name	Description	Schema
path	section_id <i>required</i>	Section UUID	string (uuid)

Responses

Code	Description	Links																														
200	<p>Section details</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>parent_section_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>order_index <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>page_start <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>page_end <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>summary <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	parent_section_id <i>optional</i>		string (uuid)	title <i>optional</i>		string	order_index <i>optional</i>		integer	page_start <i>optional</i>		integer	page_end <i>optional</i>		integer	summary <i>optional</i>		string	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																														
id <i>optional</i>		string (uuid)																														
textbook_id <i>optional</i>		string (uuid)																														
parent_section_id <i>optional</i>		string (uuid)																														
title <i>optional</i>		string																														
order_index <i>optional</i>		integer																														
page_start <i>optional</i>		integer																														
page_end <i>optional</i>		integer																														
summary <i>optional</i>		string																														
created_at <i>optional</i>		string (date-time)																														
404	Section not found	No Links																														
401	Unauthorized	No Links																														
500	Internal Server Error	No Links																														

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /sections/{section_id} Update a specific section

Parameters

Type	Name	Description	Schema
path	section_id <i>required</i>	Section UUID	string (uuid)

Responses

Code	Description	Links																														
200	<p>Section updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>id <i>optional</i></td> <td></td> <td>string (uuid)</td> </tr> <tr> <td>textbook_id <i>optional</i></td> <td></td> <td>string (uuid)</td> </tr> <tr> <td>parent_section_id <i>optional</i></td> <td></td> <td>string (uuid)</td> </tr> <tr> <td>title <i>optional</i></td> <td></td> <td>string</td> </tr> <tr> <td>order_index <i>optional</i></td> <td></td> <td>integer</td> </tr> <tr> <td>page_start <i>optional</i></td> <td></td> <td>integer</td> </tr> <tr> <td>page_end <i>optional</i></td> <td></td> <td>integer</td> </tr> <tr> <td>summary <i>optional</i></td> <td></td> <td>string</td> </tr> <tr> <td>created_at <i>optional</i></td> <td></td> <td>string (date-time)</td> </tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	parent_section_id <i>optional</i>		string (uuid)	title <i>optional</i>		string	order_index <i>optional</i>		integer	page_start <i>optional</i>		integer	page_end <i>optional</i>		integer	summary <i>optional</i>		string	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																														
id <i>optional</i>		string (uuid)																														
textbook_id <i>optional</i>		string (uuid)																														
parent_section_id <i>optional</i>		string (uuid)																														
title <i>optional</i>		string																														
order_index <i>optional</i>		integer																														
page_start <i>optional</i>		integer																														
page_end <i>optional</i>		integer																														
summary <i>optional</i>		string																														
created_at <i>optional</i>		string (date-time)																														

Code	Description	Links
404	Section not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE /sections/{section_id} Delete a specific section

Parameters

Type	Name	Description	Schema
path	section_id <i>required</i>	Section UUID	string (uuid)

Responses

Code	Description	Links
204	Section deleted successfully	No Links
404	Section not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

GET /textbooks/{textbook_id}/media_items Get media items for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links
200	Media items for textbook <i>Content</i> application/json	No Links

Code	Description	Links
400	Invalid parameters	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

POST /textbooks/{textbook_id}/media_items Create media item for textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																																	
201	<p>Media item created</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>media_type pe <i>optional</i></td><td></td><td>enum (pdf, audio, video, image, transcript, h5p, other)</td></tr> <tr> <td>uri <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>size_bytes <i>optional</i></td><td></td><td>integer (int64)</td></tr> <tr> <td>mime_type pe <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>description <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>page_start <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>page_end <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	media_type pe <i>optional</i>		enum (pdf, audio, video, image, transcript, h5p, other)	uri <i>optional</i>		string	size_bytes <i>optional</i>		integer (int64)	mime_type pe <i>optional</i>		string	description <i>optional</i>		string	page_start <i>optional</i>		integer	page_end <i>optional</i>		integer	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																	
id <i>optional</i>		string (uuid)																																	
textbook_id <i>optional</i>		string (uuid)																																	
media_type pe <i>optional</i>		enum (pdf, audio, video, image, transcript, h5p, other)																																	
uri <i>optional</i>		string																																	
size_bytes <i>optional</i>		integer (int64)																																	
mime_type pe <i>optional</i>		string																																	
description <i>optional</i>		string																																	
page_start <i>optional</i>		integer																																	
page_end <i>optional</i>		integer																																	
created_at <i>optional</i>		string (date-time)																																	
400	Invalid request	No Links																																	
404	Textbook not found	No Links																																	
401	Unauthorized	No Links																																	
500	Internal Server Error	No Links																																	

Type	Name	Scopes
apiKey	userAuthorizer	

GET /media_items/{media_item_id} Get a specific media item by ID

Parameters

Type	Name	Description	Schema
path	media_item_id <i>required</i>	Media item UUID	string (uuid)

Responses

Code	Description	Links																																	
200	<p>Media item details</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>media_type pe <i>optional</i></td><td></td><td>enum (pdf, audio, video, image, transcript, h5p, other)</td></tr> <tr> <td>uri <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>size_bytes <i>optional</i></td><td></td><td>integer (int64)</td></tr> <tr> <td>mime_type pe <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>description <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>page_start <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>page_end <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	media_type pe <i>optional</i>		enum (pdf, audio, video, image, transcript, h5p, other)	uri <i>optional</i>		string	size_bytes <i>optional</i>		integer (int64)	mime_type pe <i>optional</i>		string	description <i>optional</i>		string	page_start <i>optional</i>		integer	page_end <i>optional</i>		integer	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																	
id <i>optional</i>		string (uuid)																																	
textbook_id <i>optional</i>		string (uuid)																																	
media_type pe <i>optional</i>		enum (pdf, audio, video, image, transcript, h5p, other)																																	
uri <i>optional</i>		string																																	
size_bytes <i>optional</i>		integer (int64)																																	
mime_type pe <i>optional</i>		string																																	
description <i>optional</i>		string																																	
page_start <i>optional</i>		integer																																	
page_end <i>optional</i>		integer																																	
created_at <i>optional</i>		string (date-time)																																	
404	Media item not found	No Links																																	
401	Unauthorized	No Links																																	
500	Internal Server Error	No Links																																	

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /media_items/{media_item_id} Update a specific media item

Parameters

Type	Name	Description	Schema
path	media_item_id <i>required</i>	Media item UUID	string (uuid)

Responses

Code	Description	Links																																	
200	<p>Media item updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>media_type pe <i>optional</i></td><td></td><td>enum (pdf, audio, video, image, transcript, h5p, other)</td></tr> <tr> <td>uri <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>size_bytes <i>optional</i></td><td></td><td>integer (int64)</td></tr> <tr> <td>mime_type pe <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>description <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>page_start <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>page_end <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	media_type pe <i>optional</i>		enum (pdf, audio, video, image, transcript, h5p, other)	uri <i>optional</i>		string	size_bytes <i>optional</i>		integer (int64)	mime_type pe <i>optional</i>		string	description <i>optional</i>		string	page_start <i>optional</i>		integer	page_end <i>optional</i>		integer	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																	
id <i>optional</i>		string (uuid)																																	
textbook_id <i>optional</i>		string (uuid)																																	
media_type pe <i>optional</i>		enum (pdf, audio, video, image, transcript, h5p, other)																																	
uri <i>optional</i>		string																																	
size_bytes <i>optional</i>		integer (int64)																																	
mime_type pe <i>optional</i>		string																																	
description <i>optional</i>		string																																	
page_start <i>optional</i>		integer																																	
page_end <i>optional</i>		integer																																	
created_at <i>optional</i>		string (date-time)																																	
404	Media item not found	No Links																																	
401	Unauthorized	No Links																																	
500	Internal Server Error	No Links																																	

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE /media_items/{media_item_id} Delete a specific media item

Parameters

Type	Name	Description	Schema
path	media_item_id <i>required</i>	Media item UUID	string (uuid)

Responses

Code	Description	Links
204	Media item deleted successfully	No Links
404	Media item not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

GET /textbooks/{textbook_id}/chunks Get paginated document chunks for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)
query	limit <i>optional</i>	Number of chunks per page (default 50, max 100)	integer
query	page <i>optional</i>	Page number (default 1)	integer

Responses

Code	Description	Links							
200	<p>Paginated document chunks for textbook</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>chunks <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table> <pre> <.<!Name <.<!Description <.<!Schema <.<!page <i>optional</i> <.<! <.<!integer <.<!limit <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!total_pages <i>optional</i> <.<! <.<!integer </pre> <table border="1"> <tr> <td>object</td></tr> </table>	Name	Description	Schema	chunks <i>optional</i>		< object > array	object	No Links
Name	Description	Schema							
chunks <i>optional</i>		< object > array							
object									
400	Invalid parameters	No Links							
401	Unauthorized	No Links							
500	Internal Server Error	No Links							

Type	Name	Scopes
apiKey	userAuthorizer	

***POST /textbooks/{textbook_id}/chunks* Create document chunk for textbook**

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																								
201	<p>Document chunk created</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>section_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>media_item_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>chunk_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>chunk_meta <i>optional</i></td><td></td><td>object</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	section_id <i>optional</i>		string (uuid)	media_item_id <i>optional</i>		string (uuid)	chunk_text <i>optional</i>		string	chunk_meta <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																								
id <i>optional</i>		string (uuid)																								
textbook_id <i>optional</i>		string (uuid)																								
section_id <i>optional</i>		string (uuid)																								
media_item_id <i>optional</i>		string (uuid)																								
chunk_text <i>optional</i>		string																								
chunk_meta <i>optional</i>		object																								
created_at <i>optional</i>		string (date-time)																								
400	Invalid request	No Links																								
404	Textbook not found	No Links																								
401	Unauthorized	No Links																								
500	Internal Server Error	No Links																								

Type	Name	Scopes
apiKey	userAuthorizer	

GET /chunks/{chunk_id} Get a specific document chunk by ID

Parameters

Type	Name	Description	Schema
path	chunk_id <i>required</i>	Chunk UUID	string (uuid)

Responses

Code	Description	Links																								
200	<p>Document chunk details</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"><thead><tr><th>Name</th><th>Description</th><th>Schema</th></tr></thead><tbody><tr><td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>section_id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>media_item_id <i>optional</i></td><td></td><td>string (uuid)</td></tr><tr><td>chunk_text <i>optional</i></td><td></td><td>string</td></tr><tr><td>chunk_meta <i>optional</i></td><td></td><td>object</td></tr><tr><td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr></tbody></table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	section_id <i>optional</i>		string (uuid)	media_item_id <i>optional</i>		string (uuid)	chunk_text <i>optional</i>		string	chunk_meta <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																								
id <i>optional</i>		string (uuid)																								
textbook_id <i>optional</i>		string (uuid)																								
section_id <i>optional</i>		string (uuid)																								
media_item_id <i>optional</i>		string (uuid)																								
chunk_text <i>optional</i>		string																								
chunk_meta <i>optional</i>		object																								
created_at <i>optional</i>		string (date-time)																								
404	Chunk not found	No Links																								
401	Unauthorized	No Links																								
500	Internal Server Error	No Links																								

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /chunks/{chunk_id} Update a specific document chunk

Parameters

Type	Name	Description	Schema
path	chunk_id <i>required</i>	Chunk UUID	string (uuid)

Responses

Code	Description	Links																								
200	<p>Document chunk updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>id <i>optional</i></td> <td></td> <td>string (uuid)</td> </tr> <tr> <td>textbook_id <i>optional</i></td> <td></td> <td>string (uuid)</td> </tr> <tr> <td>section_id <i>optional</i></td> <td></td> <td>string (uuid)</td> </tr> <tr> <td>media_item_id <i>optional</i></td> <td></td> <td>string (uuid)</td> </tr> <tr> <td>chunk_text <i>optional</i></td> <td></td> <td>string</td> </tr> <tr> <td>chunk_meta <i>optional</i></td> <td></td> <td>object</td> </tr> <tr> <td>created_at <i>optional</i></td> <td></td> <td>string (date-time)</td> </tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	section_id <i>optional</i>		string (uuid)	media_item_id <i>optional</i>		string (uuid)	chunk_text <i>optional</i>		string	chunk_meta <i>optional</i>		object	created_at <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																								
id <i>optional</i>		string (uuid)																								
textbook_id <i>optional</i>		string (uuid)																								
section_id <i>optional</i>		string (uuid)																								
media_item_id <i>optional</i>		string (uuid)																								
chunk_text <i>optional</i>		string																								
chunk_meta <i>optional</i>		object																								
created_at <i>optional</i>		string (date-time)																								
404	Chunk not found	No Links																								

Code	Description	Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

***DELETE /chunks/{chunk_id}* Delete a specific document chunk**

Parameters

Type	Name	Description	Schema
path	chunk_id <i>required</i>	Chunk UUID	string (uuid)

Responses

Code	Description	Links
204	Document chunk deleted successfully	No Links
404	Chunk not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

***GET /prompt_templates* Get paginated list of prompt templates**

Parameters

Type	Name	Description	Schema
query	offset <i>optional</i>	Number of templates to skip (default 0)	integer
query	limit <i>optional</i>	Number of templates to return (default 20, max 100)	integer

Responses

Code	Description	Links						
200	<p>List of prompt templates</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>template s <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table> <p><.<!Name</p> <p><.<!Description</p> <p><.<!Schema</p> <p><.<!limit <i>optional</i></p> <p><.<! <.<!integer</p> <p><.<!offset <i>optional</i></p> <p><.<! <.<!integer</p> <p><.<!total <i>optional</i></p> <p><.<! <.<!integer</p> <p><.<!hasMore <i>optional</i></p> <p><.<! <.<!boolean</p> <p>object</p>	Name	Description	Schema	template s <i>optional</i>		< object > array	No Links
Name	Description	Schema						
template s <i>optional</i>		< object > array						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	userAuthorizer	

POST /prompt_templates Create a new prompt template

Responses

Code	Description	Links																																	
201	<p>Prompt template created successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><i>id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>name</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>description</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>type</i> <i>optional</i></td><td></td><td>enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)</td></tr> <tr> <td><i>current_version_id</i> <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td><i>created_by</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>visibility</i> <i>optional</i></td><td></td><td>enum (private,org,public)</td></tr> <tr> <td><i>metadata</i> <i>optional</i></td><td></td><td>object</td></tr> <tr> <td><i>created_at</i> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><i>updated_at</i> <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	<i>id</i> <i>optional</i>		string (uuid)	<i>name</i> <i>optional</i>		string	<i>description</i> <i>optional</i>		string	<i>type</i> <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)	<i>current_version_id</i> <i>optional</i>		integer	<i>created_by</i> <i>optional</i>		string (uuid)	<i>visibility</i> <i>optional</i>		enum (private,org,public)	<i>metadata</i> <i>optional</i>		object	<i>created_at</i> <i>optional</i>		string (date-time)	<i>updated_at</i> <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																	
<i>id</i> <i>optional</i>		string (uuid)																																	
<i>name</i> <i>optional</i>		string																																	
<i>description</i> <i>optional</i>		string																																	
<i>type</i> <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)																																	
<i>current_version_id</i> <i>optional</i>		integer																																	
<i>created_by</i> <i>optional</i>		string (uuid)																																	
<i>visibility</i> <i>optional</i>		enum (private,org,public)																																	
<i>metadata</i> <i>optional</i>		object																																	
<i>created_at</i> <i>optional</i>		string (date-time)																																	
<i>updated_at</i> <i>optional</i>		string (date-time)																																	
400	Invalid request	No Links																																	
401	Unauthorized	No Links																																	

Code	Description	Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

GET /prompt_templates/{prompt_template_id} Get a specific prompt template by ID

Parameters

Type	Name	Description	Schema
path	prompt_template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links																																	
200	<p>Prompt template details</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><code>id</code> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><code>name</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>description</code> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><code>type</code> <i>optional</i></td><td></td><td>enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)</td></tr> <tr> <td><code>current_version_id</code> <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td><code>created_by</code> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><code>visibility</code> <i>optional</i></td><td></td><td>enum (private,org,public)</td></tr> <tr> <td><code>metadata</code> <i>optional</i></td><td></td><td>object</td></tr> <tr> <td><code>created_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><code>updated_at</code> <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	<code>id</code> <i>optional</i>		string (uuid)	<code>name</code> <i>optional</i>		string	<code>description</code> <i>optional</i>		string	<code>type</code> <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)	<code>current_version_id</code> <i>optional</i>		integer	<code>created_by</code> <i>optional</i>		string (uuid)	<code>visibility</code> <i>optional</i>		enum (private,org,public)	<code>metadata</code> <i>optional</i>		object	<code>created_at</code> <i>optional</i>		string (date-time)	<code>updated_at</code> <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																	
<code>id</code> <i>optional</i>		string (uuid)																																	
<code>name</code> <i>optional</i>		string																																	
<code>description</code> <i>optional</i>		string																																	
<code>type</code> <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)																																	
<code>current_version_id</code> <i>optional</i>		integer																																	
<code>created_by</code> <i>optional</i>		string (uuid)																																	
<code>visibility</code> <i>optional</i>		enum (private,org,public)																																	
<code>metadata</code> <i>optional</i>		object																																	
<code>created_at</code> <i>optional</i>		string (date-time)																																	
<code>updated_at</code> <i>optional</i>		string (date-time)																																	
404	Template not found	No Links																																	
401	Unauthorized	No Links																																	

Code	Description	Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

PUT /prompt_templates/{prompt_template_id} Update a specific prompt template

Parameters

Type	Name	Description	Schema
path	prompt_template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links																																	
200	<p>Template updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><i>id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>name</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>description</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>type</i> <i>optional</i></td><td></td><td>enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)</td></tr> <tr> <td><i>current_version_id</i> <i>optional</i></td><td></td><td>integer</td></tr> <tr> <td><i>created_by</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>visibility</i> <i>optional</i></td><td></td><td>enum (private,org,public)</td></tr> <tr> <td><i>metadata</i> <i>optional</i></td><td></td><td>object</td></tr> <tr> <td><i>created_at</i> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><i>updated_at</i> <i>optional</i></td><td></td><td>string (date-time)</td></tr> </tbody> </table>	Name	Description	Schema	<i>id</i> <i>optional</i>		string (uuid)	<i>name</i> <i>optional</i>		string	<i>description</i> <i>optional</i>		string	<i>type</i> <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)	<i>current_version_id</i> <i>optional</i>		integer	<i>created_by</i> <i>optional</i>		string (uuid)	<i>visibility</i> <i>optional</i>		enum (private,org,public)	<i>metadata</i> <i>optional</i>		object	<i>created_at</i> <i>optional</i>		string (date-time)	<i>updated_at</i> <i>optional</i>		string (date-time)	No Links
Name	Description	Schema																																	
<i>id</i> <i>optional</i>		string (uuid)																																	
<i>name</i> <i>optional</i>		string																																	
<i>description</i> <i>optional</i>		string																																	
<i>type</i> <i>optional</i>		enum (RAG,quiz_generation,mcq_generation,audio_generation,guided)																																	
<i>current_version_id</i> <i>optional</i>		integer																																	
<i>created_by</i> <i>optional</i>		string (uuid)																																	
<i>visibility</i> <i>optional</i>		enum (private,org,public)																																	
<i>metadata</i> <i>optional</i>		object																																	
<i>created_at</i> <i>optional</i>		string (date-time)																																	
<i>updated_at</i> <i>optional</i>		string (date-time)																																	
404	Template not found	No Links																																	
401	Unauthorized	No Links																																	

Code	Description	Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

DELETE /prompt_templates/{prompt_template_id} Delete a specific prompt template

Parameters

Type	Name	Description	Schema
path	prompt_template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links
204	Template deleted successfully	No Links
404	Template not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	adminAuthorizer	

GET /prompt_templates/{prompt_template_id}/questions Get questions for a guided prompt template

Parameters

Type	Name	Description	Schema
path	prompt_template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links						
200	<p>List of questions for guided prompt</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>questions <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table>	Name	Description	Schema	questions <i>optional</i>		< object > array	No Links
Name	Description	Schema						
questions <i>optional</i>		< object > array						
404	Template not found	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	userAuthorizer	

POST /prompt_templates/{prompt_template_id}/questions

Create a new question for a guided prompt template

Parameters

Type	Name	Description	Schema
path	prompt_template_id <i>required</i>	Template UUID	string (uuid)

Responses

Code	Description	Links						
201	<p>Questions created successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>questions <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table>	Name	Description	Schema	questions <i>optional</i>		< object > array	No Links
Name	Description	Schema						
questions <i>optional</i>		< object > array						
400	Invalid request	No Links						
401	Unauthorized	No Links						
500	Internal Server Error	No Links						

Type	Name	Scopes
apiKey	userAuthorizer	

GET /textbooks/{textbook_id}/shared_prompts Get shared user prompts for a textbook

Parameters

Type	Name	Description	Schema
query	role <i>optional</i>	Filter prompts by the role of the user session that created them (student or instructor)	enum (student,instructor)
query	offset <i>optional</i>	Number of prompts to skip (default 0)	integer
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)
query	limit <i>optional</i>	Number of prompts to return (default 20, max 100)	integer

Responses

Code	Description	Links							
200	<p>List of shared user prompts for textbook</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>prompts <i>optional</i></td><td></td><td>< object > array</td></tr> </tbody> </table> <pre> <.<!Name <.<!Description <.<!Schema <.<!limit <i>optional</i> <.<! <.<!integer <.<!offset <i>optional</i> <.<! <.<!integer <.<!total <i>optional</i> <.<! <.<!integer <.<!hasMore <i>optional</i> <.<! <.<!boolean </pre> <table border="1"> <tr> <td>object</td></tr> </table>	Name	Description	Schema	prompts <i>optional</i>		< object > array	object	No Links
Name	Description	Schema							
prompts <i>optional</i>		< object > array							
object									
400	Invalid parameters	No Links							
401	Unauthorized	No Links							
500	Internal Server Error	No Links							

Type	Name	Scopes
apiKey	userAuthorizer	

***POST /textbooks/{textbook_id}/shared_prompts* Create shared user prompt for textbook**

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																																				
201	<p>Shared user prompt created successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>title <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>prompt_text <i>optional</i></td><td></td><td>string</td></tr> <tr> <td>owner_session_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>owner_user_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>textbook_id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>visibility <i>optional</i></td><td></td><td>enum (private,org,public)</td></tr> <tr> <td>tags <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td>created_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>updated_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>metadata <i>optional</i></td><td></td><td>object</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	title <i>optional</i>		string	prompt_text <i>optional</i>		string	owner_session_id <i>optional</i>		string (uuid)	owner_user_id <i>optional</i>		string (uuid)	textbook_id <i>optional</i>		string (uuid)	visibility <i>optional</i>		enum (private,org,public)	tags <i>optional</i>		< string > array	created_at <i>optional</i>		string (date-time)	updated_at <i>optional</i>		string (date-time)	metadata <i>optional</i>		object	No Links
Name	Description	Schema																																				
id <i>optional</i>		string (uuid)																																				
title <i>optional</i>		string																																				
prompt_text <i>optional</i>		string																																				
owner_session_id <i>optional</i>		string (uuid)																																				
owner_user_id <i>optional</i>		string (uuid)																																				
textbook_id <i>optional</i>		string (uuid)																																				
visibility <i>optional</i>		enum (private,org,public)																																				
tags <i>optional</i>		< string > array																																				
created_at <i>optional</i>		string (date-time)																																				
updated_at <i>optional</i>		string (date-time)																																				
metadata <i>optional</i>		object																																				

Code	Description	Links
400	Invalid request	No Links
404	Textbook not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

POST /textbooks/{textbook_id}/practice_materials

Generate AI practice materials (MCQs, Flashcards, or Short Answer) for a textbook

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links
200	Practice material generated successfully <i>Content</i> application/json	No Links
400	Invalid request parameters	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

POST /textbooks/{textbook_id}/practice_materials/grade

Grade a short answer response using AI

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links																		
200	<p>Answer graded successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>feedback <i>optional</i></td><td>Overall feedback on the answer</td><td>string</td></tr> <tr> <td>strengths <i>optional</i></td><td>List of strengths in the answer</td><td>< string > array</td></tr> <tr> <td>improvements <i>optional</i></td><td>List of suggested improvements</td><td>< string > array</td></tr> <tr> <td>keyPoints Covered <i>optional</i></td><td>Key points that were addressed</td><td>< string > array</td></tr> <tr> <td>keyPoints Missed <i>optional</i></td><td>Key points that were not addressed</td><td>< string > array</td></tr> </tbody> </table>	Name	Description	Schema	feedback <i>optional</i>	Overall feedback on the answer	string	strengths <i>optional</i>	List of strengths in the answer	< string > array	improvements <i>optional</i>	List of suggested improvements	< string > array	keyPoints Covered <i>optional</i>	Key points that were addressed	< string > array	keyPoints Missed <i>optional</i>	Key points that were not addressed	< string > array	No Links
Name	Description	Schema																		
feedback <i>optional</i>	Overall feedback on the answer	string																		
strengths <i>optional</i>	List of strengths in the answer	< string > array																		
improvements <i>optional</i>	List of suggested improvements	< string > array																		
keyPoints Covered <i>optional</i>	Key points that were addressed	< string > array																		
keyPoints Missed <i>optional</i>	Key points that were not addressed	< string > array																		
400	Invalid request - missing required fields	No Links																		
401	Unauthorized	No Links																		
500	Internal Server Error - grading failed	No Links																		

POST

/textbooks/{textbook_id}/practice_materials/export-h5p

Export practice materials as H5P package for LMS import

Parameters

Type	Name	Description	Schema
path	textbook_id <i>required</i>	Textbook UUID	string (uuid)

Responses

Code	Description	Links												
200	<p>H5P package generated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>filename <i>optional</i></td><td>Name of the H5P file</td><td>string</td></tr> <tr> <td>content <i>optional</i></td><td>Base64-encoded H5P package content</td><td>string</td></tr> <tr> <td>size <i>optional</i></td><td>Size of the H5P file in bytes</td><td>integer</td></tr> </tbody> </table>	Name	Description	Schema	filename <i>optional</i>	Name of the H5P file	string	content <i>optional</i>	Base64-encoded H5P package content	string	size <i>optional</i>	Size of the H5P file in bytes	integer	No Links
Name	Description	Schema												
filename <i>optional</i>	Name of the H5P file	string												
content <i>optional</i>	Base64-encoded H5P package content	string												
size <i>optional</i>	Size of the H5P file in bytes	integer												
400	Invalid request - missing required fields or malformed questions	No Links												
401	Unauthorized	No Links												
500	Internal Server Error - H5P generation failed	No Links												

Type	Name	Scopes
apiKey	userAuthorizer	

GET /shared_prompts/{shared_prompt_id} Get a specific shared user prompt by ID

Parameters

Type	Name	Description	Schema
path	shared_prompt_id <i>required</i>	Shared prompt UUID	string (uuid)

Responses

Code	Description	Links																																							
200	<p>Shared user prompt details</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><i>id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>title</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>prompt_t</i> <i>ext</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>owner_se</i> <i>ssion_id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>owner_us</i> <i>er_id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>textbook_</i> <i>id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>visibility</i> <i>optional</i></td><td></td><td>enum (private,or,g,public)</td></tr> <tr> <td><i>role</i> <i>optional</i></td><td>Role of the user session that created this prompt</td><td>enum (student,instructor)</td></tr> <tr> <td><i>tags</i> <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td><i>created_a</i> <i>t optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><i>updated_a</i> <i>t optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><i>metadata</i> <i>optional</i></td><td></td><td>object</td></tr> </tbody> </table>	Name	Description	Schema	<i>id</i> <i>optional</i>		string (uuid)	<i>title</i> <i>optional</i>		string	<i>prompt_t</i> <i>ext</i> <i>optional</i>		string	<i>owner_se</i> <i>ssion_id</i> <i>optional</i>		string (uuid)	<i>owner_us</i> <i>er_id</i> <i>optional</i>		string (uuid)	<i>textbook_</i> <i>id</i> <i>optional</i>		string (uuid)	<i>visibility</i> <i>optional</i>		enum (private,or,g,public)	<i>role</i> <i>optional</i>	Role of the user session that created this prompt	enum (student,instructor)	<i>tags</i> <i>optional</i>		< string > array	<i>created_a</i> <i>t optional</i>		string (date-time)	<i>updated_a</i> <i>t optional</i>		string (date-time)	<i>metadata</i> <i>optional</i>		object	No Links
Name	Description	Schema																																							
<i>id</i> <i>optional</i>		string (uuid)																																							
<i>title</i> <i>optional</i>		string																																							
<i>prompt_t</i> <i>ext</i> <i>optional</i>		string																																							
<i>owner_se</i> <i>ssion_id</i> <i>optional</i>		string (uuid)																																							
<i>owner_us</i> <i>er_id</i> <i>optional</i>		string (uuid)																																							
<i>textbook_</i> <i>id</i> <i>optional</i>		string (uuid)																																							
<i>visibility</i> <i>optional</i>		enum (private,or,g,public)																																							
<i>role</i> <i>optional</i>	Role of the user session that created this prompt	enum (student,instructor)																																							
<i>tags</i> <i>optional</i>		< string > array																																							
<i>created_a</i> <i>t optional</i>		string (date-time)																																							
<i>updated_a</i> <i>t optional</i>		string (date-time)																																							
<i>metadata</i> <i>optional</i>		object																																							
404	Prompt not found	No Links																																							

Code	Description	Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

PUT /shared_prompts/{shared_prompt_id} Update a specific shared user prompt

Parameters

Type	Name	Description	Schema
path	shared_promt_id <i>required</i>	Shared prompt UUID	string (uuid)

Responses

Code	Description	Links																																							
200	<p>Shared user prompt updated successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td><i>id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>title</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>prompt_t</i> <i>ext</i> <i>optional</i></td><td></td><td>string</td></tr> <tr> <td><i>owner_se</i> <i>ssion_id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>owner_us</i> <i>er_id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>textbook_</i> <i>id</i> <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td><i>visibility</i> <i>optional</i></td><td></td><td>enum (private,org,public)</td></tr> <tr> <td><i>role</i> <i>optional</i></td><td>Role of the user session that created this prompt</td><td>enum (student,instructor)</td></tr> <tr> <td><i>tags</i> <i>optional</i></td><td></td><td>< string > array</td></tr> <tr> <td><i>created_a</i> <i>t optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><i>updated_</i> <i>at</i> <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td><i>metadata</i> <i>optional</i></td><td></td><td>object</td></tr> </tbody> </table>	Name	Description	Schema	<i>id</i> <i>optional</i>		string (uuid)	<i>title</i> <i>optional</i>		string	<i>prompt_t</i> <i>ext</i> <i>optional</i>		string	<i>owner_se</i> <i>ssion_id</i> <i>optional</i>		string (uuid)	<i>owner_us</i> <i>er_id</i> <i>optional</i>		string (uuid)	<i>textbook_</i> <i>id</i> <i>optional</i>		string (uuid)	<i>visibility</i> <i>optional</i>		enum (private,org,public)	<i>role</i> <i>optional</i>	Role of the user session that created this prompt	enum (student,instructor)	<i>tags</i> <i>optional</i>		< string > array	<i>created_a</i> <i>t optional</i>		string (date-time)	<i>updated_</i> <i>at</i> <i>optional</i>		string (date-time)	<i>metadata</i> <i>optional</i>		object	No Links
Name	Description	Schema																																							
<i>id</i> <i>optional</i>		string (uuid)																																							
<i>title</i> <i>optional</i>		string																																							
<i>prompt_t</i> <i>ext</i> <i>optional</i>		string																																							
<i>owner_se</i> <i>ssion_id</i> <i>optional</i>		string (uuid)																																							
<i>owner_us</i> <i>er_id</i> <i>optional</i>		string (uuid)																																							
<i>textbook_</i> <i>id</i> <i>optional</i>		string (uuid)																																							
<i>visibility</i> <i>optional</i>		enum (private,org,public)																																							
<i>role</i> <i>optional</i>	Role of the user session that created this prompt	enum (student,instructor)																																							
<i>tags</i> <i>optional</i>		< string > array																																							
<i>created_a</i> <i>t optional</i>		string (date-time)																																							
<i>updated_</i> <i>at</i> <i>optional</i>		string (date-time)																																							
<i>metadata</i> <i>optional</i>		object																																							
404	Prompt not found	No Links																																							

Code	Description	Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

DELETE /shared_prompts/{shared_prompt_id} Delete a specific shared user prompt

Parameters

Type	Name	Description	Schema
path	shared_prompt_id <i>required</i>	Shared prompt UUID	string (uuid)

Responses

Code	Description	Links
204	Shared user prompt deleted successfully	No Links
404	Prompt not found	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

POST /shared_prompts/{shared_prompt_id}/report Report a shared user prompt

Parameters

Type	Name	Description	Schema
path	shared_prompt_id <i>required</i>	Shared prompt UUID	string (uuid)

Responses

Code	Description	Links												
200	<p>Prompt reported successfully</p> <p><i>Content</i></p> <p>application/json</p> <p><i>Properties</i></p> <table border="1"> <thead> <tr> <th>Name</th><th>Description</th><th>Schema</th></tr> </thead> <tbody> <tr> <td>id <i>optional</i></td><td></td><td>string (uuid)</td></tr> <tr> <td>reported_at <i>optional</i></td><td></td><td>string (date-time)</td></tr> <tr> <td>message <i>optional</i></td><td></td><td>string</td></tr> </tbody> </table>	Name	Description	Schema	id <i>optional</i>		string (uuid)	reported_at <i>optional</i>		string (date-time)	message <i>optional</i>		string	No Links
Name	Description	Schema												
id <i>optional</i>		string (uuid)												
reported_at <i>optional</i>		string (date-time)												
message <i>optional</i>		string												
404	Prompt not found	No Links												
401	Unauthorized	No Links												
500	Internal Server Error	No Links												

Type	Name	Scopes
apiKey	userAuthorizer	

GET /user/exampleEndpoint Example endpoint for testing user functionality

Responses

Code	Description	Links
200	<p>Example endpoint response</p> <p><i>Content</i></p> <p>application/json</p>	No Links
401	Unauthorized	No Links
500	Internal Server Error	No Links

Type	Name	Scopes
apiKey	userAuthorizer	

OPTIONS /user/exampleEndpoint CORS support

Enable CORS by returning correct headers

Responses

Code	Description	Links												
200	<p>Request success</p> <p><i>Headers</i></p> <table border="1"><thead><tr><th>Name</th><th>Description</th><th>Schema</th></tr></thead><tbody><tr><td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr><tr><td>Access-Control-Allow-Methods</td><td></td><td>string</td></tr><tr><td>Access-Control-Allow-Headers</td><td></td><td>string</td></tr></tbody></table>	Name	Description	Schema	Access-Control-Allow-Origin		string	Access-Control-Allow-Methods		string	Access-Control-Allow-Headers		string	No Links
Name	Description	Schema												
Access-Control-Allow-Origin		string												
Access-Control-Allow-Methods		string												
Access-Control-Allow-Headers		string												

GET /generate-presigned-url Generate a presigned URL for file upload

Parameters

Type	Name	Description	Schema
query	content_type <i>optional</i>		string

Type	Name	Description	Schema
query	file_name <i>required</i>		string

Responses

Code	Description	Links																		
200	Presigned URL generated <i>Content</i> application/json <i>Properties</i> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>presigne</td><td></td><td>string</td></tr> <tr> <td>durl</td><td></td><td></td></tr> <tr> <td><i>optional</i></td><td></td><td></td></tr> <tr> <td>key</td><td></td><td>string</td></tr> <tr> <td><i>optional</i></td><td></td><td></td></tr> </tbody> </table>	Name	Description	Schema	presigne		string	durl			<i>optional</i>			key		string	<i>optional</i>			No Links
Name	Description	Schema																		
presigne		string																		
durl																				
<i>optional</i>																				
key		string																		
<i>optional</i>																				
401	Unauthorized	No Links																		
500	Internal Server Error	No Links																		

Type	Name	Scopes
apiKey	adminAuthorizer	

Components

Responses

Responses

Code	Description	Links												
Success	<p>Request success</p> <p><i>Headers</i></p> <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Schema</th> </tr> </thead> <tbody> <tr> <td>Access-Control-Allow-Origin</td><td></td><td>string</td></tr> <tr> <td>Access-Control-Allow-Methods</td><td></td><td>string</td></tr> <tr> <td>Access-Control-Allow-Headers</td><td></td><td>string</td></tr> </tbody> </table>	Name	Description	Schema	Access-Control-Allow-Origin		string	Access-Control-Allow-Methods		string	Access-Control-Allow-Headers		string	No Links
Name	Description	Schema												
Access-Control-Allow-Origin		string												
Access-Control-Allow-Methods		string												
Access-Control-Allow-Headers		string												