http://localhost:5174

Users

new username

Create

@userA
id: 1

@userB
id: 2

@userC
id: 3

@userD
id: 4

@userE
id: 5

@test_user2
id: 19

@test
id: 49

@test2
id: 50

@test3
id: 51

Welcome

Select a user to view details, or switch to Posts to create and favorite posts.

MySQL 8.4 Command Line Client

```
mysql> select * from user;
+----+------------+------------------------+---------------------+
| id | username   | description            | created_at          |
+----+------------+------------------------+---------------------+
|  1 | userA      | userA profile biography | 2026-02-03 19:49:36 |
|  2 | userB      |                        | 2026-02-03 19:49:36 |
|  3 | userC      |                        | 2026-02-03 19:49:36 |
|  4 | userD      |                        | 2026-02-03 19:49:36 |
|  5 | userE      |                        | 2026-02-03 19:49:36 |
| 19 | test_user2 |                        | 2026-02-23 18:27:26 |
| 49 | test       |                        | 2026-03-16 23:07:27 |
| 50 | test2      |                        | 2026-03-16 23:10:17 |
+----+------------+------------------------+---------------------+
8 rows in set (0.00 sec)

mysql> select * from user;
+----+------------+------------------------+---------------------+
| id | username   | description            | created_at          |
+----+------------+------------------------+---------------------+
|  1 | userA      | userA profile biography | 2026-02-03 19:49:36 |
|  2 | userB      |                        | 2026-02-03 19:49:36 |
|  3 | userC      |                        | 2026-02-03 19:49:36 |
|  4 | userD      |                        | 2026-02-03 19:49:36 |
|  5 | userE      |                        | 2026-02-03 19:49:36 |
| 19 | test_user2 |                        | 2026-02-23 18:27:26 |
| 49 | test       |                        | 2026-03-16 23:07:27 |
| 50 | test2      |                        | 2026-03-16 23:10:17 |
| 51 | test3      |                        | 2026-03-16 23:19:51 |
+----+------------+------------------------+---------------------+
9 rows in set (0.00 sec)

mysql>
```


http://localhost:5174
Users
new username
Create
@userA
id: 1
@userB
id: 2
@userC
id: 3
← Back
@userA (id: 1)
Followers
@userB
Remove
@userC
Remove
follower id
Add
MySQL 8.4 Command Line Client
mysql> select * from follower where user_id = (select id from user where username = 'userA');
Empty set (0.00 sec)
mysql> select * from follower where user_id = (select id from user where username = 'userA');
+---------+-------------+---------------------+
| user_id | follower_id | created_at |
+---------+-------------+---------------------+
| 1 | 2 | 2026-03-16 23:24:00 |
| 1 | 3 | 2026-03-16 23:24:01 |
+---------+-------------+---------------------+
2 rows in set (0.00 sec)
mysql>


http://localhost:5174
Social Frontend
Users
Posts
Users
new username
Create
@userA
id: 1
@userB
id: 2
← Back
@userA (id: 1)
Followers
No followers
follower id
Add
MySQL 8.4 Command Line Client
mysql> select * from follower where user_id = (select id from user where username = 'userA');
Empty set (0.00 sec)
mysql> select * from follower where user_id = (select id from user where username = 'userA');
+---------+-------------+---------------------+
| user_id | follower_id | created_at |
+---------+-------------+---------------------+
| 1 | 2 | 2026-03-16 23:24:00 |
| 1 | 3 | 2026-03-16 23:24:01 |
+---------+-------------+---------------------+
2 rows in set (0.00 sec)
mysql> select * from follower where user_id = (select id from user where username = 'userA');
Empty set (0.00 sec)
mysql> S