

Characteristic	t1 N = 1,012 ¹	t2 N = 966 ¹	t3 N = 1,012 ¹	p-value ²
X	39.50 (32.00, 55.00)	44.00 (21.00, 52.00)	19.50 (9.00, 37.00)	<0.001
id	39.50 (32.00, 55.00)	44.00 (21.00, 52.00)	19.50 (9.00, 37.00)	<0.001
edad	65.05 (59.46, 74.70)	72.21 (57.62, 77.16)	61.38 (51.44, 72.49)	<0.001
sexo				0.11
mujer	598	598	644	
varon	414	368	368	
exfumador				<0.001
no	598	368	598	
si	414	598	414	
hta				<0.001
no	690	506	598	
si	322	460	414	
dm				<0.001
no	874	782	782	
si	138	184	230	
alergia				<0.001
no	874	828	966	
si	138	138	46	
cardiopatía				0.9
no	874	828	874	
si	138	138	138	
ETE				<0.001

¹ Median (Q1, Q3); n

² Kruskal-Wallis rank sum test; Pearson's Chi-squared test

Characteristic	t1 N = 1,012 ¹	t2 N = 966 ¹	t3 N = 1,012 ¹	p-value ²
no	920	782	966	
si	92	184	46	
neumopatía				<0.001
no	828	782	736	
si	184	184	276	
hepatopatía				<0.001
no	920	966	966	
si	92	0	46	
colecistitis				<0.001
no	920	920	874	
si	92	46	138	
urolitiasis				<0.001
no	966	920	1,012	
si	46	46	0	
ITU				<0.001
no	1,012	966	920	
si	0	0	92	
renal				<0.001
no	1,012	966	920	
si	0	0	92	
neuropatía				<0.001
no	920	736	782	

¹ Median (Q1, Q3); n

² Kruskal-Wallis rank sum test; Pearson's Chi-squared test

Characteristic	t1 N = 1,012 ¹	t2 N = 966 ¹	t3 N = 1,012 ¹	p-value ²
si	92	230	230	
corticoides				<0.001
antiemesis	368	598	276	
no	506	322	552	
si	138	46	184	
tos				<0.001
no	828	874	920	
si	184	92	92	
disnea				<0.001
no	874	920	828	
si	138	46	184	
expect				<0.001
no	874	874	782	
si	138	92	230	
secrecion				<0.001
no	736	782	782	
si	276	184	230	
dolor_garg				>0.9
no	966	920	966	
si	46	46	46	
escalofrios				<0.001
no	966	874	966	

¹ Median (Q1, Q3); n

² Kruskal-Wallis rank sum test; Pearson's Chi-squared test

Characteristic	t1 N = 1,012 ¹	t2 N = 966 ¹	t3 N = 1,012 ¹	p-value ²
si	46	92	46	
fiebre				<0.001
no	966	966	1,012	
si	46	0	0	
diarrea				<0.001
no	966	736	828	
si	46	230	184	
nauseas				<0.001
no	874	828	920	
si	138	138	92	
vomitos				<0.001
no	1,012	828	1,012	
si	0	138	0	
cefalea				<0.001
no	782	690	828	
si	230	276	184	
mareo				<0.001
no	874	920	828	
si	138	46	184	
cansancio				<0.001
no	506	506	598	
si	506	460	414	

¹ Median (Q1, Q3); n

² Kruskal-Wallis rank sum test; Pearson's Chi-squared test

Characteristic	t1 N = 1,012 ¹	t2 N = 966 ¹	t3 N = 1,012 ¹	p-value ²
anosmia				<0.001
no	1,012	966	966	
si	0	0	46	
disgueusia				<0.001
no	920	920	874	
si	92	46	138	
dolor_hueso				<0.001
no	736	460	552	
si	276	506	460	
dolor_abdo				0.002
no	828	736	828	
si	184	230	184	
perd_ape				<0.001
no	736	782	828	
si	276	184	184	
glucosa	110.50 (87.00, 125.00)	105.00 (102.00, 112.00)	97.50 (88.00, 114.50)	<0.001
leucocitos	6.82 (4.84, 8.32)	6.18 (4.71, 8.34)	4.74 (3.92, 6.51)	<0.001
linfocitos	1.43 (1.10, 1.75)	1.75 (1.40, 2.20)	1.13 (0.75, 1.45)	<0.001
neutrofilos	4.08 (3.40, 5.70)	3.40 (2.20, 5.10)	2.78 (2.05, 4.35)	<0.001
score_dieta	8.50 (6.00, 10.00)	8.00 (7.00, 9.00)	9.00 (7.00, 11.00)	<0.001
chol	179.00 (158.00, 212.00)	179.00 (159.00, 201.00)	174.25 (143.00, 192.00)	<0.001
hdl	49.00 (43.00, 58.00)	42.00 (34.00, 52.00)	52.00 (38.50, 60.00)	<0.001

¹ Median (Q1, Q3); n

² Kruskal-Wallis rank sum test; Pearson's Chi-squared test

Characteristic	t1 N = 1,012 ¹	t2 N = 966 ¹	t3 N = 1,012 ¹	p-value ²
hierro	68.40 (49.00, 90.00)	69.00 (57.00, 74.00)	66.50 (56.00, 94.00)	0.087
igA	194.00 (173.00, 293.04)	190.83 (138.00, 238.63)	182.02 (149.00, 264.00)	<0.001
igE	57.17 (15.00, 110.00)	62.00 (18.00, 109.66)	52.54 (10.00, 71.74)	<0.001
igG	928.36 (829.00, 1,076.00)	797.00 (598.00, 881.36)	786.50 (652.00, 944.25)	<0.001
igN	82.34 (62.94, 97.00)	84.00 (62.00, 96.00)	76.91 (58.00, 96.00)	<0.001
ldl	201.00 (167.00, 215.00)	195.00 (181.00, 219.00)	186.00 (170.87, 221.00)	0.046
pcr	5.00 (2.00, 10.30)	7.50 (1.60, 18.30)	1.80 (0.50, 7.50)	<0.001
transferrina	255.00 (231.00, 272.70)	255.27 (238.45, 271.00)	248.80 (212.00, 295.00)	0.012
trigliceridos	135.00 (94.00, 165.00)	148.00 (108.00, 191.00)	125.00 (87.00, 182.00)	<0.001
cpk	53.71 (36.00, 116.00)	57.00 (35.00, 72.00)	57.48 (45.00, 95.00)	<0.001
calidad_fisica	35.83 (31.47, 45.32)	41.06 (32.78, 50.19)	39.93 (28.42, 49.89)	<0.001
calidad_mental	50.59 (46.71, 55.94)	49.52 (35.00, 58.39)	51.46 (46.57, 56.35)	0.2
tumor				<0.001
CCR	230	414	690	
CM	368	368	322	
CP	414	184	0	
extension				<0.001
localizado	184	230	184	
metastasico	736	644	782	
regional	92	92	46	
trat				<0.001
tratA	598	552	368	

¹ Median (Q1, Q3); n

² Kruskal-Wallis rank sum test; Pearson's Chi-squared test

Characteristic	t1 N = 1,012 ¹	t2 N = 966 ¹	t3 N = 1,012 ¹	p-value ²
tratB	414	414	644	
tercil_PC2				<0.001
t1	506	368	138	
t2	92	230	644	
t3	414	368	230	
Gene				>0.9
AQ_ADIPOQ	22	21	22	
AQ_ALOX5	22	21	22	
AQ_ARG1	22	21	22	
AQ_BMP2	22	21	22	
AQ_CCL2	22	21	22	
AQ_CCL5	22	21	22	
AQ_CCR5	22	21	22	
AQ_CD274	22	21	22	
AQ_CD36	22	21	22	
AQ_CHKA	22	21	22	
AQ_CPT1A	22	21	22	
AQ_CSF2	22	21	22	
AQ_CXCR1	22	21	22	
AQ_FASN	22	21	22	
AQ_FOXO3	22	21	22	
AQ_FOXP3	22	21	22	

¹ Median (Q1, Q3); n

² Kruskal-Wallis rank sum test; Pearson's Chi-squared test

Characteristic	t1 N = 1,012 ¹	t2 N = 966 ¹	t3 N = 1,012 ¹	p-value ²
AQ_G6PD	22	21	22	
AQ_GPD2	22	21	22	
AQ_GPX1	22	21	22	
AQ_IFNG	22	21	22	
AQ_IL10	22	21	22	
AQ_IL1B	22	21	22	
AQ_IL6	22	21	22	
AQ_IRS1	22	21	22	
AQ_JAK1	22	21	22	
AQ_JAK3	22	21	22	
AQ_LDHA	22	21	22	
AQ_LIF	22	21	22	
AQ_MAPK1	22	21	22	
AQ_NFE2L2	22	21	22	
AQ_NFKB1	22	21	22	
AQ_NLRP3	22	21	22	
AQ_NOS2	22	21	22	
AQ_NOX5	22	21	22	
AQ_PDCD1	22	21	22	
AQ_PPARG	22	21	22	
AQ_PTAFR	22	21	22	
AQ_PTGS2	22	21	22	

¹ Median (Q1, Q3); n

² Kruskal-Wallis rank sum test; Pearson's Chi-squared test

Characteristic	t1 N = 1,012 ¹	t2 N = 966 ¹	t3 N = 1,012 ¹	p-value ²
AQ_SLC2A4	22	21	22	
AQ_SOD1	22	21	22	
AQ_SREBF1	22	21	22	
AQ_STAT3	22	21	22	
AQ_TGFB1	22	21	22	
AQ_TLR3	22	21	22	
AQ_TLR4	22	21	22	
AQ_TNF	22	21	22	
Expression	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	0.00 (0.00, 0.00)	<0.001

¹ Median (Q1, Q3); n

² Kruskal-Wallis rank sum test; Pearson’s Chi-squared test