# **OBESITY PREDICTION**

By Gracie Inman



#### **OVERVIEW OF TOPIC**

- Obesity is a disease that affected I out of 8 people in 2022 (World Health Organization, 2024).
- According to the World Health Organization (2024), obesity can also cause other negative health impacts such as:
  - Increased risk of type 2 diabetes and heart disease
  - Negatively impact bone health and reproduction
  - Increased risk of certain cancers


#### DATA SET AND VARIABLES

- The Obesity levels dataset was obtained from Kaggle (Mehrparvar 2024).
  - The obesity levels dataset contains numerous variables regarding the lifestyle of the individual and their obesity level.
- The dataset contains 77% simulated and 23% web-obtained data.

- Gender: Feature, Categorical, "Gender"
- Age: Feature, Continuous, "Age"
- Height: Feature, Continuous
- Weight: Feature Continuous
- family\_history\_with\_overweight: Feature, Binary, " Has a family member suffered or suffers from overweight? "
- FAVC: Feature, Binary, " Do you eat high caloric food frequently? "
- FCVC: Feature, Integer, " Do you usually eat vegetables in your meals? "
- NCP: Feature, Continuous, " How many main meals do you have daily? "
- CAEC: Feature, Categorical, " Do you eat any food between meals? "
- SMOKE: Feature, Binary, " Do you smoke? "
- CH2O: Feature, Continuous, " How much water do you drink daily? "
- SCC: Feature, Binary, "Do you monitor the calories you eat daily?"
- FAF: Feature, Continuous, "How often do you have physical activity?"
- TUE: Feature, Integer, "How much time do you use technological devices such as cell phones, video games, television, computers, and others?"
- CALC: Feature, Categorical, " How often do you drink alcohol? "
- MTRANS: Feature, Categorical, "Which transportation do you usually use?"
- NObeyesdad: Target, Categorical, "Obesity level"



### **METHODS**






#### **RESULTS**

Shown to the right are the evaluation metrics for each model

		Table I: KNN		
	Precision	Recall	FI-score	Support
0	0.68	0.91	0.78	56
T I	0.63	0.19	0.30	62
2	0.80	0.96	0.87	199
3	0.81	0.67	0.73	106
Accuracy			0.77	423
Macro avg	0.73	0.68	0.67	423
Weighted avg	0.76	0.77	0.74	423
		Table 2: Naïve Baye	S	
	Precision	Recall	FI-score	Support
0	0.39	0.66	0.49	56
1	0.42	0.18	0.25	62
2	0.71	0.94	18.0	199
3	0.58	0.21	0.31	106
Accuracy			0.61	423
Macro avg	0.52	0.50	0.46	423
Weighted avg	0.59	0.61	0.56	423
	Tab	le 3: Logistic Regres	sion	
	Precision	Recall	FI-score	Support
0	Precision 0.52	Recall 0.54	FI-score 0.53	Support 56
L				
1 2	0.52 0.50 0.72	0.54 0.24 0.90	0.53 0.33 0.80	56
L	0.52 0.50	0.54 0.24	0.53 0.33	56 62
1 2	0.52 0.50 0.72	0.54 0.24 0.90	0.53 0.33 0.80	56 62 199
1 2 3	0.52 0.50 0.72	0.54 0.24 0.90 0.42	0.53 0.33 0.80 0.47	56 62 199 106
I 2 3 Accuracy	0.52 0.50 0.72 0.52	0.54 0.24 0.90 0.42	0.53 0.33 0.80 0.47 0.64	56 62 199 106 423
I 2 3 Accuracy Macro avg	0.52 0.50 0.72 0.52 0.56 0.61	0.54 0.24 0.90 0.42	0.53 0.33 0.80 0.47 0.64 0.53 0.61	56 62 199 106 423 423
I 2 3 Accuracy Macro avg	0.52 0.50 0.72 0.52 0.56 0.61	0.54 0.24 0.90 0.42 0.53 0.64	0.53 0.33 0.80 0.47 0.64 0.53 0.61	56 62 199 106 423 423
I 2 3 Accuracy Macro avg	0.52 0.50 0.72 0.52 0.56 0.61  Ta	0.54 0.24 0.90 0.42 0.53 0.64 able 4: Random Fores	0.53 0.33 0.80 0.47 0.64 0.53 0.61	56 62 199 106 423 423 423
I 2 3 Accuracy Macro avg Weighted avg  0 I	0.52 0.50 0.72 0.52 0.56 0.61  Tai	0.54 0.24 0.90 0.42 0.53 0.64 able 4: Random Fore Recall 0.95 0.73	0.53 0.33 0.80 0.47 0.64 0.53 0.61 est  F1-score  0.95  0.72	56 62 199 106 423 423 423 Support 56 62
I 2 3 Accuracy Macro avg Weighted avg  0 I 2	0.52 0.50 0.72 0.52 0.56 0.61  Transport of the control of th	0.54 0.24 0.90 0.42 0.53 0.64 able 4: Random Fore Recall 0.95 0.73 0.94	0.53 0.33 0.80 0.47 0.64 0.53 0.61 est F1-score 0.95 0.72 0.93	56 62 199 106 423 423 423 Support 56
I 2 3 Accuracy Macro avg Weighted avg  0 I	0.52 0.50 0.72 0.52 0.56 0.61  Tai	0.54 0.24 0.90 0.42 0.53 0.64 able 4: Random Fore Recall 0.95 0.73	0.53 0.33 0.80 0.47 0.64 0.53 0.61 est  F1-score  0.95  0.72	56 62 199 106 423 423 423 Support 56 62 199
I 2 3 Accuracy Macro avg Weighted avg  0 I 2	0.52 0.50 0.72 0.52 0.56 0.61 Ta Precision 0.95 0.71 0.91 0.86	0.54 0.24 0.90 0.42 0.53 0.64 able 4: Random Fore Recall 0.95 0.73 0.94 0.78	0.53 0.33 0.80 0.47 0.64 0.53 0.61 est F1-score 0.95 0.72 0.93	56 62 199 106 423 423 423 Support 56 62
I 2 3 Accuracy Macro avg Weighted avg	0.52 0.50 0.72 0.52 0.56 0.61  Transport of the control of th	0.54 0.24 0.90 0.42 0.53 0.64 able 4: Random Fore Recall 0.95 0.73 0.94	0.53 0.33 0.80 0.47 0.64 0.53 0.61 est  FI-score 0.95 0.72 0.93 0.82	56 62 199 106 423 423 423 Support 56 62 199

## CONFUSION MATRIX

• Shown to the right is the confusion matrix for the Random Forest Model



# SUMMARY AND IMPORTANT CONSIDERATIONS

- Random Forest performed the best.
- Limitations
- Assumptions
- Ethical concerns
- Questions?



#### **REFERENCES**

- Centers for Disease Control and Prevention. (2022, May 17). *Adult obesity facts*. Centers for Disease Control and Prevention. https://www.cdc.gov/obesity/data/adult.html
- Mehrparvar, F. (2024, April 7). *Obesity levels*. Kaggle. https://www.kaggle.com/datasets/fatemehmehrparvar/obesity-levels
- World Health Organization. (2024, March 1). *Obesity and overweight*. World Health Organization. https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight#:~:text=Overview,the%20risk%20of%20certain%20cancers.