2022-2023 National Survey of Family Growth (NSFG)

Public-Use Codebook - Female Respondent File

Observations	5586
Variables	1912

Respondent ID and Screener Items

CaseID	
LABEL	Respondent ID number
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	1

CaseID: Distribution	Value	n
96064-106019	96064-106019	5586
		5586

RSCRAGE	
LABEL	R's age as reported in screener
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	2

RSCRAGE: Distribution	Value	n
15	15	136
16	16	126
17	17	141
18	18	176
19	19	166
20	20	122
21	21	114
22	22	126
23	23	116
24	24	124
25	25	148
26	26	136
27	27	175
28	28	156
29	29	184
30	30	211
31	31	200
32	32	227
33	33	209
34	34	180
35	35	198
36	36	186
37	37	181
38	38	189
39	39	176
40	40	186
41	41	178
42	42	156
43	43	157
44	44	132
45	45	140
46	46	127
47	47	135
48	48	138
49	49	134
		5586

RSCRNINF	
LABEL	Whether R was also the screener informant
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents

Section 0

RSCRNINF	
LENGTH	8
VARNUM	3

RSCRNINF: Distribution	Value	n
Yes	1	3456
No	5	2130
		5586

RSCRHISP	
LABEL	R's Hispanic origin as reported in screener
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	4

RSCRHISP: Distribution	Value	n
Yes	1	1160
No	5	4426
		5586

RSCRRACE	
LABEL	R's race as reported in screener
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	5

RSCRRACE: Distribution	Value	n
Other	1	564
Black	2	947
White	3	2917
Hispanic	4	1158
		5586

FTFMODE	
LABEL	Interview mode for this case
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	6

FTFMODE: Distribution	Value	n
In-Person/Face-to-Face mode	1	1400
Online/Web mode	2	4186
		5586

DEVICE_TYPE	
LABEL	Device used to complete web main interview
VARIABLE TYPE	computed
UNIVERSE	Applicable if interview mode was online (FTFMODE = 2)
LENGTH	15
VARNUM	7

DEVICE_TYPE: Distribution	Value	n
Mobile		2144
Not applicable		1400
PC		1995
Tablet		47
		5586

Section A

Section A

AGE_R	
LABEL	R's age at interview (FC A-2b)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Use recode AGER. Respondents age 50 were 49 at screener
LENGTH	4
VARNUM	1

AGE_R: Distribution	Value	n
15	15	132
16	16	124
17	17	142
18	18	170
19	19	162
20	20	127
21	21	113
22	22	124
23	23	116
24	24	126
25	25	147
26	26	137
27	27	176
28	28	160
29	29	183
30	30	206
31	31	198
32	32	227
33	33	217
34	34	180
35	35	190
36	36	180
37	37	189
38	38	189
39	39	180
40	40	178
41	41	181
42	42	152
43	43	152
44	44	135
45	45	145
46	46	134
47	47	138
48	48	135
49	49	140
50	50	1
		5586

AGESCRN	
LABEL	R's age at household screener (FC A-4)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	4
VARNUM	2

AGESCRN: Distribution	Value	n
15	15	136
16	16	126
17	17	144
18	18	165
19	19	165
20	20	125
21	21	112
22	22	124
23	23	117

Section A

AGESCRN: Distribution	Value	n
24	24	124
25	25	149
26	26	135
27	27	176
28	28	161
29	29	183
30	30	208
31	31	202
32	32	226
33	33	213
34	34	183
35	35	188
36	36	181
37	37	189
38	38	187
39	39	178
40	40	178
41	41	184
42	42	151
43	43	152
44	44	133
45	45	146
46	46	136
47	47	139
48	48	133
49	49	137
		5586

HISP	
LABEL	AC-1 Hispanic/Latin origin
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Use recode HISPANIC
LENGTH	8
VARNUM	3

HISP: Distribution	Value	n
Yes	1	1229
No	5	4349
Refused	8	3
Don't know	9	5
		5586

HISPGRP	
LABEL	AC-2 Hispanic/Latin origin -- group
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is Hispanic (AC-1 HISP = 1)
NOTES	Respondents who selected 'Mexican, Mexican American, or Chicana' along with another origin group are included in category 2. This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	4

HISPGRP: Distribution	Value	n
Mexican, Mexican American, or Chicana, only	1	728
All other Hispanic or Latina groups, including multiple responses	2	472
Refused	8	20
Don't know	9	9
Inapplicable	.	4357
		5586

Section A

ROSCNT	
LABEL	Number of HH members based on HH roster (computed in FC A-15) (top-coded)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	5

ROSCNT: Distribution	Value	n
1	1	692
2	2	1424
3	3	1264
4	4	1254
5	5	559
6	6	246
7	7	94
8 or more	8	53
		5586

NUMCHILD	
LABEL	Number of children in HH < 13 yrs with RELAR = codes 3 to 8 (computed in FC A-15) (top-coded)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	6

NUMCHILD: Distribution	Value	n
0	0	3456
1	1	977
2 or more	2	1153
		5586

HHKIDS18	
LABEL	Number of children in HH < 19 yrs with RELAR = codes 3 to 10 (computed in FC A-15) (top-coded)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	7

HHKIDS18: Distribution	Value	n
0	0	3169
1	1	967
2	2	932
3	3	353
4 or more	4	165
		5586

NONBIOKIDS	
LABEL	Number of children in HH < 19 yrs with RELAR = codes 4 to 10 (computed in FC A-15) (top-coded)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	8

NONBIOKIDS: Distribution	Value	n
0	0	5366
1	1	144
2 or more	2	76
		5586

Section A

MARSTAT	
LABEL	AD-7b R's marital or cohabiting status
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	See recodes FMARITAL and RMARITAL and computed variables rmarit, fmarit, and ssmarcoh
LENGTH	8
VARNUM	9

MARSTAT: Distribution	Value	n
Married	1	2100
Living together with a partner as an unmarried couple	2	669
Neither	3	2808
Refused	8	8
Don't Know	9	1
		5586

LMARSTAT	
LABEL	AD-7c R's legal marital status relative to opposite-sex spouses
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married (AD-7b MARSTAT NE 1)
NOTES	See recodes FMARITAL and RMARITAL and computed variables rmarit, fmarit, and ssmarcoh
LENGTH	8
VARNUM	10

LMARSTAT: Distribution	Value	n
Widowed	3	25
Divorced or annulled	4	360
Separated, because you and your spouse are not getting along	5	112
Never been married	6	2971
Refused	8	15
Don't Know	9	3
Inapplicable	.	2100
		5586

RMARIT	
LABEL	Informal marital or cohabiting status relative to opposite-sex partners (computed in FC A-17)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	11

RMARIT: Distribution	Value	n
Neither	0	2899
Married to opposite-sex spouse	1	2060
Cohabiting with opposite-sex partner	2	627
		5586

EVRMARRY	
LABEL	Ever married to an opposite-sex spouse (computed in FC A-17)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	12

EVRMARRY: Distribution	Value	n
Never married	0	3024
Ever married	1	2562
		5586

SSMARCOH	
LABEL	R currently in same-sex marriage or cohabitation (computed in FC A-17)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
NOTES	See recodes FMARITAL and RMARITAL and computed variables rmarit and fmarit

Section A

SSMARCOH	
LENGTH	8
VARNUM	13

SSMARCOH: Distribution	Value	n
Neither	0	5506
Married to same-sex spouse	1	40
Cohabiting with same-sex partner	2	40
		5586

MANREL	
LABEL	Is man in HH R's husband or male cohabiting partner (computed in FC A-18)
VARIABLE TYPE	computed
UNIVERSE	Applicable if there is a husband or male partner in the HH (AD-5 RELAR[x]=1 or 2 and AD-3 SEX[x]=1)
LENGTH	8
VARNUM	14

MANREL: Distribution	Value	n
Husband	1	1990
Male cohabiting partner	2	568
Inapplicable	.	3028
		5586

EARNHS_Y	
LABEL	AF-2y year high school diploma obtained
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has a high school diploma (AF-1 ATTAIN GE 4 AND NOT DK/RF)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	15

EARNHS_Y: Distribution	Value	n
1972-2023	1972-2023	4549
Did not get HS diploma	9996	73
Refused	9998	1
Don't know	9999	3
Inapplicable	.	960
		5586

MYSCHOL_Y	
LABEL	AF-3 year last attended elem/jun/high school
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is ages 15-24 and highest grade attained is 1-12 (If AGE_R = 15-24 and AF-1 ATTAIN = 1 or 2)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	16

MYSCHOL_Y: Distribution	Value	n
1972-2023	1972-2023	321
Refused	9998	2
Don't know	9999	1
Inapplicable	.	5262
		5586

EARNBA_Y	
LABEL	AF-4 year bachelors degree obtained
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has a Bachelor's degree (If AF-1 ATTAIN GE 8 and NOT DK/RF)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	17

Section A

EARNBA_Y: Distribution	Value	n
1972-2023	1972-2023	2237
Refused	9998	4
Don't know	9999	2
Inapplicable	.	3343
		5586

WTHPARNW	
LABEL	R is living with parents or parent figures--based on HH roster (computed in FC A-25)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	18

WTHPARNW: Distribution	Value	n
Both bio/adoptive parents	1	669
Other/none	2	4917
		5586

ONOWN	
LABEL	AG-0a (before age 18,) R ever live away from parents/guardians?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is 18 or older (age_r GE 18) or R is under 18 and lives with parents or parent figures (age_r LT 18 and inwthparnw = 1,2, or 3)
LENGTH	8
VARNUM	19

ONOWN: Distribution	Value	n
Yes	1	752
No	5	4823
Refused	8	9
Don't know	9	2
		5586

ONOWN18	
LABEL	Whether R lived on own before age 18 (computed in FC A-27)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	20

ONOWN18: Distribution	Value	n
Yes	1	752
No	5	4823
Refused	8	2
Don't know	9	9
		5586

INTACT	
LABEL	AG-1 R always lived w/ both biological/adoptive parents?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently living in intact HH, is under 18 and has lived on own (wthparnw = 2 and age_r < 18 and AG-Oa ONOWN = 1); or R is not currently living in intact HH, is 18 or older and has or has not lived on own (wthparnw = 1, age_r > =18 and ONOWN = 1 or 5); or R is currently living in intact HH, is 18 or older, and has or has not lived on own (wthparnw = 1 or 2, age_r > = 18 and ONOWN = 1 or 5); or R is currently living in intact HH, is under 18, and has or has not lived on own (wthparnw = 1, age_r > 18 and ONOWN = 1 or 5)
NOTES	Use recode INTCTFAM
LENGTH	8
VARNUM	21

Section A

INTACT: Distribution	Value	n
Yes	1	3853
No	5	1524
Refused	8	11
Don't know	9	2
Inapplicable	.	196
		5586

PARMARR	
LABEL	AG-2 Rs biological parents married at birth?
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	22

PARMARR: Distribution	Value	n
Yes	1	4192
No	5	1361
Refused	8	8
Don't know	9	25
		5586

INTACT18	
LABEL	Whether R lived in intact family from birth to age 18 (computed in FC A-29)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
NOTES	Use recode INTCTFAM
LENGTH	8
VARNUM	23

INTACT18: Distribution	Value	n
Yes	1	3853
No	2	1720
Refused	8	6
Don't know	9	7
		5586

LVSIT14F	
LABEL	AG-3 female parent (figure) living with at age 14 - fam not intact thru 18
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not live with both biological parents or both adoptive parents while growing up (intact18 NE 1)
NOTES	Respondents with an adoptive mother are only categorized as code 1 if they also have an adoptive father. See recode PARAGE14. This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	24

LVSIT14F: Distribution	Value	n
Bio/adoptive mother	1	1323
Other mother figure	2	342
No mother figure	3	63
Refused	8	4
Don't know	9	1
Inapplicable	.	3853
		5586

LVSIT14M	
LABEL	AG-4 male parent (figure) living with at age 14 - fam not intact thru 18
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not live with both biological parents or both adoptive parents while growing up (intact18 NE 1)
NOTES	Respondents with an adoptive father are only categorized as code 1 if they also have an adoptive mother. See recode PARAGE14. This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.

Section A

LVSIT14M	
LENGTH	8
VARNUM	25

LVSIT14M: Distribution	Value	n
Bio/adoptive father	1	471
Step father	2	376
No father figure	3	613
Other father figure	4	259
Refused	8	11
Don't know	9	3
Inapplicable	.	3853
		5586

WOMRASDU	
LABEL	AG-5 woman R thinks of as raised her during teens
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not live with both biological parents or both adoptive parents while growing up (intact18 NE 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	26

WOMRASDU: Distribution	Value	n
Bio mother	1	1220
Other mother figure	2	442
No mother figure	3	65
Refused	8	4
Don't know	9	2
Inapplicable	.	3853
		5586

MOMWORKD	
LABEL	AG-7 female parent (figure) worked FT/PT when R was 5-15?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had a mother or mother figure while growing up (intact18 = 1 or AG-5 WOMRASDU NE 3, DK/RF)
LENGTH	8
VARNUM	27

MOMWORKD: Distribution	Value	n
Full-time	1	3019
Part-time	2	843
Equal amounts full-time and part-time	3	390
Not at all (for pay)	4	1221
Refused	8	10
Don't Know	9	32
Inapplicable	.	71
		5586

MANRASDU	
LABEL	AG-9 man R thinks of as raised her during teens
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not live with both biological parents or both adoptive parents while growing up (intact18 NE 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	28

MANRASDU: Distribution	Value	n
Bio father	1	657
Stepfather	2	298
No father figure	3	390
Other father figure	4	378

Section A

MANRASDU: Distribution	Value	n
Refused	8	10
Inapplicable	.	3853
		5586

FOSTEREV	
LABEL	AG-10 R ever lived in foster care
VARIABLE TYPE	raw
LENGTH	8
VARNUM	29

FOSTEREV: Distribution	Value	n
Yes	1	175
No	5	5406
Refused	8	3
Don't know	9	2
		5586

MNYFSTER	
LABEL	AG-11 Number of foster care settings R lived in (top-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever lived in foster care (AG-10 FOSTEREV = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	30

MNYFSTER: Distribution	Value	n
1	1	72
2	2	40
3 or more	3	61
Refused	8	2
Inapplicable	.	5411
		5586

DURFSTER	
LABEL	AG-12 Total time spent in foster care
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever lived in foster care (AG-10 FOSTEREV = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	31

DURFSTER: Distribution	Value	n
< 6 months	1	39
6 months to < 2 years	2	53
2 years or more	3	80
Refused	8	3
Inapplicable	.	5411
		5586

AGEFSTER	
LABEL	AG-13 Age last left foster care
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever lived in foster care (AG-10 FOSTEREV = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	32

AGEFSTER: Distribution	Value	n
< 6 years old	1	31
6-12 years old	2	54
13-17 years old	3	51
18+ years old	4	37

Section A

AGEFSTER: Distribution	Value	n
Refused	8	2
Inapplicable	.	5411
		5586

MARSTATB	
LABEL	AH-1 R's legal marital status relative to opposite-sex spouses
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to a woman (ssmarcoh=1)
LENGTH	8
VARNUM	33

MARSTATB: Distribution	Value	n
Divorced or annulled	4	5
Never been married	6	31
Refused	8	2
Don't Know	9	2
Inapplicable	.	5546
		5586

EVCOHABB	
LABEL	AH-2 ever lived with male sexual partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to or living with a woman (ssmarcoh=1 or 2)
LENGTH	8
VARNUM	34

EVCOHABB: Distribution	Value	n
Yes	1	11
No	5	69
Inapplicable	.	5506
		5586

FMARIT	
LABEL	Formal marital status at time of interview relative to opposite-sex spouses (computed in FC A-37)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
NOTES	Use recode FMARITAL
LENGTH	8
VARNUM	35

FMARIT: Distribution	Value	n
Don't Know/Refused	0	22
Married	1	2060
Widowed	2	25
Divorced	3	365
Separated	4	112
Never married	5	3002
		5586

Section B

Section B

MENARCHE	
LABEL	BA-1 Age at first menstrual period (bottom-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	1

MENARCHE: Distribution	Value	n
8 or younger	8	33
9	9	192
10	10	379
11	11	881
12	12	1564
13	13	1233
14	14	673
15	15	312
16	16	156
17	17	46
18	18	12
19	19	8
20	20	1
21	21	1
22	22	1
23	23	2
24	24	2
36	36	1
Periods have not yet started	96	31
Refused	98	33
Don't know	99	25
		5586

CURRPREG	
LABEL	Whether R is currently pregnant (at time of interview) (computed in FC B-3)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	2

CURRPREG: Distribution	Value	n
Yes	1	172
No	5	5414
		5586

LASTPREG	
LABEL	How recent was R's last pregnancy
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever been pregnant (PREGNUM > 0)
NOTES	This variable has been created for public use, and the original source variables are accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	3

LASTPREG: Distribution	Value	n
Less than 1 year	1	522
1 to 5 years ago	2	975
5 years or longer ago	3	1579
Inapplicable	.	2510
		5586

Section B

BIRTH1	
LABEL	Whether R had a live birth in the last 12 months
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 1 live birth (PARITY > 0)
NOTES	This variable has been created for public use, and the original source variables are accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	4

BIRTH1: Distribution	Value	n
Yes	1	311
No	2	2723
Inapplicable	.	2552
		5586

OTHERKID	
LABEL	BD-1 Have any other nonbio children ever lived w/R under her care and responsibility
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is 18 years or older (age_r >= 18)
LENGTH	8
VARNUM	5

OTHERKID: Distribution	Value	n
Yes	1	466
No	5	4710
Refused	8	10
Don't know	9	2
Inapplicable	.	398
		5586

NOTHRKID	
LABEL	BD-2 Number of other nonbio children who ever lived w/R under her care and responsibility
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any nonbiological children as ever living with her under her care and responsibility (BD-1 OTHERKID = 1)
LENGTH	8
VARNUM	6

NOTHRKID: Distribution	Value	n
1 child	1	212
2 children	2	135
3 or more children	3-20	105
Refused	98	12
Don't know	99	2
Inapplicable	.	5120
		5586

NBKIDLIV	
LABEL	BD-3 Number of these other nonbio children currently living with R (top-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any nonbiological children as ever living with her under her care and responsibility (BD-1 OTHERKID = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	7

NBKIDLIV: Distribution	Value	n
0	0	250
1	1	130
2	2	44
3 or more	3	23
Refused	98	5
Inapplicable	.	5134
		5586

Section B

NBKIDSEX_01	
LABEL	BD-5 Is other nonbio child living w/R male or female - 1st child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any nonbiological child as living with her currently (BD-3 NBKIDLIV > 0)
LENGTH	8
VARNUM	8

NBKIDSEX_01: Distribution	Value	n
Male	1	107
Female	2	89
Refused	8	1
Inapplicable	.	5389
		5586

NBKIDREL_01	
LABEL	BD-6 Relationship of other nonbio child to R when began living with R - 1st child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any nonbiological child as living with her currently (BD-3 NBKIDLIV > 0)
LENGTH	8
VARNUM	9

NBKIDREL_01: Distribution	Value	n
Your husbands child (stepchild)	1	54
The child of a blood relative	2	45
The child of a relative by marriage	3	5
The child of a friend	4	5
Your boyfriend or partners child	5	42
Related to you in some other way	6	18
Unrelated to you previously in any way	7	28
Inapplicable	.	5389
		5586

NBKDAGE_01	
LABEL	BD-7 Age of other nonbio child when began living with R - 1st child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any nonbiological child as living with her currently (BD-3 NBKIDLIV > 0)
LENGTH	8
VARNUM	10

NBKDAGE_01: Distribution	Value	n
Younger than 5 years old	1	103
5-12 years old	2	68
13 years or older	3	25
Don't Know	9	1
Inapplicable	.	5389
		5586

ADPTNBKD_01	
LABEL	BD-8 Did R legally adopt this nonbio child - 1st child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any nonbiological child as living with her currently (BD-3 NBKIDLIV > 0)
LENGTH	8
VARNUM	11

ADPTNBKD_01: Distribution	Value	n
Yes, adopted	1	28
Yes, became guardian	3	39
No, neither	5	130
Inapplicable	.	5389
		5586

TRYADOPT_01	
LABEL	BD-9 Is R trying to adopt this nonbio child - 1st child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported becoming legal guardian for this child (BD-8 ADPTNBKID_01 = 3)

Section B

TRYADOPT_01	
LENGTH	8
VARNUM	12

TRYADOPT_01: Distribution	Value	n
Yes	1	11
No	5	28
Inapplicable	.	5547
		5586

TRYEITHR_01	
LABEL	BD-10 Is R trying to adopt or become guardian for this nonbio child - 1st child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported neither adopting or becoming legal guardian for this child (BD-8 ADPTNBKID_01 = 5)
LENGTH	8
VARNUM	13

TRYEITHR_01: Distribution	Value	n
Yes, trying to adopt	1	2
Yes, trying to become guardian	3	7
No, neither	5	121
Inapplicable	.	5456
		5586

NBKIDFOS_01	
LABEL	BD-11 Was this nonbio child a foster or related child placed w/R by Soc Svcs - 1st child
VARIABLE TYPE	raw
UNIVERSE	Applicable if this child currently living with R is neither a stepchild nor a partner's child (BD-6 NBKIDREL_01 NE 1 or 5)
LENGTH	8
VARNUM	14

NBKIDFOS_01: Distribution	Value	n
Yes	1	34
No	5	66
Don't know	9	1
Inapplicable	.	5485
		5586

NBKIDSEX_02	
LABEL	BD-5 Is other nonbio child living w/R male or female - 2nd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 nonbiological child as living with her currently (BD-3 NBKIDLIV > 1)
LENGTH	8
VARNUM	15

NBKIDSEX_02: Distribution	Value	n
Male	1	41
Female	2	26
Inapplicable	.	5519
		5586

NBKIDREL_02	
LABEL	BD-6 Relationship of other nonbio child to R when began living with R - 2nd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any nonbiological child as living with her currently (BD-3 NBKIDLIV > 0)
LENGTH	8
VARNUM	16

NBKIDREL_02: Distribution	Value	n
Your husbands child (stepchild)	1	16
The child of a blood relative	2	17
The child of a relative by marriage	3	1
Your boyfriend or partners child	5	9

Section B

NBKIDREL_02: Distribution	Value	n
Related to you in some other way	6	9
Unrelated to you previously in any way	7	15
Inapplicable	.	5519
		5586

NBKDAGE_02	
LABEL	BD-7 Age of other nonbio child when began living with R - 2nd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 nonbiological child as living with her currently (BD-3 NBKIDLIV > 1)
LENGTH	8
VARNUM	17

NBKDAGE_02: Distribution	Value	n
Younger than 5 years old	1	41
5-12 years old	2	21
13 years or older	3	5
Inapplicable	.	5519
		5586

ADPTNBKD_02	
LABEL	BD-8 Did R legally adopt this nonbio child - 2nd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 nonbiological child as living with her currently (BD-3 NBKIDLIV > 1)
LENGTH	8
VARNUM	18

ADPTNBKD_02: Distribution	Value	n
Yes, adopted	1	12
Yes, became guardian	3	10
No, neither	5	45
Inapplicable	.	5519
		5586

TRYADOPT_02	
LABEL	BD-9 Is R trying to adopt this nonbio child - 2nd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported becoming legal guardian for this child (BD-8 ADPTNBKID_02 = 3)
LENGTH	8
VARNUM	19

TRYADOPT_02: Distribution	Value	n
Yes	1	2
No	5	8
Inapplicable	.	5576
		5586

TRYEITHR_02	
LABEL	BD-10 Is R trying to adopt or become guardian for this nonbio child - 2nd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported neither adopting or becoming legal guardian for this child (BD-8 ADPTNBKID_02 = 5)
LENGTH	8
VARNUM	20

TRYEITHR_02: Distribution	Value	n
Yes, trying to adopt	1	1
Yes, trying to become guardian	3	3
No, neither	5	41
Inapplicable	.	5541
		5586

Section B

NBKIDFOS_02	
LABEL	BD-11 Was this nonbio child a foster or related child placed w/R by Soc Svcs - 2nd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if this child currently living with R is neither a stepchild nor a partner's child (BD-6 NBKIDREL_02 NE 1 or 5)
LENGTH	8
VARNUM	21

NBKIDFOS_02: Distribution	Value	n
Yes	1	13
No	5	29
Inapplicable	.	5544
		5586

NBKIDSEX_03	
LABEL	BD-5 Is other nonbio child living w/R male or female - 3rd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 nonbiological children as living with her currently (BD-3 NBKIDLIV > 2)
LENGTH	8
VARNUM	22

NBKIDSEX_03: Distribution	Value	n
Male	1	15
Female	2	7
Refused	8	1
Inapplicable	.	5563
		5586

NBKIDREL_03	
LABEL	m
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any nonbiological child as living with her currently (BD-3 NBKIDLIV > 0)
LENGTH	8
VARNUM	23

NBKIDREL_03: Distribution	Value	n
Your husbands child (stepchild)	1	6
The child of a blood relative	2	5
Your boyfriend or partners child	5	1
Related to you in some other way	6	5
Unrelated to you previously in any way	7	6
Inapplicable	.	5563
		5586

NBKDAGE_03	
LABEL	BD-7 Age of other nonbio child when began living with R - 3rd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 nonbiological children as living with her currently (BD-3 NBKIDLIV > 2)
LENGTH	8
VARNUM	24

NBKDAGE_03: Distribution	Value	n
Younger than 5 years old	1	17
5-12 years old	2	2
13 years or older	3	2
Refused	8	1
Don't Know	9	1
Inapplicable	.	5563
		5586

Section B

ADPTNBKD_03	
LABEL	BD-8 Did R legally adopt this nonbio child - 3rd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 nonbiological children as living with her currently (BD-3 NBKIDLIV > 2)
LENGTH	8
VARNUM	25

ADPTNBKD_03: Distribution	Value	n
Yes, adopted	1	4
Yes, became guardian	3	3
No, neither	5	16
Inapplicable	.	5563
		5586

TRYADOPT_03	
LABEL	BD-9 Is R trying to adopt this nonbio child - 3rd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported becoming legal guardian for this child (BD-8 ADPTNBKID_03 = 3)
LENGTH	8
VARNUM	26

TRYADOPT_03: Distribution	Value	n
No	5	3
Inapplicable	.	5583
		5586

TRYEITHR_03	
LABEL	BD-10 Is R trying to adopt or become guardian for this nonbio child - 3rd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported neither adopting or becoming legal guardian for this child (BD-8 ADPTNBKID_03 = 5)
LENGTH	8
VARNUM	27

TRYEITHR_03: Distribution	Value	n
Yes, trying to adopt	1	1
No, neither	5	14
Refused	8	1
Inapplicable	.	5570
		5586

NBKIDFOS_03	
LABEL	BD-11 Was this nonbio child a foster or related child placed w/R by Soc Svcs - 3rd child
VARIABLE TYPE	raw
UNIVERSE	Applicable if this child currently living with R is neither a stepchild nor a partner's child (BD-6 NBKIDREL_03 NE 1 or 5)
LENGTH	8
VARNUM	28

NBKIDFOS_03: Distribution	Value	n
Yes	1	6
No	5	10
Inapplicable	.	5570
		5586

EVERADOPT	
LABEL	BD-12 R has ever legally adopted a child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is 18 years or older (age_r >= 18)
LENGTH	8
VARNUM	29

Section B

EVERADOPT: Distribution	Value	n
Yes	1	13
No	5	5170
Refused	8	5
Inapplicable	.	398
		5586

BD_ADOPT	
LABEL	R's experience with adoption (based on BD series) (computed in FC B-47)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is 18 years or older (age_r >= 18)
LENGTH	8
VARNUM	30

BD_ADOPT: Distribution	Value	n
Yes, adopted a child	1	40
Trying to adopt a child	3	13
No, has not adopted a child	5	5135
Inapplicable	.	398
		5586

SEEKADPT	
LABEL	BE-1 R Currently Seeking to Adopt
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is 18 years or older (age_r >= 18)
LENGTH	8
VARNUM	31

SEEKADPT: Distribution	Value	n
Yes	1	69
No	5	5107
Refused	8	3
Don't know	9	9
Inapplicable	.	398
		5586

CONTAGEM	
LABEL	BE-2 Has R Taken Specific Steps to Adopt
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently seeking to adopt a(nother) child (BE-1 SEEKADPT = 1)
LENGTH	8
VARNUM	32

CONTAGEM: Distribution	Value	n
Yes	1	18
No	5	51
Inapplicable	.	5517
		5586

TRYLONG	
LABEL	BE-3 How Long R Has Been Seeking to Adopt
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is taking specific steps to adopt (BE-2 CONTAGEM = 1)
LENGTH	8
VARNUM	33

TRYLONG: Distribution	Value	n
Less than 1 year	1	8
1-2 years	2	4
Or longer than 2 years	3	6
Inapplicable	.	5568
		5586

Section B

KNOWADPT	
LABEL	BE-4 Is R Seeking to Adopt Child She Knows
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently seeking to adopt a(nother) child (BE-1 SEEKADPT = 1)
LENGTH	8
VARNUM	34

KNOWADPT: Distribution	Value	n
Yes	1	15
No	5	54
Inapplicable	.	5517
		5586

EVWNTANO	
LABEL	BF-1 R Ever Considered Adopting a Child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is 18 years or older (age_r >= 18) and R is not currently seeking to adopt a(nother) child (BE-1 SEEKADPT = 5, DK/RF)
LENGTH	8
VARNUM	35

EVWNTANO: Distribution	Value	n
Yes	1	1633
No	5	3466
Refused	8	7
Don't know	9	13
Inapplicable	.	467
		5586

EVCONTAG	
LABEL	BF-2 R Ever Took Specific Steps to Adopt a Child
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever considered adopting a(nother) child (BF-1 EVWNTANO = 1)
LENGTH	8
VARNUM	36

EVCONTAG: Distribution	Value	n
Yes	1	90
No	5	1543
Inapplicable	.	3953
		5586

TURNDOWN	
LABEL	BF-3 R Ever Turned Down for Adoption
VARIABLE TYPE	raw
UNIVERSE	Applicable if R took specific steps to adopt in the past (BF-2 EVCONTAG = 1)
LENGTH	8
VARNUM	37

TURNDOWN: Distribution	Value	n
Turned down	1	7
Unable to find child	2	3
Decided not to pursue	3	80
Inapplicable	.	5496
		5586

YQUITTRY	
LABEL	BF-4 Reason R Quit Trying to Adopt
VARIABLE TYPE	raw
UNIVERSE	Applicable if R decided not to pursue adoption any further (BF-3 TURNDOWN = 3)
LENGTH	8
VARNUM	38

Section B

YQUITTRY: Distribution	Value	n
Adoption process only	1	10
Own situation only	2	41
Both	3	29
Inapplicable	.	5506
		5586

HRDEMBRYO	
LABEL	BF-5 R has heard of frozen embryo donation or adoption
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is 18 years or older (age_r >= 18)
LENGTH	8
VARNUM	39

HRDEMBRYO: Distribution	Value	n
Yes	1	3392
No	5	1785
Refused	8	8
Don't know	9	3
Inapplicable	.	398
		5586

SRCEMBRYO_1	
LABEL	BF-6 Where R heard about embryo adoption or donation - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported hearing of embryo adoption or donation (BF-5 HRDEMBRYO = 1)
LENGTH	8
VARNUM	40

SRCEMBRYO_1: Distribution	Value	n
Health professional or counselor	1	398
Relative or friend	2	678
Television, radio or a magazine	3	1052
Internet	4	1043
Other	5	211
Don't Know	9	10
Inapplicable	.	2194
		5586

SRCEMBRYO_2	
LABEL	BF-6 Where R heard about embryo adoption or donation - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported hearing of embryo adoption or donation from at least 2 sources (see BF-5 SRCEMBRYO_1)
LENGTH	8
VARNUM	41

SRCEMBRYO_2: Distribution	Value	n
Health professional or counselor	1	61
Relative or friend	2	248
Television, radio or a magazine	3	372
Internet	4	494
Other	5	50
Inapplicable	.	4361
		5586

SRCEMBRYO_3	
LABEL	BF-6 Where R heard about embryo adoption or donation - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported hearing of embryo adoption or donation from at least 3 sources (see BF-5 SRCEMBRYO_1)
LENGTH	8
VARNUM	42

SRCEMBRYO_3: Distribution	Value	n
Health professional or counselor	1	32
Relative or friend	2	83
Television, radio or a magazine	3	123
Internet	4	196
Other	5	40
Inapplicable	.	5112
		5586

SRCEMBRYO_4	
LABEL	BF-6 Where R heard about embryo adoption or donation - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported hearing of embryo adoption or donation from at least 4 sources (see BF-5 SRCEMBRYO_1)
LENGTH	8
VARNUM	43

SRCEMBRYO_4: Distribution	Value	n
Health professional or counselor	1	23
Relative or friend	2	19
Television, radio or a magazine	3	19
Internet	4	76
Other	5	28
Inapplicable	.	5421
		5586

SRCEMBRYO_5	
LABEL	BF-6 Where R heard about embryo adoption or donation - 5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported hearing of embryo adoption or donation from at least 5 sources (see BF-5 SRCEMBRYO_1)
LENGTH	8
VARNUM	44

SRCEMBRYO_5: Distribution	Value	n
Health professional or counselor	1	4
Relative or friend	2	1
Other	5	18
Inapplicable	.	5563
		5586

Section C

Section C

FMARRDATE_Y	
LABEL	CA-2y Year of marriage to current wife
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to a woman (ssmarcoh = 1)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	1

FMARRDATE_Y: Distribution	Value	n
1972-2023	1972-2023	40
Inapplicable	.	5546
		5586

HERAGEFM	
LABEL	CA-3 R's age when married to current wife
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to a woman (ssmarcoh = 1)
NOTES	This age was originally asked only as follow-up for those who did not report a specific mo/yr, however for user convenience has been redefined in post-processing for all applicable cases.
LENGTH	8
VARNUM	2

HERAGEFM: Distribution	Value	n
20-24 years	20-24	6
25-29 years	25-29	7
30-34 years	30-34	15
35-39 years	35-39	8
40-49 years	40-49	4
Inapplicable	.	5546
		5586

LIVTOGFS	
LABEL	CA-4 Ever cohabited premaritally with current wife
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to a woman (ssmarcoh = 1)
LENGTH	8
VARNUM	3

LIVTOGFS: Distribution	Value	n
Yes	1	34
No	5	6
Inapplicable	.	5546
		5586

STRTCFSP_Y	
LABEL	CA-5y Year began living together w/ current wife or female cohabiting partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R cohabited premaritally with her current wife (CA-4 LIVTOGFS = 1) or is currently cohabiting with a woman (ssmarcoh = 2)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	4

STRTCFSP_Y: Distribution	Value	n
1972-2023	1972-2023	74
Inapplicable	.	5512
		5586

Section C

HERAGEF	
LABEL	CA-6 R's age when began living together w/ current wife/female cohabiting partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R cohabited premaritally with her current wife (CA-4 LIVTOGFS = 1) or is currently cohabiting with a woman (ssmarcoh = 2)
NOTES	This age was originally asked only as follow-up for those who did not report a specific mo/yr, however for user convenience has been redefined in post-processing for all applicable cases.
LENGTH	8
VARNUM	5

HERAGEF: Distribution	Value	n
Under 20 years	0-19	4
20-24 years	20-24	20
25-29 years	25-29	23
30-34 years	30-34	17
35-39 years	35-39	7
40-49 years	40-49	2
Don't Know	99	1
Inapplicable	.	5512
		5586

CMSTRTFWP	
LABEL	Year current union (marriage or coresidence) began with current wife/female cohabiting partner (computed in FC C-2f)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is currently married or cohabiting with a woman (ssmarcoh = 1 or 2)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	6

CMSTRTFWP: Distribution	Value	n
1972-2023	1972-2023	80
Inapplicable	.	5506
		5586

ENGATFSP	
LABEL	CA-7 Engaged when began cohabiting - current wife/female cohabiting partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R cohabited premaritally with her current wife (CA-4 LIVTOGFS = 1) or R is currently cohabiting with a woman (ssmarcoh = 2)
LENGTH	8
VARNUM	7

ENGATFSP: Distribution	Value	n
Engaged to be married	1	6
Not engaged but had definite plans to get married	3	34
Neither engaged nor had definite plans	5	32
Refused	8	1
Don't Know	9	1
Inapplicable	.	5512
		5586

WILLMARRF	
LABEL	CA-8 Does R think she will marry current female cohabiting partner?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently cohabiting with a woman (ssmarcoh = 2)
LENGTH	8
VARNUM	8

WILLMARRF: Distribution	Value	n
Definitely yes	1	20
Probably yes	2	14
Probably no	3	4
Definitely no	4	1
Refused	8	1

Section C

WILLMARRF: Distribution	Value	n
Inapplicable	.	5546
		5586

CFSPEDUCN	
LABEL	CA-11 Highest level of education - current wife/female cohabiting partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married or cohabiting with a woman (ssmarcoh = 1 or 2)
LENGTH	8
VARNUM	9

CFSPEDUCN: Distribution	Value	n
Less than high school	1	4
High school graduate or GED	2	8
Some college but no degree	3	12
2-Year college degree (e.g., Associate's degree)	4	10
4-Year college graduate (e.g., BA, BS)	5	31
Graduate or professional school	6	14
Refused	8	1
Inapplicable	.	5506
		5586

CFSPMARBF	
LABEL	CA-13 Was current wife/female cohabiting partner married before?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married or cohabiting with a woman (ssmarcoh = 1 or 2)
LENGTH	8
VARNUM	10

CFSPMARBF: Distribution	Value	n
Yes	1	13
No	5	66
Refused	8	1
Inapplicable	.	5506
		5586

SSKIDTOG	
LABEL	CA_14 Have children together - current wife/female cohabiting partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married or cohabiting with a woman (ssmarcoh = 1 or 2)
LENGTH	8
VARNUM	11

SSKIDTOG: Distribution	Value	n
Yes	1	11
No	5	68
Refused	8	1
Inapplicable	.	5506
		5586

NSSKIDTOG	
LABEL	CA-15 Number of children together - current wife/female cohabiting partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R and current wife or female cohabiting partner have any children together (CA-14 SSKIDTOG = 1)
LENGTH	8
VARNUM	12

NSSKIDTOG: Distribution	Value	n
1	1	7
2	2	3
5	5	1
.	.	5575
		5586

Section C

SSKIDTOG18	
LABEL	CA-16 How many children together are under age 18 - current wife/female cohabiting partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R and current wife or female cohabiting partner have any children together (CA-14 SSKIDTOG = 1)
LENGTH	8
VARNUM	13

SSKIDTOG18: Distribution	Value	n
1	1	7
2	2	3
4	4	1
.	.	5575
		5586

HSBVERIF	
LABEL	CB-2b Verify Current Husband's Name
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to a man (rmarit = 1) and she has previously reported her husband's name (chpname NE blank)
LENGTH	8
VARNUM	14

HSBVERIF: Distribution	Value	n
Yes	1	1989
No	5	2
Inapplicable	.	3595
		5586

WHMARHX_Y_1	
LABEL	CB-3y Year of marriage to 1st husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever been married to a man (fmarit = 1, 2, 3, or 4)
NOTES	Use recode MARDAT01. The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	15

WHMARHX_Y_1: Distribution	Value	n
1972-2023	1972-2023	2537
Not ascertained	9997	21
Refused	9998	7
Don't know	9999	2
Inapplicable	.	3019
		5586

HXAGEMAR_1	
LABEL	CB-5 Husband's Age At Marriage - 1st Husband (categorical)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever been married to a man (fmarit = 1, 2, 3, or 4)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	16

HXAGEMAR_1: Distribution	Value	n
Under 20 years	1	113
20-24 years	2	650
25-29 years	3	827
30-34 years	4	510
35-39 years	5	247
40 years or older	6	168
Refused	98	27
Don't know	99	25
Inapplicable	.	3019
		5586

Section C

LVTOGHX_1	
LABEL	CB-6 Cohabited Before Marriage - 1st Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever been married to a man (fmarit = 1, 2, 3, or 4)
LENGTH	8
VARNUM	17

LVTOGHX_1: Distribution	Value	n
Yes	1	1658
No	5	896
Refused	8	11
Inapplicable	.	3021
		5586

STRTOGHX_Y_1	
LABEL	CB-7y Year Began Premarital Cohabitation - 1st Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported cohabiting with this husband before marriage (CB-6 LVTOGHX_1 = 1)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	18

STRTOGHX_Y_1: Distribution	Value	n
1972-2023	1972-2023	1642
Not ascertained	9997	7
Refused	9998	2
Don't know	9999	5
Inapplicable	.	3930
		5586

ENGAGHX_1	
LABEL	CB-8 Engaged When R Began Premarital Cohabitation - 1st Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported cohabiting with this husband before marriage (CB-6 LVTOGHX_1 = 1)
LENGTH	8
VARNUM	19

ENGAGHX_1: Distribution	Value	n
Engaged to be married	1	371
Not engaged but had definite plans to get married	3	616
Neither engaged nor had definite plans	5	665
Refused	8	1
Don't Know	9	3
Inapplicable	.	3930
		5586

CHEDMARN_1	
LABEL	CB-11 Highest Level of Education - 1st Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if this is R's 1st husband (marrcntr = 1) or R is currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 1 or 4)
LENGTH	8
VARNUM	20

CHEDMARN_1: Distribution	Value	n
Less than high school	1	205
High school graduate or GED	2	584
Some college but no degree	3	415
2-Year college degree (e.g., Associate's degree)	4	195
4-Year college graduate (e.g., BA, BS)	5	648
Graduate or professional school	6	502
Refused	8	6
Don't Know	9	8
Inapplicable	.	3023
		5586

Section C

MARBEFHX_1	
LABEL	CB-12 Was He Married Before? - 1st Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever been married to a man (fmarit = 1, 2, 3, or 4)
LENGTH	8
VARNUM	21

MARBEFHX_1: Distribution	Value	n
Yes	1	331
No	5	2215
Refused	8	8
Don't Know	9	9
Inapplicable	.	3023
		5586

KIDSHX_1	
LABEL	CB-13 Did He Have Kids From Prior Relationship? - 1st Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever been married to a man (fmarit = 1, 2, 3, or 4)
LENGTH	8
VARNUM	22

KIDSHX_1: Distribution	Value	n
Yes	1	341
No	5	2213
Refused	8	3
Don't Know	9	6
Inapplicable	.	3023
		5586

KIDLIVHX_1	
LABEL	CB-14 Any Kids From Prior Relationships Live With R & 1st Husband?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported this husband had any children from a previous relationship (CB-13 KIDSHX_1 = 1)
LENGTH	8
VARNUM	23

KIDLIVHX_1: Distribution	Value	n
Yes	1	114
No	5	227
Inapplicable	.	5245
		5586

BIOHUSBX_1	
LABEL	CB-15 Did R have bio kids with this husband? - 1st Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has had any live births and is not currently married for the first time with her first pregnancy ending within her current marriage (hasbabes = 1 and (CB-1 TIMESMAR NE 1, and rmarit NE 1 and cmfstprg < cmmarrch))
LENGTH	8
VARNUM	24

BIOHUSBX_1: Distribution	Value	n
Yes	1	674
No	5	185
Not ascertained	7	95
Refused	8	1
Don't know	9	1
Inapplicable	.	4630
		5586

Section C

BIONUMHX_1	
LABEL	CB-16 Number of bio kids with this husband - 1st Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported that she has biological children with this husband (CB-15 BIOHUSBX_1 = 1)
LENGTH	8
VARNUM	25

BIONUMHX_1: Distribution	Value	n
1	1	283
2	2	258
3	3	96
4	4	25
5	5	9
6	6	3
Not ascertained	97	95
Inapplicable	.	4817
		5586

MARENDHX_1	
LABEL	CB-17 How Marriage Ended - 1st Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 2 or 3)
NOTES	Use recode MAREND01.
LENGTH	8
VARNUM	26

MARENDHX_1: Distribution	Value	n
Death of husband	1	26
Divorce	2	609
Annulment	3	18
Refused	8	1
Don't Know	9	1
Inapplicable	.	4931
		5586

ENDMARRX_Y_1	
LABEL	CB-18y Year Marriage Ended - 1st Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 2 or 3)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	27

ENDMARRX_Y_1: Distribution	Value	n
1972-2023	1972-2023	644
Not ascertained	9997	2
Refused	9998	2
Don't know	9999	5
Inapplicable	.	4933
		5586

WNSTPHX_Y_1	
LABEL	CB-19y Year Stopped Living Together - 1st Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or widowed from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 3 or 4)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	28

Section C

WNSTPHX_Y_1: Distribution	Value	n
1972-2023	1972-2023	706
Not ascertained	9997	4
Refused	9998	3
Don't know	9999	5
Inapplicable	.	4868
		5586

WHMARHX_Y_2	
LABEL	CB-3y Year of marriage to 2nd husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least twice (CB-1 TIMESMAR >= 2)
NOTES	Use recode MARDAT02. The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	29

WHMARHX_Y_2: Distribution	Value	n
1972-2023	1972-2023	324
Refused	9998	1
Inapplicable	.	5261
		5586

HXAGEMAR_2	
LABEL	CB-5 Husband's Age At Marriage - 2nd Husband (categorical)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least twice (CB-1 TIMESMAR >= 2)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	30

HXAGEMAR_2: Distribution	Value	n
Under 20 years	1	2
20-24 years	2	23
25-29 years	3	55
30-34 years	4	70
35-39 years	5	70
40 years or older	6	94
Refused	98	2
Don't know	99	9
Inapplicable	.	5261
		5586

LVTOGHX_2	
LABEL	CB-6 Cohabited Before Marriage - 2nd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least twice (CB-1 TIMESMAR >= 2)
LENGTH	8
VARNUM	31

LVTOGHX_2: Distribution	Value	n
Yes	1	259
No	5	66
Inapplicable	.	5261
		5586

STRTOGHX_Y_2	
LABEL	CB-7y Year Began Premarital Cohabitation - 2nd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported cohabiting with this husband before marriage (CB-6 LVTOGHX_2 = 1)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	32

Section C

STRTOGHX_Y_2: Distribution	Value	n
1972-2023	1972-2023	258
Don't know	9999	1
Inapplicable	.	5327
		5586

ENGAGHX_2	
LABEL	CB-8 Engaged When R Began Premarital Cohabitation - 2nd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported cohabiting with this husband before marriage (CB-6 LVTOGHX_2 = 1)
LENGTH	8
VARNUM	33

ENGAGHX_2: Distribution	Value	n
Engaged to be married	1	52
Not engaged but had definite plans to get married	3	93
Neither engaged nor had definite plans	5	113
Don't Know	9	1
Inapplicable	.	5327
		5586

CHEDMARN_2	
LABEL	CB-11 Highest Level of Education - 2nd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 1 or 4)
LENGTH	8
VARNUM	34

CHEDMARN_2: Distribution	Value	n
Less than high school	1	15
High school graduate or GED	2	61
Some college but no degree	3	48
2-Year college degree (e.g., Associate's degree)	4	23
4-Year college graduate (e.g., BA, BS)	5	44
Graduate or professional school	6	30
Inapplicable	.	5365
		5586

MARBEFHX_2	
LABEL	CB-12 Was He Married Before? - 2nd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least twice (CB-1 TIMESMAR >= 2)
LENGTH	8
VARNUM	35

MARBEFHX_2: Distribution	Value	n
Yes	1	146
No	5	179
Inapplicable	.	5261
		5586

KIDSHX_2	
LABEL	CB-13 Did He Have Kids From Prior Relationship? - 2nd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least twice (CB-1 TIMESMAR >= 2)
LENGTH	8
VARNUM	36

KIDSHX_2: Distribution	Value	n
Yes	1	154
No	5	171
Inapplicable	.	5261
		5586

Section C

KIDLIVHX_2	
LABEL	CB-14 Any Kids From Prior Relationships Live With R & 2nd Husband?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported this husband had any children from a previous relationship (CB-13 KIDSHX_2 = 1)
LENGTH	8
VARNUM	37

KIDLIVHX_2: Distribution	Value	n
Yes	1	69
No	5	85
Inapplicable	.	5432
		5586

BIOHUSBX_2	
LABEL	CB-15 Did R have bio kids with this husband? - 2nd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has had any live births and is not currently married for the first time with her first pregnancy ending within her current marriage (hasbabes = 1 and (CB-1 TIMESMAR NE 1, and rmarit NE 1 and cmfstprg < cmmarrch))
LENGTH	8
VARNUM	38

BIOHUSBX_2: Distribution	Value	n
Yes	1	160
No	5	123
Inapplicable	.	5303
		5586

BIONUMHX_2	
LABEL	CB-16 Number of bio kids with this husband - 2nd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported that she has biological children with this husband (CB-15 BIOHUSBX_2 = 1)
LENGTH	8
VARNUM	39

BIONUMHX_2: Distribution	Value	n
1	1	80
2	2	56
3	3	20
4	4	2
5	5	2
Inapplicable	.	5426
		5586

MARENDHX_2	
LABEL	CB-17 How Marriage Ended - 2nd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 2 or 3)
NOTES	Use recode MAREND02.
LENGTH	8
VARNUM	40

MARENDHX_2: Distribution	Value	n
Death of husband	1	4
Divorce	2	93
Annulment	3	4
Refused	8	1
Inapplicable	.	5484
		5586

Section C

ENDMARRX_Y_2	
LABEL	CB-18y Year Marriage Ended - 2nd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 2 or 3)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	41

ENDMARRX_Y_2: Distribution	Value	n
1972-2023	1972-2023	100
Refused	9998	1
Inapplicable	.	5485
		5586

WNSTPHX_Y_2	
LABEL	CB-19y Year Stopped Living Together - 2nd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or widowed from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 3 or 4)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	42

WNSTPHX_Y_2: Distribution	Value	n
1972-2023	1972-2023	116
Refused	9998	3
Don't know	9999	2
Inapplicable	.	5465
		5586

WHMARHX_Y_3	
LABEL	CB-3y Year of marriage to 3rd husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 3 times (CB-1 TIMESMAR >= 3)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	43

WHMARHX_Y_3: Distribution	Value	n
1972-2023	1972-2023	51
Inapplicable	.	5535
		5586

HXAGEMAR_3	
LABEL	CB-5 Husband's Age At Marriage - 3rd Husband (categorical)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 3 times (CB-1 TIMESMAR >= 3)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	44

HXAGEMAR_3: Distribution	Value	n
20-24 years	2	4
25-29 years	3	3
30-34 years	4	8
35-39 years	5	9
40 years or older	6	27
Inapplicable	.	5535
		5586

Section C

LVTOGHX_3	
LABEL	CB-6 Cohabited Before Marriage - 3rd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 3 times (CB-1 TIMESMAR >= 3)
LENGTH	8
VARNUM	45

LVTOGHX_3: Distribution	Value	n
Yes	1	39
No	5	12
Inapplicable	.	5535
		5586

STRTOGHX_Y_3	
LABEL	CB-7y Year Began Premarital Cohabitation - 3rd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported cohabiting with this husband before marriage (CB-6 LVTOGHX_3 = 1)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	46

STRTOGHX_Y_3: Distribution	Value	n
1972-2023	1972-2023	39
Inapplicable	.	5547
		5586

ENGAGHX_3	
LABEL	CB-8 Engaged When R Began Premarital Cohabitation - 3rd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported cohabiting with this husband before marriage (CB-6 LVTOGHX_3 = 1)
LENGTH	8
VARNUM	47

ENGAGHX_3: Distribution	Value	n
Engaged to be married	1	7
Not engaged but had definite plans to get married	3	14
Neither engaged nor had definite plans	5	18
Inapplicable	.	5547
		5586

CHEDMARN_3	
LABEL	CB-11 Highest Level of Education - 3rd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 1 or 4)
LENGTH	8
VARNUM	48

CHEDMARN_3: Distribution	Value	n
Less than high school	1	1
High school graduate or GED	2	12
Some college but no degree	3	11
2-Year college degree (e.g., Associate's degree)	4	4
4-Year college graduate (e.g., BA, BS)	5	7
Graduate or professional school	6	5
Inapplicable	.	5546
		5586

MARBEFHX_3	
LABEL	CB-12 Was He Married Before? - 3rd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 3 times (CB-1 TIMESMAR >= 3)
LENGTH	8
VARNUM	49

Section C

MARBEFHX_3: Distribution	Value	n
Yes	1	31
No	5	20
Inapplicable	.	5535
		5586

KIDSHX_3	
LABEL	CB-13 Did He Have Kids From Prior Relationship? - 3rd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 3 times (CB-1 TIMESMAR >= 3)
LENGTH	8
VARNUM	50

KIDSHX_3: Distribution	Value	n
Yes	1	28
No	5	23
Inapplicable	.	5535
		5586

KIDLIVHX_3	
LABEL	CB-14 Any Kids From Prior Relationships Live With R & 3rd Husband?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported this husband had any children from a previous relationship (CB-13 KIDSHX_3 = 1)
LENGTH	8
VARNUM	51

KIDLIVHX_3: Distribution	Value	n
Yes	1	8
No	5	20
Inapplicable	.	5558
		5586

BIOHUSBX_3	
LABEL	CB-15 Did R have bio kids with this husband? - 3rd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has had any live births and is not currently married for the first time with her first pregnancy ending within her current marriage (hasbabes = 1 and (CB-1 TIMESMAR NE 1, and rmarit NE 1 and cmfstprg < cmmarrch))
LENGTH	8
VARNUM	52

BIOHUSBX_3: Distribution	Value	n
Yes	1	19
No	5	25
Inapplicable	.	5542
		5586

BIONUMHX_3	
LABEL	CB-16 Number of bio kids with this husband - 3rd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported that she has biological children with this husband (CB-15 BIOHUSBX_3 = 1)
LENGTH	8
VARNUM	53

BIONUMHX_3: Distribution	Value	n
1	1	15
2	2	3
3	3	1
Inapplicable	.	5567
		5586

Section C

MARENDHX_3	
LABEL	CB-17 How Marriage Ended - 3rd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 2 or 3)
LENGTH	8
VARNUM	54

MARENDHX_3: Distribution	Value	n
Death of husband	1	1
Divorce	2	9
Refused	8	1
Inapplicable	.	5575
		5586

ENDMARRX_Y_3	
LABEL	CB-18y Year Marriage Ended - 3rd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 2 or 3)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	55

ENDMARRX_Y_3: Distribution	Value	n
1972-2023	1972-2023	10
Inapplicable	.	5576
		5586

WNSTPHX_Y_3	
LABEL	CB-19y Year Stopped Living Together - 3rd Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or widowed from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 3 or 4)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	56

WNSTPHX_Y_3: Distribution	Value	n
1972-2023	1972-2023	12
Inapplicable	.	5574
		5586

WHMARHX_Y_4	
LABEL	CB-3y Year of marriage to 4th husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 4 times (CB-1 TIMESMAR >= 4)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	57

WHMARHX_Y_4: Distribution	Value	n
1972-2023	1972-2023	6
Inapplicable	.	5580
		5586

HXAGEMAR_4	
LABEL	CB-5 Husband's Age At Marriage - 4th Husband (categorical)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 4 times (CB-1 TIMESMAR >= 4)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	58

Section C

HXAGEMAR_4: Distribution	Value	n
25-29 years	3	2
30-34 years	4	2
35-39 years	5	1
40 years or older	6	1
Inapplicable	.	5580
		5586

LVTOGHX_4	
LABEL	CB-6 Cohabited Before Marriage - 4th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 4 times (CB-1 TIMESMAR >= 4)
LENGTH	8
VARNUM	59

LVTOGHX_4: Distribution	Value	n
Yes	1	5
No	5	1
Inapplicable	.	5580
		5586

STRTOGHX_Y_4	
LABEL	CB-7y Year Began Premarital Cohabitation - 4th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported cohabiting with this husband before marriage (CB-6 LVTOGHX_4 = 1)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	60

STRTOGHX_Y_4: Distribution	Value	n
1972-2023	1972-2023	5
Inapplicable	.	5581
		5586

ENGAGHX_4	
LABEL	CB-8 Engaged When R Began Premarital Cohabitation - 4th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported cohabiting with this husband before marriage (CB-6 LVTOGHX_4 = 1)
LENGTH	8
VARNUM	61

ENGAGHX_4: Distribution	Value	n
Engaged to be married	1	1
Not engaged but had definite plans to get married	3	2
Neither engaged nor had definite plans	5	2
Inapplicable	.	5581
		5586

CHEDMARN_4	
LABEL	CB-11 Highest Level of Education - 4th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 1 or 4)
LENGTH	8
VARNUM	62

CHEDMARN_4: Distribution	Value	n
High school graduate or GED	2	2
2-Year college degree (e.g., Associate's degree)	4	1
Inapplicable	.	5583
		5586

Section C

MARBEFHX_4	
LABEL	CB-12 Was He Married Before? - 4th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 4 times (CB-1 TIMESMAR >= 4)
LENGTH	8
VARNUM	63

MARBEFHX_4: Distribution	Value	n
Yes	1	1
No	5	5
Inapplicable	.	5580
		5586

KIDSHX_4	
LABEL	CB-13 Did He Have Kids From Prior Relationship? - 4th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 4 times (CB-1 TIMESMAR >= 4)
LENGTH	8
VARNUM	64

KIDSHX_4: Distribution	Value	n
Yes	1	2
No	5	4
Inapplicable	.	5580
		5586

KIDLIVHX_4	
LABEL	CB-14 Any Kids From Prior Relationships Live With R & 4th Husband?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported this husband had any children from a previous relationship (CB-13 KIDSHX_4 = 1)
LENGTH	8
VARNUM	65

KIDLIVHX_4: Distribution	Value	n
Yes	1	1
No	5	1
Inapplicable	.	5584
		5586

BIOHUSBX_4	
LABEL	CB-15 Did R have bio kids with this husband? - 4th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has had any live births and is not currently married for the first time with her first pregnancy ending within her current marriage (hasbabes = 1 and (CB-1 TIMESMAR NE 1, and rmarit NE 1 and cmfstprg < cmmarrch))
LENGTH	8
VARNUM	66

BIOHUSBX_4: Distribution	Value	n
Yes	1	3
No	5	3
Inapplicable	.	5580
		5586

BIONUMHX_4	
LABEL	CB-16 Number of bio kids with this husband - 4th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported that she has biological children with this husband (CB-15 BIOHUSBX_4 = 1)
LENGTH	8
VARNUM	67

BIONUMHX_4: Distribution	Value	n
1	1	3
Inapplicable	.	5583
		5586

Section C

MARENDHX_4	
LABEL	CB-17 How Marriage Ended - 4th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 2 or 3)
LENGTH	8
VARNUM	68

MARENDHX_4: Distribution	Value	n
Divorce	2	2
Refused	8	1
Inapplicable	.	5583
		5586

ENDMARRX_Y_4	
LABEL	CB-18y Year Marriage Ended - 4th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 2 or 3)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	69

ENDMARRX_Y_4: Distribution	Value	n
1972-2023	1972-2023	2
Inapplicable	.	5584
		5586

WNSTPHX_Y_4	
LABEL	CB-19y Year Stopped Living Together - 4th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or widowed from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 3 or 4)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	70

WNSTPHX_Y_4: Distribution	Value	n
1972-2023	1972-2023	4
Inapplicable	.	5582
		5586

WHMARHX_Y_5	
LABEL	CB-3y Year of marriage to 5th husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 5 times (CB-1 TIMESMAR >= 5)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	71

WHMARHX_Y_5: Distribution	Value	n
1972-2023	1972-2023	2
Inapplicable	.	5584
		5586

HXAGEMAR_5	
LABEL	CB-5 Husband's Age At Marriage - 5th Husband (categorical)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 5 times (CB-1 TIMESMAR >= 5)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	72

Section C

HXAGEMAR_5: Distribution	Value	n
35-39 years	5	1
40 years or older	6	1
Inapplicable	.	5584
		5586

LVTOGHX_5	
LABEL	CB-6 Cohabited Before Marriage - 5th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 5 times (CB-1 TIMESMAR >= 5)
LENGTH	8
VARNUM	73

LVTOGHX_5: Distribution	Value	n
Yes	1	2
Inapplicable	.	5584
		5586

STRTOGHX_Y_5	
LABEL	CB-7y Year Began Premarital Cohabitation - 5th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported cohabiting with this husband before marriage (CB-6 LVTOGHX_5 = 1)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	74

STRTOGHX_Y_5: Distribution	Value	n
1972-2023	1972-2023	2
Inapplicable	.	5584
		5586

ENGAGHX_5	
LABEL	CB-8 Engaged When R Began Premarital Cohabitation - 5th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported cohabiting with this husband before marriage (CB-6 LVTOGHX_5 = 1)
LENGTH	8
VARNUM	75

ENGAGHX_5: Distribution	Value	n
Not engaged but had definite plans to get married	3	1
Neither engaged nor had definite plans	5	1
Inapplicable	.	5584
		5586

CHEDMARN_5	
LABEL	CB-11 Highest Level of Education - 5th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 1 or 4)
LENGTH	8
VARNUM	76

CHEDMARN_5: Distribution	Value	n
High school graduate or GED	2	2
Inapplicable	.	5584
		5586

MARBEFHX_5	
LABEL	CB-12 Was He Married Before? - 5th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 5 times (CB-1 TIMESMAR >= 5)
LENGTH	8
VARNUM	77

Section C

MARBEFHX_5: Distribution	Value	n
Yes	1	1
No	5	1
Inapplicable	.	5584
		5586

KIDSHX_5	
LABEL	CB-13 Did He Have Kids From Prior Relationship? - 5th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has been married to a man at least 5 times (CB-1 TIMESMAR >= 5)
LENGTH	8
VARNUM	78

KIDSHX_5: Distribution	Value	n
Yes	1	2
Inapplicable	.	5584
		5586

KIDLIVHX_5	
LABEL	CB-14 Any Kids From Prior Relationships Live With R & 5th Husband?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported this husband had any children from a previous relationship (CB-13 KIDSHX_5 = 1)
LENGTH	8
VARNUM	79

KIDLIVHX_5: Distribution	Value	n
Yes	1	1
No	5	1
Inapplicable	.	5584
		5586

BIOHUSBX_5	
LABEL	CB-15 Did R have bio kids with this husband? - 5th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has had any live births and is not currently married for the first time with her first pregnancy ending within her current marriage (hasbabes = 1 and (CB-1 TIMESMAR NE 1, and rmarit NE 1 and cmfstprg < cmmarrch))
LENGTH	8
VARNUM	80

BIOHUSBX_5: Distribution	Value	n
No	5	2
Inapplicable	.	5584
		5586

BIONUMHX_5	
LABEL	CB-16 Number of bio kids with this husband - 5th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported that she has biological children with this husband (CB-15 BIOHUSBX_5 = 1)
LENGTH	8
VARNUM	81

BIONUMHX_5: Distribution	Value	n
Inapplicable	.	5586
		5586

MARENDHX_5	
LABEL	CB-17 How Marriage Ended - 5th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 2 or 3)
LENGTH	8
VARNUM	82

Section C

MARENDHX_5: Distribution	Value	n
Inapplicable	.	5586
		5586

ENDMARRX_Y_5	
LABEL	CB-18y Year Marriage Ended - 5th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or separated from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 2 or 3)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	83

ENDMARRX_Y_5: Distribution	Value	n
Inapplicable	.	5586
		5586

WNSTPHX_Y_5	
LABEL	CB-19y Year Stopped Living Together - 5th Husband
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married to or widowed from this husband (marrcntr = CB-1 TIMESMAR and fmarit = 3 or 4)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	84

WNSTPHX_Y_5: Distribution	Value	n
1972-2023	1972-2023	1
Inapplicable	.	5585
		5586

CMMARRCH	
LABEL	Year of R's marriage to current husband (computed in FC C-7a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is currently married to a man (rmarit = 1)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	85

CMMARRCH: Distribution	Value	n
1972-2023	1972-2023	2053
Not ascertained	9997	5
Refused	9998	5
Don't know	9999	1
Inapplicable	.	3522
		5586

PREVHUSB	
LABEL	Number of former husbands (including separated) (computed in FC C-22)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R has ever been married to a man (fmarit = 1, 2, 3, or 4)
LENGTH	8
VARNUM	86

PREVHUSB: Distribution	Value	n
0	0	4847
1	1	614
2	2	112
3	3	9
4	4	3
5	5	1
		5586

Section C

WNSTRTCP_Y	
LABEL	CC-2y Year Began Cohabitation - Current Male Cohabiting Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently cohabiting with a male partner (rmarit = 2)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	87

WNSTRTCP_Y: Distribution	Value	n
1972-2023	1972-2023	625
Refused	9998	2
Inapplicable	.	4959
		5586

CPHERAGE	
LABEL	CC-3 R's Age When Began Cohabiting w/ Current Male Cohabiting Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently cohabiting with a male partner (rmarit = 2)
NOTES	This age was originally asked only as follow-up for those who did not report a specific mo/yr, however for user convenience has been redefined in post-processing for all applicable cases.
LENGTH	8
VARNUM	88

CPHERAGE: Distribution	Value	n
Under 20 years	0-19	73
20-24 years	20-24	193
25-29 years	25-29	165
30-34 years	30-34	89
35-39 years	35-39	57
40-49 years	40-49	46
Refused	98	3
Don't Know	99	1
Inapplicable	.	4959
		5586

CPHISAGE	
LABEL	CC-4 Partner's Age When Began Cohabiting - Current Male Cohabiting Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently cohabiting with a male partner (rmarit = 2)
LENGTH	8
VARNUM	89

CPHISAGE: Distribution	Value	n
Under 25 years	10-24	207
25-49 years	25-49	392
50 years or older	50-95	16
Refused	98	5
Don't Know	99	7
Inapplicable	.	4959
		5586

CPENGAG1	
LABEL	CC-5 Engaged When Began Cohabiting - Current Male Cohabiting Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently cohabiting with a male partner (rmarit = 2)
LENGTH	8
VARNUM	90

CPENGAG1: Distribution	Value	n
Engaged to be married	1	61
Not engaged but had definite plans to get married	3	219
Neither engaged nor had definite plans	5	343
Refused	8	2
Don't Know	9	2

Section C

CPENGAG1: Distribution	Value	n
Inapplicable	.	4959
		5586

WILLMARR	
LABEL	CC-6 Does R think she will marry current male cohabiting partner?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently cohabiting with a male partner (rmarit = 2)
LENGTH	8
VARNUM	91

WILLMARR: Distribution	Value	n
Definitely yes	1	280
Probably yes	2	213
Probably no	3	85
Definitely no	4	38
Refused	8	1
Don't Know	9	10
Inapplicable	.	4959
		5586

CPEDUC	
LABEL	CC-9 Level of Education - Current Male Cohabiting Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently cohabiting with a male partner (rmarit = 2)
LENGTH	8
VARNUM	92

CPEDUC: Distribution	Value	n
Less than high school	1	86
High school graduate or GED	2	226
Some college but no degree	3	106
2-Year college degree (e.g., Associate's degree)	4	40
4-Year college graduate (e.g., BA, BS)	5	108
Graduate or professional school	6	58
Don't Know	9	3
Inapplicable	.	4959
		5586

CPMARBEF	
LABEL	CC-10 Was He Married Before? - Current Male Cohabiting Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently cohabiting with a male partner (rmarit = 2)
LENGTH	8
VARNUM	93

CPMARBEF: Distribution	Value	n
Yes	1	118
No	5	505
Refused	8	2
Don't Know	9	2
Inapplicable	.	4959
		5586

CPKIDS	
LABEL	CC-11 Did He Have Kids from Prior Relationships? - Current Male Cohabiting Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently cohabiting with a male partner (rmarit = 2)
LENGTH	8
VARNUM	94

CPKIDS: Distribution	Value	n
Yes	1	164
No	5	459
Refused	8	2
Don't Know	9	2

Section C

CPKIDS: Distribution	Value	n
Inapplicable	.	4959
		5586

CPKIDLIV	
LABEL	CC-12 Kids From Prior Relationships Live w/ R & Current Male Cohabiting Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported that her current male cohabiting partner had any children from a previous relationship (CC-11 CPKIDS = 1)
LENGTH	8
VARNUM	95

CPKIDLIV: Distribution	Value	n
Yes	1	56
No	5	108
Inapplicable	.	5422
		5586

BIOCP	
LABEL	CC-13 Does R have bio kids with current male cohabing partner?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently cohabiting with a male partner (rmarit = 2) and has had any live births (hasbabes= 1).
LENGTH	8
VARNUM	96

BIOCP: Distribution	Value	n
Yes	1	195
No	5	111
Don't Know	9	1
Inapplicable	.	5279
		5586

BIONUMCP	
LABEL	CC-14 Number of bio kids with current male cohabiting partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported that she has biological children with current male cohabiting partner (CC-13 BIOCP = 1)
LENGTH	8
VARNUM	97

BIONUMCP: Distribution	Value	n
1	1	116
2	2	51
3	3	17
4	4	8
5	5	2
6	6	1
.	.	5391
		5586

LIVEOTH	
LABEL	CD-1 Ever Cohabited With Any (Other) Man
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently cohabiting with or married to a woman (ssmarcoh NE 1 or 2), or if currently cohabiting or married to a woman, has ever lived with a male sexual partner (AH-2 EVCOHABB = 1)
LENGTH	8
VARNUM	98

LIVEOTH: Distribution	Value	n
Yes	1	1148
No	5	4349
Refused	8	20
Inapplicable	.	69
		5586

Section C

EVRCOHAB	
LABEL	Whether R Has Ever Cohabited with a Non-Marital Male Partner (computed in FC C-31)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	99

EVRCOHAB: Distribution	Value	n
Yes	1	2898
No	5	2688
		5586

PREVCOHB	
LABEL	Number of former male cohabiting partners (computed in FC C-34) (top-coded)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	100

PREVCOHB: Distribution	Value	n
0	0	4438
1	1	729
2	2	276
3	3	83
4 or more	4	42
Refused	98	14
Don't know	99	4
		5586

STRTOTH1_Y	
LABEL	CD-4y Year Began Cohabition - 1st Male Former Cohab Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported 1 or more former male cohabiting partners (prevcohb > 0)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	101

STRTOTH1_Y: Distribution	Value	n
1972-2023	1972-2023	1121
Refused	9998	1
Don't know	9999	8
Inapplicable	.	4456
		5586

HERAGEC1	
LABEL	CD-5 R's Age When Began Cohabiting With 1st Male Former Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported 1 or more former male cohabiting partners (prevcohb > 0)
NOTES	This age was originally asked only as follow-up for those who did not report a specific mo/yr, however for user convenience has been redefined in post-processing for all applicable cases.
LENGTH	8
VARNUM	102

HERAGEC1: Distribution	Value	n
Under 20 years	0-19	384
20-24 years	20-24	445
25-29 years	25-29	181
30-34 years	30-34	77
35-39 years	35-39	30
40-49 years	40-49	12
Don't Know	99	1
Inapplicable	.	4456
		5586

Section C

HISAGEC1	
LABEL	CD-6 Partner's Age When Began Cohabiting - 1st Male Former Cohab Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported 1 or more former male cohabiting partners (prevcohb > 0)
LENGTH	8
VARNUM	103

HISAGEC1: Distribution	Value	n
Under 25 years	10-24	603
25-49 years	25-49	482
50 years or older	50-95	11
Refused	98	5
Don't Know	99	29
Inapplicable	.	4456
		5586

ENGAG1C1	
LABEL	CD-7 Engaged When Began Cohabiting - 1st Male Former Cohab Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported 1 or more former male cohabiting partners (prevcohb > 0)
LENGTH	8
VARNUM	104

ENGAG1C1: Distribution	Value	n
Engaged to be married	1	79
Not engaged but had definite plans to get married	3	210
Neither engaged nor had definite plans	5	839
Refused	8	1
Don't Know	9	1
Inapplicable	.	4456
		5586

MAREVC1	
LABEL	CD-8 Was He Married Before? - 1st Male Former Cohab Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported 1 or more former male cohabiting partners (prevcohb > 0)
LENGTH	8
VARNUM	105

MAREVC1: Distribution	Value	n
Yes	1	138
No	5	990
Refused	8	1
Don't know	9	1
Inapplicable	.	4456
		5586

C1KIDS	
LABEL	CD-9 Did He Have Kids From Prior Relationships? - 1st Male Former Cohab Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported 1 or more former male cohabiting partners (prevcohb > 0)
LENGTH	8
VARNUM	106

C1KIDS: Distribution	Value	n
Yes	1	265
No	5	863
Don't know	9	2
Inapplicable	.	4456
		5586

Section C

BIOFCP1	
LABEL	CD-10 Did R have bio kids with 1st male former cohab partner?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported 1 or more former male cohabiting partners (prevcohb > 0) and has had any live births (hasbabes= 1).
LENGTH	8
VARNUM	107

BIOFCP1: Distribution	Value	n
Yes	1	330
No	5	376
Inapplicable	.	4880
		5586

BIONUMC1	
LABEL	CD-11 Number of bio kids with 1st male former cohab partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported that she has biological children with 1st former cohabiting partner (CD-10 BIOFCP1 = 1)
LENGTH	8
VARNUM	108

BIONUMC1: Distribution	Value	n
1	1	197
2	2	95
3	3	26
4	4	8
5	5	2
8	8	1
Refused	98	1
Inapplicable	.	5256
		5586

STPTOGC1_Y	
LABEL	CD-12y Year Stopped Cohabition - 1st Male Former Cohab Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported 1 or more former male cohabiting partners (prevcohb > 0)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	109

STPTOGC1_Y: Distribution	Value	n
1972-2023	1972-2023	1116
Refused	9998	7
Don't know	9999	7
Inapplicable	.	4456
		5586

EVERSEX	
LABEL	CE-1 Ever Had Sex With a Male
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has never been married, never cohabited, and never been pregnant (fmarit = 5 or 0 and evrcohab = 5 and everpreg = 5)
LENGTH	8
VARNUM	110

EVERSEX: Distribution	Value	n
Yes	1	659
No	5	901
Not ascertained	7	32
Refused	8	34
Don't know	9	1
Inapplicable	.	3959
		5586

Section C

RHADSEX	
LABEL	Whether R has ever had sex (vaginal intercourse) with a male (computed in FC C-42)
VARIABLE TYPE	computed
NOTES	Use recode HADSEX
LENGTH	8
VARNUM	111

RHADSEX: Distribution	Value	n
Yes	1	4554
No	5	1032
		5586

YNOSEX	
LABEL	CE-2 Main Reason R Has Not Had Sex With a Man
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has never had sex with a man (rhadsex = 5)
LENGTH	8
VARNUM	112

YNOSEX: Distribution	Value	n
Against religion or morals	1	211
Dont want to get pregnant	2	108
Dont want to get a sexually transmitted disease	3	25
Havent found the right person yet	4	259
In a relationship, but waiting for the right time	5	43
Other	6	288
Refused	8	23
Don't Know	9	5
Inapplicable	.	4624
		5586

GRFSTSX	
LABEL	CE-8 Grade R Was in at First Sexual Intercourse (bottom-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported her age at 1st sex was before age 18 or did not report age at first sex (FSEXAGE LE 17 or DK/RF)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	113

GRFSTSX: Distribution	Value	n
6th grade or less	6	61
7th grade	7	85
8th grade	8	177
9th grade	9	484
10th grade	10	629
11th grade	11	540
12th grade	12	303
1st year in college	13	62
2nd year in college	14	5
3rd year in college	15	2
4th year in college	16	3
Not in school	96	132
Refused	98	14
Don't know	99	16
Inapplicable	.	3073
		5586

TALKPAR1	
LABEL	CF-1 Sex Ed Topics R Has Discussed with Parents -1st Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was less than 25 years of age at time of screener (agescrn LE 24)
LENGTH	8
VARNUM	114

Section C

TALKPAR1: Distribution	Value	n
How to say no to sex	1	522
Methods of birth control	2	216
Where to get birth control	3	21
Sexually transmitted diseases	4	49
How to prevent HIV/AIDS	5	24
How to use a condom	6	34
Waiting until marriage to have sex	7	165
None	95	291
Refused	98	8
Don't Know	99	6
Inapplicable	.	4250
		5586

TALKPAR2	
LABEL	CF-1 Sex Ed Topics R Has Discussed with Parents -2nd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 sex education topic discussed with parents (see CF-1 TALKPAR1)
LENGTH	8
VARNUM	115

TALKPAR2: Distribution	Value	n
How to say no to sex	1	64
Methods of birth control	2	404
Where to get birth control	3	117
Sexually transmitted diseases	4	112
How to prevent HIV/AIDS	5	42
How to use a condom	6	51
Waiting until marriage to have sex	7	58
Inapplicable	.	4738
		5586

TALKPAR3	
LABEL	CF-1 Sex Ed Topics R Has Discussed with Parents -3rd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 sex education topics discussed with parents (see CF-1 TALKPAR1)
LENGTH	8
VARNUM	116

TALKPAR3: Distribution	Value	n
How to say no to sex	1	35
Methods of birth control	2	46
Where to get birth control	3	321
Sexually transmitted diseases	4	166
How to prevent HIV/AIDS	5	59
How to use a condom	6	34
Waiting until marriage to have sex	7	64
Inapplicable	.	4861
		5586

TALKPAR4	
LABEL	CF-1 Sex Ed Topics R Has Discussed with Parents -4th Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 3 sex education topics discussed with parents (see CF-1 TALKPAR1)
LENGTH	8
VARNUM	117

TALKPAR4: Distribution	Value	n
How to say no to sex	1	22
Methods of birth control	2	25
Where to get birth control	3	38
Sexually transmitted diseases	4	333
How to prevent HIV/AIDS	5	86

TALKPAR4: Distribution	Value	n
How to use a condom	6	48
Waiting until marriage to have sex	7	34
Inapplicable	.	5000
		5586

TALKPAR5	
LABEL	CF-1 Sex Ed Topics R Has Discussed with Parents -5th Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 4 sex education topics discussed with parents (see CF-1 TALKPAR1)
LENGTH	8
VARNUM	118

TALKPAR5: Distribution	Value	n
How to say no to sex	1	19
Methods of birth control	2	18
Where to get birth control	3	27
Sexually transmitted diseases	4	21
How to prevent HIV/AIDS	5	275
How to use a condom	6	70
Waiting until marriage to have sex	7	46
Inapplicable	.	5110
		5586

TALKPAR6	
LABEL	CF-1 Sex Ed Topics R Has Discussed with Parents -6th Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 5 sex education topics discussed with parents (see CF-1 TALKPAR1)
LENGTH	8
VARNUM	119

TALKPAR6: Distribution	Value	n
How to say no to sex	1	25
Methods of birth control	2	19
Where to get birth control	3	12
Sexually transmitted diseases	4	7
How to prevent HIV/AIDS	5	25
How to use a condom	6	222
Waiting until marriage to have sex	7	53
Inapplicable	.	5223
		5586

TALKPAR7	
LABEL	CF-1 Sex Ed Topics R Has Discussed with Parents -7th Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 6 sex education topics discussed with parents (see CF-1 TALKPAR1)
LENGTH	8
VARNUM	120

TALKPAR7: Distribution	Value	n
How to say no to sex	1	24
Methods of birth control	2	2
Where to get birth control	3	8
Sexually transmitted diseases	4	4
How to prevent HIV/AIDS	5	4
How to use a condom	6	9
Waiting until marriage to have sex	7	158
Inapplicable	.	5377
		5586

Section C

SEDNO	
LABEL	CF-2 Formal Sex Ed Before 18: How to Say No to Sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was less than 25 years of age at time of screener (agescrn LE 24)
LENGTH	8
VARNUM	121

SEDNO: Distribution	Value	n
Yes	1	969
No	5	354
Refused	8	6
Don't know	9	7
Inapplicable	.	4250
		5586

SEDNOLC1	
LABEL	CF-2a Place where received instructions on how to say no to sex-1st Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on how to say no to sex (CF-2 SEDNO = 1)
LENGTH	8
VARNUM	122

SEDNOLC1: Distribution	Value	n
School	1	887
Church	2	36
A community center	3	4
Some other place	4	41
Don't Know	9	1
Inapplicable	.	4617
		5586

SEDNOLC2	
LABEL	CF-2a Place where received instructions on how to say no to sex-2nd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on how to say no to sex in at least two places (see CF-2a SEDNOLC1)
LENGTH	8
VARNUM	123

SEDNOLC2: Distribution	Value	n
School	1	17
Church	2	75
A community center	3	8
Some other place	4	49
Inapplicable	.	5437
		5586

SEDNOLC3	
LABEL	CF-2a Place where received instructions on how to say no to sex-3rd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on how to say no to sex in at least three places (see CF-2a SEDNOLC1)
LENGTH	8
VARNUM	124

SEDNOLC3: Distribution	Value	n
School	1	1
Church	2	2
A community center	3	8
Some other place	4	7
Inapplicable	.	5568
		5586

Section C

SEDNOLC4	
LABEL	CF-2a Place where received instructions on how to say no to sex-4th Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on how to say no to sex in four places (see CF-2a SEDNOLC1)
LENGTH	8
VARNUM	125

SEDNOLC4: Distribution	Value	n
A community center	3	1
Some other place	4	2
Inapplicable	.	5583
		5586

SEDNOG	
LABEL	CF-3 Grade R Received Sex Ed on How to Say No to Sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving instruction about how to say no to sex (CF-2 SEDNO = 1)
LENGTH	8
VARNUM	126

SEDNOG: Distribution	Value	n
1st grade	1	2
2nd grade	2	1
3rd grade	3	6
4th grade	4	29
5th grade	5	126
6th grade	6	192
7th grade	7	151
8th grade	8	157
9th grade	9	165
10th grade	10	76
11th grade	11	19
12th grade	12	7
1st year of college	13	7
Not in school when received instruction	96	21
Don't Know	99	10
Inapplicable	.	4617
		5586

SEDNOSX	
LABEL	CF-4 Recd Sex Ed on How to Say No to Sex Before/After 1st Sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has had sex with a man (rhadsex = 1) and it is not apparent whether instruction on this topic came before or after R first had sex with a man ((CE-8 GRFSTSX NE 96 or DK or RF or blank and CE-8 GRFSTSX = CF-3 SEDNOG) or (CE-8 GRFSTSX = DK/RF/96 or CF-3 SEDNOG = DK/RF/96))
LENGTH	8
VARNUM	127

SEDNOSX: Distribution	Value	n
Before	1	29
After	2	8
Don't Know	9	2
Inapplicable	.	5547
		5586

SEDBC	
LABEL	CF-5 Formal Sex Ed Before 18: Methods of Birth Control
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was less than 25 years of age at time of screener (agescrn LE 24)
LENGTH	8
VARNUM	128

Section C

SEDBC: Distribution	Value	n
Yes	1	834
No	5	490
Refused	8	3
Don't know	9	9
Inapplicable	.	4250
		5586

SEDBCLC1	
LABEL	CF-5a Place where received instruction about methods of birth control-1st Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on methods of birth control (CF-5 SEDBC=1)
LENGTH	8
VARNUM	129

SEDBCLC1: Distribution	Value	n
School	1	731
Church	2	8
A community center	3	14
Some other place	4	81
Inapplicable	.	4752
		5586

SEDBCLC2	
LABEL	CF-5a Place where received instruction about methods of birth control-2nd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction about methods of birth control in at least 2 places (see CF-5a SEDBCLC1)
LENGTH	8
VARNUM	130

SEDBCLC2: Distribution	Value	n
School	1	14
Church	2	11
A community center	3	10
Some other place	4	54
Inapplicable	.	5497
		5586

SEDBCLC3	
LABEL	CF-5a Place where received instruction about methods of birth control-3rd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction about methods of birth control in at least 3 places (see CF-5a SEDBCLC1)
LENGTH	8
VARNUM	131

SEDBCLC3: Distribution	Value	n
A community center	3	3
Some other place	4	4
Inapplicable	.	5579
		5586

SEDBCLC4	
LABEL	CF-5a Place where received instruction about methods of birth control-4th Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction about methods of birth control in 4 places (see CF-5a SEDBCLC1)
LENGTH	8
VARNUM	132

SEDBCLC4: Distribution	Value	n
Inapplicable	.	5586
		5586

Section C

SEDBCG	
LABEL	CF-6 Rs Grade When Received Instruction on Birth Control
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving instruction about methods of birth control (CF-5 SEDBC = 1)
LENGTH	8
VARNUM	133

SEDBCG: Distribution	Value	n
3rd grade	3	2
4th grade	4	11
5th grade	5	55
6th grade	6	113
7th grade	7	131
8th grade	8	146
9th grade	9	210
10th grade	10	101
11th grade	11	32
12th grade	12	11
1st year of college	13	5
2nd year of college	14	1
Not in school when received instruction	96	12
Don't Know	99	4
Inapplicable	.	4752
		5586

SEDBCSX	
LABEL	CF-7 Recd Sex Ed on Birth Control Methods Before/After 1st Sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has had sex with a man (rhadsex = 1) and it is not apparent whether instruction on this topic came before or after R first had sex with a man ((CE-8 GRFSTSX NE 96 or DK or RF or blank and CE-8 GRFSTSX = CF-6 SEDBCG) or (CE-8 GRFSTSX = DK/RF/96 or CF-6 SEDBCG = DK/RF/96))
LENGTH	8
VARNUM	134

SEDBCSX: Distribution	Value	n
Before	1	38
After	2	20
Inapplicable	.	5528
		5586

SEDWHBC	
LABEL	CF-8 Formal Sex Ed Before 18: Where to Get Birth Control
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was less than 25 years of age at time of screener (agescrn LE 24)
LENGTH	8
VARNUM	135

SEDWHBC: Distribution	Value	n
Yes	1	623
No	5	701
Refused	8	3
Don't know	9	9
Inapplicable	.	4250
		5586

SEDWHLC1	
LABEL	CF-8a Place where received instructions on Where to Get Birth Control-1st Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on where to get birth control (CF-8 SEDWHBC = 1)
LENGTH	8
VARNUM	136

Section C

SEDWHLC1: Distribution	Value	n
School	1	507
Church	2	7
A community center	3	16
Some other place	4	93
Inapplicable	.	4963
		5586

SEDWHLC2	
LABEL	CF-8a Place where received instructions on Where to Get Birth Control-2nd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on where to get birth control in at least two places (see CF-8a SEDWHLC1)
LENGTH	8
VARNUM	137

SEDWHLC2: Distribution	Value	n
School	1	13
Church	2	4
A community center	3	9
Some other place	4	47
Inapplicable	.	5513
		5586

SEDWHLC3	
LABEL	CF-8a Place where received instructions on Where to Get Birth Control-3rd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on where to get birth control in at least three places (see CF-8a SEDWHLC1)
LENGTH	8
VARNUM	138

SEDWHLC3: Distribution	Value	n
A community center	3	4
Some other place	4	2
Inapplicable	.	5580
		5586

SEDWHLC4	
LABEL	CF-8a Place where received instructions on Where to Get Birth Control-4th Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on where to get birth control in four places (see CF-8a SEDWHLC1)
LENGTH	8
VARNUM	139

SEDWHLC4: Distribution	Value	n
Some other place	4	1
Inapplicable	.	5585
		5586

SEDWHBCG	
LABEL	CF-9 Rs Grade When Received Instruction on Where to Get Birth Control
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving instruction about where to get birth control (CF-8 SEDWHBC = 1)
LENGTH	8
VARNUM	140

SEDWHBCG: Distribution	Value	n
3rd grade	3	1
4th grade	4	4
5th grade	5	28
6th grade	6	78
7th grade	7	89
8th grade	8	104
9th grade	9	169

Section C

SEDWHBCG: Distribution	Value	n
10th grade	10	92
11th grade	11	28
12th grade	12	8
1st year of college	13	3
2nd year of college	14	1
Not in school when received instruction	96	16
Don't Know	99	2
Inapplicable	.	4963
		5586

SEDWBCSX	
LABEL	CF-10 R recd Instruction-Where to Get Birth Control before/after 1st sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has had sex with a man (rhadsex = 1) and it is not apparent whether instruction on this topic came before or after R first had sex with a man ((CE-8 GRFSTSX NE 96 or DK or RF or blank and CE-8 GRFSTSX = CF-9 SEDWHBCG) or (CE-8 GRFSTSX = DK/RF/96 or CF-9 SEDWHBCG= DK/RF/96))
LENGTH	8
VARNUM	141

SEDWBCSX: Distribution	Value	n
Before	1	28
After	2	12
Don't Know	9	1
Inapplicable	.	5545
		5586

SEDCOND	
LABEL	CF-11 Formal Sex Ed Before 18: How to Use a Condom
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was less than 25 years of age at time of screener (agescrn LE 24)
LENGTH	8
VARNUM	142

SEDCOND: Distribution	Value	n
Yes	1	705
No	5	619
Refused	8	6
Don't know	9	6
Inapplicable	.	4250
		5586

SEDCONLC1	
LABEL	CF-11a Place where received instructions on How to Use a Condom-1st Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on how to use a condom (CF-11 SEDCOND = 1)
LENGTH	8
VARNUM	143

SEDCONLC1: Distribution	Value	n
School	1	641
Church	2	3
A community center	3	10
Some other place	4	49
Don't Know	9	2
Inapplicable	.	4881
		5586

SEDCONLC2	
LABEL	CF-11a Place where received instructions on How to Use a Condom-2nd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on how to use a condom in at least two places (see CF-11a SEDCONLC1)
LENGTH	8
VARNUM	144

Section C

SEDCONLC2: Distribution	Value	n
School	1	5
Church	2	6
A community center	3	6
Some other place	4	37
Inapplicable	.	5532
		5586

SEDCONLC3	
LABEL	CF-11a Place where received instructions on How to Use a Condom-3rd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on how to use a condom in at least three places (see CF-11a SEDCONLC1)
LENGTH	8
VARNUM	145

SEDCONLC3: Distribution	Value	n
A community center	3	2
Some other place	4	3
Inapplicable	.	5581
		5586

SEDCONLC4	
LABEL	CF-11a Place where received instructions on How to Use a Condom-4th Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on how to use a condom in four places (see CF-11a SEDCONLC1)
LENGTH	8
VARNUM	146

SEDCONLC4: Distribution	Value	n
Some other place	4	1
Inapplicable	.	5585
		5586

SEDCONDG	
LABEL	CF-12 Rs Grade When Received Instruction on How to Use a Condom
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving instruction on how to use a condom (CF-11 SEDCOND= 1)
LENGTH	8
VARNUM	147

SEDCONDG: Distribution	Value	n
3rd grade	3	1
4th grade	4	5
5th grade	5	38
6th grade	6	95
7th grade	7	115
8th grade	8	125
9th grade	9	193
10th grade	10	84
11th grade	11	28
12th grade	12	5
1st year of college	13	2
2nd year of college	14	1
Not in school when received instruction	96	10
Don't Know	99	3
Inapplicable	.	4881
		5586

Section C

SEDCONSX	
LABEL	CF-13 R recd Instruction-How to Use a Condom before/after 1st sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has had sex with a man (rhadsex = 1) and it is not apparent whether instruction on this topic came before or after R first had sex with a man ((CE-8 GRFSTSX NE 96 or DK or RF or blank and CE-8 GRFSTSX = CF-12 SEDCONDG) or (CE-8 GRFSTSX = DK/RF/96 or CF-12 SEDCONDG = DK/RF/96))
LENGTH	8
VARNUM	148

SEDCONSX: Distribution	Value	n
Before	1	46
After	2	10
Inapplicable	.	5530
		5586

SEDSTD	
LABEL	CF-14 Formal Sex Ed Before 18: STDs
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was less than 25 years of age at time of screener (agescrn LE 24)
LENGTH	8
VARNUM	149

SEDSTD: Distribution	Value	n
Yes	1	1090
No	5	235
Refused	8	4
Don't know	9	7
Inapplicable	.	4250
		5586

SEDSTDLC1	
LABEL	CF-14a Place where received instructions on STDs-1st Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on sexually transmitted diseases (CF-14 SEDSTD = 1)
LENGTH	8
VARNUM	150

SEDSTDLC1: Distribution	Value	n
School	1	1029
Church	2	6
A community center	3	11
Some other place	4	44
Inapplicable	.	4496
		5586

SEDSTDLC2	
LABEL	CF-14a Place where received instructions on STDs-2nd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on sexually transmitted diseases in at least two places (see CF-14a SEDSTDLC1)
LENGTH	8
VARNUM	151

SEDSTDLC2: Distribution	Value	n
School	1	14
Church	2	14
A community center	3	10
Some other place	4	57
Inapplicable	.	5491
		5586

Section C

SEDSTDLC3	
LABEL	CF-14a Place where received instructions on STDs-3rd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on sexually transmitted diseases in at least three places (see CF-14a SEDSTDLC1)
LENGTH	8
VARNUM	152

SEDSTDLC3: Distribution	Value	n
A community center	3	3
Some other place	4	3
Inapplicable	.	5580
		5586

SEDSTDLC4	
LABEL	CF-14a Place where received instructions on STDs-4th Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on sexually transmitted diseases in four places (see CF-14a SEDSTDLC1)
LENGTH	8
VARNUM	153

SEDSTDLC4: Distribution	Value	n
A community center	3	1
Some other place	4	2
Inapplicable	.	5583
		5586

SEDSTDG	
LABEL	CF-15 Rs Grade When Received Instruction on STDs
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving instruction about sexually transmitted diseases (CF-14 SEDSTD = 1)
LENGTH	8
VARNUM	154

SEDSTDG: Distribution	Value	n
3rd grade	3	3
4th grade	4	10
5th grade	5	60
6th grade	6	170
7th grade	7	196
8th grade	8	183
9th grade	9	285
10th grade	10	119
11th grade	11	38
12th grade	12	11
1st year of college	13	3
2nd year of college	14	1
Not in school when received instruction	96	8
Don't Know	99	3
Inapplicable	.	4496
		5586

SEDSTDSX	
LABEL	CF-16 Recd Sex Ed on STDs Before/After 1st Sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has had sex with a man (rhadsex = 1) and it is not apparent whether instruction on this topic came before or after R first had sex with a man ((CE-8 GRFSTSX NE 96 or DK or RF or blank and CE-8 GRFSTSX = CF-15 SEDSTDG) or (CE-8 GRFSTSX = DK/RF/96 or CF-15 SEDSTDG = DK/RF/96))
LENGTH	8
VARNUM	155

Section C

SEDSTDSX: Distribution	Value	n
Before	1	43
After	2	12
Don't Know	9	1
Inapplicable	.	5530
		5586

SEDHIV	
LABEL	CF-17 Formal Sex Ed Before 18: preventing HIV/AIDS
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was less than 25 years of age at time of screener (agescrn LE 24)
LENGTH	8
VARNUM	156

SEDHIV: Distribution	Value	n
Yes	1	924
No	5	401
Refused	8	4
Don't know	9	7
Inapplicable	.	4250
		5586

SEDHIVLC1	
LABEL	CF-17a Place where received instructions on how to prevent HIV/AIDS-1st Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on how to prevent HIV/AIDS (CF-17 SEDHIV = 1)
LENGTH	8
VARNUM	157

SEDHIVLC1: Distribution	Value	n
School	1	869
Church	2	6
A community center	3	6
Some other place	4	43
Inapplicable	.	4662
		5586

SEDHIVLC2	
LABEL	CF-17a Place where received instructions on how to prevent HIV/AIDS-2nd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on how to prevent HIV/AIDS in at least two places (see CF-17a SEDHIVLC1)
LENGTH	8
VARNUM	158

SEDHIVLC2: Distribution	Value	n
School	1	4
Church	2	13
A community center	3	10
Some other place	4	54
Inapplicable	.	5505
		5586

SEDHIVLC3	
LABEL	CF-17a Place where received instructions on how to prevent HIV/AIDS-3rd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on how to prevent HIV/AIDS in at least three places (see CF-17a SEDHIVLC1)
LENGTH	8
VARNUM	159

SEDHIVLC3: Distribution	Value	n
School	1	1
A community center	3	4
Some other place	4	2

SEDHIVLC3: Distribution	Value	n
Inapplicable	.	5579
		5586

SEDHIVLC4	
LABEL	CF-17a Place where received instructions on how to prevent HIV/AIDS-4th Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on how to prevent HIV/AIDS in four places (see CF-17a SEDHIVLC1)
LENGTH	8
VARNUM	160

SEDHIVLC4: Distribution	Value	n
School	1	1
Some other place	4	1
Inapplicable	.	5584
		5586

SEDHIVG	
LABEL	CF-18 Rs Grade When Received Instruction on preventing HIV/AIDS
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving instruction about preventing HIV/AIDS (CF-17 SEDHIV = 1)
LENGTH	8
VARNUM	161

SEDHIVG: Distribution	Value	n
1st grade	1	1
2nd grade	2	1
3rd grade	3	2
4th grade	4	8
5th grade	5	45
6th grade	6	140
7th grade	7	145
8th grade	8	157
9th grade	9	254
10th grade	10	106
11th grade	11	38
12th grade	12	7
1st year of college	13	6
Not in school when received instruction	96	7
Don't Know	99	7
Inapplicable	.	4662
		5586

SEDHIVSX	
LABEL	CF-19 Recd Sex Ed on preventing HIV/AIDS Before/After 1st Sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has had sex with a man (rhadsex = 1) and it is not apparent whether instruction on this topic came before or after R first had sex with a man ((CE-8 GRFSTSX NE 96 or DK or RF or blank and CE-8 GRFSTSX = CF-18 SEDHIVG) or (CE-8 GRFSTSX = DK/RF/96 or CF-18 SEDHIVG = DK/RF/96))
LENGTH	8
VARNUM	162

SEDHIVSX: Distribution	Value	n
Before	1	44
After	2	14
Don't Know	9	1
Inapplicable	.	5527
		5586

SEDABST	
LABEL	CF-20 Formal Sex Ed Before 18: Waiting Until Marriage
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was less than 25 years of age at time of screener (agescrn LE 24)

Section C

SEDABST	
LENGTH	8
VARNUM	163

SEDABST: Distribution	Value	n
Yes	1	699
No	5	629
Refused	8	4
Don't know	9	4
Inapplicable	.	4250
		5586

SEDABLC1	
LABEL	CF-20a Place where received instruction about waiting until marriage to have sex-1st Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on waiting until marriage to have sex (CF-20 SEDABST=1)
LENGTH	8
VARNUM	164

SEDABLC1: Distribution	Value	n
School	1	302
Church	2	299
A community center	3	8
Some other place	4	89
Don't Know	9	1
Inapplicable	.	4887
		5586

SEDABLC2	
LABEL	CF-20a Place where received instruction about waiting until marriage to have sex-2nd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on waiting until marriage to have sex in at least 2 places (CF-20 SEDABST=1)
LENGTH	8
VARNUM	165

SEDABLC2: Distribution	Value	n
School	1	35
Church	2	90
A community center	3	3
Some other place	4	48
Inapplicable	.	5410
		5586

SEDABLC3	
LABEL	CF-20a Place where received instruction about waiting until marriage to have sex-3rd Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on waiting until marriage to have sex in at least 3 places (CF-20 SEDABST=1)
LENGTH	8
VARNUM	166

SEDABLC3: Distribution	Value	n
School	1	1
Church	2	1
A community center	3	11
Some other place	4	12
Inapplicable	.	5561
		5586

Section C

SEDABLC4	
LABEL	CF-20a Place where received instruction about waiting until marriage to have sex-4th Mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving formal instruction on waiting until marriage to have sex in 4 places (CF-20 SEDABST=1)
LENGTH	8
VARNUM	167

SEDABLC4: Distribution	Value	n
School	1	2
Some other place	4	2
Inapplicable	.	5582
		5586

SEDABSTG	
LABEL	CF-21 Rs Grade When Received Instruction on Waiting Until Marriage
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving instruction about waiting until marriage to have sex (CF-20 SEDABST= 1)
LENGTH	8
VARNUM	168

SEDABSTG: Distribution	Value	n
1st grade	1	15
2nd grade	2	4
3rd grade	3	15
4th grade	4	26
5th grade	5	72
6th grade	6	129
7th grade	7	127
8th grade	8	108
9th grade	9	106
10th grade	10	39
11th grade	11	17
12th grade	12	4
2nd year of college	14	1
Not in school when received instruction	96	33
Don't Know	99	3
Inapplicable	.	4887
		5586

SEDABSSX	
LABEL	CF-22 R recd instruction-Waiting Until Marriage before/after 1st sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has had sex with a man (rhadsex = 1) and it is not apparent whether instruction on this topic came before or after R first had sex with a man ((CE-8 GRFSTSX NE 96 or DK or RF or blank and CE-8 GRFSTSX = CF-21 SEDABSTG) or (CE-8 GRFSTSX = DK/RF/96 or CF-21 SEDABSTG = DK/RF/96))
LENGTH	8
VARNUM	169

SEDABSSX: Distribution	Value	n
Before	1	27
After	2	6
Don't Know	9	1
Inapplicable	.	5552
		5586

SAMEMAN	
LABEL	CG-2 1st Partner Already Discussed as a Husband or Cohab Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever been married or ever cohabited with a man (fmarit = 1 or 2 or 3 or 4 or evrcohab = 1)
LENGTH	8
VARNUM	170

Section C

SAMEMAN: Distribution	Value	n
Yes	1	1454
No	5	2104
Refused	8	28
Don't know	9	5
Inapplicable	.	1995
		5586

WHOFSTPR	
LABEL	CG-3 Who Was Rs First Sexual Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported that her 1st sexual partner was one of the men (listed onscreen) to whom she was ever married or with whom she ever cohabited (CG-2 SAMEMAN = 1)
LENGTH	8
VARNUM	171

WHOFSTPR: Distribution	Value	n
Your 1st former husband, [NAME], married [DATE], marriage ended [DATE]	1	175
Your 2nd former husband, [NAME], married [DATE], marriage ended [DATE]	2	1
Your current husband, [NAME], married [DATE], still married or (Your husband, from whom you are separated, married [DATE], still married)	7	753
Your current partner, [NAME], began living together [DATE], still living together	8	120
Your 1st former partner [NAME], began living together [DATE], stopped living together [DATE]	9	202
None of the Above	20	191
Refused	98	11
Don't Know	99	1
Inapplicable	.	4132
		5586

KNOWFP	
LABEL	CG-5 Relationship with 1st Partner at 1st Sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sex with a man (rhadsex = 1)
LENGTH	8
VARNUM	172

KNOWFP: Distribution	Value	n
Married to him	1	334
Engaged to him and living together	2	71
Engaged to him, but not living together	3	77
Living together in a sexual relationship, but not engaged	4	77
In a steady relationship, but not living together or engaged	5	2344
Going out with him once in a while	6	580
Just friends	7	644
Had just met him	8	169
Something else	9	209
Refused	98	44
Don't Know	99	5
Inapplicable	.	1032
		5586

STILFPSX	
LABEL	CG-6 Is 1st Sexual Partner a Current Sexual Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently married or cohabiting with a man (rmarit NE 1 or 2), but she has ever married or ever cohabited with a man (fmarit = 1,2,3,4 or evrcohab = 1 and CG-2 SAMEMAN NE blank)
LENGTH	8
VARNUM	173

Section C

STILFPSX: Distribution	Value	n
Yes	1	231
No	5	1615
Refused	8	7
Don't know	9	1
Inapplicable	.	3732
		5586

LSTSEXFP_M	
LABEL	CG-7m Month R Last Had Sex With 1st Sexual Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sex with a man (rhadsex = 1)
LENGTH	8
VARNUM	174

LSTSEXFP_M: Distribution	Value	n
January	1	308
February	2	174
March	3	201
April	4	260
May	5	296
June	6	362
July	7	330
August	8	333
September	9	295
October	10	231
November	11	168
December	12	253
January-March	13	175
April-June	14	140
July-September	15	171
October-December	16	162
Only had sex once	96	533
Not ascertained	97	1
Refused	98	66
Don't Know	99	95
Inapplicable	.	1032
		5586

LSTSEXFP_Y	
LABEL	CG-7y Year R Last Had Sex With 1st Sexual Partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sex with a man (rhadsex = 1)
LENGTH	4
VARNUM	175

LSTSEXFP_Y: Distribution	Value	n
1972-2023	1972-2023	3917
Not ascertained	9997	1
Refused	9998	67
Don't know	9999	36
Inapplicable	.	1565
		5586

CMLSEXFP	
LABEL	CM for Date of Last Sex With 1st Sexual Partner (Computed in Flow Check C-57)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R has ever had sex with a man (rhadsex = 1)
LENGTH	4
VARNUM	176

CMLSEXFP: Distribution	Value	n
Before 2017	865-1404	2465
2017	1405-1416	87
2018	1417-1428	75
2019	1429-1440	108

Section C

CMLSEXFP: Distribution	Value	n
2020	1441-1452	92
2021	1453-1464	93
2022	1465-1476	346
2023	1477-1488	651
Only had sex once with this partner	9996	533
Not ascertained	9997	1
Refused	9998	67
Don't know	9999	36
Inapplicable	.	1032
		5586

CMFPLAST	
LABEL	CM for Date of Last or Only Sex with 1st Sexual Partner (Computed in Flow Check C-57)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever had sex with a man (rhadsex = 1)
NOTES	See recode LSEXDATE
LENGTH	4
VARNUM	177

CMFPLAST: Distribution	Value	n
Before 2017	865-1404	2928
2017	1405-1416	98
2018	1417-1428	82
2019	1429-1440	120
2020	1441-1452	100
2021	1453-1464	97
2022	1465-1476	357
2023	1477-1488	656
Refused	9998	78
Don't know	9999	38
Inapplicable	.	1032
		5586

FPOTHREL	
LABEL	CG-7a Relationship with 1st Partner at Last Sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's first male sexual partner is not current (CG-6 STILFPSX = 5) and is not R's current husband or cohabiting partner (CG-3 WHOFSTPR NE 7 or 8)
LENGTH	8
VARNUM	178

FPOTHREL: Distribution	Value	n
Married to him	1	139
Engaged to him and living together	2	31
Engaged to him, but not living together	3	31
Living together in a sexual relationship, but not engaged	4	94
In a steady relationship, but not living together or engaged	5	1222
Going out with him once in a while	6	429
Just friends	7	611
Had just met him	8	60
Something else	9	272
Refused	98	37
Don't Know	99	8
Inapplicable	.	2652
		5586

FPEDUC	
LABEL	CG-7b Highest level of education-first sexual partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's first male sexual partner is still a current sexual partner (CG-6 STILFPSX = 1) and is not R's current husband or cohabiting partner (CG-3 WHOFSTPR NE 7 or 8)
LENGTH	8
VARNUM	179

Section C

FPEDUC: Distribution	Value	n
Less than high school	1	46
High school graduate or GED	2	94
Some college but no degree	3	44
2-Year college degree (e.g., Associate's degree)	4	16
4-Year college graduate (e.g., BA, BS)	5	18
Graduate or professional school	6	8
Refused	8	2
Don't Know	9	3
Inapplicable	.	5355
		5586

FPRN	
LABEL	CG-7f Relationship with 1st Partner at 1st Sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's relationship with first male sexual partner who is still a current sexual partner has lasted longer than a month ((cmfplast minus cmfstsex) GE 1)
LENGTH	8
VARNUM	180

FPRN: Distribution	Value	n
Engaged to him	1	8
In a steady relationship, but not engaged	2	138
Going out with him once in a while	3	14
Just friends	4	20
Something else	6	15
Refused	8	1
Don't Know	9	1
Inapplicable	.	5389
		5586

WHICH1ST	
LABEL	CG-8 First Sexual Intercourse Before or After Menarche
VARIABLE TYPE	raw
UNIVERSE	Applicable if R doesn't report age at first sex with a male partner but reports date of first sex (CE-4 AGEFSTSX = DK or RF and cmfstsex NE DK or RF)or if R's age at first sex is equal to her age at 1st period (CE-4 AGEFSTSX = BA-1 MENARCHE)
NOTES	See recodes VRY1STSX and VRY1STAG.
LENGTH	8
VARNUM	181

WHICH1ST: Distribution	Value	n
Sexual intercourse	1	21
Menstrual period	2	154
Refused	8	2
Don't Know	9	2
Inapplicable	.	5407
		5586

SEXAFMEN	
LABEL	CG-9 Whether R Had Sex Since menarche
VARIABLE TYPE	raw
UNIVERSE	Applicable if R doesn't report age at first sex and date of first sex with a male partner (CE-4 AGEFSTSX = DK or RF and cmfstsex = DK or RF) or if R first had sex before menarche and she has never married, never been pregnant, and never cohabited (CE-4 AGEFSTSX LT BA-1 MENARCHE or CG-8 WHICH1ST = 1 and AD-7b MARSTAT = 6 and everpreg = 5 and evrcohab = 5)
NOTES	See recodes VRY1STSX and VRY1STAG.
LENGTH	8
VARNUM	182

SEXAFMEN: Distribution	Value	n
Yes	1	13
No	5	6
Don't Know	9	1
Inapplicable	.	5566
		5586

Section C

PTSB4MAR	
LABEL	CH-2 # of Male Sex Partners Prior to 1st Marriage (top-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever been married to a man (fmarit = 1 or 2 or 3 or 4)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	183

PTSB4MAR: Distribution	Value	n
None	0	326
1 Partner	1	622
2 Partners	2	308
3 Partners	3	191
4 Partners	4	173
5 Partners	5	146
6 Partners	6	102
7 Partners	7	99
8 Partners	8	66
9 Partners	9	62
10 to 19 Partners	10-19	215
20 or More Partners	20	152
Refused	998	57
Don't know	999	2
Inapplicable	.	3065
		5586

WHOSNC1Y	
LABEL	CI-1 Is Rs One Partner in Last 12 Mos Her Current H/P
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had only 1 male partner in last 12 months and R is currently married or cohabiting with a man (parts12 = 1 and rmarit=1 or 2)
LENGTH	8
VARNUM	184

WHOSNC1Y: Distribution	Value	n
Yes	1	1777
No	5	12
Inapplicable	.	3797
		5586

MATCHFP	
LABEL	CI-4 Is last partner also first partner?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported no male sexual partners in the past 12 months or reported DK or RF (parts12 = 0, DK, or RF) or if R reported having sexual partners in the past 12 months and R reported date of last or only sex with 1st sexual partner occurred within the last year and this partner has not been flagged as the first partner (parts12 > 0 and cmfplast GE cmlstyr AND matchfp_flag NE 1)
LENGTH	8
VARNUM	185

MATCHFP: Distribution	Value	n
Yes	1	312
No	5	496
Refused	8	31
Don't know	9	1
Inapplicable	.	4746
		5586

MATCHHP	
LABEL	CI_5 Has last partner already been discussed?
VARIABLE TYPE	raw
UNIVERSE	Applicable is R ever cohabited or married to a man (evrcohab = 1 or evrmarry = 1).
LENGTH	8
VARNUM	186

Section C

MATCHHP: Distribution	Value	n
Your first former husband	1	29
Your second former husband	2	8
Your third former husband	3	1
Your current husband	7	92
Your current partner	8	36
Your first former partner	9	126
None of the Above	20	664
Refused	98	25
Don't know	99	1
Inapplicable	.	4604
		5586

P1YRELP1	
LABEL	Relationship of last partner to R
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had ever had sex with a man (rhadsex=1) and R had 1 or more partners in lifetime that she had not married or lived with (LIFEPRT > 0 and SAMEMAN ne 1) and R had 1 or more partners in the past 12 months ((parts12 > 0) and if it was a first partner, it was within the past 12 months (MATCHFP ne blank) or R had ever married or cohabited (MATCHHP ne blank)
LENGTH	8
VARNUM	187

P1YRELP1: Distribution	Value	n
First former husband	1	29
Second former husband	2	8
Third former husband	3	1
Current husband or (current husband from whom she is separated)	7	1394
Current cohabiting partner	8	511
First former cohabiting partner	9	126
First sexual partner	13	312
None of the above	20	882
Refused	98	32
Don't know	99	2
Inapplicable	.	2289
		5586

P1YLSEX_M	
LABEL	CI_6m Month of Last Sex-Last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's most recent male sexual partner is not her first partner (p1yrelp NE 13)
LENGTH	8
VARNUM	188

P1YLSEX_M: Distribution	Value	n
January	1	370
February	2	188
March	3	215
April	4	371
May	5	184
June	6	323
July	7	329
August	8	218
September	9	396
October	10	244
November	11	150
December	12	190
January-March	13	46
April-June	14	18
July-September	15	22
October-December	16	28
Refused	98	43
Don't Know	99	15
Inapplicable	.	2236
		5586

Section C

P1YLSEX_Y	
LABEL	CI_6y Year of Last Sex-Last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's most recent male sexual partner is not her first partner (p1yrelp NE 13)
LENGTH	4
VARNUM	189

P1YLSEX_Y: Distribution	Value	n
1972-2023	1972-2023	3289
Not ascertained	9997	1
Refused	9998	50
Don't know	9999	10
Inapplicable	.	2236
		5586

CMLSEX1	
LABEL	CM when last had sex with last partner reported in last 12 mos (Computed in FC C-71)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R's most recent male sexual partner is not her first partner (p1yrelp NE 13)
NOTES	Use recode LSEXDATE
LENGTH	4
VARNUM	190

CMLSEX1: Distribution	Value	n
Before 2017	865-1404	196
2017	1405-1416	31
2018	1417-1428	32
2019	1429-1440	79
2020	1441-1452	90
2021	1453-1464	175
2022	1465-1476	1095
2023	1477-1488	1999
Not ascertained	9997	1
Refused	9998	59
Don't know	9999	11
Inapplicable	.	1818
		5586

P1YCURRP1	
LABEL	CI-7 Whether a Current Sex Partner-last partner in last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's most recent male sexual partner is not her first partner (p1yrelp NE 13)
LENGTH	8
VARNUM	191

P1YCURRP1: Distribution	Value	n
Yes	1	850
No	5	681
Refused	8	19
Don't Know	9	1
Inapplicable	.	4035
		5586

PCURRNT1	
LABEL	Whether or not Partner is current - last partner in last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if CI-Y PY1CURRP1 eq 1, 5 or DK/RF or P1YRELP1 eq 7, 8, or 13
LENGTH	8
VARNUM	192

PCURRNT1: Distribution	Value	n
Yes	1	2914
No	5	854
Inapplicable	.	1818
		5586

Section C

MATCHFP2	
LABEL	CI-4 Is 2nd-to-last partner also first partner?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported no male sexual partners in the past 12 months or reported DK or RF (parts12 = 0, DK, or RF) or if R reported having male sexual partners in the past 12 months and R reported date of last or only sex with 1st sexual partner occurred within the last year and this partner has not been flagged as the first partner (parts12 GT 0 and cmfplast GE cmlstyr AND matchfp_flag NE 1)
LENGTH	8
VARNUM	193

MATCHFP2: Distribution	Value	n
Yes	1	21
No	5	26
Inapplicable	.	5539
		5586

MATCHHP2	
LABEL	CI_5 Has 2nd-to-last partner already been discussed?
VARIABLE TYPE	raw
UNIVERSE	Applicable is R ever cohabited or married to a man (evrcohab = 1 or evrmarry = 1), and R reported more than 1 male sexual partner in the past 12 months (parts12 GT 1).
LENGTH	8
VARNUM	194

MATCHHP2: Distribution	Value	n
Your first former husband	1	3
Your second former husband	2	1
Your current husband	7	7
Your current partner	8	5
Your first former partner	9	17
None of the Above	20	220
Refused	98	3
Don't know	99	2
Inapplicable	.	5328
		5586

P1YRELP2	
LABEL	Relationship of 2nd-to-last partner to R
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had ever had sex with a man (rhadsex=1) and R had 2 or more partners in lifetime that she had not married or lived with (LIFEPRT GT 1 and SAMEMAN ne 1) and R had 2 or more partners in the past 12 months (parts12 GT 1) and if it was a first partner, it was within the past 12 months (MATCHFP2 ne blank) or R had ever married or cohabited (MATCHHP2 ne blank)
LENGTH	8
VARNUM	195

P1YRELP2: Distribution	Value	n
First former husband	1	3
Second former husband	2	1
Current husband or (current husband from whom she is separated)	7	7
Current cohabiting partner	8	5
First former cohabiting partner	9	17
First sexual partner	13	21
None of the above	20	236
Refused	98	3
Don't know	99	2
Inapplicable	.	5291
		5586

P1YLSEX_M2	
LABEL	CI_6m Month of Last Sex-2nd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 2nd most recent male sexual partner is not her first partner (p1yrelp2 NE 13)
LENGTH	8
VARNUM	196

Section C

P1YLSEX_M2: Distribution	Value	n
January	1	38
February	2	29
March	3	34
April	4	40
May	5	27
June	6	48
July	7	29
August	8	42
September	9	36
October	10	32
November	11	31
December	12	35
January-March	13	6
April-June	14	5
July-September	15	1
October-December	16	7
Refused	98	4
Don't Know	99	3
Inapplicable	.	5139
		5586

P1YLSEX_Y2	
LABEL	CI_6y Year of Last Sex-2nd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 2nd most recent male sexual partner is not her first partner (p1yrelp2 NE 13)
LENGTH	4
VARNUM	197

P1YLSEX_Y2: Distribution	Value	n
1972-2023	1972-2023	442
Refused	9998	4
Don't know	9999	1
Inapplicable	.	5139
		5586

CMLSEX2	
LABEL	CM when last had sex with 2nd-to-last partner reported in last 12 mos (Computed in FC C-71)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R's 2nd most recent male sexual partner is not her first partner (p1yrelp2 NE 13)
LENGTH	4
VARNUM	198

CMLSEX2: Distribution	Value	n
Before 2017	865-1404	13
2017	1405-1416	1
2018	1417-1428	3
2019	1429-1440	5
2020	1441-1452	5
2021	1453-1464	45
2022	1465-1476	232
2023	1477-1488	158
Refused	9998	4
Don't know	9999	2
Inapplicable	.	5118
		5586

P1YCURRP2	
LABEL	CI-7 Whether a Current Sex Partner-2nd-to-last partner in last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 2nd most recent male sexual partner is not her first partner (p1yrelp2 NE 13)
LENGTH	8
VARNUM	199

Section C

P1YCURRP2: Distribution	Value	n
Yes	1	61
No	5	373
Refused	8	1
Inapplicable	.	5151
		5586

PCURRNT2	
LABEL	Whether or not Partner is current - 2nd-to-last partner in last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 male sexual partner in the past 12 months (parts12 GT 1)
LENGTH	8
VARNUM	200

PCURRNT2: Distribution	Value	n
Yes	1	76
No	5	392
Inapplicable	.	5118
		5586

MATCHFP3	
LABEL	CI-4 Is 3rd-to-last partner also first partner?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported no male sexual partners in the past 12 months or reported DK or RF (parts12 = 0, DK, or RF) or if R reported having male sexual partners in the past 12 months and R reported date of last or only sex with 1st sexual partner occurred within the last year and this partner has not been flagged as the first partner (parts12 GT 0 and cmfplast GE cmlstyr AND matchfp_flag NE 1)
LENGTH	8
VARNUM	201

MATCHFP3: Distribution	Value	n
Yes	1	6
No	5	10
Inapplicable	.	5570
		5586

MATCHHP3	
LABEL	CI_5 Has 3rd-to-last recent partner already been discussed?
VARIABLE TYPE	raw
UNIVERSE	Applicable is R ever cohabited or married to a man (evrcohab = 1 or evrmarry = 1), and R reported more than 2 male sexual partners in the past 12 months (parts12 GT 2).
LENGTH	8
VARNUM	202

MATCHHP3: Distribution	Value	n
Your first former husband	1	2
Your current husband	7	1
Your current partner	8	6
Your first former partner	9	10
None of the Above	20	100
Refused	98	1
Don't know	99	2
Inapplicable	.	5464
		5586

P1YRELP3	
LABEL	Relationship of 3rd-to-last partner to R
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had ever had sex with a man (rhadsex=1) and R had 3 or more partners in lifetime (LIFEPRT > 2) and R had 3 or more partners in the past 12 months (parts12 GT 2) and if it was a first partner, it was within the past 12 months (MATCHFP3 ne blank) or R had ever married or cohabited with a man (MATCHHP3 ne blank)
LENGTH	8
VARNUM	203

Section C

P1YRELP3: Distribution	Value	n
First former husband	1	2
Current husband or (current husband from whom she is separated)	7	1
Current cohabiting partner	8	6
First former cohabiting partner	9	10
First sexual partner	13	6
None of the above	20	107
Refused	98	1
Don't know	99	2
Inapplicable	.	5451
		5586

P1YLSEX_M3	
LABEL	CI_6m Month of Last Sex-3rd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's most 3rd recent sexual partner is not her first partner (p1yrelp3 NE 13)
LENGTH	8
VARNUM	204

P1YLSEX_M3: Distribution	Value	n
January	1	19
February	2	17
March	3	16
April	4	18
May	5	12
June	6	16
July	7	19
August	8	13
September	9	17
October	10	16
November	11	18
December	12	16
April-June	14	2
July-September	15	4
October-December	16	4
Don't Know	99	1
Inapplicable	.	5378
		5586

P1YLSEX_Y3	
LABEL	CI_6y Year of Last Sex-3rd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 3rd most recent sexual partner is not her first partner (p1yrelp3 NE 13)
LENGTH	4
VARNUM	205

P1YLSEX_Y3: Distribution	Value	n
1972-2023	1972-2023	207
Don't know	9999	1
Inapplicable	.	5378
		5586

CMLSEX3	
LABEL	CM when last had sex with 3rd-to-last partner reported in last 12 mos (Computed in FC C-71)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R's 3rd most recent sexual partner is not her first partner (p1yrelp3 NE 13)
LENGTH	4
VARNUM	206

CMLSEX3: Distribution	Value	n
Before 2017	865-1404	9
2017	1405-1416	1
2018	1417-1428	2
2019	1429-1440	1
2020	1441-1452	6

Section C

CMLSEX3: Distribution	Value	n
2021	1453-1464	25
2022	1465-1476	102
2023	1477-1488	67
Don't know	9999	1
Inapplicable	.	5372
		5586

P1YCURRP3	
LABEL	CI-7 Whether a Current Sex Partner-3rd-to-last partner in last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's most 3rd recent sexual partner is not her first partner (p1yrelp3 NE 13)
LENGTH	8
VARNUM	207

P1YCURRP3: Distribution	Value	n
Yes	1	22
No	5	176
Refused	8	1
Don't know	9	2
Inapplicable	.	5385
		5586

PCURRNT3	
LABEL	Whether or not Partner is current - 3rd-to-last partner in last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 sexual partners in the past 12 months (parts12 GT 2)
LENGTH	8
VARNUM	208

PCURRNT3: Distribution	Value	n
Yes	1	30
No	5	184
Inapplicable	.	5372
		5586

P1YOTHREL	
LABEL	CI-8 Relationship at last Sex with last partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's most recent partner is not current (CI-7 P1YCURRP NE 1) and is not R's current husband or cohabiting partner (p1yrelp NE (7 or 8)) and is not a first partner (CI-4 MATCHFP NE 1)
LENGTH	8
VARNUM	209

P1YOTHREL: Distribution	Value	n
Married to him	1	26
Engaged to him and living together	2	15
Engaged to him, but not living together	3	8
Living together in a sexual relationship, but not engaged	4	34
In a steady relationship, but not living together or engaged	5	158
Going out with him once in a while	6	143
Just friends	7	168
Had just met him	8	46
Something else	9	75
Refused	98	2
Don't Know	99	2
Inapplicable	.	4909
		5586

P1YRAGE	
LABEL	CI-9 Age at 1st Sex-Last Partner-Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's most recent partner is not her first sexual partner (CI-4 MATCHFP NE 1)
LENGTH	8
VARNUM	210

Section C

P1YRAGE: Distribution	Value	n
Under 18 years	0-17	155
18-19 years	18-19	345
20-24 years	20-24	885
25-34 years	25-34	1248
35-49 years	35-49	598
Not ascertained	97	1
Refused	98	51
Don't know	99	36
Inapplicable	.	2267
		5586

P1YHSAGE	
LABEL	CI-10 Partners Age at 1st Sex-Last in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is 18 years or older (age_r GE 18) or R is less than 18 years old and her most recent sexual partner is not a current partner or she reported having no sexual partners in the past 12 months (age_r LT 18 and CI-7 P1YCURRP NE 1 or parts12 = 0)
LENGTH	8
VARNUM	211

P1YHSAGE: Distribution	Value	n
Under 18 years	0-17	97
18-19 years	18-19	236
20-24 years	20-24	765
25-34 years	25-34	1272
35-49 years	35-49	745
50 years or older	50-95	75
Refused	98	63
Don't know	99	53
Inapplicable	.	2280
		5586

P1YRF	
LABEL	CI-11 Relationship at 1st Sex-Last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's most recent partner is not her first sexual partner (CI-4 MATCHFP NE 1)
LENGTH	8
VARNUM	212

P1YRF: Distribution	Value	n
Married to him	1	54
Engaged to him and living together	2	50
Engaged to him, but not living together	3	54
Living together in a sexual relationship, but not engaged	4	166
In a steady relationship, but not living together or engaged	5	1405
Going out with him once in a while	6	694
Just friends	7	516
Had just met him	8	256
Something else	9	104
Refused	98	16
Don't Know	99	4
Inapplicable	.	2267
		5586

P1YFSEX_M	
LABEL	CI-12m Month of 1st Sex-Last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's most recent partner is not her first sexual partner (CI-4 MATCHFP NE 1)
LENGTH	8
VARNUM	213

Section C

P1YFSEX_M: Distribution	Value	n
January	1	226
February	2	228
March	3	238
April	4	201
May	5	222
June	6	264
July	7	223
August	8	240
September	9	278
October	10	271
November	11	259
December	12	217
January-March	13	72
April-June	14	71
July-September	15	80
October-December	16	61
Only had sex once	96	104
Refused	98	28
Don't Know	99	36
Inapplicable	.	2267
		5586

P1YFSEX_Y	
LABEL	CI-12m Year of 1st Sex-Last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's most recent partner is not her first sexual partner (CI-4 MATCHFP NE 1)
LENGTH	4
VARNUM	214

P1YFSEX_Y: Distribution	Value	n
1972-2023	1972-2023	3167
Refused	9998	32
Don't know	9999	16
Inapplicable	.	2371
		5586

CMFSEX	
LABEL	CM when first had sex with last partner reported in last 12 mos (Computed in FC C-77)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R's most recent partner is not her first sexual partner (CI-4 MATCHFP NE 1)
LENGTH	4
VARNUM	215

CMFSEX: Distribution	Value	n
Before 2017	865-1404	1577
2017	1405-1416	164
2018	1417-1428	189
2019	1429-1440	235
2020	1441-1452	223
2021	1453-1464	275
2022	1465-1476	343
2023	1477-1488	161
Only had sex once with this partner	9996	104
Refused	9998	32
Don't know	9999	16
Inapplicable	.	2267
		5586

CMFSEXTOT	
LABEL	CM for date of first or only sex with most recent partner (Computed in FC C-78)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R' most recent partner is not her first sexual partner (CI-4 MATCHFP NE 1)
LENGTH	4
VARNUM	216

Section C

CMFSEXTOT: Distribution	Value	n
Before 2017	865-1404	1593
2017	1405-1416	165
2018	1417-1428	189
2019	1429-1440	238
2020	1441-1452	230
2021	1453-1464	290
2022	1465-1476	375
2023	1477-1488	182
Refused	9998	37
Don't know	9999	20
Inapplicable	.	2267
		5586

P1YEDUC	
LABEL	CI-13 Highest Level of Education-Last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if Rs most recent partner is a current partner and is not R's current husband or separated husband or cohabiting partner (CI-7 P1YCURRP = 1 and p1yrelp NE (7 or 8))
LENGTH	8
VARNUM	217

P1YEDUC: Distribution	Value	n
Less than high school	1	71
High school graduate or GED	2	307
Some college but no degree	3	154
2-Year college degree (e.g., Associate's degree)	4	70
4-Year college graduate (e.g., BA, BS)	5	150
Graduate or professional school	6	61
Refused	8	3
Don't Know	9	30
Inapplicable	.	4740
		5586

P1YRN1	
LABEL	CI-16 Type of Current Relationship-Last Partner in Last 12 mos
VARIABLE TYPE	raw
LENGTH	8
VARNUM	218

P1YRN1: Distribution	Value	n
Engaged to him	1	3
In a steady relationship, but not engaged	2	24
Going out with him once in a while	3	4
Just friends	4	11
Something else	6	5
Refused	8	1
Don't Know	9	1
Inapplicable	.	5537
		5586

P1YOTHREL2	
LABEL	CI-8 Relationship at last Sex with last partner with 2nd-to-last partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's second most recent partner is not current (CI-7 P1YCURRP2 NE 1) and is not R's current husband or cohabiting partner (p1yrelp2 NE (7 or 8)) and is not a first partner (CI-4 MATCHFP2 NE 1)
LENGTH	8
VARNUM	219

P1YOTHREL2: Distribution	Value	n
Married to him	1	1
Engaged to him and living together	2	3
Engaged to him, but not living together	3	2
Living together in a sexual relationship, but not engaged	4	13

Section C

P1YOTHREL2: Distribution	Value	n
In a steady relationship, but not living together or engaged	5	60
Going out with him once in a while	6	95
Just friends	7	129
Had just met him	8	35
Something else	9	34
Refused	98	1
Don't Know	99	1
Inapplicable	.	5212
		5586

P1YRAGE2	
LABEL	CI-9 Age at 1st Sex-2nd-to-last Partner-Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 2nd most recent partner is not her first sexual partner (CI-4 MATCHFP2 NE 1)
LENGTH	8
VARNUM	220

P1YRAGE2: Distribution	Value	n
Under 18 years	0-17	42
18-19 years	18-19	51
20-24 years	20-24	90
25-34 years	25-34	157
35-49 years	35-49	91
Refused	98	6
Don't know	99	10
Inapplicable	.	5139
		5586

P1YHSAGE2	
LABEL	CI-10 Partners Age at 1st Sex-2nd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is 18 years or older (age_r GE 18) or R is less than 18 years old and her 2nd most recent sexual partner is not a current partner or she reported having no sexual partners in the past 12 months (age_r LT 18 and CI-7 P1YCURRP2 NE 1 or parts12 = 0)
LENGTH	8
VARNUM	221

P1YHSAGE2: Distribution	Value	n
Under 18 years	0-17	29
18-19 years	18-19	39
20-24 years	20-24	86
25-34 years	25-34	154
35-49 years	35-49	92
50 years or older	50-95	12
Refused	98	7
Don't know	99	28
Inapplicable	.	5139
		5586

P1YRF2	
LABEL	CI-11 Relationship at 1st Sex-2nd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 2nd most recent partner is not her first sexual partner (CI-4 MATCHFP2 NE 1)
LENGTH	8
VARNUM	222

P1YRF2: Distribution	Value	n
Engaged to him and living together	2	2
Engaged to him, but not living together	3	5
Living together in a sexual relationship, but not engaged	4	8
In a steady relationship, but not living together or engaged	5	68
Going out with him once in a while	6	111
Just friends	7	151

Section C

P1YRF2: Distribution	Value	n
Had just met him	8	68
Something else	9	28
Refused	98	2
Don't Know	99	4
Inapplicable	.	5139
		5586

P1YFSEX_M2	
LABEL	CI-12m Month of 1st Sex-2nd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 2nd most recent partner is not her first sexual partner (CI-4 MATCHFP2 NE 1)
LENGTH	8
VARNUM	223

P1YFSEX_M2: Distribution	Value	n
January	1	25
February	2	39
March	3	33
April	4	32
May	5	26
June	6	35
July	7	23
August	8	36
September	9	31
October	10	27
November	11	34
December	12	23
January-March	13	10
April-June	14	5
July-September	15	2
October-December	16	6
Only had sex once	96	50
Refused	98	3
Don't Know	99	7
Inapplicable	.	5139
		5586

P1YFSEX_Y2	
LABEL	CI-12m Year of 1st Sex-2nd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 2nd most recent partner is not her first sexual partner (CI-4 MATCHFP2 NE 1)
LENGTH	4
VARNUM	224

P1YFSEX_Y2: Distribution	Value	n
1972-2023	1972-2023	389
Refused	9998	4
Don't know	9999	4
Inapplicable	.	5189
		5586

CMFSEX2	
LABEL	CM when first had sex with 2nd-to-last partner reported in last 12 mos (Computed in FC C-77)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R's 2nd most recent partner is not her first sexual partner (CI-4 MATCHFP2 NE 1)
LENGTH	4
VARNUM	225

CMFSEX2: Distribution	Value	n
Before 2017	865-1404	68
2017	1405-1416	10
2018	1417-1428	20
2019	1429-1440	17
2020	1441-1452	30
2021	1453-1464	73

Section C

CMFSEX2: Distribution	Value	n
2022	1465-1476	118
2023	1477-1488	53
Only had sex once with this partner	9996	50
Refused	9998	4
Don't know	9999	4
Inapplicable	.	5139
		5586

CMFSEXTOT2	
LABEL	CM for date of first or only sex with 2nd-to-last partner in last 12 months
VARIABLE TYPE	computed
UNIVERSE	Applicable if R's 2nd most recent partner is not her first sexual partner (CI-4 MATCHFP2 NE 1)
LENGTH	4
VARNUM	226

CMFSEXTOT2: Distribution	Value	n
Before 2017	865-1404	70
2017	1405-1416	10
2018	1417-1428	20
2019	1429-1440	17
2020	1441-1452	31
2021	1453-1464	77
2022	1465-1476	144
2023	1477-1488	70
Refused	9998	4
Don't know	9999	4
Inapplicable	.	5139
		5586

P1YEDUC2	
LABEL	CI-13 Highest Level of Education-2nd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 2nd most recent partner is a current partner and is not R's current husband or separated husband or cohabiting partner (CI-7 P1YCURRP2 = 1 and P1YRELP2 NE (7 or 8))
LENGTH	8
VARNUM	227

P1YEDUC2: Distribution	Value	n
Less than high school	1	3
High school graduate or GED	2	22
Some college but no degree	3	5
2-Year college degree (e.g., Associate's degree)	4	7
4-Year college graduate (e.g., BA, BS)	5	9
Graduate or professional school	6	7
Don't Know	9	8
Inapplicable	.	5525
		5586

P1YRN2	
LABEL	CI-16 Type of Current Relationship-2nd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if 2nd most recent partner is a current partner and the relationship has lasted more than 1 month and R is not currently separated from this husband (CI-7 P1YCURRP2 = 1 and (cmlsex2 - cmfsex2 GE 1) and p1yrelp2 NE 7))
LENGTH	8
VARNUM	228

P1YRN2: Distribution	Value	n
In a steady relationship, but not engaged	2	1
Going out with him once in a while	3	2
Just friends	4	1
Something else	6	1
Inapplicable	.	5581
		5586

Section C

P1YOTHREL3	
LABEL	CI-8 Relationship at last Sex with last partner with 3rd-to-last partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's third most recent partner is not current (CI-7 P1YCURRP3 NE 1) and is not R's current husband or cohabiting partner (p1yrelp3 NE (7 or 8)) and is not a first partner (CI-4 MATCHFP3 NE 1)
LENGTH	8
VARNUM	229

P1YOTHREL3: Distribution	Value	n
Married to him	1	1
Engaged to him, but not living together	3	1
Living together in a sexual relationship, but not engaged	4	4
In a steady relationship, but not living together or engaged	5	27
Going out with him once in a while	6	36
Just friends	7	62
Had just met him	8	24
Something else	9	21
Don't Know	99	3
Inapplicable	.	5407
		5586

P1YRAGE3	
LABEL	CI-9 Age at 1st Sex-3rd-to-last Partner-Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 3rd most recent partner is not her first sexual partner (CI-4 MATCHFP2 NE 1)
LENGTH	8
VARNUM	230

P1YRAGE3: Distribution	Value	n
Under 18 years	0-17	21
18-19 years	18-19	24
20-24 years	20-24	35
25-34 years	25-34	79
35-49 years	35-49	39
Don't know	99	10
Inapplicable	.	5378
		5586

P1YHSAGE3	
LABEL	CI-10 Partners Age at 1st Sex-3rd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is 18 years or older (age_r GE 18) or R is less than 18 years old and her 3rd most recent sexual partner is not a current partner or she reported having no sexual partners in the past 12 months (age_r LT 18 and CI-7 P1YCURRP3 NE 1 or parts12 = 0)
LENGTH	8
VARNUM	231

P1YHSAGE3: Distribution	Value	n
Under 18 years	0-17	14
18-19 years	18-19	25
20-24 years	20-24	27
25-34 years	25-34	74
35-49 years	35-49	44
50 years or older	50-95	6
Refused	98	1
Don't know	99	17
Inapplicable	.	5378
		5586

P1YRF3	
LABEL	CI-11 Relationship at 1st Sex-3rd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 3rd most recent partner is not her first sexual partner (CI-4 MATCHFP3 NE 1)

Section C

P1YRF3	
LENGTH	8
VARNUM	232

P1YRF3: Distribution	Value	n
Engaged to him and living together	2	1
Engaged to him, but not living together	3	1
Living together in a sexual relationship, but not engaged	4	3
In a steady relationship, but not living together or engaged	5	37
Going out with him once in a while	6	44
Just friends	7	66
Had just met him	8	40
Something else	9	14
Don't Know	99	2
Inapplicable	.	5378
		5586

P1YFSEX_M3	
LABEL	CI-12m Month of 1st Sex-3rd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 3rd most recent partner is not her first sexual partner (CI-4 MATCHFP3 NE 1)
LENGTH	8
VARNUM	233

P1YFSEX_M3: Distribution	Value	n
January	1	13
February	2	10
March	3	17
April	4	13
May	5	13
June	6	11
July	7	17
August	8	15
September	9	18
October	10	13
November	11	12
December	12	8
January-March	13	6
April-June	14	7
July-September	15	4
October-December	16	1
Only had sex once	96	28
Don't Know	99	2
Inapplicable	.	5378
		5586

P1YFSEX_Y3	
LABEL	CI-12m Year of 1st Sex-3rd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 3rd most recent partner is not her first sexual partner (CI-4 MATCHFP3 NE 1)
LENGTH	4
VARNUM	234

P1YFSEX_Y3: Distribution	Value	n
1972-2023	1972-2023	179
Don't know	9999	1
Inapplicable	.	5406
		5586

CMFSEX3	
LABEL	CM when first had sex with 3rd-to-last partner reported in last 12 mos (Computed in Flow Check C-77)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R's 3rd most recent partner is not her first sexual partner (CI-4 MATCHFP3 NE 1)
LENGTH	4
VARNUM	235

Section C

CMFSEX3: Distribution	Value	n
Before 2017	865-1404	23
2017	1405-1416	6
2018	1417-1428	10
2019	1429-1440	8
2020	1441-1452	15
2021	1453-1464	31
2022	1465-1476	61
2023	1477-1488	25
Only had sex once with this partner	9996	28
Don't know	9999	1
Inapplicable	.	5378
		5586

CMFSEXTOT3	
LABEL	CM for date of first or only sex with 3rd-to-last partner in last 12 months (Computed in Flow Check C-78)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R's 3rd most recent partner is not her first sexual partner (CI-4 MATCHFP3 NE 1)
LENGTH	4
VARNUM	236

CMFSEXTOT3: Distribution	Value	n
Before 2017	865-1404	24
2017	1405-1416	6
2018	1417-1428	10
2019	1429-1440	8
2020	1441-1452	15
2021	1453-1464	36
2022	1465-1476	74
2023	1477-1488	33
Don't know	9999	2
Inapplicable	.	5378
		5586

P1YEDUC3	
LABEL	CI-13 Highest Level of Education-3rd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's 3rd most recent partner is a current partner and is not R's current husband or separated husband or cohabiting partner (CI-7 P1YCURRP3 = 1 and p1yrelp3 NE (7 or 8))
LENGTH	8
VARNUM	237

P1YEDUC3: Distribution	Value	n
Less than high school	1	3
High school graduate or GED	2	9
Some college but no degree	3	6
2-Year college degree (e.g., Associate's degree)	4	1
4-Year college graduate (e.g., BA, BS)	5	1
Graduate or professional school	6	1
Don't Know	9	1
Inapplicable	.	5564
		5586

P1YRN3	
LABEL	CI-16 Type of Current Relationship-3rd-to-last Partner in Last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable if 3rd most recent partner is a current partner and the relationship has lasted more than 1 month and R is not currently separated from this husband (CI-7 P1YCURRP3 = 1 and (cmlsex3 - cmfsex3 GE 1) and p1yrelp3 NE 7))
LENGTH	8
VARNUM	238

Section C

P1YRN3: Distribution	Value	n
In a steady relationship, but not engaged	2	1
Something else	6	1
Inapplicable	.	5584
		5586

CURRPRTT	
LABEL	Number of Current Male Sexual Partners-including curr H/P (computed in Flow Check C-83)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	4
VARNUM	239

CURRPRTT: Distribution	Value	n
0	0	1923
1	1	3590
2	2	63
3	3	10
		5586

CURRPRTS	
LABEL	Number of Current Nonmarital, Noncoresidential Male Sexual Partners (computed in FC C-83)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	4
VARNUM	240

CURRPRTS: Distribution	Value	n
0	0	4550
1	1	982
2	2	48
3	3	6
		5586

CMCURRP1	
LABEL	CM Date of last sex with most recent sexual partner for Rs under 18 for CASI
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is under age 18 years of age and has ever had sex with a man and R reported her most recent current sexual partner is not a husband or cohabiting partner (age_r LT 18 and rhadsex = 1 and p1yrelp NE 7 or 8)
LENGTH	4
VARNUM	241

CMCURRP1: Distribution	Value	n
2022	1465-1476	13
2023	1477-1488	22
Inapplicable	.	5551
		5586

CMCURRP2	
LABEL	CM Date of last sex with 2nd-to-last sexual partner for Rs under 18 for CASI
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is under age 18 years of age and has ever had sex with a man and R reported her 2nd most recent current sexual partner is not a husband or cohabiting partner (age_r LT18 and rhadsex = 1 and p1yrelp2 NE 7 or 8)
LENGTH	4
VARNUM	242

CMCURRP2: Distribution	Value	n
Inapplicable	.	5586
		5586

Section C

CMCURRP3	
LABEL	CM Date of last sex with 3rd-to-last sexual partner for Rs under 18 for CASI
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is under age 18 years of age and has ever had sex with a man and R reported her 3rd most recent current sexual partner is not a husband or cohabiting partner (age_r LT 18 and rhadsex = 1 and p1yrelp3 NE 7 or 8)
LENGTH	4
VARNUM	243

CMCURRP3: Distribution	Value	n
Inapplicable	.	5586
		5586

Section D

Section D

EVERTUBS	
LABEL	DA-1 R Ever Had Tubes Tied/Cut/Removed
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	1

EVERTUBS: Distribution	Value	n
YES had tubal sterilization, including Essure	1	490
YES had tubal sterilization, but already reversed	3	13
NO did not have tubal sterilization	5	5043
Refused	8	29
Don't Know	9	10
Inapplicable	.	1
		5586

TUBSDATE_Y	
LABEL	DA-1y Year or R's tubal sterilization
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported tubal sterilization (DA-1 EVERTUBS = 1 or 3)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	2

TUBSDATE_Y: Distribution	Value	n
1972-2023	1972-2023	503
Inapplicable	.	5083
		5586

EVERHYST	
LABEL	DA-2 R Ever Had Hysterectomy
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently pregnant (currpreg = 5)
LENGTH	8
VARNUM	3

EVERHYST: Distribution	Value	n
Yes	1	181
No	5	5210
Refused	8	19
Don't Know	9	3
Inapplicable	.	173
		5586

HYSTDATE_Y	
LABEL	DA-2y Year of R's hysterectomy
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported having a hysterectomy (DA-2 EVERHYST = 1)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	4

HYSTDATE_Y: Distribution	Value	n
1972-2023	1972-2023	181
Inapplicable	.	5405
		5586

HYST	
LABEL	R is surgically sterile at interview due to hysterectomy (computed in FC D-2)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents

Section D

HYST	
LENGTH	8
VARNUM	5

HYST: Distribution	Value	n
Yes	1	181
No	5	5405
		5586

SAMEOPER	
LABEL	DA-3 Hysterectomy and tubal done in same operation
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported same mo/yr for tubal sterilization and hysterectomy (cmtubal = cmhyst)
LENGTH	8
VARNUM	6

SAMEOPER: Distribution	Value	n
Yes	1	19
Inapplicable	.	5567
		5586

OTHROPS1_1	
LABEL	DA-4 Were ovaries or tubes removed during hysterectomy - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported a hysterectomy but not a tubal sterilization (hyst = 1 and DA-1 EVERTUBS NE 1 or 3)
LENGTH	8
VARNUM	7

OTHROPS1_1: Distribution	Value	n
One or both ovaries removed	1	37
One or both tubes removed	2	22
None of the above	6	39
Don't Know	99	1
Inapplicable	.	5487
		5586

OTHROPS1_2	
LABEL	DA-4 Were ovaries or tubes removed during hysterectomy - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported selected more than response for DA-4 OTHROPS1
LENGTH	8
VARNUM	8

OTHROPS1_2: Distribution	Value	n
One or both ovaries removed	1	7
One or both tubes removed	2	24
Inapplicable	.	5555
		5586

OTHROPS2_1	
LABEL	DA-5 Were ovaries or tubes removed in other operation - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported neither a hysterectomy nor a tubal sterilization (hyst = 5 and DA-1 EVERTUBS NE 1 or 3)
LENGTH	8
VARNUM	9

OTHROPS2_1: Distribution	Value	n
One or both ovaries removed	1	33
One or both tubes removed	2	25
None of the above	6	4882
Refused	98	35
Don't Know	99	8
Inapplicable	.	603
		5586

Section D

OTHROPS2_2	
LABEL	DA-5 Were ovaries or tubes removed in other operation - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported selected more than response for DA-5 OTHROPS2
LENGTH	8
VARNUM	10

OTHROPS2_2: Distribution	Value	n
One or both tubes removed	2	13
Inapplicable	.	5573
		5586

OTHSTER	
LABEL	DA-6 Had this other surgery since January 4 years ago
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any removal of tubes or ovaries separate from hysterectomy or tubal sterilization (DA-5 OTHROPS2_1 = 1 or 2)
LENGTH	8
VARNUM	11

OTHSTER: Distribution	Value	n
Yes	1	24
No	5	34
Inapplicable	.	5528
		5586

RHADALL	
LABEL	DA-7 R had all the children she wanted at time of her tubal sterilization
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had tubal sterilization before or at same time as any hysterectomy (DA-1 EVERTUBS = 1 or 3 and (hyst = 5 or (hyst = 1 and ((DA-3 SAMEOPER 5 or DK/RF) or (cmhyst > cmtubal))
LENGTH	8
VARNUM	12

RHADALL: Distribution	Value	n
Yes	1	420
No	5	60
Refused	8	2
Inapplicable	.	5104
		5586

HHADALL	
LABEL	DA-8 R's H/P had all the children hhe wanted at time of tubal sterilization
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had tubal sterilization before or at same time as any hysterectomy (DA-1 EVERTUBS = 1 or 3 and (hyst = 5 or (hyst = 1 and ((DA-3 SAMEOPER 5 or DK/RF) or (cmhyst > cmtubal))
LENGTH	8
VARNUM	13

HHADALL: Distribution	Value	n
Yes	1	340
No	5	65
You were not in a relationship with a man at the time you had this operation	6	67
Refused	8	1
Don't Know	9	9
Inapplicable	.	5104
		5586

Section D

FMEDREAS	
LABEL	DA-9 R had any medical reasons for having her tubal sterilization
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had tubal sterilization before or at same time as any hysterectomy (DA-1 EVERTUBS = 1 or 3 and (hyst = 5 or (hyst = 1 and ((DA-3 SAMEOPER 5 or DK/RF) or (cmhyst > cmtubal))
LENGTH	8
VARNUM	14

FMEDREAS: Distribution	Value	n
Yes	1	134
No	5	345
Refused	8	3
Inapplicable	.	5104
		5586

BCREAS	
LABEL	DA-10 R or her H/P had any problems w/other birth control methods used before having tubal sterilization
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had tubal sterilization before or at same time as any hysterectomy (DA-1 EVERTUBS = 1 or 3 and (hyst = 5 or (hyst = 1 and ((DA-3 SAMEOPER 5 or DK/RF) or (cmhyst > cmtubal))
LENGTH	8
VARNUM	15

BCREAS: Distribution	Value	n
Yes	1	61
No	5	418
Refused	8	1
Don't know	9	2
Inapplicable	.	5104
		5586

BCWHYF	
LABEL	DA-11 Type of problem R or H/P had with other birth control methods
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported a birth control problem as a reason for her tubal sterilization (DA-10 BCREAS = 1)
LENGTH	8
VARNUM	16

BCWHYF: Distribution	Value	n
Health or medical problem	1	21
Some other reason	2	28
Both	3	12
Inapplicable	.	5525
		5586

TUBLMAIN	
LABEL	DA-11b Main reason for R having her tubal sterilization
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 reason for her tubal sterilization (more than 1 "yes" response among DA-7 RHADALL, DA-8 HHADALL, DA-9 FMEDREAS, and DA-10 BCREAS)
LENGTH	8
VARNUM	17

TUBLMAIN: Distribution	Value	n
You had all the children you wanted	1	260
Your husband or partner had all the children he wanted	2	15
Medical reasons	3	69
Problems with other methods of birth control	4	9
Some other reason not mentioned above	5	22
Refused	8	1
Inapplicable	.	5210
		5586

Section D

PAYTUBAL_1	
LABEL	DA-12 How bill for tubal sterilization was paid - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had her tubal steriization in or after January of 5 years before interview (cmtubal >= cmjan5yr) and met criiteria for DA-7 RHADALL
LENGTH	8
VARNUM	18

PAYTUBAL_1: Distribution	Value	n
Insurance	1	80
Co-payment or out-of-pocket payment	2	10
Medicaid	3	59
No payment required	4	5
Some other way	5	2
Inapplicable	.	5430
		5586

PAYTUBAL_2	
LABEL	DA-12 How bill for tubal sterilization was paid - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 type of payment for her tubal sterilization (see DA-12 PAYTUBAL_1)
LENGTH	8
VARNUM	19

PAYTUBAL_2: Distribution	Value	n
Insurance	1	2
Co-payment or out-of-pocket payment	2	16
Medicaid	3	7
Inapplicable	.	5561
		5586

ANYFSTER	
LABEL	Whether R has had any sterilizing operations or procedures, regardless of later reversal (computed in FC D-7b)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	20

ANYFSTER: Distribution	Value	n
Yes	1	660
No	2	4926
		5586

ANYVASEC	
LABEL	DB-1 R's current H/P ever had a vasectomy
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (rmarit = 1 or 2)
LENGTH	8
VARNUM	21

ANYVASEC: Distribution	Value	n
YES had vasectomy	1	309
YES had vasectomy, but already reversed	3	1
NO did not have vasectomy	5	2363
Refused	8	11
Don't Know	9	2
Inapplicable	.	2900
		5586

Section D

VASDATE_Y	
LABEL	DB-2y Year of vasectomy for R's current H/P
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported her current husband or cohabiting partner has ever had a vasectomy (DB-1 ANYVASEC = 1 or 3)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	22

VASDATE_Y: Distribution	Value	n
1972-2023	1972-2023	307
Don't know	9999	3
Inapplicable	.	5276
		5586

WITHIMOP	
LABEL	DB-3 was R in relationship w/ current H/P when he had vasectomy
VARIABLE TYPE	raw
UNIVERSE	Applicable if this vasectomy occurred before R married current husband (cmvasec < cmmarrch)
LENGTH	8
VARNUM	23

WITHIMOP: Distribution	Value	n
Yes, during your relationship	1	28
No, before your relationship	5	44
Inapplicable	.	5514
		5586

VASJAN4YR	
LABEL	DB-4 Did R's current H/P have his vasectomy since January of 4 years ago
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was not in relationship with current husband or cohabiting partner at time of his vasectomy (DB-3 WITHIMOP = 5 or DK/RF) and vasectomy date was not reported (cmvasec = DK/RF)
LENGTH	8
VARNUM	24

VASJAN4YR: Distribution	Value	n
Inapplicable	.	5586
		5586

PAYVAS_1	
LABEL	DB-5 How was bill for vasectomy paid - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if vasectomy for R's current husband or cohabiting partner was done in or after January of 5 years before inter view (cmvasec > cmjan5yr)
LENGTH	8
VARNUM	25

PAYVAS_1: Distribution	Value	n
Insurance	1	117
Co-payment or out-of-pocket payment	2	26
Medicaid	3	5
No payment required	4	1
Some other way	5	1
Don't Know	9	1
Inapplicable	.	5435
		5586

PAYVAS_2	
LABEL	DB-5 How was bill for vasectomy paid - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 type of payment for her husband or cohabiting partner's vasectomy (see DB-5 PAYVAS_1)

Section D

PAYVAS_2	
LENGTH	8
VARNUM	26

PAYVAS_2: Distribution	Value	n
Insurance	1	7
Co-payment or out-of-pocket payment	2	44
Medicaid	3	2
Some other way	5	1
Inapplicable	.	5532
		5586

REVSTUBL	
LABEL	DC-1 Ever had surgery to reverse tubal sterilization
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported tubal sterilization (DA-1 EVERTUBS = 1 or 3)
LENGTH	8
VARNUM	27

REVSTUBL: Distribution	Value	n
Yes	1	4
No	5	498
Don't know	9	1
Inapplicable	.	5083
		5586

DATRVSTB_Y	
LABEL	DC-2y Year of R's tubal sterilization reversal
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported reversal of her tubal sterilization (DC-1 REVSTUBL = 1)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	28

DATRVSTB_Y: Distribution	Value	n
1972-2023	1972-2023	4
Inapplicable	.	5582
		5586

REVSVASX	
LABEL	DC-3 R's Current H/P Ever Had Surgery to Reverse Vasectomy
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported her current husband or cohabiting partner has ever had a vasectomy (DB-1 ANYVASEC = 1 or 3)
LENGTH	8
VARNUM	29

REVSVASX: Distribution	Value	n
Yes	1	3
No	5	307
Inapplicable	.	5276
		5586

DATRVVEX_Y	
LABEL	DC-4y Year of current H/Ps vasectomy reversal
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported her current husband or cohabiting partner ever had his vasectomy reversed (DC-3 REVSVASX = 1)
NOTES	The month and century-month variables for this event have been suppressed for public use, but are accessible by application to the NCHS Research Data Center.
LENGTH	4
VARNUM	30

Section D

DATRVVEX_Y: Distribution	Value	n
1972-2023	1972-2023	3
Inapplicable	.	5583
		5586

TUBS	
LABEL	R is surgically sterile at interview due to tubal sterilization, either unreversed or reversal failure (computed in FC D-16)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	31

TUBS: Distribution	Value	n
Yes	1	499
No	5	5087
		5586

VASECT	
LABEL	R's current H/P is surgically sterile at interview due to vasectomy, either unreversed or reversal failure (computed in FC D-16)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (rmarit = 1 or 2)
LENGTH	8
VARNUM	32

VASECT: Distribution	Value	n
Yes	1	307
No	5	2380
Inapplicable	.	2899
		5586

RSURGSTR	
LABEL	Whether R is Surgically Sterile at Interview (computed in FC D-16)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	33

RSURGSTR: Distribution	Value	n
Yes	1	656
No	5	4930
		5586

PSURGSTR	
LABEL	Whether R's Current H/P is Surgically Sterile at Interview (computed in FC D-16)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (rmarit = 1 or 2)
LENGTH	8
VARNUM	34

PSURGSTR: Distribution	Value	n
Yes	1	307
No	5	2380
Inapplicable	.	2899
		5586

ONLYTBVS	
LABEL	Whether R & H/P's Only Sterile Ops are Tubal and/or Vasectomy
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	35

Section D

ONLYTBVS: Distribution	Value	n
Yes	1	691
No	5	4895
		5586

RWANTRVT	
LABEL	DC-5 R Wants to Reverse Her Tubal Ligation
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently surgically sterile due to tubal sterilization or her current husband or cohabiting partner is currently surgical sterile from a vasectomy (tubs = 1 or vasect = 1), and R has had no other sterilization operations (onlytbvs = 1)
LENGTH	8
VARNUM	36

RWANTRVT: Distribution	Value	n
Definitely yes	1	60
Probably yes	2	33
Probably no	3	65
Definitely no	4	258
Don't Know	9	1
Inapplicable	.	5169
		5586

MANWANTT	
LABEL	DC-6 R's Current H/P Wants R to Reverse Her Tubal Ligation
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently surgically sterile due to tubal sterilization or her current husband or cohabiting partner is currently surgical sterile from a vasectomy (tubs = 1 or vasect = 1), and R has had no other sterilization operations (onlytbvs = 1)
LENGTH	8
VARNUM	37

MANWANTT: Distribution	Value	n
Definitely yes	1	28
Probably yes	2	18
Probably no	3	37
Definitely no	4	159
Don't Know	9	3
Inapplicable	.	5341
		5586

RWANTREV	
LABEL	DC-7 R Wants H/P to Reverse His Vasectomy
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (rmarit = 1 or 2), her husband/partner is currently surgical sterile from a vasectomy (vasect = 1), and R has had no sterilization operations other than a tubal (onlytbvs = 1)
LENGTH	8
VARNUM	38

RWANTREV: Distribution	Value	n
Definitely yes	1	8
Probably yes	2	11
Probably no	3	57
Definitely no	4	205
Inapplicable	.	5305
		5586

MANWANTR	
LABEL	DC-8 R's current H/P Wants to Reverse His Vasectomy
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (rmarit = 1 or 2), her husband/partner is currently surgical sterile from a vasectomy (vasect = 1), and R has had no sterilization operations other than a tubal (onlytbvs = 1)
LENGTH	8
VARNUM	39

Section D

MANWANTR: Distribution	Value	n
Definitely yes	1	2
Probably yes	2	6
Probably no	3	43
Definitely no	4	230
Inapplicable	.	5305
		5586

POSIBLPG	
LABEL	DD-1 Physically Possible for R to Have a Baby
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is neither surgically sterile nor pregnant (rsurgstr = no and currpreg = no)
LENGTH	8
VARNUM	40

POSIBLPG: Distribution	Value	n
Yes	1	4319
No	5	345
Refused	8	25
Don't know	9	71
Inapplicable	.	826
		5586

REASIMPR	
LABEL	DD-2 Main reason why impossible for R to have a baby
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported that it is not physically possible for her to have a(nother) baby (DD-1 POSIBLPG = 5)
LENGTH	8
VARNUM	41

REASIMPR: Distribution	Value	n
Impossible due to problems with ovulation	1	52
Impossible due to problems with uterus, cervix, or fallopian tubes	2	36
Impossible due to other illnesses or treatment for other illnesses such as cancer	3	25
Impossible due to menopause	4	42
Impossible for other reasons	5	166
Refused	8	11
Don't Know	9	13
Inapplicable	.	5241
		5586

POSIBLMN	
LABEL	DD-3 Physically possible for R's current H/P to father a baby
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is neither surgically sterile nor pregnant (rsurgstr = no and currpreg = no), she is currently married to or cohabiting with a man (rmarit = 1 or 2), and her current husband/partner is not surgically sterile (psurgstr = no)
LENGTH	8
VARNUM	42

POSIBLMN: Distribution	Value	n
Yes	1	1801
No	5	56
Refused	8	11
Don't know	9	12
Inapplicable	.	3706
		5586

Section D

REASIMPP	
LABEL	DD-4 Main reason why impossible for R's current H/P to father a baby
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported that it is not physically possible for her current husband or cohabiting partner to father a(nother) baby in the future (DD-3 POSIBLMN = 5)
LENGTH	8
VARNUM	43

REASIMPP: Distribution	Value	n
Impossible due to problems with sperm or semen	1	22
Impossible due to testicular problems or varicocele	2	2
Impossible due to other illnesses or treatment for other illnesses	3	6
Impossible for other reasons	4	26
Inapplicable	.	5530
		5586

CANHAVER	
LABEL	DE-1 Physically Difficult for R to Have a Baby
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not report it was physically impossible for her to have a(nother) baby (DD-1 POSIBLPG = 1 or DK/RF)
LENGTH	8
VARNUM	44

CANHAVER: Distribution	Value	n
Yes	1	577
No	5	3834
Refused	8	6
Don't know	9	71
Inapplicable	.	1098
		5586

READIFF_1	
LABEL	DE-2 Why physically difficult for R to have baby (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported it is physically difficult for her to have a(nother) baby (DE-1 CANHAVER = 1)
LENGTH	8
VARNUM	45

READIFF_1: Distribution	Value	n
You have difficulty getting pregnant	1	298
You have difficulty carrying baby to term	2	83
Pregnancy is dangerous to your health	3	78
You are likely to have an unhealthy baby	4	9
Some other reason	5	99
Refused	8	2
Don't Know	9	8
Inapplicable	.	5009
		5586

READIFF_2	
LABEL	DE-2 Why physically difficult for R to have baby (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 reason why it is physically difficult for her to have a(nother) baby (see DE-2 READIFF_1)
LENGTH	8
VARNUM	46

READIFF_2: Distribution	Value	n
You have difficulty getting pregnant	1	14
You have difficulty carrying baby to term	2	49
Pregnancy is dangerous to your health	3	31
You are likely to have an unhealthy baby	4	18
Some other reason	5	26

REASDIFF_2: Distribution	Value	n
Inapplicable	.	5448
		5586

REASDIFF_3	
LABEL	DE-2 Why physically difficult for R to have baby (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 reasons why it is physically difficult for her to have a(nother) baby (see DE-2 REASDIFF_1)
LENGTH	8
VARNUM	47

REASDIFF_3: Distribution	Value	n
You have difficulty getting pregnant	1	4
You have difficulty carrying baby to term	2	4
Pregnancy is dangerous to your health	3	16
You are likely to have an unhealthy baby	4	5
Some other reason	5	7
Inapplicable	.	5550
		5586

REASDIFF_4	
LABEL	DE-2 Why physically difficult for R to have baby (4th mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 3 reasons why it is physically difficult for her to have a(nother) baby (see DE-2 REASDIFF_1)
LENGTH	8
VARNUM	48

REASDIFF_4: Distribution	Value	n
You have difficulty carrying baby to term	2	2
You are likely to have an unhealthy baby	4	2
Some other reason	5	2
Inapplicable	.	5580
		5586

REASDIFF_5	
LABEL	DE-2 Why physically difficult for R to have baby (5th mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 4 reasons why it is physically difficult for her to have a(nother) baby (see DE-2 REASDIFF_1)
LENGTH	8
VARNUM	49

REASDIFF_5: Distribution	Value	n
You have difficulty getting pregnant	1	1
Inapplicable	.	5585
		5586

CANHAVEM	
LABEL	DE-3 R's current H/P has physical difficulty fathering a baby
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (rmarit = 1 or 2), and R did not report that it is physically impossible for her husband/partner to father a(nother) baby in the future (DD-3 POSIBLMN = 1 or DK/RF)
LENGTH	8
VARNUM	50

CANHAVEM: Distribution	Value	n
Yes	1	49
No	5	1872
Refused	8	2
Don't know	9	10
Inapplicable	.	3653
		5586

Section D

PREGNONO	
LABEL	DE-4 Doctor Ever Advised R Never to Become Pregnant
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not surgically sterile (rsurgstr = no)
LENGTH	8
VARNUM	51

PREGNONO: Distribution	Value	n
Yes	1	143
No	5	4751
Refused	8	28
Don't know	9	7
Inapplicable	.	657
		5586

REASNONO_1	
LABEL	DE-5 Why R was advised against pregnancy - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported that a doctor has ever advised her not to become pregnant (again) (DE-4 PREGNONO = 1)
LENGTH	8
VARNUM	52

REASNONO_1: Distribution	Value	n
Dangerous for you	1	85
Dangerous for your baby	2	16
Some other reason	3	40
Refused	8	1
Don't Know	9	1
Inapplicable	.	5443
		5586

REASNONO_2	
LABEL	DE-5 Why R was advised against pregnancy - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 reason why a doctor advised her not to become pregnant (again) (see DE-5 REASNONO_1)
LENGTH	8
VARNUM	53

REASNONO_2: Distribution	Value	n
Dangerous for you	1	5
Dangerous for your baby	2	37
Inapplicable	.	5544
		5586

REASNONO_3	
LABEL	DE-5 Why R was advised against pregnancy - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 reasons why a doctor advised her not to become pregnant (again) (see DE-5 REASNONO_1)
LENGTH	8
VARNUM	54

REASNONO_3: Distribution	Value	n
Dangerous for your baby	2	1
Some other reason	3	3
Inapplicable	.	5582
		5586

RSTRSTAT	
LABEL	Respondent's Sterility Status at Time of Interview (computed in FC D-27)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	55

Section D

RSTRSTAT: Distribution	Value	n
Neither surgically nor nonsurgically sterile	0	4585
Surgically sterile	1	656
Nonsurgically sterile	2	345
		5586

PSTRSTAT	
LABEL	Sterility Status of R's Current H/P at Time of Interview (computed in FC D-27)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (rmarit = 1 or 2)
LENGTH	8
VARNUM	56

PSTRSTAT: Distribution	Value	n
Neither surgically nor nonsurgically sterile	0	2324
Surgically sterile	1	307
Nonsurgically sterile	2	56
Inapplicable	.	2899
		5586

LASTPER	
LABEL	DE-6 Recency of last menstrual period
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had a period (BA-1 MENARCHE NE 96), is not currently pregnant (currpreg = 5), and still has her uterus and ovaries (hyst = 5 and DA-5 OTHROPS2 NE 1)
LENGTH	8
VARNUM	57

LASTPER: Distribution	Value	n
Within the past 4 weeks	1	3987
Longer ago than 4 weeks, but less than 3 months	2	369
Longer ago than 3 months, but less than 6 months	3	93
Longer ago than 6 months, but less than 1 year	4	101
Longer ago than 1 year	5	363
Before last birth or pregnancy	95	157
Refused	98	70
Don't Know	99	29
Inapplicable	.	417
		5586

TRYPREG12	
LABEL	DE-7 Tried to get pregnant within past 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is 18 or older (age_r >= 18), has ever had a period (BA-1 MENARCHE NE 96), is not currently pregnant (currpreg = 5), has not been pregnant in past year (cmlstprg < cmlstyr), and is not surgically sterile (rstrstat = 0 or 2)
LENGTH	8
VARNUM	58

TRYPREG12: Distribution	Value	n
Yes	1	186
No	5	3768
Refused	8	23
Don't know	9	4
Inapplicable	.	1605
		5586

Section E

Section E

PILL	
LABEL	EA-1 R ever used Birth Control Pills?
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	1

PILL: Distribution	Value	n
Yes	1	3485
No	5	2061
Refused	8	34
Don't know	9	5
Inapplicable	.	1
		5586

CONDOM	
LABEL	EA-2 R ever used Condoms?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)
LENGTH	8
VARNUM	2

CONDOM: Distribution	Value	n
Yes	1	4159
No	5	364
Refused	8	26
Don't know	9	4
Inapplicable	.	1033
		5586

VASECTMY	
LABEL	EA-3 R ever used partners vasectomy?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)
LENGTH	8
VARNUM	3

VASECTMY: Distribution	Value	n
Yes	1	634
No	5	3861
Refused	8	23
Don't know	9	35
Inapplicable	.	1033
		5586

DEPOPROV	
LABEL	EA-4 R ever used Depo-Provera, Injectables?
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	4

DEPOPROV: Distribution	Value	n
Yes	1	986
No	5	4565
Refused	8	27
Don't know	9	7
Inapplicable	.	1
		5586

Section E

WIDRAWAL	
LABEL	EA-6 R ever used withdrawal?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)
LENGTH	8
VARNUM	5

WIDRAWAL: Distribution	Value	n
Yes	1	3090
No	5	1421
Refused	8	34
Don't know	9	8
Inapplicable	.	1033
		5586

RHYTHM	
LABEL	EA-7a R ever used Calendar rhythm method?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)
LENGTH	8
VARNUM	6

RHYTHM: Distribution	Value	n
Yes	1	1026
No	5	3499
Refused	8	26
Don't know	9	2
Inapplicable	.	1033
		5586

SDAYCBDS	
LABEL	EA-7b R ever used Standard Days or CycleBeads method?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)
LENGTH	8
VARNUM	7

SDAYCBDS: Distribution	Value	n
Yes	1	358
No	5	4149
Refused	8	26
Don't know	9	20
Inapplicable	.	1033
		5586

TEMPSAFE	
LABEL	EA-8 R ever used Safe period by temperature or cervical mucus test?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)
LENGTH	8
VARNUM	8

TEMPSAFE: Distribution	Value	n
Yes	1	146
No	5	4370
Refused	8	26
Don't know	9	11
Inapplicable	.	1033
		5586

NATCYCA	
LABEL	EA-8b R ever used the Natural Cycles app to prevent pregnancy?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)
LENGTH	8
VARNUM	9

Section E

NATCYCA: Distribution	Value	n
Yes	1	190
No	5	4333
Refused	8	26
Don't know	9	4
Inapplicable	.	1033
		5586

PATCH	
LABEL	EA-9 R ever used contraceptive patch?
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	10

PATCH: Distribution	Value	n
Yes	1	340
No	5	5202
Refused	8	37
Don't know	9	6
Inapplicable	.	1
		5586

RING	
LABEL	EA-10 R ever used contraceptive ring?
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	11

RING: Distribution	Value	n
Yes	1	529
No	5	5021
Refused	8	31
Don't know	9	4
Inapplicable	.	1
		5586

MORNPILL	
LABEL	EA-11 R ever used emergency contraception?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1)
LENGTH	8
VARNUM	12

MORNPILL: Distribution	Value	n
Yes	1	1607
No	5	2920
Refused	8	21
Don't know	9	5
Inapplicable	.	1033
		5586

ECTIMESX	
LABEL	EA-12 Number of times R used emergency contraception
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever used emergency contraception (EA-11 MORNPILL = 1)
LENGTH	8
VARNUM	13

ECTIMESX: Distribution	Value	n
1	1	608
2	2	460
3	3	196
4	4	100
5	5	94

Section E

ECTIMESX: Distribution	Value	n
6	6	28
7	7	15
8	8	19
9	9	2
10	10	46
12	12	9
15	15	8
20	20	3
30	30	2
50	50	1
Refused	98	3
Don't know	99	13
Inapplicable	.	3979
		5586

ECRX	
LABEL	EA-13aa Where R last got emergency contraception
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever used emergency contraception (EA-11 MORNPILL = 1)
LENGTH	8
VARNUM	14

ECRX: Distribution	Value	n
With a prescription	1	179
Without a prescription	2	1420
Refused	8	2
Don't Know	9	6
Inapplicable	.	3979
		5586

ECWHERE	
LABEL	EA-13a Where R last got emergency contraception
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever used emergency contraception (EA-11 MORNPILL = 1)
LENGTH	8
VARNUM	15

ECWHERE: Distribution	Value	n
Private doctors office	1	60
HMO facility	2	7
Community health clinic, Community clinic, Public health clinic	3	22
Family planning or Planned Parenthood clinic	4	157
Employer or company clinic	5	2
School or school-based clinic	6	23
Hospital outpatient clinic	7	2
Other hospital location including emergency room	8	6
Urgent care center, urgi-care, or walk-in facility	9	13
In-store health clinic (like CVS, Target, or Walmart)	10	612
Mail order/Internet	11	25
Friend	12	22
Partner or spouse	13	12
Drugstore	14	629
Some other place	15	14
Don't Know	99	1
Inapplicable	.	3979
		5586

ECWHEN	
LABEL	EA-13b When R last got emergency contraception
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever used emergency contraception (EA-11 MORNPILL = 1)
LENGTH	8
VARNUM	16

Section E

ECWHEN: Distribution	Value	n
Yes (Within the last 12 months)	1	251
No (Over 12 months ago)	2	1355
Refused	8	1
Inapplicable	.	3979
		5586

IMPLANT	
LABEL	EA-13c R ever used a hormonal implant
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	17

IMPLANT: Distribution	Value	n
Yes	1	468
No	5	5082
Refused	8	29
Don't know	9	6
Inapplicable	.	1
		5586

IUD	
LABEL	EA-13d R ever used an IUD (intrauterine device)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	18

IUD: Distribution	Value	n
Yes	1	1124
No	5	4428
Refused	8	30
Don't know	9	3
Inapplicable	.	1
		5586

EVIUDTYP1	
LABEL	EA-13e Types of IUD ever used-1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever used the IUD (EA-13d IUD = 1)
LENGTH	8
VARNUM	19

EVIUDTYP1: Distribution	Value	n
Copper-bearing (such as Copper-T or ParaGard)	1	321
Hormonal IUD (such as Mirena, Skyla, Liletta, or Kyleena)	2	788
Other	3	7
Refused	8	1
Don't Know	9	7
Inapplicable	.	4462
		5586

EVIUDTYP2	
LABEL	EA-13e Types of IUD ever used-2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever using more than one type of IUD (see EA-13e EVIUDTYP1)
LENGTH	8
VARNUM	20

Section E

EVIUDTYP2: Distribution	Value	n
Copper-bearing (such as Copper-T or ParaGard)	1	10
Hormonal IUD (such as Mirena, Skyla, Liletta, or Kyleena)	2	61
Inapplicable	.	5515
		5586

EVCIUDEC	
LABEL	EA-13f Copper IUD as emergency contraception
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever using copper-bearing IUD (any EA-13e EVIUDTYP1 through EVIUDTYP3 = 1)
LENGTH	8
VARNUM	21

EVCIUDEC: Distribution	Value	n
Yes	1	31
No	5	300
Inapplicable	.	5255
		5586

OTHRMETH01	
LABEL	EA-14 Any other methods R used for contraception (if any)-1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents.
LENGTH	8
VARNUM	22

OTHRMETH01: Distribution	Value	n
Vaginal Contraceptive Film	1	88
Diaphragm	2	36
Female condom, internal condom	3	92
Foam	4	42
Jelly or cream	5	68
Suppository, insert	7	18
Today sponge	8	12
Phexxi Gel	9	8
Lunelle injectable (monthly shot)	10	27
Other method	11	225
None	95	4845
Refused	98	79
Don't Know	99	45
Inapplicable	.	1
		5586

OTHRMETH02	
LABEL	EA-14 Any other methods R used for contraception (if any)-2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 2 other methods ever used (see EA-14 OTHRMETH01)
LENGTH	8
VARNUM	23

OTHRMETH02: Distribution	Value	n
Vaginal Contraceptive Film	1	2
Diaphragm	2	8
Female condom, internal condom	3	15
Foam	4	30
Jelly or cream	5	28
Cervical cap	6	3
Suppository, insert	7	16
Today sponge	8	3
Phexxi Gel	9	1
Lunelle injectable (monthly shot)	10	7
Other method	11	14
Inapplicable	.	5459
		5586

Section E

OTHRMETH03	
LABEL	EA-14 Any other methods R used for contraception (if any)-3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 3 other methods ever used (see EA-14 OTHRMETH01)
LENGTH	8
VARNUM	24

OTHRMETH03: Distribution	Value	n
Vaginal Contraceptive Film	1	2
Diaphragm	2	1
Female condom, internal condom	3	1
Foam	4	4
Jelly or cream	5	5
Cervical cap	6	5
Suppository, insert	7	13
Today sponge	8	5
Lunelle injectable (monthly shot)	10	2
Other method	11	2
Inapplicable	.	5546
		5586

OTHRMETH04	
LABEL	EA-14 Any other methods R used for contraception (if any)-4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 4 other methods ever used (see EA-14 OTHRMETH01)
LENGTH	8
VARNUM	25

OTHRMETH04: Distribution	Value	n
Vaginal Contraceptive Film	1	1
Foam	4	2
Jelly or cream	5	3
Suppository, insert	7	4
Today sponge	8	4
Other method	11	1
Inapplicable	.	5571
		5586

OTHRMETH05	
LABEL	EA-14 Any other methods R used for contraception (if any)-5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 5 other methods ever used (see EA-14 OTHRMETH01)
LENGTH	8
VARNUM	26

OTHRMETH05: Distribution	Value	n
Today sponge	8	3
Inapplicable	.	5583
		5586

OTHRMETH06	
LABEL	EA-14 Any other methods R used for contraception (if any)-6th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 6 other methods ever used (see EA-14 OTHRMETH01)
LENGTH	8
VARNUM	27

OTHRMETH06: Distribution	Value	n
Other method	11	1
Inapplicable	.	5585
		5586

Section E

EVERUSED	
LABEL	Ever used any method (computed in FC E-6)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
NOTES	See recode ANYMTHD
LENGTH	8
VARNUM	28

EVERUSED: Distribution	Value	n
Yes	1	4762
No	5	762
Not ascertained	7	62
		5586

METHDISS	
LABEL	EA-16 R ever stop using method because dissatisfied with it
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
LENGTH	8
VARNUM	29

METHDISS: Distribution	Value	n
Yes	1	1612
No	5	3156
Refused	8	44
Don't know	9	11
Inapplicable	.	763
		5586

METHSTOP01	
LABEL	EA-17 Method Stopped Using Due to Dissatisfaction-1st Method
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever stopped using a method due to dissatisfaction (EA-16 METHDISS = 1)
LENGTH	8
VARNUM	30

METHSTOP01: Distribution	Value	n
Birth control pills	3	931
Condom	4	128
Female sterilizing operation, such as tubal sterilization	6	1
Withdrawal, pulling out	7	40
Depo-Provera, injectables (shots)	8	168
Hormonal implant (Norplant , Implanon, or Nexplanon)	9	49
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
Diaphragm	12	8
Female condom, internal condom	13	16
Foam	14	8
Jelly or cream	15	6
Today sponge	18	4
IUD	19	126
Lunelle injectable (monthly shot)	20	7
Contraceptive patch (Ortho-Evra or Xulane)	21	33
Vaginal contraceptive ring	22	55
Other method	23	21
Refused	98	3
Don't Know	99	2
Inapplicable	.	3974
		5586

Section E

METHSTOP02	
LABEL	EA-17 Method Stopped Using Due to Dissatisfaction-2nd Method
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 2 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)
LENGTH	8
VARNUM	31

METHSTOP02: Distribution	Value	n
Birth control pills	3	59
Condom	4	175
Withdrawal, pulling out	7	73
Depo-Provera, injectables (shots)	8	113
Hormonal implant (Norplant , Implanon, or Nexplanon)	9	54
Calendar rhythm, Standard Days, or CycleBeads method	10	7
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	2
Diaphragm	12	6
Female condom, internal condom	13	10
Foam	14	16
Jelly or cream	15	5
Cervical cap	16	1
Suppository, insert	17	2
Today sponge	18	2
IUD	19	66
Lunelle injectable (monthly shot)	20	2
Contraceptive patch (Ortho-Evra or Xulane)	21	33
Vaginal contraceptive ring	22	57
Other method	23	11
Inapplicable	.	4892
		5586

METHSTOP03	
LABEL	EA-17 Method Stopped Using Due to Dissatisfaction-3rd Method
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 3 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)
LENGTH	8
VARNUM	32

METHSTOP03: Distribution	Value	n
Birth control pills	3	16
Condom	4	9
Partners vasectomy	5	1
Withdrawal, pulling out	7	37
Depo-Provera, injectables (shots)	8	39
Hormonal implant (Norplant , Implanon, or Nexplanon)	9	22
Calendar rhythm, Standard Days, or CycleBeads method	10	2
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
Diaphragm	12	2
Female condom, internal condom	13	3
Foam	14	3
Jelly or cream	15	3
Suppository, insert	17	4
Today sponge	18	2
IUD	19	53
Lunelle injectable (monthly shot)	20	3
Contraceptive patch (Ortho-Evra or Xulane)	21	18
Vaginal contraceptive ring	22	37
Other method	23	5
Inapplicable	.	5324
		5586

Section E

METHSTOP04	
LABEL	EA-17 Method Stopped Using Due to Dissatisfaction-4th Method
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 4 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)
LENGTH	8
VARNUM	33

METHSTOP04: Distribution	Value	n
Birth control pills	3	2
Condom	4	4
Withdrawal, pulling out	7	5
Depo-Provera, injectables (shots)	8	16
Hormonal implant (Norplant , Implanon, or Nexplanon)	9	10
Calendar rhythm, Standard Days, or CycleBeads method	10	8
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
Diaphragm	12	2
Female condom, internal condom	13	3
Foam	14	3
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	13
Lunelle injectable (monthly shot)	20	1
Contraceptive patch (Ortho-Evra or Xulane)	21	17
Vaginal contraceptive ring	22	20
Other method	23	1
Inapplicable	.	5477
		5586

METHSTOP05	
LABEL	EA-17 Method Stopped Using Due to Dissatisfaction-5th Method
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 5 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)
LENGTH	8
VARNUM	34

METHSTOP05: Distribution	Value	n
Birth control pills	3	2
Condom	4	1
Withdrawal, pulling out	7	3
Depo-Provera, injectables (shots)	8	1
Calendar rhythm, Standard Days, or CycleBeads method	10	3
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
Diaphragm	12	2
Foam	14	2
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	4
Contraceptive patch (Ortho-Evra or Xulane)	21	7
Vaginal contraceptive ring	22	8
Other method	23	1
Inapplicable	.	5549
		5586

METHSTOP06	
LABEL	EA-17 Method Stopped Using Due to Dissatisfaction-6th Method
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 6 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)
LENGTH	8
VARNUM	35

Section E

METHSTOP06: Distribution	Value	n
Condom	4	2
Withdrawal, pulling out	7	1
Hormonal implant (Norplant , Implanon, or Nexplanon)	9	1
Calendar rhythm, Standard Days, or CycleBeads method	10	1
Female condom, internal condom	13	1
Jelly or cream	15	2
Contraceptive patch (Ortho-Evra or Xulane)	21	1
Vaginal contraceptive ring	22	2
Inapplicable	.	5575
		5586

METHSTOP07	
LABEL	EA-17 Method Stopped Using Due to Dissatisfaction-7th Method
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 7 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)
LENGTH	8
VARNUM	36

METHSTOP07: Distribution	Value	n
Calendar rhythm, Standard Days, or CycleBeads method	10	1
Jelly or cream	15	1
Suppository, insert	17	1
Today sponge	18	1
IUD	19	1
Inapplicable	.	5581
		5586

METHSTOP08	
LABEL	EA-17 Method Stopped Using Due to Dissatisfaction-8th Method
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 8 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)
LENGTH	8
VARNUM	37

METHSTOP08: Distribution	Value	n
Today sponge	18	1
Contraceptive patch (Ortho-Evra or Xulane)	21	1
Inapplicable	.	5584
		5586

METHSTOP09	
LABEL	EA-17 Method Stopped Using Due to Dissatisfaction-9th Method
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 9 methods stopped due to dissatisfaction (see EA-17 METHSTOP01)
LENGTH	8
VARNUM	38

METHSTOP09: Distribution	Value	n
Contraceptive patch (Ortho-Evra or Xulane)	21	1
Vaginal contraceptive ring	22	1
Inapplicable	.	5584
		5586

WHENPILL	
LABEL	EA-17a Whether discontinued pill within past 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever stopped using the pill due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP09 = 3)
LENGTH	8
VARNUM	39

Section E

WHENPILL: Distribution	Value	n
Yes (stopped within the last 12 months)	1	146
No (stopped over 12 months ago)	5	861
Don't Know	9	3
Inapplicable	.	4576
		5586

REASPILL01	
LABEL	EA-18 Reason Dissatisfied with Pill, 1st reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever stopped using the pill due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP09 = 3)
LENGTH	8
VARNUM	40

REASPILL01: Distribution	Value	n
Too expensive	1	17
Insurance did not cover it	2	11
Too difficult to use (including remembering to take the pill)	3	239
Too messy	4	2
Your partner did not like it	5	3
You had side effects (such as weight gain or headaches)	6	497
You were worried you might have side effects	7	46
You worried the method would not work	8	5
The method failed, you became pregnant	9	30
The method did not protect against disease	10	1
Because of other health problems, a doctor told you that you should not use the method again	11	37
The method decreased your sexual pleasure	12	8
Too difficult to obtain the method	13	3
Did not like the changes to your menstrual cycle (such as changes in flow, irregular cycle, spotting)	14	64
Other	15	47
Inapplicable	.	4576
		5586

REASPILL02	
LABEL	EA-18 Reason Dissatisfied with Pill, 2nd reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 2 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)
LENGTH	8
VARNUM	41

REASPILL02: Distribution	Value	n
Too expensive	1	7
Insurance did not cover it	2	9
Too difficult to use (including remembering to take the pill)	3	28
Too messy	4	1
Your partner did not like it	5	2
You had side effects (such as weight gain or headaches)	6	121
You were worried you might have side effects	7	53
You worried the method would not work	8	18
The method failed, you became pregnant	9	12
The method did not protect against disease	10	6
Because of other health problems, a doctor told you that you should not use the method again	11	35
The method decreased your sexual pleasure	12	43
Too difficult to obtain the method	13	5
Did not like the changes to your menstrual cycle (such as changes in flow, irregular cycle, spotting)	14	91
Other	15	29
Inapplicable	.	5126
		5586

Section E

REASPILL03	
LABEL	EA-18 Reason Dissatisfied with Pill, 3rd reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 3 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)
LENGTH	8
VARNUM	42

REASPILL03: Distribution	Value	n
Too expensive	1	1
Insurance did not cover it	2	3
Too difficult to use (including remembering to take the pill)	3	7
You had side effects (such as weight gain or headaches)	6	16
You were worried you might have side effects	7	21
You worried the method would not work	8	14
The method failed, you became pregnant	9	8
The method did not protect against disease	10	5
Because of other health problems, a doctor told you that you should not use the method again	11	10
The method decreased your sexual pleasure	12	23
Too difficult to obtain the method	13	7
Did not like the changes to your menstrual cycle (such as changes in flow, irregular cycle, spotting)	14	43
Other	15	13
Inapplicable	.	5415
		5586

REASPILL04	
LABEL	EA-18 Reason Dissatisfied with Pill, 4th reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 4 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)
LENGTH	8
VARNUM	43

REASPILL04: Distribution	Value	n
Too difficult to use (including remembering to take the pill)	3	2
Too messy	4	1
You had side effects (such as weight gain or headaches)	6	4
You were worried you might have side effects	7	3
The method did not protect against disease	10	5
Because of other health problems, a doctor told you that you should not use the method again	11	3
The method decreased your sexual pleasure	12	9
Too difficult to obtain the method	13	4
Did not like the changes to your menstrual cycle (such as changes in flow, irregular cycle, spotting)	14	18
Other	15	4
Inapplicable	.	5533
		5586

REASPILL05	
LABEL	EA-18 Reason Dissatisfied with Pill, 5th reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 5 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)
LENGTH	8
VARNUM	44

REASPILL05: Distribution	Value	n
Too difficult to use (including remembering to take the pill)	3	2
You had side effects (such as weight gain or headaches)	6	1
You worried the method would not work	8	1
The method did not protect against disease	10	1

Section E

REASPILL05: Distribution	Value	n
Because of other health problems, a doctor told you that you should not use the method again	11	1
The method decreased your sexual pleasure	12	2
Too difficult to obtain the method	13	2
Did not like the changes to your menstrual cycle (such as changes in flow, irregular cycle, spotting)	14	8
Other	15	1
Inapplicable	.	5567
		5586

REASPILL06	
LABEL	EA-18 Reason Dissatisfied with Pill, 6th reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 6 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)
LENGTH	8
VARNUM	45

REASPILL06: Distribution	Value	n
The method did not protect against disease	10	1
Because of other health problems, a doctor told you that you should not use the method again	11	1
Too difficult to obtain the method	13	1
Did not like the changes to your menstrual cycle (such as changes in flow, irregular cycle, spotting)	14	2
Inapplicable	.	5581
		5586

REASPILL07	
LABEL	EA-18 Reason Dissatisfied with Pill, 7th reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 7 reasons for stopping use of the pill due to dissatisfaction (see EA-18 REASPILL01)
LENGTH	8
VARNUM	46

REASPILL07: Distribution	Value	n
Did not like the changes to your menstrual cycle (such as changes in flow, irregular cycle, spotting)	14	1
Inapplicable	.	5585
		5586

WHENCOND	
LABEL	EA-18e Whether discontinued condom within past 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever stopped using the condom due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP09 = 4)
LENGTH	8
VARNUM	47

WHENCOND: Distribution	Value	n
Yes (stopped within the last 12 months)	1	63
No (stopped over 12 months ago)	5	255
Don't Know	9	1
Inapplicable	.	5267
		5586

REASCOND01	
LABEL	EA-19 Reason Dissatisfied with condoms, 1st reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever stopped using the condom due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP09 = 4)
LENGTH	8
VARNUM	48

Section E

REASCOND01: Distribution	Value	n
Too expensive	1	13
Too difficult to use	3	14
Too messy	4	22
Your partner did not like it	5	97
You had side effects (such as skin irritation or an allergy)	6	50
You were worried you might have side effects (such as skin irritation or an allergy)	7	3
You worried the method would not work	8	7
The method failed, you became pregnant	9	2
The method decreased your sexual pleasure	12	70
Too difficult to obtain the method	13	1
Did not like the changes to your menstrual cycle	14	1
Other	15	39
Inapplicable	.	5267
		5586

REASCOND02	
LABEL	EA-19 Reason Dissatisfied with condoms, 2nd reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 2 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)
LENGTH	8
VARNUM	49

REASCOND02: Distribution	Value	n
Too expensive	1	2
Insurance did not cover it	2	2
Too difficult to use	3	7
Too messy	4	7
Your partner did not like it	5	27
You had side effects (such as skin irritation or an allergy)	6	10
You were worried you might have side effects (such as skin irritation or an allergy)	7	7
You worried the method would not work	8	12
The method failed, you became pregnant	9	3
Because of other health problems, a doctor told you that you should not use the method again	11	1
The method decreased your sexual pleasure	12	57
Other	15	4
Inapplicable	.	5447
		5586

REASCOND03	
LABEL	EA-19 Reason Dissatisfied with condoms, 3rd reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 3 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)
LENGTH	8
VARNUM	50

REASCOND03: Distribution	Value	n
Too expensive	1	2
Too difficult to use	3	3
Too messy	4	5
Your partner did not like it	5	10
You had side effects (such as skin irritation or an allergy)	6	6
You worried the method would not work	8	7
The method failed, you became pregnant	9	1
Because of other health problems, a doctor told you that you should not use the method again	11	1
The method decreased your sexual pleasure	12	15
Too difficult to obtain the method	13	2
Other	15	4

REASCOND03: Distribution	Value	n
Inapplicable	.	5530
		5586

REASCOND04	
LABEL	EA-19 Reason Dissatisfied with condoms, 4th reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 4 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)
LENGTH	8
VARNUM	51

REASCOND04: Distribution	Value	n
Too expensive	1	1
Insurance did not cover it	2	1
Your partner did not like it	5	2
You had side effects (such as skin irritation or an allergy)	6	3
You worried the method would not work	8	3
The method failed, you became pregnant	9	1
The method decreased your sexual pleasure	12	10
Too difficult to obtain the method	13	1
Other	15	3
Inapplicable	.	5561
		5586

REASCOND05	
LABEL	EA-19 Reason Dissatisfied with condoms, 5th reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 5 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)
LENGTH	8
VARNUM	52

REASCOND05: Distribution	Value	n
Too expensive	1	1
Insurance did not cover it	2	1
You had side effects (such as skin irritation or an allergy)	6	1
You worried the method would not work	8	1
The method decreased your sexual pleasure	12	2
Too difficult to obtain the method	13	2
Other	15	1
Inapplicable	.	5577
		5586

REASCOND06	
LABEL	EA-19 Reason Dissatisfied with condoms, 6th reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 6 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)
LENGTH	8
VARNUM	53

REASCOND06: Distribution	Value	n
Too expensive	1	1
Too difficult to use	3	1
You were worried you might have side effects (such as skin irritation or an allergy)	7	1
The method decreased your sexual pleasure	12	1
Inapplicable	.	5582
		5586

Section E

REASCOND07	
LABEL	EA-19 Reason Dissatisfied with condoms, 7th reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 7 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)
LENGTH	8
VARNUM	54

REASCOND07: Distribution	Value	n
You worried the method would not work	8	1
Inapplicable	.	5585
		5586

REASCOND08	
LABEL	EA-19 Reason Dissatisfied with condoms, 8th reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 8 reasons for stopping use of the condom due to dissatisfaction (see EA-19 REASCOND01)
LENGTH	8
VARNUM	55

REASCOND08: Distribution	Value	n
Too difficult to obtain the method	13	1
Inapplicable	.	5585
		5586

WHENIUD	
LABEL	EA-20e Whether discontinued IUD within past 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever stopped using the IUD due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP09 = 19)
LENGTH	8
VARNUM	56

WHENIUD: Distribution	Value	n
Yes (stopped within the last 12 months)	1	51
No (stopped over 12 months ago)	5	212
Inapplicable	.	5323
		5586

TYPEIUD_1	
LABEL	EA-21 Discontinued use of IUD Type-1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever stopped using the IUD due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP09 = 19)
LENGTH	8
VARNUM	57

TYPEIUD_1: Distribution	Value	n
Copper-bearing (such as Copper-T or ParaGard)	1	87
Hormonal IUD (such as Mirena, Skyla, Liletta, or Kyleena)	2	174
Other	3	1
Don't Know	9	1
Inapplicable	.	5323
		5586

TYPEIUD_2	
LABEL	EA-21 Discontinued use of IUD Type-2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever stopped using more than one type of IUD due to dissatisfaction (see EA-21 TYPEIUD_1)
LENGTH	8
VARNUM	58

Section E

TYPEIUD_2: Distribution	Value	n
Copper-bearing (such as Copper-T or ParaGard)	1	3
Hormonal IUD (such as Mirena, Skyla, Liletta, or Kyleena)	2	6
Inapplicable	.	5577
		5586

REASIUD01	
LABEL	EA-21 Reason Dissatisfied with IUD, 1st reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever stopped using the IUD due to dissatisfaction (any EA-17 METHSTOP01 through METHSTOP09 = 19)
LENGTH	8
VARNUM	59

REASIUD01: Distribution	Value	n
Too expensive	1	1
Too difficult to use	3	2
Too messy	4	2
Your partner did not like it	5	16
You had side effects (such as cramping)	6	143
You were worried you might have side effects	7	6
You worried the method would not work	8	1
The method failed, you became pregnant	9	8
Because of other health problems, a doctor told you that you should not use the method again	11	15
The method decreased your sexual pleasure	12	8
Did not like the changes to your menstrual cycle (such as heavier flow, irregular cycle, spotting)	14	34
Other	15	27
Inapplicable	.	5323
		5586

REASIUD02	
LABEL	EA-21 Reason Dissatisfied with IUD, 2nd reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 2 reasons for stopping use of the IUD due to dissatisfaction (see EA-21 REASIUD01)
LENGTH	8
VARNUM	60

REASIUD02: Distribution	Value	n
Your partner did not like it	5	4
You had side effects (such as cramping)	6	22
You were worried you might have side effects	7	6
You worried the method would not work	8	3
The method did not protect against disease	10	2
Because of other health problems, a doctor told you that you should not use the method again	11	7
The method decreased your sexual pleasure	12	10
Too difficult to obtain the method	13	1
Did not like the changes to your menstrual cycle (such as heavier flow, irregular cycle, spotting)	14	52
Other	15	12
Inapplicable	.	5467
		5586

REASIUD03	
LABEL	EA-21 Reason Dissatisfied with IUD, 3rd reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 3 reasons for stopping use of the IUD due to dissatisfaction (see EA-21 REASIUD01)
LENGTH	8
VARNUM	61

Section E

REASIUD03: Distribution	Value	n
Your partner did not like it	5	3
You had side effects (such as cramping)	6	4
You were worried you might have side effects	7	1
The method did not protect against disease	10	1
Because of other health problems, a doctor told you that you should not use the method again	11	8
The method decreased your sexual pleasure	12	5
Did not like the changes to your menstrual cycle (such as heavier flow, irregular cycle, spotting)	14	18
Other	15	9
Inapplicable	.	5537
		5586

REASIUD04	
LABEL	EA-21 Reason Dissatisfied with IUD, 4th reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 4 reasons for stopping use of the IUD due to dissatisfaction (see EA-21 REASIUD01)
LENGTH	8
VARNUM	62

REASIUD04: Distribution	Value	n
Too messy	4	1
The method decreased your sexual pleasure	12	3
Too difficult to obtain the method	13	1
Did not like the changes to your menstrual cycle (such as heavier flow, irregular cycle, spotting)	14	7
Other	15	5
Inapplicable	.	5569
		5586

REASIUD05	
LABEL	EA-21 Reason Dissatisfied with IUD, 5th reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 5 reasons for stopping use of the IUD due to dissatisfaction (see EA-21 REASIUD01)
LENGTH	8
VARNUM	63

REASIUD05: Distribution	Value	n
Too difficult to obtain the method	13	1
Did not like the changes to your menstrual cycle (such as heavier flow, irregular cycle, spotting)	14	2
Other	15	1
Inapplicable	.	5582
		5586

REASIUD06	
LABEL	EA-21 Reason Dissatisfied with IUD, 6th reason
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 6 reasons for stopping use of the IUD due to dissatisfaction (see EA-21 REASIUD01)
LENGTH	8
VARNUM	64

REASIUD06: Distribution	Value	n
Other	15	1
Inapplicable	.	5585
		5586

FIRSMETH1	
LABEL	EB-1 First method ever used - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1)

Section E

FIRSMETH1	
LENGTH	8
VARNUM	65

FIRSMETH1: Distribution	Value	n
Birth control pills	3	2257
Condom	4	1689
Partners vasectomy	5	7
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	15
Withdrawal, pulling out	7	171
Depo-Provera, injectables (shots)	8	232
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	71
Calendar rhythm, Standard Days, or CycleBeads method	10	16
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	8
Diaphragm	12	2
Female condom, internal condom	13	3
Foam	14	5
Jelly or cream	15	2
Cervical cap	16	1
Suppository, insert	17	2
Today sponge	18	1
IUD	19	82
Emergency contraception pills	20	28
Other method	21	25
You were sterile	22	7
Your partner was sterile	23	6
Lunelle injectable (monthly shot)	24	4
Contraceptive patch (Ortho-Evra or Xulane)	25	21
Vaginal contraceptive ring	26	33
Refused	98	48
Don't Know	99	26
Inapplicable	.	824
		5586

FIRSMETH2	
LABEL	EB-1 First method ever used - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 2 methods used the first time she used a method (see EB-1 FIRSMETH1)
LENGTH	8
VARNUM	66

FIRSMETH2: Distribution	Value	n
Birth control pills	3	118
Condom	4	748
Partners vasectomy	5	7
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	5
Withdrawal, pulling out	7	197
Depo-Provera, injectables (shots)	8	60
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	22
Calendar rhythm, Standard Days, or CycleBeads method	10	10
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Diaphragm	12	2
Female condom, internal condom	13	3
Foam	14	3
Jelly or cream	15	7
Cervical cap	16	1
Suppository, insert	17	4
IUD	19	34
Emergency contraception pills	20	17

Section E

FIRSMETH2: Distribution	Value	n
Other method	21	4
You were sterile	22	3
Your partner was sterile	23	2
Lunelle injectable (monthly shot)	24	1
Contraceptive patch (Ortho-Evra or Xulane)	25	7
Vaginal contraceptive ring	26	6
Inapplicable	.	4319
		5586

FIRSMETH3	
LABEL	EB-1 First method ever used - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 3 methods used the first time she used a method (see EB-1 FIRSMETH1)
LENGTH	8
VARNUM	67

FIRSMETH3: Distribution	Value	n
Birth control pills	3	5
Condom	4	26
Partners vasectomy	5	15
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	9
Withdrawal, pulling out	7	168
Depo-Provera, injectables (shots)	8	36
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	13
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Female condom, internal condom	13	1
Foam	14	6
Jelly or cream	15	9
Cervical cap	16	1
Suppository, insert	17	2
Today sponge	18	1
IUD	19	19
Emergency contraception pills	20	41
Other method	21	1
You were sterile	22	2
Your partner was sterile	23	4
Lunelle injectable (monthly shot)	24	1
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	11
Inapplicable	.	5199
		5586

FIRSMETH4	
LABEL	EB-1 First method ever used - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 4 methods used the first time she used a method (see EB-1 FIRSMETH1)
LENGTH	8
VARNUM	68

FIRSMETH4: Distribution	Value	n
Birth control pills	3	4
Condom	4	7
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	28
Depo-Provera, injectables (shots)	8	20
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	6

Section E

FIRSMETH4: Distribution	Value	n
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
Diaphragm	12	1
Female condom, internal condom	13	3
Jelly or cream	15	3
Suppository, insert	17	1
Today sponge	18	2
IUD	19	12
Emergency contraception pills	20	21
Other method	21	1
You were sterile	22	1
Lunelle injectable (monthly shot)	24	1
Contraceptive patch (Ortho-Evra or Xulane)	25	5
Vaginal contraceptive ring	26	5
Inapplicable	.	5457
		5586

NUMFIRSM	
LABEL	Number of methods reported as first method ever used (Computed in Flow Check E-13a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
LENGTH	8
VARNUM	69

NUMFIRSM: Distribution	Value	n
0	0	74
1	1	3421
2	2	880
3	3	258
4	4	129
Inapplicable	.	824
		5586

DRUGDEV	
LABEL	Whether first method mentioned was drug or device (1st meth) (Computed in Flow Check E-14)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
LENGTH	8
VARNUM	70

DRUGDEV: Distribution	Value	n
Yes	1	4448
No	5	240
Refused	98	48
Don't know	99	26
Inapplicable	.	824
		5586

DRUGDEV2	
LABEL	Whether first method mentioned was drug or device (2nd meth) (Computed in Flow Check E-14)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1) and R used 2 or more methods as first method (see EB-1 FIRSMETH1)
LENGTH	8
VARNUM	71

DRUGDEV2: Distribution	Value	n
Yes	1	1038
No	5	229
Inapplicable	.	4319
		5586

Section E

DRUGDEV3	
LABEL	Whether first method mentioned was drug or device (3rd meth) (Computed in Flow Check E-14)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1) and R used 3 or more methods as first method (see EB-1 FIRSMETH1)
LENGTH	8
VARNUM	72

DRUGDEV3: Distribution	Value	n
Yes	1	180
No	5	207
Inapplicable	.	5199
		5586

DRUGDEV4	
LABEL	Whether first method mentioned was drug or device (4th meth) (Computed in Flow Check E-14)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1) and R used 4 or more methods as first method (see EB-1 FIRSMETH1)
LENGTH	8
VARNUM	73

DRUGDEV4: Distribution	Value	n
Yes	1	91
No	5	38
Inapplicable	.	5457
		5586

FIRSTIME1	
LABEL	EB-2 when 1st method use vis-a-vis 1st sex (noncontinuous meth)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and first method(s) ever used was not a continuous method(s) (EB-1 FIRSMETH1 - FIRSMETH4 = 4,7,10,11,12,13,14,15,16,17,18, or 20)
LENGTH	8
VARNUM	74

FIRSTIME1: Distribution	Value	n
The first time you had intercourse	2	1439
Less than a month after your first intercourse	3	86
One to three months after your first intercourse	4	54
Four to twelve months after your first intercourse	5	32
More than twelve months after your first intercourse	6	107
Refused	8	31
Don't Know	9	28
Inapplicable	.	3809
		5586

FIRSTIME2	
LABEL	EB-2 when first method use vis-a-vis 1st sex (continuous method)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and first method(s) ever used was a continuous method(s) (EB-1 FIRSMETH1 - FIRSMETH4 = 3,5,6,8,9,19,21,22,23,24,25 or 26)
LENGTH	8
VARNUM	75

FIRSTIME2: Distribution	Value	n
Before your first intercourse	1	1334
The first time you had intercourse	2	389
Less than a month after your first intercourse	3	175
One to three months after your first intercourse	4	180
Four to twelve months after your first intercourse	5	126
More than twelve months after your first intercourse	6	441
Refused	8	10
Don't Know	9	29

Section E

FIRSTIME2: Distribution	Value	n
Inapplicable	.	2902
		5586

WNFSTUSE_M	
LABEL	EB-3m Month R First Used a Method
VARIABLE TYPE	raw
UNIVERSE	Applicable if first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (EB-2 FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = RF/DK or EB-2 FIRSTIME2 = RF/DK)
NOTES	Use recode DATEUSE1
LENGTH	8
VARNUM	76

WNFSTUSE_M: Distribution	Value	n
January	1	274
February	2	153
March	3	174
April	4	182
May	5	238
June	6	279
July	7	159
August	8	234
September	9	210
October	10	152
November	11	124
December	12	121
January-March	13	169
April-June	14	117
July-September	15	112
October-December	16	95
Refused	98	35
Don't Know	99	106
Inapplicable	.	2652
		5586

WNFSTUSE_Y	
LABEL	EB-3y Year R First Used a Method
VARIABLE TYPE	raw
UNIVERSE	Applicable if first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (EB-2 FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = RF/DK or EB-2 FIRSTIME2 = RF/DK)
NOTES	Use recode DATEUSE1
LENGTH	4
VARNUM	77

WNFSTUSE_Y: Distribution	Value	n
1972-2023	1972-2023	2850
Refused	9998	33
Don't know	9999	51
Inapplicable	.	2652
		5586

CMFIRSM	
LABEL	CM for date of first method use (total universe) (Computed in FC E-18 and E-21)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R has ever used a method of contraception (everused = 1)
LENGTH	4
VARNUM	78

CMFIRSM: Distribution	Value	n
Before 2017	865-1404	3854
2017	1405-1416	138
2018	1417-1428	127
2019	1429-1440	149
2020	1441-1452	110

Section E

CMFIRSM: Distribution	Value	n
2021	1453-1464	126
2022	1465-1476	123
2023	1477-1488	44
Refused	9998	39
Don't know	9999	52
Inapplicable	.	824
		5586

CMFSTUSE	
LABEL	CM for date first used a method (if not at first sex) (Computed in FC E-2)
VARIABLE TYPE	computed
UNIVERSE	Applicable if first method use was after first sex (EB-2 FIRSTIME1 = 3,4,5, or 6 or EB-2 FIRSTIME2 = 3,4,5 or 6) or before first sex (EB-2 FIRSTIME2 = 1) or R refused or did not know the timing of her first method use (EB-2 FIRSTIME1 = RF/DK or EB-2 FIRSTIME2 = RF/DK)
NOTES	Use recode DATEUSE1
LENGTH	4
VARNUM	79

CMFSTUSE: Distribution	Value	n
Before 2017	865-1404	2294
2017	1405-1416	88
2018	1417-1428	88
2019	1429-1440	101
2020	1441-1452	76
2021	1453-1464	87
2022	1465-1476	88
2023	1477-1488	28
Refused	9998	33
Don't know	9999	51
Inapplicable	.	2652
		5586

AGEFSTUS	
LABEL	EB-4 Age When First Used Method
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not know or refused to answer month and/or year of first method use (WNFSTUSE_M = DK,RF and / or WNFSTUSE_Y = DK,RF)
LENGTH	8
VARNUM	80

AGEFSTUS: Distribution	Value	n
Under 15 years	0-14	23
15-17 years	15-17	41
18-19 years	18-19	14
20 years or older	20-49	14
Refused	98	31
Don't know	99	25
Inapplicable	.	5438
		5586

USEFRSTS	
LABEL	EB-6 R Use Any Method at First Sex (1st meth use was bef 1st sx)
VARIABLE TYPE	raw
UNIVERSE	Applicable if first method use was before first intercourse [(EB-2 FIRSTIME2 = 1) or (EB-1 FIRSTIME2 = 1 or blank and cmfirsm = RF/DK or cmfstsex = RF/DK)]
NOTES	Use recode SEX1MTHD1
LENGTH	8
VARNUM	81

USEFRSTS: Distribution	Value	n
Yes	1	1203
No	5	172
Refused	8	13
Don't know	9	5

Section E

USEFRSTS: Distribution	Value	n
Inapplicable	.	4193
		5586

USEFSTSX	
LABEL	Whether R used a method at first sex (total universe) (Computed in Flow Checks E-18 and FC E-29)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) and has ever used a method of contraception (everused = 1)
NOTES	Use recode SEX1MTHD1
LENGTH	8
VARNUM	82

USEFSTSX: Distribution	Value	n
Yes	1	3031
No	5	1373
Refused	98	23
Don't know	99	34
Inapplicable	.	1125
		5586

MTHFRSTS1	
LABEL	EB-8 Method Used at First Sex-1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used a method of contraception at first sexual intercourse (EB-6 USEFRSTS = 1 or EB-2 FIRSTIME1 = 2 or EB-2 FIRSTIME2 = 2)
NOTES	Use recode SEX1MTHD1
LENGTH	8
VARNUM	83

MTHFRSTS1: Distribution	Value	n
Birth control pills	3	813
Condom	4	278
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	9
Depo-Provera, injectables (shots)	8	40
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	11
Calendar rhythm, Standard Days, or CycleBeads method	10	1
IUD	19	18
Emergency contraception pills	20	1
Other method	21	3
You were sterile	22	1
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	19
Refused	98	3
Don't Know	99	1
Inapplicable	.	4383
		5586

MTHFRSTS2	
LABEL	EB-8 Method Used at First Sex-2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods at first intercourse (see EB-8 MTHFRSTS1)
NOTES	Use recode SEX1MTHD2
LENGTH	8
VARNUM	84

MTHFRSTS2: Distribution	Value	n
Birth control pills	3	74
Condom	4	472
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	26
Depo-Provera, injectables (shots)	8	13

Section E

MTHFRSTS2: Distribution	Value	n
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
IUD	19	6
Emergency contraception pills	20	3
You were sterile	22	2
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	4
Inapplicable	.	4977
		5586

MTHFRSTS3	
LABEL	EB-8 Method Used at First Sex-3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods at first intercourse (see EB-8 MTHFRSTS1)
NOTES	Use recode SEX1MTHD3
LENGTH	8
VARNUM	85

MTHFRSTS3: Distribution	Value	n
Condom	4	1
Withdrawal, pulling out	7	23
Diaphragm	12	1
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	1
Emergency contraception pills	20	3
Other method	21	1
Your partner was sterile	23	1
Inapplicable	.	5552
		5586

MTHFRSTS4	
LABEL	EB-8 Method Used at First Sex-4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods at first intercourse (see EB-8 MTHFRSTS1)
NOTES	Use recode SEX1MTHD4
LENGTH	8
VARNUM	86

MTHFRSTS4: Distribution	Value	n
IUD	19	1
Emergency contraception pills	20	1
Inapplicable	.	5584
		5586

MTHFSTSX1	
LABEL	Method used at first sex-1st mention (tot universe) (Computed in Flow Check E-32)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R used a method of contraception at first sexual intercourse (EB-6 USEFRSTS = 1 or EB-2 FIRSTIME1 = 2 or EB-2 FIRSTIME2 = 2)
NOTES	Use recode SEX1MTHD1
LENGTH	8
VARNUM	87

MTHFSTSX1: Distribution	Value	n
Birth control pills	3	1066
Condom	4	1625
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	4
Withdrawal, pulling out	7	135
Depo-Provera, injectables (shots)	8	56
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	20

Section E

MTHFSTSX1: Distribution	Value	n
Calendar rhythm, Standard Days, or CycleBeads method	10	11
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	2
Female condom, internal condom	13	3
Foam	14	4
Jelly or cream	15	2
Suppository, insert	17	1
Today sponge	18	1
IUD	19	24
Emergency contraception pills	20	12
Other method	21	10
You were sterile	22	2
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	20
Refused	98	12
Don't Know	99	10
Inapplicable	.	2555
		5586

MTHFSTSX2	
LABEL	Method used at first sex-2nd mention (tot universe) (Computed in Flow Check E-32)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R used at least 2 methods of contraception at first sexual intercourse (see mthfstsx1)
NOTES	Use recode SEX1MTHD2
LENGTH	8
VARNUM	88

MTHFSTSX2: Distribution	Value	n
Birth control pills	3	127
Condom	4	698
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	5
Withdrawal, pulling out	7	150
Depo-Provera, injectables (shots)	8	27
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	6
Calendar rhythm, Standard Days, or CycleBeads method	10	6
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Female condom, internal condom	13	3
Foam	14	3
Jelly or cream	15	5
Suppository, insert	17	1
IUD	19	16
Emergency contraception pills	20	11
Other method	21	2
You were sterile	22	4
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	6
Inapplicable	.	4504
		5586

MTHFSTSX3	
LABEL	Method used at first sex-3rd mention (tot universe) (Computed in Flow Check E-32)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R used at least 3 methods of contraception at first sexual intercourse (see mthfstsx1)
NOTES	Use recode SEX1MTHD3
LENGTH	8
VARNUM	89

Section E

MTHFSTSX3: Distribution	Value	n
Birth control pills	3	1
Condom	4	9
Partners vasectomy	5	2
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	83
Depo-Provera, injectables (shots)	8	15
Calendar rhythm, Standard Days, or CycleBeads method	10	6
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
Diaphragm	12	1
Female condom, internal condom	13	1
Foam	14	4
Jelly or cream	15	6
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	21
Other method	21	1
Your partner was sterile	23	3
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	5
Inapplicable	.	5416
		5586

MTHFSTSX4	
LABEL	Method used at first sex-4th mention (tot universe) (Computed in Flow Check E-32)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R used at least 4 methods of contraception at first sexual intercourse (see mthfstsx1)
NOTES	Use recode SEX1MTHD4
LENGTH	8
VARNUM	90

MTHFSTSX4: Distribution	Value	n
Birth control pills	3	1
Condom	4	2
Withdrawal, pulling out	7	8
Depo-Provera, injectables (shots)	8	8
Calendar rhythm, Standard Days, or CycleBeads method	10	2
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
Today sponge	18	2
IUD	19	6
Emergency contraception pills	20	11
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	1
Inapplicable	.	5540
		5586

INTR_EC3	
LABEL	EC-3 Any times since [Jan,intvw yr-3/date 1st sex] no sex for 1 mon?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex=1) and is not currently in a same sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and date of first sex is not equal to date of interview (cmfstsex NE cmintvw).
LENGTH	8
VARNUM	91

INTR_EC3: Distribution	Value	n
Yes	1	2508
No	5	1940
Refused	8	47
Don't Know	9	21

Section E

INTR_EC3: Distribution	Value	n
Inapplicable	.	1070
		5586

CMMONSX	
LABEL	Century month of this entry in the months of nonintercourse series (Jan, intvw yr-3) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	92

CMMONSX: Distribution	Value	n
1429	1429	1549
1441	1441	3956
Missing	.	81
		5586

MONSX	
LABEL	EC-8 Sex in January [intvw yr-3]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	93

MONSX: Distribution	Value	n
Yes	1	2995
No	5	2476
Refused	8	13
Don't know	9	21
Inapplicable	.	81
		5586

CMMONSX2	
LABEL	Century month of this entry in the months of nonintercourse series (Feb, intvw yr-3) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	94

CMMONSX2: Distribution	Value	n
1430	1430	1549
1442	1442	3956
Missing	.	81
		5586

MONSX2	
LABEL	EC-8 Sex in February [intvw yr-3]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	95

MONSX2: Distribution	Value	n
Yes	1	2945
No	5	2525
Refused	8	13
Don't know	9	22
Inapplicable	.	81
		5586

Section E

CMMONSX3	
LABEL	Century month of this entry in the months of nonintercourse series (Mar, intvw yr-3) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	96

CMMONSX3: Distribution	Value	n
1431	1431	1549
1443	1443	3956
Missing	.	81
		5586

MONSX3	
LABEL	EC-8 Sex in March [intvw yr-3]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	97

MONSX3: Distribution	Value	n
Yes	1	2954
No	5	2516
Refused	8	12
Don't know	9	23
Inapplicable	.	81
		5586

CMMONSX4	
LABEL	Century month of this entry in the months of nonintercourse series (Apr, intvw yr-3) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	98

CMMONSX4: Distribution	Value	n
1432	1432	1549
1444	1444	3956
Missing	.	81
		5586

MONSX4	
LABEL	EC-8 Sex in April [intvw yr-3]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	99

MONSX4: Distribution	Value	n
Yes	1	2910
No	5	2560
Refused	8	13
Don't know	9	22
Inapplicable	.	81
		5586

CMMONSX5	
LABEL	Century month of this entry in the months of nonintercourse series (May, intvw yr-3) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	100

Section E

CMMONSX5: Distribution	Value	n
1433	1433	1549
1445	1445	3956
Missing	.	81
		5586

MONSX5	
LABEL	EC-8 Sex in May [intvw yr-3]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	101

MONSX5: Distribution	Value	n
Yes	1	2952
No	5	2519
Refused	8	15
Don't know	9	19
Inapplicable	.	81
		5586

CMMONSX6	
LABEL	Century month of this entry in the months of nonintercourse series (June, intvw yr-3) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	102

CMMONSX6: Distribution	Value	n
1434	1434	1549
1446	1446	3956
Missing	.	81
		5586

MONSX6	
LABEL	EC-8 Sex in June [intvw yr-3]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	103

MONSX6: Distribution	Value	n
Yes	1	2977
No	5	2493
Refused	8	16
Don't know	9	19
Inapplicable	.	81
		5586

CMMONSX7	
LABEL	Century month of this entry in the months of nonintercourse series (July, intvw yr-3) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	104

CMMONSX7: Distribution	Value	n
1435	1435	1549
1447	1447	3956
Missing	.	81
		5586

Section E

MONSX7	
LABEL	EC-8 Sex in July [intvw yr-3]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	105

MONSX7: Distribution	Value	n
Yes	1	2987
No	5	2481
Refused	8	16
Don't know	9	21
Inapplicable	.	81
		5586

CMMONSX8	
LABEL	Century month of this entry in the months of nonintercourse series (Aug, intvw yr-3) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	106

CMMONSX8: Distribution	Value	n
1436	1436	1549
1448	1448	3956
Missing	.	81
		5586

MONSX8	
LABEL	EC-8 Sex in August [intvw yr-3]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	107

MONSX8: Distribution	Value	n
Yes	1	2996
No	5	2471
Refused	8	16
Don't know	9	22
Inapplicable	.	81
		5586

CMMONSX9	
LABEL	Century month of this entry in the months of nonintercourse series (Sept, intvw yr-3) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	108

CMMONSX9: Distribution	Value	n
1437	1437	1549
1449	1449	3956
Missing	.	81
		5586

MONSX9	
LABEL	EC-8 Sex in September [intvw yr-3]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	109

Section E

MONSX9: Distribution	Value	n
Yes	1	2991
No	5	2476
Refused	8	16
Don't know	9	22
Inapplicable	.	81
		5586

CMMONSX10	
LABEL	Century month of this entry in the months of nonintercourse series (Oct, intvw yr-3) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	110

CMMONSX10: Distribution	Value	n
1438	1438	1549
1450	1450	3956
Missing	.	81
		5586

MONSX10	
LABEL	EC-8 Sex in October [intvw yr-3]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	111

MONSX10: Distribution	Value	n
Yes	1	3003
No	5	2464
Refused	8	16
Don't know	9	22
Inapplicable	.	81
		5586

CMMONSX11	
LABEL	Century month of this entry in the months of nonintercourse series (Nov, intvw yr-3) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	112

CMMONSX11: Distribution	Value	n
1439	1439	1549
1451	1451	3956
Missing	.	81
		5586

MONSX11	
LABEL	EC-8 Sex in November [intvw yr-3]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	113

MONSX11: Distribution	Value	n
Yes	1	3026
No	5	2443
Refused	8	15
Don't know	9	21
Inapplicable	.	81
		5586

Section E

CMMONSX12	
LABEL	Century month of this entry in the months of nonintercourse series (Dec, intvw yr-3) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	114

CMMONSX12: Distribution	Value	n
1440	1440	1549
1452	1452	3956
Missing	.	81
		5586

MONSX12	
LABEL	EC-8 Sex in December [intvw yr-3]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	115

MONSX12: Distribution	Value	n
Yes	1	3069
No	5	2400
Refused	8	15
Don't know	9	21
Inapplicable	.	81
		5586

CMMONSX13	
LABEL	Century month of this entry in the months of nonintercourse series (Jan, intvw yr-2) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	116

CMMONSX13: Distribution	Value	n
1441	1441	1549
1453	1453	3956
Missing	.	81
		5586

MONSX13	
LABEL	EC-8 Sex in January [intvw yr-2]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	117

MONSX13: Distribution	Value	n
Yes	1	3093
No	5	2374
Refused	8	17
Don't know	9	21
Inapplicable	.	81
		5586

CMMONSX14	
LABEL	Century month of this entry in the months of nonintercourse series (Feb, intvw yr-2) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	118

Section E

CMMONSX14: Distribution	Value	n
1442	1442	1549
1454	1454	3956
Missing	.	81
		5586

MONSX14	
LABEL	EC-8 Sex in February [intvw yr-2]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	119

MONSX14: Distribution	Value	n
Yes	1	3065
No	5	2402
Refused	8	16
Don't know	9	22
Inapplicable	.	81
		5586

CMMONSX15	
LABEL	Century month of this entry in the months of nonintercourse series (Mar, intvw yr-2) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	120

CMMONSX15: Distribution	Value	n
1443	1443	1549
1455	1455	3956
Missing	.	81
		5586

MONSX15	
LABEL	EC-8 Sex in March [intvw yr-2]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	121

MONSX15: Distribution	Value	n
Yes	1	3062
No	5	2404
Refused	8	18
Don't know	9	21
Inapplicable	.	81
		5586

CMMONSX16	
LABEL	Century month of this entry in the months of nonintercourse series (Apr, intvw yr-2) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	122

CMMONSX16: Distribution	Value	n
1444	1444	1549
1456	1456	3956
Missing	.	81
		5586

Section E

MONSX16	
LABEL	EC-8 Sex in April [intvw yr-2]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	123

MONSX16: Distribution	Value	n
Yes	1	3043
No	5	2422
Refused	8	19
Don't know	9	21
Inapplicable	.	81
		5586

CMMONSX17	
LABEL	Century month of this entry in the months of nonintercourse series (May, intvw yr-2) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	124

CMMONSX17: Distribution	Value	n
1445	1445	1549
1457	1457	3956
Missing	.	81
		5586

MONSX17	
LABEL	EC-8 Sex in May [intvw yr-2]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	125

MONSX17: Distribution	Value	n
Yes	1	3065
No	5	2400
Refused	8	18
Don't know	9	22
Inapplicable	.	81
		5586

CMMONSX18	
LABEL	Century month of this entry in the months of nonintercourse series (June, intvw yr-2) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	126

CMMONSX18: Distribution	Value	n
1446	1446	1549
1458	1458	3956
Missing	.	81
		5586

MONSX18	
LABEL	EC-8 Sex in June [intvw yr-]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	127

Section E

MONSX18: Distribution	Value	n
Yes	1	3087
No	5	2379
Refused	8	17
Don't know	9	22
Inapplicable	.	81
		5586

CMMONSX19	
LABEL	Century month of this entry in the months of nonintercourse series (July, intvw yr-2) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	128

CMMONSX19: Distribution	Value	n
1447	1447	1549
1459	1459	3956
Missing	.	81
		5586

MONSX19	
LABEL	EC-8 Sex in July [intvw yr-2]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	129

MONSX19: Distribution	Value	n
Yes	1	3086
No	5	2379
Refused	8	17
Don't know	9	23
Inapplicable	.	81
		5586

CMMONSX20	
LABEL	Century month of this entry in the months of nonintercourse series (Aug, intvw yr-2) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	130

CMMONSX20: Distribution	Value	n
1448	1448	1549
1460	1460	3956
Missing	.	81
		5586

MONSX20	
LABEL	EC-8 Sex in August [intvw yr-2]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	131

MONSX20: Distribution	Value	n
Yes	1	3101
No	5	2364
Refused	8	17
Don't know	9	23
Inapplicable	.	81
		5586

Section E

CMMONSX21	
LABEL	Century month of this entry in the months of nonintercourse series (Sept, intvw yr-2) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	132

CMMONSX21: Distribution	Value	n
1449	1449	1549
1461	1461	3956
Missing	.	81
		5586

MONSX21	
LABEL	EC-8 Sex in September [intvw yr-]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	133

MONSX21: Distribution	Value	n
Yes	1	3117
No	5	2349
Refused	8	17
Don't know	9	22
Inapplicable	.	81
		5586

CMMONSX22	
LABEL	Century month of this entry in the months of nonintercourse series (Oct, intvw yr-2) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	134

CMMONSX22: Distribution	Value	n
1450	1450	1549
1462	1462	3956
Missing	.	81
		5586

MONSX22	
LABEL	EC-8 Sex in October [intvw yr-2]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	135

MONSX22: Distribution	Value	n
Yes	1	3140
No	5	2328
Refused	8	17
Don't know	9	20
Inapplicable	.	81
		5586

CMMONSX23	
LABEL	Century month of this entry in the months of nonintercourse series (Nov, intvw yr-2) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	136

Section E

CMMONSX23: Distribution	Value	n
1451	1451	1549
1463	1463	3956
Missing	.	81
		5586

MONSX23	
LABEL	EC-8 Sex in November [intvw yr-2]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	137

MONSX23: Distribution	Value	n
Yes	1	3138
No	5	2330
Refused	8	15
Don't know	9	22
Inapplicable	.	81
		5586

CMMONSX24	
LABEL	Century month of this entry in the months of nonintercourse series (Dec, intvw yr-2) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	138

CMMONSX24: Distribution	Value	n
1452	1452	1549
1464	1464	3956
Missing	.	81
		5586

MONSX24	
LABEL	EC-8 Sex in December [intvw yr-2]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	139

MONSX24: Distribution	Value	n
Yes	1	3162
No	5	2306
Refused	8	14
Don't know	9	23
Inapplicable	.	81
		5586

CMMONSX25	
LABEL	Century month of this entry in the months of nonintercourse series (Jan, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	140

CMMONSX25: Distribution	Value	n
1453	1453	1549
1465	1465	3956
Missing	.	81
		5586

Section E

MONSX25	
LABEL	EC-8 Sex in January [intvw yr-1]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	141

MONSX25: Distribution	Value	n
Yes	1	3149
No	5	2321
Refused	8	17
Don't know	9	18
Inapplicable	.	81
		5586

CMMONSX26	
LABEL	Century month of this entry in the months of nonintercourse series (Feb, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	142

CMMONSX26: Distribution	Value	n
1454	1454	1549
1466	1466	3956
Missing	.	81
		5586

MONSX26	
LABEL	EC-8 Sex in February [intvw yr-1]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	143

MONSX26: Distribution	Value	n
Yes	1	3139
No	5	2330
Refused	8	15
Don't know	9	21
Inapplicable	.	81
		5586

CMMONSX27	
LABEL	Century month of this entry in the months of nonintercourse series (Mar, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	144

CMMONSX27: Distribution	Value	n
1455	1455	1549
1467	1467	3956
Missing	.	81
		5586

MONSX27	
LABEL	EC-8 Sex in March [intvw yr-1]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	145

Section E

MONSX27: Distribution	Value	n
Yes	1	3141
No	5	2328
Refused	8	18
Don't know	9	18
Inapplicable	.	81
		5586

CMMONSX28	
LABEL	Century month of this entry in the months of nonintercourse series (Apr, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	146

CMMONSX28: Distribution	Value	n
1456	1456	1549
1468	1468	3956
Missing	.	81
		5586

MONSX28	
LABEL	EC-8 Sex in April [intvw yr-1]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	147

MONSX28: Distribution	Value	n
Yes	1	3136
No	5	2333
Refused	8	17
Don't know	9	19
Inapplicable	.	81
		5586

CMMONSX29	
LABEL	Century month of this entry in the months of nonintercourse series (May, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	148

CMMONSX29: Distribution	Value	n
1457	1457	1549
1469	1469	3956
Missing	.	81
		5586

MONSX29	
LABEL	EC-8 Sex in May [intvw yr-1]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	149

MONSX29: Distribution	Value	n
Yes	1	3161
No	5	2309
Refused	8	17
Don't know	9	18
Inapplicable	.	81
		5586

Section E

CMMONSX30	
LABEL	Century month of this entry in the months of nonintercourse series (June, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	150

CMMONSX30: Distribution	Value	n
1458	1458	1549
1470	1470	3956
Missing	.	81
		5586

MONSX30	
LABEL	EC-8 Sex in June [intvw yr-1]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	151

MONSX30: Distribution	Value	n
Yes	1	3167
No	5	2302
Refused	8	18
Don't know	9	18
Inapplicable	.	81
		5586

CMMONSX31	
LABEL	Century month of this entry in the months of nonintercourse series (July, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	152

CMMONSX31: Distribution	Value	n
1459	1459	1549
1471	1471	3956
Missing	.	81
		5586

MONSX31	
LABEL	EC-8 Sex in July [intvw yr-1]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	153

MONSX31: Distribution	Value	n
Yes	1	3132
No	5	2338
Refused	8	16
Don't know	9	19
Inapplicable	.	81
		5586

CMMONSX32	
LABEL	Century month of this entry in the months of nonintercourse series (Aug, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	154

Section E

CMMONSX32: Distribution	Value	n
1460	1460	1549
1472	1472	3956
Missing	.	81
		5586

MONSX32	
LABEL	EC-8 Sex in August [intvw yr-1]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	155

MONSX32: Distribution	Value	n
Yes	1	3161
No	5	2310
Refused	8	15
Don't know	9	19
Inapplicable	.	81
		5586

CMMONSX33	
LABEL	Century month of this entry in the months of nonintercourse series (Sept, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	156

CMMONSX33: Distribution	Value	n
1461	1461	1549
1473	1473	3956
Missing	.	81
		5586

MONSX33	
LABEL	EC-8 Sex in September [intvw yr-1]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	157

MONSX33: Distribution	Value	n
Yes	1	3172
No	5	2299
Refused	8	16
Don't know	9	18
Inapplicable	.	81
		5586

CMMONSX34	
LABEL	Century month of this entry in the months of nonintercourse series (Oct, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	158

CMMONSX34: Distribution	Value	n
1462	1462	1549
1474	1474	3956
Missing	.	81
		5586

Section E

MONSX34	
LABEL	EC-8 Sex in October [intvw yr-1]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	159

MONSX34: Distribution	Value	n
Yes	1	3176
No	5	2295
Refused	8	14
Don't know	9	20
Inapplicable	.	81
		5586

CMMONSX35	
LABEL	Century month of this entry in the months of nonintercourse series (Nov, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	160

CMMONSX35: Distribution	Value	n
1463	1463	1549
1475	1475	3956
Missing	.	81
		5586

MONSX35	
LABEL	EC-8 Sex in November [intvw yr-1]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	161

MONSX35: Distribution	Value	n
Yes	1	3205
No	5	2266
Refused	8	15
Don't know	9	19
Inapplicable	.	81
		5586

CMMONSX36	
LABEL	Century month of this entry in the months of nonintercourse series (Dec, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	162

CMMONSX36: Distribution	Value	n
1464	1464	1549
1476	1476	3956
Missing	.	81
		5586

MONSX36	
LABEL	EC-8 Sex in December [intvw yr-1]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	163

Section E

MONSX36: Distribution	Value	n
Yes	1	3264
No	5	2207
Refused	8	15
Don't know	9	19
Inapplicable	.	81
		5586

CMMONSX37	
LABEL	Century month of this entry in the months of nonintercourse series (Jan, intvw yr) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	4
VARNUM	164

CMMONSX37: Distribution	Value	n
1465	1465	1549
1477	1477	3956
Missing	.	81
		5586

MONSX37	
LABEL	EC-8 Sex in January [intvw yr]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same- sex marriage or cohabiting union (ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	165

MONSX37: Distribution	Value	n
Yes	1	3350
No	5	2130
Refused	8	16
Don't know	9	9
Inapplicable	.	81
		5586

CMMONSX38	
LABEL	Century month of this entry in the months of nonintercourse series (Feb, intvw yr-1) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after February [interview year] (cmintvw>=cmmonsx38).
LENGTH	4
VARNUM	166

CMMONSX38: Distribution	Value	n
1466	1466	1489
1478	1478	3380
Missing	.	717
		5586

MONSX38	
LABEL	EC-8 Sex in February [intvw yr]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after February [interview year] (cmintvw>=cmmonsx38).
LENGTH	8
VARNUM	167

MONSX38: Distribution	Value	n
Yes	1	2896
No	5	1947
Refused	8	16
Don't know	9	10

MONSX38: Distribution	Value	n
Inapplicable	.	717
		5586

CMMONSX39	
LABEL	Century month of this entry in the months of nonintercourse series (Mar, intvw yr) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after March [interview year] (cmintvw>=cmmonsx39).
LENGTH	4
VARNUM	168

CMMONSX39: Distribution	Value	n
1467	1467	1400
1479	1479	3165
Missing	.	1021
		5586

MONSX39	
LABEL	EC-8 Sex in March [intvw yr]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after March [interview year] (cmintvw>=cmmonsx39).
LENGTH	8
VARNUM	169

MONSX39: Distribution	Value	n
Yes	1	2702
No	5	1841
Refused	8	14
Don't know	9	8
Inapplicable	.	1021
		5586

CMMONSX40	
LABEL	Century month of this entry in the months of nonintercourse series (Apr, intvw yr) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after April [interview year] (cmintvw>=cmmonsx40).
LENGTH	4
VARNUM	170

CMMONSX40: Distribution	Value	n
1468	1468	1386
1480	1480	3013
Missing	.	1187
		5586

MONSX40	
LABEL	EC-8 Sex in April [intvw yr]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after April [interview year] (cmintvw>=cmmonsx40).
LENGTH	8
VARNUM	171

MONSX40: Distribution	Value	n
Yes	1	2597
No	5	1781
Refused	8	13
Don't know	9	8
Inapplicable	.	1187
		5586

Section E

CMMONSX41	
LABEL	Century month of this entry in the months of nonintercourse series (May, intvw yr) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after May [interview year] (cmintvw>=cmmonsx41).
LENGTH	4
VARNUM	172

CMMONSX41: Distribution	Value	n
1469	1469	1206
1481	1481	2300
Missing	.	2080
		5586

MONSX41	
LABEL	EC-8 Sex in May [intvw yr]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after May [interview year] (cmintvw>=cmmonsx41).
LENGTH	8
VARNUM	173

MONSX41: Distribution	Value	n
Yes	1	2110
No	5	1374
Refused	8	14
Don't know	9	8
Inapplicable	.	2080
		5586

CMMONSX42	
LABEL	Century month of this entry in the months of nonintercourse series (June, intvw yr) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after June [interview year] (cmintvw>=cmmonsx42).
LENGTH	4
VARNUM	174

CMMONSX42: Distribution	Value	n
1470	1470	1136
1482	1482	2087
Missing	.	2363
		5586

MONSX42	
LABEL	EC-8 Sex in June [intvw yr]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after June [interview year] (cmintvw>=cmmonsx42).
LENGTH	8
VARNUM	175

MONSX42: Distribution	Value	n
Yes	1	1965
No	5	1241
Refused	8	11
Don't know	9	6
Inapplicable	.	2363
		5586

Section E

CMMONSX43	
LABEL	Century month of this entry in the months of nonintercourse series (July, intvw yr) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after July [interview year] (cmintvw>=cmmonsx43).
LENGTH	4
VARNUM	176

CMMONSX43: Distribution	Value	n
1471	1471	1029
1483	1483	1727
Missing	.	2830
		5586

MONSX43	
LABEL	EC-8 Sex in July [intvw yr]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after July [interview year] (cmintvw>=cmmonsx43).
LENGTH	8
VARNUM	177

MONSX43: Distribution	Value	n
Yes	1	1653
No	5	1086
Refused	8	11
Don't know	9	6
Inapplicable	.	2830
		5586

CMMONSX44	
LABEL	Century month of this entry in the months of nonintercourse series (Aug, intvw yr) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after August [interview year] (cmintvw>=cmmonsx44).
LENGTH	4
VARNUM	178

CMMONSX44: Distribution	Value	n
1472	1472	771
1484	1484	1246
Missing	.	3569
		5586

MONSX44	
LABEL	EC-8 Sex in August [intvw yr]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after August [interview year] (cmintvw>=cmmonsx44).
LENGTH	8
VARNUM	179

MONSX44: Distribution	Value	n
Yes	1	1225
No	5	779
Refused	8	9
Don't know	9	4
Inapplicable	.	3569
		5586

Section E

CMMONSX45	
LABEL	Century month of this entry in the months of nonintercourse series (Sept, intvw yr) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after September [interview year] (cmintvw>=cmmonsx45).
LENGTH	4
VARNUM	180

CMMONSX45: Distribution	Value	n
1473	1473	636
1485	1485	1071
Missing	.	3879
		5586

MONSX45	
LABEL	EC-8 Sex in September [intvw yr]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after September [interview year] (cmintvw>=cmmonsx45).
LENGTH	8
VARNUM	181

MONSX45: Distribution	Value	n
Yes	1	1069
No	5	625
Refused	8	9
Don't know	9	4
Inapplicable	.	3879
		5586

CMMONSX46	
LABEL	Century month of this entry in the months of nonintercourse series (Oct, intvw yr) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after October [interview year] (cmintvw>=cmmonsx46).
LENGTH	4
VARNUM	182

CMMONSX46: Distribution	Value	n
1474	1474	439
1486	1486	574
Missing	.	4573
		5586

MONSX46	
LABEL	EC-8 Sex in October [intvw yr]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after October [interview year] (cmintvw>=cmmonsx46).
LENGTH	8
VARNUM	183

MONSX46: Distribution	Value	n
Yes	1	595
No	5	410
Refused	8	6
Don't know	9	2
Inapplicable	.	4573
		5586

Section E

CMMONSX47	
LABEL	Century month of this entry in the months of nonintercourse series (Nov, intvw yr) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after November [interview year] (cmintvw>=cmmonsx47).
LENGTH	4
VARNUM	184

CMMONSX47: Distribution	Value	n
1475	1475	176
1487	1487	272
Missing	.	5138
		5586

MONSX47	
LABEL	EC-8 Sex in November [intvw yr]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after November [interview year] (cmintvw>=cmmonsx47).
LENGTH	8
VARNUM	185

MONSX47: Distribution	Value	n
Yes	1	263
No	5	179
Refused	8	4
Don't know	9	2
Inapplicable	.	5138
		5586

CMMONSX48	
LABEL	Century month of this entry in the months of nonintercourse series (Dec, intvw yr) (Computed in FC E-34a)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after December [interview year] (cmintvw>=cmmonsx48).
LENGTH	4
VARNUM	186

CMMONSX48: Distribution	Value	n
1476	1476	69
1488	1488	160
Missing	.	5357
		5586

MONSX48	
LABEL	EC-8 Sex in December [intvw yr]?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently in a same-sex marriage or cohabiting union (ssmarcoh NE 1 or 2) and interview was on or after December [interview year] (cmintvw>=cmmonsx48).
LENGTH	8
VARNUM	187

MONSX48: Distribution	Value	n
Yes	1	129
No	5	98
Refused	8	2
Inapplicable	.	5357
		5586

CMSTRTMC	
LABEL	Century month for date of starting month of method calendar (Computed in FC E-39)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)

Section E

CMSTRTMC	
LENGTH	4
VARNUM	188

CMSTRTMC: Distribution	Value	n
2019	1429-1440	1251
2020	1441-1452	3218
2021	1453-1464	126
2022	1465-1476	123
2023	1477-1488	44
Inapplicable	.	824
		5586

CMENDMC	
LABEL	Century month for date of ending month of method calendar (Computed in FC E-39)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
LENGTH	4
VARNUM	189

CMENDMC: Distribution	Value	n
2022	1465-1476	1342
2023	1477-1488	3420
Inapplicable	.	824
		5586

INTR_ED4A	
LABEL	ED-4a R used methods other than hysterectomy during MH Calendar period
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and had a hysterectomy or a tubal ligation and date of either procedure is earlier than date of start of method calendar (cmhyst < cmstrtmc or cmtubal < cmstrtmc)
LENGTH	8
VARNUM	190

INTR_ED4A: Distribution	Value	n
Yes	1	84
No	5	383
Refused	8	2
Inapplicable	.	5117
		5586

NUMMCMON	
LABEL	Number of months of method calendar asked about (computed in Flow Check E-41)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused=1)
LENGTH	8
VARNUM	191

NUMMCMON: Distribution	Value	n
0-48	0-48	4661
Inapplicable	.	925
		5586

MC1MONS1	
LABEL	ED-9a # of months using method specified in 1st MC month
VARIABLE TYPE	raw
UNIVERSE	Applicable if (R ever used a method (everused = 1) or had a hysterectomy or tubal ligation but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirsm = cmjan3yr] and R used one method in month corresponding to cmjan3yr (METHX for cmjan3yr = 3-26)
NOTES	Respondents had the option to report a date instead of the number of months. See ED-9y DATBEGIN_Y and ED-9m DATBEGIN_M for the reported month and year. Also see CMDATBEGIN for the computed century month of beginning of use, for all applicable respondents.
LENGTH	8
VARNUM	192

Section E

MC1MONS1: Distribution	Value	n
0-994	0-994	1143
R reported a month and year instead	995	557
Refused	998	11
Don't know	999	110
Inapplicable	.	3765
		5586

MC1SIMSQ	
LABEL	ED-9b Using methods in 1st MC month at same or diff times
VARIABLE TYPE	raw
UNIVERSE	Applicable if (R ever used a method (everused = 1) or had a hysterectomy or tubal ligation but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirsm = cmjan3yr] and R used more than one method in month corresponding to cmjan3yr (METHX[n] and METHX[n+1 or more] for cmjan3yr = 3-26)
LENGTH	8
VARNUM	193

MC1SIMSQ: Distribution	Value	n
Same time	1	473
Different times	2	223
Refused	8	3
Don't Know	9	3
Inapplicable	.	4884
		5586

MC1MONS2	
LABEL	ED-9c # of months using methods together (1st MC month)
VARIABLE TYPE	raw
UNIVERSE	Applicable if (R ever used a method (everused = 1) or had a hysterectomy or tubal ligation but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirsm = cmjan3yr] and R used more than one method in month corresponding to cmjan3yr and used the methods at the same time during the month (ED-9b MC1SIMSQ=1)
NOTES	Respondents had the option to report a date instead of the number of months. See ED-9y DATBEGIN_Y and ED-9m DATBEGIN_M for the reported month and year. Also see CMDATBEGIN for the computed century month of beginning of use, for all applicable respondents.
LENGTH	8
VARNUM	194

MC1MONS2: Distribution	Value	n
0-994	0-994	350
R reported a month and year instead	995	100
Refused	998	3
Don't know	999	20
Inapplicable	.	5113
		5586

MC1MONS3	
LABEL	Ed-9d # of months using method combinations (1st MC month)
VARIABLE TYPE	raw
UNIVERSE	Applicable if (R ever used a method (everused = 1) or had a hysterectomy or tubal ligation but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirsm = cmjan3yr] and R used more than one method in month corresponding to cmjan3yr and used the methods at different times during the month (ED-9b MC1SIMSQ=2)
NOTES	Respondents had the option to report a date instead of the number of months. See ED-9y DATBEGIN_Y and ED-9m DATBEGIN_M for the reported month and year. Also see CMDATBEGIN for the computed century month of beginning of use, for all applicable respondents.
LENGTH	8
VARNUM	195

MC1MONS3: Distribution	Value	n
0-994	0-994	162
R reported a month and year instead	995	39
Refused	998	3
Don't know	999	19

Section E

MC1MONS3: Distribution	Value	n
Inapplicable	.	5363
		5586

DATBEGIN_M	
LABEL	ED-9m Month R Began Using Method/method combo
VARIABLE TYPE	raw
UNIVERSE	Applicable if R chose to report a month and year for beginning of use rather than the number of months for method(s) reported in the month corresponding to cmjan3yr (ED-9a MC1MONS1 = 995 or ED-9c MC1MONS2 = 995 or ED-9d MC1MONS3 = 995).
LENGTH	8
VARNUM	196

DATBEGIN_M: Distribution	Value	n
January	1	86
February	2	33
March	3	40
April	4	40
May	5	58
June	6	67
July	7	47
August	8	60
September	9	58
October	10	56
November	11	42
December	12	32
January-March	13	29
April-June	14	17
July-September	15	16
October-December	16	11
Don't Know	99	4
Inapplicable	.	4890
		5586

DATBEGIN_Y	
LABEL	ED-9y Year R Began Using Method/method combo
VARIABLE TYPE	raw
UNIVERSE	Applicable if R chose to report a month and year for beginning of use rather than the number of months for method(s) reported in the month corresponding to cmjan3yr (ED-9a MC1MONS1 = 995 or ED-9c MC1MONS2 = 995 or ED-9d MC1MONS3 = 995).
LENGTH	4
VARNUM	197

DATBEGIN_Y: Distribution	Value	n
1972-2023	1972-2023	696
Inapplicable	.	4890
		5586

CMDATBEGIN	
LABEL	Century month began method(s) reported in Jan yyyy (Computed in FC E-49)
VARIABLE TYPE	computed
UNIVERSE	Applicable if (R ever used a method (everused = 1) or had a hysterectomy or tubal ligation but used a method since start date for method calendar (INTR_ED4a = 1)) and date of first method use was on or before January [interview year - 3] (cmfirsm <= cmjan3yr) and R used one or more methods in month corresponding to cmjan3yr (METHX[n], METHX[n+1], etc. for cmjan3yr = 3-26)
LENGTH	4
VARNUM	198

CMDATBEGIN: Distribution	Value	n
Before 2017	865-1404	961
2017	1405-1416	248
2018	1417-1428	396
2019	1429-1440	684
2020	1441-1452	245
2021	1453-1464	1
Refused	9998	17
Don't know	9999	149

Section E

CMDATBEGIN: Distribution	Value	n
Inapplicable	.	2885
		5586

CURRMETH1	
LABEL	Method(s) used in month of interview - 1st mention (computed in Flow Check E-54)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1)
LENGTH	8
VARNUM	199

CURRMETH1: Distribution	Value	n
No method used	1	1658
Birth control pills	3	737
Condom	4	510
Partners vasectomy	5	244
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	498
Withdrawal, pulling out	7	369
Depo-Provera, injectables (shot)	8	77
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	109
Calendar rhythm, Standard Days, or CycleBeads method	10	62
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Diaphragm	12	2
IUD	19	399
Emergency contraception pills	20	4
Other method	21	7
You were sterile	22	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	12
Vaginal contraceptive ring	26	40
Inapplicable	.	843
		5586

CURRMETH2	
LABEL	Method(s) used in month of interview- 2nd mention (computed in Flow Check E-54)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R used at least 2 methods in the month of interview (see currmeth1)
LENGTH	8
VARNUM	200

CURRMETH2: Distribution	Value	n
Birth control pills	3	8
Condom	4	118
Partners vasectomy	5	36
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	42
Withdrawal, pulling out	7	193
Depo-Provera, injectables (shot)	8	11
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	26
Calendar rhythm, Standard Days, or CycleBeads method	10	116
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Diaphragm	12	2
IUD	19	100
Emergency contraception pills	20	14
Other method	21	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	5
Vaginal contraceptive ring	26	15
Inapplicable	.	4885
		5586

Section E

CURRMETH3	
LABEL	Method(s) used in month of interview - 3rd mention (computed in Flow Check E-54)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R used at least 3 methods in the month of interview (see currmeth1)
LENGTH	8
VARNUM	201

CURRMETH3: Distribution	Value	n
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	9
Withdrawal, pulling out	7	37
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	10
Calendar rhythm, Standard Days, or CycleBeads method	10	34
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	16
Female condom, internal condom	13	3
Jelly or cream	15	1
IUD	19	23
Emergency contraception pills	20	13
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	6
Inapplicable	.	5417
		5586

CURRMETH4	
LABEL	Method(s) used in month of interview - 4th mention (computed in Flow Check E-54)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R used at least 4 methods in the month of interview (see currmeth1)
LENGTH	8
VARNUM	202

CURRMETH4: Distribution	Value	n
Condom	4	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Female condom, internal condom	13	1
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	8
Emergency contraception pills	20	8
Other method	21	2
Vaginal contraceptive ring	26	1
Inapplicable	.	5548
		5586

LSTMONMETH1	
LABEL	First named method used in month prior to interview from method history calendar (computed in FC E-54)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before the month prior to interview month (cmfirsm <= cmintvw - 1)
LENGTH	8
VARNUM	203

Section E

LSTMONMETH1: Distribution	Value	n
No method used	1	1566
Birth control pills	3	755
Condom	4	557
Partners vasectomy	5	246
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	505
Withdrawal, pulling out	7	380
Depo-Provera, injectables (shot)	8	75
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	112
Calendar rhythm, Standard Days, or CycleBeads method	10	59
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	3
Female condom, internal condom	13	2
IUD	19	405
Emergency contraception pills	20	5
Other method	21	8
You were sterile	22	6
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	16
Vaginal contraceptive ring	26	37
Inapplicable	.	843
		5586

LSTMONMETH2	
LABEL	Second named method used in month prior to interview from method history calendar (computed in FC E-54)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R used at least 2 methods in the month prior to interview month (see lstmonmeth1)
LENGTH	8
VARNUM	204

LSTMONMETH2: Distribution	Value	n
Birth control pills	3	7
Condom	4	136
Partners vasectomy	5	40
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	42
Withdrawal, pulling out	7	221
Depo-Provera, injectables (shot)	8	15
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	25
Calendar rhythm, Standard Days, or CycleBeads method	10	122
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Diaphragm	12	2
Jelly or cream	15	3
IUD	19	104
Emergency contraception pills	20	20
Other method	21	6
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	11
Inapplicable	.	4818
		5586

LSTMONMETH3	
LABEL	Third named method used in month prior to interview from method history calendar (computed in FC E-54)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R used at least 3 methods in the month prior to interview month (see lstmonmeth1)
LENGTH	8
VARNUM	205

LSTMONMETH3: Distribution	Value	n
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	8
Withdrawal, pulling out	7	42
Depo-Provera, injectables (shot)	8	9
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	12
Calendar rhythm, Standard Days, or CycleBeads method	10	45
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	16
Female condom, internal condom	13	3
Jelly or cream	15	1
IUD	19	28
Emergency contraception pills	20	16
Other method	21	7
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	8
Inapplicable	.	5385
		5586

LSTMONMETH4	
LABEL	Fourth named method used in month prior to interview from method history calendar (computed in FC E-54)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R used at least 4 methods in the month prior to interview month (see lstmonmeth1)
LENGTH	8
VARNUM	206

LSTMONMETH4: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	7
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Female condom, internal condom	13	1
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	8
Emergency contraception pills	20	11
Other method	21	2
Vaginal contraceptive ring	26	2
Inapplicable	.	5538
		5586

PILL_12	
LABEL	Whether R used the pill in the last 12 months (Computed in FC E-55)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1)
LENGTH	8
VARNUM	207

PILL_12: Distribution	Value	n
Yes	1	1047
No	5	3715
Inapplicable	.	824
		5586

Section E

DIAPH_12	
LABEL	Whether R used a diaphragm in the last 12 months (Computed in FC E-55)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1)
LENGTH	8
VARNUM	208

DIAPH_12: Distribution	Value	n
Yes	1	7
No	5	4755
Inapplicable	.	824
		5586

IUD_12	
LABEL	Whether R used an IUD in the last 12 months (Computed in FC E-55)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1)
LENGTH	8
VARNUM	209

IUD_12: Distribution	Value	n
Yes	1	621
No	5	4141
Inapplicable	.	824
		5586

IMPLANT_12	
LABEL	Whether R used an implant in the last 12 months (Computed in FC E-55)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1)
LENGTH	8
VARNUM	210

IMPLANT_12: Distribution	Value	n
Yes	1	179
No	5	4583
Inapplicable	.	824
		5586

DEPO_12	
LABEL	Whether R used Depo-Provera in the last 12 months (Computed in FC E-55)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1)
LENGTH	8
VARNUM	211

DEPO_12: Distribution	Value	n
Yes	1	166
No	5	4596
Inapplicable	.	824
		5586

CERVC_12	
LABEL	Whether R used a cervical cap in the last 12 months (Computed in FC E-55)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1)
LENGTH	8
VARNUM	212

CERVC_12: Distribution	Value	n
No	5	4762
Inapplicable	.	824
		5586

Section E

MPILL_12	
LABEL	Whether R used emergency contraception in the last 12 months (Computed in FC E-55)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1)
LENGTH	8
VARNUM	213

MPILL_12: Distribution	Value	n
Yes	1	228
No	5	4534
Inapplicable	.	824
		5586

PATCH_12	
LABEL	Whether R used the Patch in the last 12 months (Computed in FC E-55)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1)
LENGTH	8
VARNUM	214

PATCH_12: Distribution	Value	n
Yes	1	40
No	5	4722
Inapplicable	.	824
		5586

RING_12	
LABEL	Whether R used the Ring in the last 12 months (Computed in FC E-55)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1)
LENGTH	8
VARNUM	215

RING_12: Distribution	Value	n
Yes	1	86
No	5	4676
Inapplicable	.	824
		5586

METHX1	
LABEL	ED-6 Method(s) used in Jan [interview yr-3] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirsm <= cmjan3yr)
LENGTH	8
VARNUM	216

METHX1: Distribution	Value	n
No method used	1	1373
Birth control pills	3	890
Condom	4	474
Partners vasectomy	5	169
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	454
Withdrawal, pulling out	7	309
Depo-Provera, injectables (shot)	8	56
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	94
Calendar rhythm, Standard Days, or CycleBeads method	10	50
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Diaphragm	12	3
Female condom, internal condom	13	1
Jelly or cream	15	1
Cervical cap	16	1
IUD	19	360

Section E

METHX1: Distribution	Value	n
Emergency contraception pills	20	10
Other method	21	5
You were sterile	22	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	7
Vaginal contraceptive ring	26	35
Refused	98	7
Don't Know	99	17
Inapplicable	.	1260
		5586

METHX2	
LABEL	ED-6 Method(s) used in Jan [interview yr-3] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in January [interview yr - 3] (see METHX1)
LENGTH	8
VARNUM	217

METHX2: Distribution	Value	n
No method used	1	1
Birth control pills	3	3
Condom	4	173
Partners vasectomy	5	35
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	21
Withdrawal, pulling out	7	207
Depo-Provera, injectables (shot)	8	19
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	25
Calendar rhythm, Standard Days, or CycleBeads method	10	94
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Female condom, internal condom	13	2
Foam	14	1
Jelly or cream	15	2
Cervical cap	16	1
IUD	19	75
Emergency contraception pills	20	14
Other method	21	4
Contraceptive patch (Ortho-Evra or Xulane)	25	5
Vaginal contraceptive ring	26	19
Inapplicable	.	4876
		5586

METHX3	
LABEL	ED-6 Method(s) used in Jan [interview yr-3] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in January [interview yr - 3] (see METHX1)
LENGTH	8
VARNUM	218

METHX3: Distribution	Value	n
No method used	1	1
Partners vasectomy	5	8
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	7
Withdrawal, pulling out	7	44
Depo-Provera, injectables (shot)	8	12
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	10
Calendar rhythm, Standard Days, or CycleBeads method	10	35
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	13
Female condom, internal condom	13	1
Foam	14	3

Section E

METHX3: Distribution	Value	n
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	11
Emergency contraception pills	20	16
Other method	21	7
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	6
Inapplicable	.	5408
		5586

METHX4	
LABEL	ED-6 Method(s) used in Jan [interview yr-3] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in January [interview yr - 3] (see METHX1)
LENGTH	8
VARNUM	219

METHX4: Distribution	Value	n
Condom	4	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	4
Withdrawal, pulling out	7	3
Depo-Provera, injectables (shot)	8	3
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Female condom, internal condom	13	1
Jelly or cream	15	2
IUD	19	7
Emergency contraception pills	20	6
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	3
Inapplicable	.	5539
		5586

METHX5	
LABEL	ED-6 Method(s) used in Feb [interview yr-3] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirsm <= cmmhcalx2)
LENGTH	8
VARNUM	220

METHX5: Distribution	Value	n
No method used	1	1424
Birth control pills	3	873
Condom	4	465
Partners vasectomy	5	168
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	457
Withdrawal, pulling out	7	299
Depo-Provera, injectables (shot)	8	53
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	94
Calendar rhythm, Standard Days, or CycleBeads method	10	45
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Diaphragm	12	3
Female condom, internal condom	13	3
Jelly or cream	15	1
Cervical cap	16	1
Suppository, insert	17	1

Section E

METHX5: Distribution	Value	n
IUD	19	358
Emergency contraception pills	20	6
Other method	21	5
You were sterile	22	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	9
Vaginal contraceptive ring	26	37
Refused	55, 98	8
Don't Know	99	16
Inapplicable	.	1251
		5586

METHX6	
LABEL	ED-6 Method(s) used in Feb [interview yr-3] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in February [interview yr - 3] (see METHX5)
LENGTH	8
VARNUM	221

METHX6: Distribution	Value	n
Birth control pills	3	4
Condom	4	152
Partners vasectomy	5	35
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	18
Withdrawal, pulling out	7	192
Depo-Provera, injectables (shot)	8	22
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	23
Calendar rhythm, Standard Days, or CycleBeads method	10	94
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	2
IUD	19	74
Emergency contraception pills	20	16
Other method	21	3
Contraceptive patch (Ortho-Evra or Xulane)	25	5
Vaginal contraceptive ring	26	15
Inapplicable	.	4919
		5586

METHX7	
LABEL	ED-6 Method(s) used in Feb [interview yr-3] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in February [interview yr - 3] (see METHX5)
LENGTH	8
VARNUM	222

METHX7: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	5
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	9
Withdrawal, pulling out	7	38
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	11
Calendar rhythm, Standard Days, or CycleBeads method	10	33
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	1

Section E

METHX7: Distribution	Value	n
IUD	19	12
Emergency contraception pills	20	14
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	7
Inapplicable	.	5426
		5586

METHX8	
LABEL	ED-6 Method(s) used in Feb [interview yr-3] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in February [interview yr - 3] (see METHX5)
LENGTH	8
VARNUM	223

METHX8: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Jelly or cream	15	2
IUD	19	6
Emergency contraception pills	20	4
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Inapplicable	.	5552
		5586

METHX9	
LABEL	ED-6 Method(s) used in Mar [interview yr-3] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirsm <= cmmhcalx3)
LENGTH	8
VARNUM	224

METHX9: Distribution	Value	n
No method used	1	1422
Birth control pills	3	875
Condom	4	480
Partners vasectomy	5	163
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	457
Withdrawal, pulling out	7	296
Depo-Provera, injectables (shot)	8	54
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	94
Calendar rhythm, Standard Days, or CycleBeads method	10	47
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	4
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	1
Cervical cap	16	1
Suppository, insert	17	1
IUD	19	357
Emergency contraception pills	20	5
Other method	21	5
You were sterile	22	2

Section E

METHX9: Distribution	Value	n
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	9
Vaginal contraceptive ring	26	37
Refused	98	9
Don't Know	99	17
Inapplicable	.	1242
		5586

METHX10	
LABEL	ED-6 Method(s) used in Mar [interview yr-3] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in March [interview yr - 3] (see METHX9)
LENGTH	8
VARNUM	225

METHX10: Distribution	Value	n
Birth control pills	3	4
Condom	4	155
Partners vasectomy	5	35
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	21
Withdrawal, pulling out	7	189
Depo-Provera, injectables (shot)	8	18
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	26
Calendar rhythm, Standard Days, or CycleBeads method	10	93
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	8
Foam	14	2
Jelly or cream	15	2
Cervical cap	16	1
IUD	19	77
Emergency contraception pills	20	12
Other method	21	2
Contraceptive patch (Ortho-Evra or Xulane)	25	6
Vaginal contraceptive ring	26	14
Inapplicable	.	4921
		5586

METHX11	
LABEL	ED-6 Method(s) used in Mar [interview yr-3] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in March [interview yr - 3] (see METHX9)
LENGTH	8
VARNUM	226

METHX11: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	8
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	7
Withdrawal, pulling out	7	35
Depo-Provera, injectables (shot)	8	9
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	10
Calendar rhythm, Standard Days, or CycleBeads method	10	39
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Female condom, internal condom	13	2
Foam	14	1
Jelly or cream	15	2
IUD	19	10
Emergency contraception pills	20	11
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	2

Section E

METHX11: Distribution	Value	n
Vaginal contraceptive ring	26	6
Inapplicable	.	5426
		5586

METHX12	
LABEL	ED-6 Method(s) used in Mar [interview yr-3] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in March [interview yr - 3] (see METHX9)
LENGTH	8
VARNUM	227

METHX12: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shot)	8	3
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	3
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Female condom, internal condom	13	1
Jelly or cream	15	2
IUD	19	6
Emergency contraception pills	20	3
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5553
		5586

METHX13	
LABEL	ED-6 Method(s) used in Apr [interview yr-3] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirsm <= cmmhcalx4)
LENGTH	8
VARNUM	228

METHX13: Distribution	Value	n
No method used	1	1460
Birth control pills	3	863
Condom	4	465
Partners vasectomy	5	166
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	458
Withdrawal, pulling out	7	286
Depo-Provera, injectables (shot)	8	53
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	100
Calendar rhythm, Standard Days, or CycleBeads method	10	45
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	3
Female condom, internal condom	13	1
Jelly or cream	15	1
Cervical cap	16	1
IUD	19	359
Emergency contraception pills	20	7
Other method	21	6
You were sterile	22	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	9
Vaginal contraceptive ring	26	40
Refused	55	9

Section E

METHX13: Distribution	Value	n
Don't Know	99	17
Inapplicable	.	1230
		5586

METHX14	
LABEL	ED-6 Method(s) used in Apr [interview yr-3] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in April [interview yr - 3] (see METHX13)
LENGTH	8
VARNUM	229

METHX14: Distribution	Value	n
Birth control pills	3	5
Condom	4	150
Partners vasectomy	5	34
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	21
Withdrawal, pulling out	7	191
Depo-Provera, injectables (shot)	8	21
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	24
Calendar rhythm, Standard Days, or CycleBeads method	10	87
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	8
Foam	14	2
Jelly or cream	15	1
IUD	19	70
Emergency contraception pills	20	10
Other method	21	3
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	15
Inapplicable	.	4940
		5586

METHX15	
LABEL	ED-6 Method(s) used in Apr [interview yr-3] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in April [interview yr - 3] (see METHX13)
LENGTH	8
VARNUM	230

METHX15: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	6
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	6
Withdrawal, pulling out	7	38
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	37
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	13
Female condom, internal condom	13	2
Jelly or cream	15	1
IUD	19	15
Emergency contraception pills	20	6
Other method	21	6
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	7
Inapplicable	.	5431
		5586

Section E

METHX16	
LABEL	ED-6 Method(s) used in Apr [interview yr-3] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in April [interview yr - 3] (see METHX13)
LENGTH	8
VARNUM	231

METHX16: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	3
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Jelly or cream	15	2
IUD	19	4
Emergency contraception pills	20	4
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5556
		5586

METHX17	
LABEL	ED-6 Method(s) used in May [interview yr-3] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirsm <= cmmhcalx5)
LENGTH	8
VARNUM	232

METHX17: Distribution	Value	n
No method used	1	1454
Birth control pills	3	863
Condom	4	468
Partners vasectomy	5	164
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	460
Withdrawal, pulling out	7	289
Depo-Provera, injectables (shot)	8	51
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	101
Calendar rhythm, Standard Days, or CycleBeads method	10	50
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Diaphragm	12	3
Jelly or cream	15	3
Cervical cap	16	1
IUD	19	365
Emergency contraception pills	20	8
Other method	21	7
You were sterile	22	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	9
Vaginal contraceptive ring	26	40
Refused	98	10
Don't Know	99	16
Inapplicable	.	1215
		5586

Section E

METHX18	
LABEL	ED-6 Method(s) used in May [interview yr-3] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in May [interview yr - 3] (see METHX17)
LENGTH	8
VARNUM	233

METHX18: Distribution	Value	n
Birth control pills	3	6
Condom	4	150
Partners vasectomy	5	31
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	21
Withdrawal, pulling out	7	204
Depo-Provera, injectables (shot)	8	19
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	23
Calendar rhythm, Standard Days, or CycleBeads method	10	95
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Female condom, internal condom	13	1
Foam	14	2
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	71
Emergency contraception pills	20	6
Other method	21	3
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	14
Inapplicable	.	4922
		5586

METHX19	
LABEL	ED-6 Method(s) used in May [interview yr-3] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in May [interview yr - 3] (see METHX17)
LENGTH	8
VARNUM	234

METHX19: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	6
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	7
Withdrawal, pulling out	7	31
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	10
Calendar rhythm, Standard Days, or CycleBeads method	10	37
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Female condom, internal condom	13	2
Foam	14	1
Jelly or cream	15	2
IUD	19	14
Emergency contraception pills	20	13
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	9
Inapplicable	.	5428
		5586

Section E

METHX20	
LABEL	ED-6 Method(s) used in May [interview yr-3] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in May [interview yr - 3] (see METHX17)
LENGTH	8
VARNUM	235

METHX20: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	3
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Jelly or cream	15	2
IUD	19	5
Emergency contraception pills	20	4
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5553
		5586

METHX21	
LABEL	ED-6 Method(s) used in June [interview yr-3] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirsm <= cmmhcalx6)
LENGTH	8
VARNUM	236

METHX21: Distribution	Value	n
No method used	1	1430
Birth control pills	3	869
Condom	4	479
Partners vasectomy	5	171
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	458
Withdrawal, pulling out	7	302
Depo-Provera, injectables (shot)	8	55
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	103
Calendar rhythm, Standard Days, or CycleBeads method	10	46
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Diaphragm	12	3
Female condom, internal condom	13	2
Jelly or cream	15	2
Cervical cap	16	1
IUD	19	368
Emergency contraception pills	20	4
Other method	21	7
You were sterile	22	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	10
Vaginal contraceptive ring	26	38
Refused	55, 98	8
Don't Know	99	19
Inapplicable	.	1201
		5586

Section E

METHX22	
LABEL	ED-6 Method(s) used in June [interview yr-3] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in June [interview yr - 3] (see METHX21)
LENGTH	8
VARNUM	237

METHX22: Distribution	Value	n
Birth control pills	3	6
Condom	4	155
Partners vasectomy	5	30
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	24
Withdrawal, pulling out	7	205
Depo-Provera, injectables (shot)	8	21
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	21
Calendar rhythm, Standard Days, or CycleBeads method	10	93
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Foam	14	2
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	66
Emergency contraception pills	20	9
Other method	21	3
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	14
Inapplicable	.	4922
		5586

METHX23	
LABEL	ED-6 Method(s) used in June [interview yr-3] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in June [interview yr - 3] (see METHX21)
LENGTH	8
VARNUM	238

METHX23: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	5
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	6
Withdrawal, pulling out	7	33
Depo-Provera, injectables (shot)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	38
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Female condom, internal condom	13	1
Jelly or cream	15	1
IUD	19	18
Emergency contraception pills	20	9
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	6
Inapplicable	.	5434
		5586

METHX24	
LABEL	ED-6 Method(s) used in June [interview yr-3] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in June [interview yr - 3] (see METHX21)
LENGTH	8
VARNUM	239

Section E

METHX24: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	3
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Female condom, internal condom	13	1
Jelly or cream	15	1
IUD	19	5
Emergency contraception pills	20	6
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5553
		5586

METHX25	
LABEL	ED-6 Method(s) used in July [interview yr-3] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirsm <= cmmhcalx7)
LENGTH	8
VARNUM	240

METHX25: Distribution	Value	n
No method used	1	1437
Birth control pills	3	869
Condom	4	468
Partners vasectomy	5	171
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	465
Withdrawal, pulling out	7	313
Depo-Provera, injectables (shot)	8	51
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	106
Calendar rhythm, Standard Days, or CycleBeads method	10	48
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	3
Female condom, internal condom	13	1
Jelly or cream	15	2
Cervical cap	16	1
IUD	19	374
Emergency contraception pills	20	2
Other method	21	6
You were sterile	22	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	9
Vaginal contraceptive ring	26	38
Refused	98	9
Don't Know	99	18
Inapplicable	.	1187
		5586

METHX26	
LABEL	ED-6 Method(s) used in July [interview yr-3] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in July [interview yr - 3] (see METHX25)
LENGTH	8
VARNUM	241

Section E

METHX26: Distribution	Value	n
Birth control pills	3	5
Condom	4	148
Partners vasectomy	5	29
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	23
Withdrawal, pulling out	7	207
Depo-Provera, injectables (shot)	8	24
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	18
Calendar rhythm, Standard Days, or CycleBeads method	10	97
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Foam	14	2
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	69
Emergency contraception pills	20	13
Other method	21	3
Contraceptive patch (Ortho-Evra or Xulane)	25	5
Vaginal contraceptive ring	26	16
Inapplicable	.	4915
		5586

METHX27	
LABEL	ED-6 Method(s) used in July [interview yr-3] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in July [interview yr - 3] (see METHX25)
LENGTH	8
VARNUM	242

METHX27: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	6
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	8
Withdrawal, pulling out	7	37
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	37
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Female condom, internal condom	13	1
Jelly or cream	15	1
IUD	19	14
Emergency contraception pills	20	13
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	6
Inapplicable	.	5427
		5586

METHX28	
LABEL	ED-6 Method(s) used in July [interview yr-3] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in July [interview yr - 3] (see METHX25)
LENGTH	8
VARNUM	243

METHX28: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	3
Withdrawal, pulling out	7	3
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3

Section E

METHX28: Distribution	Value	n
Calendar rhythm, Standard Days, or CycleBeads method	10	6
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
Female condom, internal condom	13	1
IUD	19	5
Emergency contraception pills	20	5
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5552
		5586

METHX29	
LABEL	ED-6 Method(s) used in Aug [interview yr-3] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirsm <= cmmhcalx8)
LENGTH	8
VARNUM	244

METHX29: Distribution	Value	n
No method used	1	1452
Birth control pills	3	864
Condom	4	468
Partners vasectomy	5	167
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	465
Withdrawal, pulling out	7	314
Depo-Provera, injectables (shot)	8	56
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	104
Calendar rhythm, Standard Days, or CycleBeads method	10	49
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	3
Jelly or cream	15	3
Cervical cap	16	1
IUD	19	366
Emergency contraception pills	20	6
Other method	21	5
You were sterile	22	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	10
Vaginal contraceptive ring	26	39
Refused	55, 98	9
Don't Know	99	19
Inapplicable	.	1178
		5586

METHX30	
LABEL	ED-6 Method(s) used in Aug [interview yr-3] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Aug [interview yr - 3] (see METHX29)
LENGTH	8
VARNUM	245

METHX30: Distribution	Value	n
Birth control pills	3	6
Condom	4	148
Partners vasectomy	5	31
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	21
Withdrawal, pulling out	7	195
Depo-Provera, injectables (shot)	8	19

Section E

METHX30: Distribution	Value	n
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	21
Calendar rhythm, Standard Days, or CycleBeads method	10	95
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Female condom, internal condom	13	2
Foam	14	2
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	79
Emergency contraception pills	20	6
Other method	21	2
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	14
Inapplicable	.	4929
		5586

METHX31	
LABEL	ED-6 Method(s) used in Aug [interview yr-3] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Aug [interview yr - 3] (see METHX29)
LENGTH	8
VARNUM	246

METHX31: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	6
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	8
Withdrawal, pulling out	7	34
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	39
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Female condom, internal condom	13	1
Jelly or cream	15	1
IUD	19	13
Emergency contraception pills	20	7
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	7
Inapplicable	.	5435
		5586

METHX32	
LABEL	ED-6 Method(s) used in Aug [interview yr-3] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Aug [interview yr - 3] (see METHX29)
LENGTH	8
VARNUM	247

METHX32: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	3
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Female condom, internal condom	13	1
Jelly or cream	15	1
IUD	19	5

Section E

METHX32: Distribution	Value	n
Emergency contraception pills	20	6
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5551
		5586

METHX33	
LABEL	ED-6 Method(s) used in Sept [interview yr-3] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirsm <= cmmhcalx9)
LENGTH	8
VARNUM	248

METHX33: Distribution	Value	n
No method used	1	1445
Birth control pills	3	862
Condom	4	490
Partners vasectomy	5	169
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	465
Withdrawal, pulling out	7	305
Depo-Provera, injectables (shot)	8	54
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	102
Calendar rhythm, Standard Days, or CycleBeads method	10	49
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	3
Jelly or cream	15	3
Cervical cap	16	1
IUD	19	377
Emergency contraception pills	20	6
Other method	21	6
You were sterile	22	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	11
Vaginal contraceptive ring	26	35
Refused	98	8
Don't Know	99	18
Inapplicable	.	1169
		5586

METHX34	
LABEL	ED-6 Method(s) used in Sept [interview yr-3] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Sept [interview yr - 3] (see METHX33)
LENGTH	8
VARNUM	249

METHX34: Distribution	Value	n
Birth control pills	3	6
Condom	4	147
Partners vasectomy	5	28
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	23
Withdrawal, pulling out	7	198
Depo-Provera, injectables (shot)	8	22
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	24
Calendar rhythm, Standard Days, or CycleBeads method	10	99
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Diaphragm	12	1

Section E

METHX34: Distribution	Value	n
Female condom, internal condom	13	2
Foam	14	1
Jelly or cream	15	2
IUD	19	78
Emergency contraception pills	20	9
Other method	21	3
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	16
Inapplicable	.	4916
		5586

METHX35	
LABEL	ED-6 Method(s) used in Sept [interview yr-3] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Sept [interview yr - 3] (see METHX33)
LENGTH	8
VARNUM	250

METHX35: Distribution	Value	n
Birth control pills	3	1
Condom	4	2
Partners vasectomy	5	7
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	7
Withdrawal, pulling out	7	34
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	11
Calendar rhythm, Standard Days, or CycleBeads method	10	34
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Female condom, internal condom	13	2
Foam	14	1
Jelly or cream	15	1
IUD	19	12
Emergency contraception pills	20	9
Other method	21	6
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	5
Inapplicable	.	5433
		5586

METHX36	
LABEL	ED-6 Method(s) used in Sept [interview yr-3] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Sept [interview yr - 3] (see METHX33)
LENGTH	8
VARNUM	251

METHX36: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	3
Withdrawal, pulling out	7	3
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Jelly or cream	15	1
IUD	19	5
Emergency contraception pills	20	6
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	3

Section E

METHX36: Distribution	Value	n
Inapplicable	.	5548
		5586

METHX37	
LABEL	ED-6 Method(s) used in Oct [interview yr-3] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx10)
LENGTH	8
VARNUM	252

METHX37: Distribution	Value	n
No method used	1	1447
Birth control pills	3	866
Condom	4	485
Partners vasectomy	5	169
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	465
Withdrawal, pulling out	7	312
Depo-Provera, injectables (shot)	8	56
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	104
Calendar rhythm, Standard Days, or CycleBeads method	10	49
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Diaphragm	12	2
Jelly or cream	15	2
Cervical cap	16	1
IUD	19	376
Emergency contraception pills	20	4
Other method	21	4
You were sterile	22	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	11
Vaginal contraceptive ring	26	37
Refused	55, 98	10
Don't Know	99	17
Inapplicable	.	1159
		5586

METHX38	
LABEL	ED-6 Method(s) used in Oct [interview yr-3] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Oct [interview yr - 3] (see METHX37)
LENGTH	8
VARNUM	253

METHX38: Distribution	Value	n
Birth control pills	3	6
Condom	4	142
Partners vasectomy	5	29
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	22
Withdrawal, pulling out	7	203
Depo-Provera, injectables (shot)	8	21
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	21
Calendar rhythm, Standard Days, or CycleBeads method	10	101
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	8
Diaphragm	12	1
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	1
IUD	19	80

Section E

METHX38: Distribution	Value	n
Emergency contraception pills	20	10
Other method	21	3
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	13
Inapplicable	.	4919
		5586

METHX39	
LABEL	ED-6 Method(s) used in Oct [interview yr-3] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Oct [interview yr - 3] (see METHX37)
LENGTH	8
VARNUM	254

METHX39: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	9
Withdrawal, pulling out	7	33
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	37
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Diaphragm	12	1
Female condom, internal condom	13	3
Foam	14	1
IUD	19	11
Emergency contraception pills	20	15
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	5
Inapplicable	.	5432
		5586

METHX40	
LABEL	ED-6 Method(s) used in Oct [interview yr-3] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Oct [interview yr - 3] (see METHX37)
LENGTH	8
VARNUM	255

METHX40: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Jelly or cream	15	2
IUD	19	5
Emergency contraception pills	20	4
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	3
Inapplicable	.	5550
		5586

Section E

METHX41	
LABEL	ED-6 Method(s) used in Nov [interview yr-3] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirsm <= cmmhcalx11)
LENGTH	8
VARNUM	256

METHX41: Distribution	Value	n
No method used	1	1447
Birth control pills	3	871
Condom	4	479
Partners vasectomy	5	169
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	466
Withdrawal, pulling out	7	318
Depo-Provera, injectables (shot)	8	58
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	104
Calendar rhythm, Standard Days, or CycleBeads method	10	47
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Diaphragm	12	2
Female condom, internal condom	13	1
Jelly or cream	15	1
Cervical cap	16	1
IUD	19	380
Emergency contraception pills	20	5
Other method	21	6
You were sterile	22	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	11
Vaginal contraceptive ring	26	35
Refused	98	9
Don't Know	99	16
Inapplicable	.	1149
		5586

METHX42	
LABEL	ED-6 Method(s) used in Nov [interview yr-3] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Nov [interview yr - 3] (see METHX41)
LENGTH	8
VARNUM	257

METHX42: Distribution	Value	n
Birth control pills	3	6
Condom	4	152
Partners vasectomy	5	29
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	23
Withdrawal, pulling out	7	198
Depo-Provera, injectables (shot)	8	19
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	21
Calendar rhythm, Standard Days, or CycleBeads method	10	101
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	8
Diaphragm	12	1
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	83
Emergency contraception pills	20	5
Other method	21	2

Section E

METHX42: Distribution	Value	n
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	17
Inapplicable	.	4913
		5586

METHX43	
LABEL	ED-6 Method(s) used in Nov [interview yr-3] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Nov [interview yr - 3] (see METHX41)
LENGTH	8
VARNUM	258

METHX43: Distribution	Value	n
Birth control pills	3	1
Condom	4	2
Partners vasectomy	5	5
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	8
Withdrawal, pulling out	7	38
Depo-Provera, injectables (shot)	8	9
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	10
Calendar rhythm, Standard Days, or CycleBeads method	10	35
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Female condom, internal condom	13	3
Foam	14	1
IUD	19	11
Emergency contraception pills	20	16
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	6
Inapplicable	.	5425
		5586

METHX44	
LABEL	ED-6 Method(s) used in Nov [interview yr-3] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Nov [interview yr - 3] (see METHX41)
LENGTH	8
VARNUM	259

METHX44: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Jelly or cream	15	2
IUD	19	6
Emergency contraception pills	20	6
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	2
Inapplicable	.	5546
		5586

Section E

METHX45	
LABEL	ED-6 Method(s) used in Dec [interview yr-3] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirsm <= cmmhcalx12)
LENGTH	8
VARNUM	260

METHX45: Distribution	Value	n
No method used	1	1437
Birth control pills	3	865
Condom	4	493
Partners vasectomy	5	170
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	469
Withdrawal, pulling out	7	322
Depo-Provera, injectables (shot)	8	57
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	102
Calendar rhythm, Standard Days, or CycleBeads method	10	49
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Diaphragm	12	2
Female condom, internal condom	13	1
Jelly or cream	15	1
Cervical cap	16	1
IUD	19	382
Emergency contraception pills	20	2
Other method	21	5
You were sterile	22	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	12
Vaginal contraceptive ring	26	37
Refused	55	9
Don't Know	99	16
Inapplicable	.	1144
		5586

METHX46	
LABEL	ED-6 Method(s) used in Dec [interview yr-3] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Dec [interview yr - 3] (see METHX45)
LENGTH	8
VARNUM	261

METHX46: Distribution	Value	n
Birth control pills	3	6
Condom	4	157
Partners vasectomy	5	31
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	22
Withdrawal, pulling out	7	203
Depo-Provera, injectables (shot)	8	21
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	21
Calendar rhythm, Standard Days, or CycleBeads method	10	96
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Diaphragm	12	1
Foam	14	1
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	79
Emergency contraception pills	20	8
Other method	21	2
Contraceptive patch (Ortho-Evra or Xulane)	25	3

Section E

METHX46: Distribution	Value	n
Vaginal contraceptive ring	26	15
Inapplicable	.	4911
		5586

METHX47	
LABEL	ED-6 Method(s) used in Dec [interview yr-3] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Dec [interview yr - 3] (see METHX45)
LENGTH	8
VARNUM	262

METHX47: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	5
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	8
Withdrawal, pulling out	7	34
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	10
Calendar rhythm, Standard Days, or CycleBeads method	10	38
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Female condom, internal condom	13	3
Foam	14	1
IUD	19	12
Emergency contraception pills	20	19
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	5
Inapplicable	.	5423
		5586

METHX48	
LABEL	ED-6 Method(s) used in Dec [interview yr-3] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Dec [interview yr - 3] (see METHX45)
LENGTH	8
VARNUM	263

METHX48: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Jelly or cream	15	2
IUD	19	7
Emergency contraception pills	20	4
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	2
Inapplicable	.	5550
		5586

METHX49	
LABEL	ED-6 Method(s) used in Jan [interview yr-2] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirsm <= cmmhcalx13)

Section E

METHX49	
LENGTH	8
VARNUM	264

METHX49: Distribution	Value	n
No method used	1	1454
Birth control pills	3	834
Condom	4	489
Partners vasectomy	5	178
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	467
Withdrawal, pulling out	7	336
Depo-Provera, injectables (shot)	8	64
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	100
Calendar rhythm, Standard Days, or CycleBeads method	10	43
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	8
Diaphragm	12	2
Jelly or cream	15	1
IUD	19	390
Emergency contraception pills	20	4
Other method	21	4
You were sterile	22	4
Contraceptive patch (Ortho-Evra or Xulane)	25	15
Vaginal contraceptive ring	26	34
Refused	98	8
Don't Know	99	15
Inapplicable	.	1136
		5586

METHX50	
LABEL	ED-6 Method(s) used in Jan [interview yr-2] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in January [interview yr - 2] (see METHX49)
LENGTH	8
VARNUM	265

METHX50: Distribution	Value	n
Birth control pills	3	6
Condom	4	140
Partners vasectomy	5	31
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	29
Withdrawal, pulling out	7	216
Depo-Provera, injectables (shot)	8	15
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	23
Calendar rhythm, Standard Days, or CycleBeads method	10	102
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Diaphragm	12	1
Foam	14	1
Cervical cap	16	1
IUD	19	80
Emergency contraception pills	20	11
Other method	21	3
You were sterile	22	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	11
Inapplicable	.	4908
		5586

Section E

METHX51	
LABEL	ED-6 Method(s) used in Jan [interview yr-2] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in January [interview yr - 2] (see METHX49)
LENGTH	8
VARNUM	266

METHX51: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	7
Withdrawal, pulling out	7	42
Depo-Provera, injectables (shot)	8	9
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	14
Calendar rhythm, Standard Days, or CycleBeads method	10	42
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Female condom, internal condom	13	1
Foam	14	2
IUD	19	18
Emergency contraception pills	20	8
Other method	21	7
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	7
Inapplicable	.	5413
		5586

METHX52	
LABEL	ED-6 Method(s) used in Jan [interview yr-2] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in January [interview yr - 2] (see METHX49)
LENGTH	8
VARNUM	267

METHX52: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	3
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	9
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	7
Emergency contraception pills	20	5
Vaginal contraceptive ring	26	1
Inapplicable	.	5548
		5586

METHX53	
LABEL	ED-6 Method(s) used in Feb [interview yr-2] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirsm <= cmmhcalx14)
LENGTH	8
VARNUM	268

METHX53: Distribution	Value	n
No method used	1	1481
Birth control pills	3	827
Condom	4	478
Partners vasectomy	5	180

Section E

METHX53: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	470
Withdrawal, pulling out	7	327
Depo-Provera, injectables (shot)	8	60
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	100
Calendar rhythm, Standard Days, or CycleBeads method	10	42
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Diaphragm	12	2
Foam	14	1
Jelly or cream	15	1
IUD	19	393
Emergency contraception pills	20	7
Other method	21	4
You were sterile	22	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	13
Vaginal contraceptive ring	26	36
Refused	98	10
Don't Know	99	15
Inapplicable	.	1129
		5586

METHX54	
LABEL	ED-6 Method(s) used in Feb [interview yr-2] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in February [interview yr - 2] (see METHX53)
LENGTH	8
VARNUM	269

METHX54: Distribution	Value	n
Birth control pills	3	4
Condom	4	136
Partners vasectomy	5	32
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	25
Withdrawal, pulling out	7	203
Depo-Provera, injectables (shot)	8	13
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	28
Calendar rhythm, Standard Days, or CycleBeads method	10	103
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Diaphragm	12	1
Foam	14	1
IUD	19	75
Emergency contraception pills	20	11
Other method	21	3
You were sterile	22	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	12
Inapplicable	.	4930
		5586

METHX55	
LABEL	ED-6 Method(s) used in Feb [interview yr-2] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in February [interview yr - 2] (see METHX53)
LENGTH	8
VARNUM	270

Section E

METHX55: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	5
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	7
Withdrawal, pulling out	7	35
Depo-Provera, injectables (shot)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	37
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Female condom, internal condom	13	2
Foam	14	1
Jelly or cream	15	1
IUD	19	16
Emergency contraception pills	20	10
Other method	21	6
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	7
Inapplicable	.	5429
		5586

METHX56	
LABEL	ED-6 Method(s) used in Feb [interview yr-2] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in February [interview yr - 2] (see METHX53)
LENGTH	8
VARNUM	271

METHX56: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	3
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	6
Emergency contraception pills	20	4
Vaginal contraceptive ring	26	1
Inapplicable	.	5554
		5586

METHX57	
LABEL	ED-6 Method(s) used in Mar [interview yr-2] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirsm <= cmmhcalx15)
LENGTH	8
VARNUM	272

METHX57: Distribution	Value	n
No method used	1	1503
Birth control pills	3	822
Condom	4	460
Partners vasectomy	5	178
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	470
Withdrawal, pulling out	7	331
Depo-Provera, injectables (shot)	8	63
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	102
Calendar rhythm, Standard Days, or CycleBeads method	10	47

Section E

METHX57: Distribution	Value	n
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Diaphragm	12	2
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	1
IUD	19	385
Emergency contraception pills	20	3
Other method	21	6
You were sterile	22	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	14
Vaginal contraceptive ring	26	36
Refused	98	9
Don't Know	99	16
Inapplicable	.	1125
		5586

METHX58	
LABEL	ED-6 Method(s) used in Mar [interview yr-2] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in March [interview yr - 2] (see METHX57)
LENGTH	8
VARNUM	273

METHX58: Distribution	Value	n
Birth control pills	3	3
Condom	4	137
Partners vasectomy	5	30
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	26
Withdrawal, pulling out	7	210
Depo-Provera, injectables (shot)	8	13
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	27
Calendar rhythm, Standard Days, or CycleBeads method	10	101
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Diaphragm	12	1
Foam	14	1
IUD	19	79
Emergency contraception pills	20	12
Other method	21	2
You were sterile	22	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	11
Inapplicable	.	4924
		5586

METHX59	
LABEL	ED-6 Method(s) used in Mar [interview yr-2] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in March [interview yr - 2] (see METHX57)
LENGTH	8
VARNUM	274

METHX59: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	5
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	7
Withdrawal, pulling out	7	37
Depo-Provera, injectables (shot)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8

Section E

METHX59: Distribution	Value	n
Calendar rhythm, Standard Days, or CycleBeads method	10	40
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Female condom, internal condom	13	2
Foam	14	1
Jelly or cream	15	1
IUD	19	17
Emergency contraception pills	20	10
Other method	21	6
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	6
Inapplicable	.	5427
		5586

METHX60	
LABEL	ED-6 Method(s) used in Mar [interview yr-2] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in March [interview yr - 2] (see METHX57)
LENGTH	8
VARNUM	275

METHX60: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	6
Emergency contraception pills	20	4
Vaginal contraceptive ring	26	2
Inapplicable	.	5555
		5586

METHX61	
LABEL	ED-6 Method(s) used in Apr [interview yr-2] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirsm <= cmmhcalx16)
LENGTH	8
VARNUM	276

METHX61: Distribution	Value	n
No method used	1	1488
Birth control pills	3	834
Condom	4	473
Partners vasectomy	5	181
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	470
Withdrawal, pulling out	7	325
Depo-Provera, injectables (shot)	8	65
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	101
Calendar rhythm, Standard Days, or CycleBeads method	10	47
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	2
Foam	14	1
Jelly or cream	15	1
IUD	19	394

Section E

METHX61: Distribution	Value	n
Emergency contraception pills	20	2
Other method	21	8
You were sterile	22	4
Contraceptive patch (Ortho-Evra or Xulane)	25	15
Vaginal contraceptive ring	26	36
Refused	98	9
Don't Know	99	16
Inapplicable	.	1110
		5586

METHX62	
LABEL	ED-6 Method(s) used in Apr [interview yr-2] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in April [interview yr - 2] (see METHX61)
LENGTH	8
VARNUM	277

METHX62: Distribution	Value	n
Birth control pills	3	2
Condom	4	133
Partners vasectomy	5	31
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	27
Withdrawal, pulling out	7	210
Depo-Provera, injectables (shot)	8	13
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	25
Calendar rhythm, Standard Days, or CycleBeads method	10	102
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Diaphragm	12	1
Foam	14	1
IUD	19	74
Emergency contraception pills	20	10
Other method	21	2
You were sterile	22	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	12
Inapplicable	.	4932
		5586

METHX63	
LABEL	ED-6 Method(s) used in Apr [interview yr-2] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in April [interview yr - 2] (see METHX61)
LENGTH	8
VARNUM	278

METHX63: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	6
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	6
Withdrawal, pulling out	7	34
Depo-Provera, injectables (shot)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	39
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Female condom, internal condom	13	2
Foam	14	1
Jelly or cream	15	1
IUD	19	16
Emergency contraception pills	20	13

Section E

METHX63: Distribution	Value	n
Other method	21	6
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	7
Inapplicable	.	5426
		5586

METHX64	
LABEL	ED-6 Method(s) used in Apr [interview yr-2] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in April [interview yr - 2] (see METHX61)
LENGTH	8
VARNUM	279

METHX64: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	3
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	7
Vaginal contraceptive ring	26	1
Inapplicable	.	5553
		5586

METHX65	
LABEL	ED-6 Method(s) used in May [interview yr-2] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirsm <= cmmhcalx17)
LENGTH	8
VARNUM	280

METHX65: Distribution	Value	n
No method used	1	1503
Birth control pills	3	830
Condom	4	481
Partners vasectomy	5	184
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	468
Withdrawal, pulling out	7	329
Depo-Provera, injectables (shot)	8	61
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	97
Calendar rhythm, Standard Days, or CycleBeads method	10	48
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	2
Foam	14	1
Jelly or cream	15	1
IUD	19	386
Emergency contraception pills	20	2
Other method	21	6
You were sterile	22	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	15
Vaginal contraceptive ring	26	34
Refused	98	10
Don't Know	99	15

Section E

METHX65: Distribution	Value	n
Inapplicable	.	1104
		5586

METHX66	
LABEL	ED-6 Method(s) used in May [interview yr-2] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in May [interview yr - 2] (see METHX65)
LENGTH	8
VARNUM	281

METHX66: Distribution	Value	n
Birth control pills	3	2
Condom	4	136
Partners vasectomy	5	30
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	29
Withdrawal, pulling out	7	193
Depo-Provera, injectables (shot)	8	17
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	28
Calendar rhythm, Standard Days, or CycleBeads method	10	97
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Foam	14	2
IUD	19	78
Emergency contraception pills	20	7
Other method	21	3
You were sterile	22	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	15
Inapplicable	.	4936
		5586

METHX67	
LABEL	ED-6 Method(s) used in May [interview yr-2] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in May [interview yr - 2] (see METHX65)
LENGTH	8
VARNUM	282

METHX67: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	5
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	6
Withdrawal, pulling out	7	38
Depo-Provera, injectables (shot)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	7
Calendar rhythm, Standard Days, or CycleBeads method	10	39
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Female condom, internal condom	13	2
Jelly or cream	15	2
IUD	19	18
Emergency contraception pills	20	9
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	7
Inapplicable	.	5426
		5586

Section E

METHX68	
LABEL	ED-6 Method(s) used in May [interview yr-2] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in May [interview yr - 2] (see METHX65)
LENGTH	8
VARNUM	283

METHX68: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	7
Other method	21	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5553
		5586

METHX69	
LABEL	ED-6 Method(s) used in June [interview yr-2] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirsm <= cmmhcalx18)
LENGTH	8
VARNUM	284

METHX69: Distribution	Value	n
No method used	1	1493
Birth control pills	3	819
Condom	4	500
Partners vasectomy	5	184
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	478
Withdrawal, pulling out	7	342
Depo-Provera, injectables (shot)	8	53
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	97
Calendar rhythm, Standard Days, or CycleBeads method	10	51
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	2
Foam	14	1
Jelly or cream	15	1
IUD	19	385
Emergency contraception pills	20	7
Other method	21	6
You were sterile	22	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	12
Vaginal contraceptive ring	26	36
Refused	98	10
Don't Know	99	16
Inapplicable	.	1086
		5586

Section E

METHX70	
LABEL	ED-6 Method(s) used in June [interview yr-2] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in June [interview yr - 2] (see METHX69)
LENGTH	8
VARNUM	285

METHX70: Distribution	Value	n
Birth control pills	3	3
Condom	4	135
Partners vasectomy	5	34
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	25
Withdrawal, pulling out	7	199
Depo-Provera, injectables (shot)	8	16
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	25
Calendar rhythm, Standard Days, or CycleBeads method	10	103
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Foam	14	2
IUD	19	81
Emergency contraception pills	20	14
Other method	21	2
You were sterile	22	2
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	12
Inapplicable	.	4919
		5586

METHX71	
LABEL	ED-6 Method(s) used in June [interview yr-2] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in June [interview yr - 2] (see METHX69)
LENGTH	8
VARNUM	286

METHX71: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	5
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	6
Withdrawal, pulling out	7	40
Depo-Provera, injectables (shot)	8	6
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	36
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Female condom, internal condom	13	2
Jelly or cream	15	2
IUD	19	19
Emergency contraception pills	20	9
Other method	21	6
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	8
Inapplicable	.	5424
		5586

METHX72	
LABEL	ED-6 Method(s) used in June [interview yr-2] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in June [interview yr - 2] (see METHX69)
LENGTH	8
VARNUM	287

Section E

METHX72: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	12
Vaginal contraceptive ring	26	1
Inapplicable	.	5548
		5586

METHX73	
LABEL	ED-6 Method(s) used in July [interview yr-2] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirsm <= cmmhcalx19)
LENGTH	8
VARNUM	288

METHX73: Distribution	Value	n
No method used	1	1519
Birth control pills	3	812
Condom	4	489
Partners vasectomy	5	185
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	474
Withdrawal, pulling out	7	336
Depo-Provera, injectables (shot)	8	62
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	96
Calendar rhythm, Standard Days, or CycleBeads method	10	51
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	3
Foam	14	1
Jelly or cream	15	1
IUD	19	388
Emergency contraception pills	20	5
Other method	21	4
You were sterile	22	3
Contraceptive patch (Ortho-Evra or Xulane)	25	13
Vaginal contraceptive ring	26	37
Refused	98	9
Don't Know	99	18
Inapplicable	.	1075
		5586

METHX74	
LABEL	ED-6 Method(s) used in July [interview yr-2] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in July [interview yr - 2] (see METHX73)
LENGTH	8
VARNUM	289

METHX74: Distribution	Value	n
Birth control pills	3	4
Condom	4	142
Partners vasectomy	5	31
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	28

Section E

METHX74: Distribution	Value	n
Withdrawal, pulling out	7	204
Depo-Provera, injectables (shot)	8	15
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	26
Calendar rhythm, Standard Days, or CycleBeads method	10	115
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Foam	14	2
IUD	19	78
Emergency contraception pills	20	12
Other method	21	3
You were sterile	22	1
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	12
Inapplicable	.	4899
		5586

METHX75	
LABEL	ED-6 Method(s) used in July [interview yr-2] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in July [interview yr - 2] (see METHX73)
LENGTH	8
VARNUM	290

METHX75: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	6
Withdrawal, pulling out	7	41
Depo-Provera, injectables (shot)	8	6
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	40
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Diaphragm	12	1
Female condom, internal condom	13	2
Jelly or cream	15	2
IUD	19	17
Emergency contraception pills	20	11
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	9
Inapplicable	.	5418
		5586

METHX76	
LABEL	ED-6 Method(s) used in July [interview yr-2] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in July [interview yr - 2] (see METHX73)
LENGTH	8
VARNUM	291

METHX76: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Jelly or cream	15	1
Suppository, insert	17	1

Section E

METHX76: Distribution	Value	n
IUD	19	6
Emergency contraception pills	20	6
Other method	21	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5554
		5586

METHX77	
LABEL	ED-6 Method(s) used in Aug [interview yr-2] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirsm <= cmmhcalx20)
LENGTH	8
VARNUM	292

METHX77: Distribution	Value	n
No method used	1	1501
Birth control pills	3	820
Condom	4	502
Partners vasectomy	5	186
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	478
Withdrawal, pulling out	7	342
Depo-Provera, injectables (shot)	8	59
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	96
Calendar rhythm, Standard Days, or CycleBeads method	10	49
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	2
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	1
IUD	19	387
Emergency contraception pills	20	6
Other method	21	5
You were sterile	22	3
Contraceptive patch (Ortho-Evra or Xulane)	25	12
Vaginal contraceptive ring	26	37
Refused	98	9
Don't Know	99	18
Inapplicable	.	1067
		5586

METHX78	
LABEL	ED-6 Method(s) used in Aug [interview yr-2] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Aug [interview yr - 2] (see METHX77)
LENGTH	8
VARNUM	293

METHX78: Distribution	Value	n
Birth control pills	3	4
Condom	4	148
Partners vasectomy	5	33
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	25
Withdrawal, pulling out	7	197
Depo-Provera, injectables (shot)	8	16
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	26
Calendar rhythm, Standard Days, or CycleBeads method	10	110
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Foam	14	2

Section E

METHX78: Distribution	Value	n
IUD	19	77
Emergency contraception pills	20	8
Other method	21	2
You were sterile	22	1
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	12
Inapplicable	.	4910
		5586

METHX79	
LABEL	ED-6 Method(s) used in Aug [interview yr-2] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Aug [interview yr - 2] (see METHX77)
LENGTH	8
VARNUM	294

METHX79: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	6
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	6
Withdrawal, pulling out	7	42
Depo-Provera, injectables (shot)	8	6
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	43
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Female condom, internal condom	13	2
Jelly or cream	15	2
IUD	19	20
Emergency contraception pills	20	14
Other method	21	4
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	6
Inapplicable	.	5411
		5586

METHX80	
LABEL	ED-6 Method(s) used in Aug [interview yr-2] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Aug [interview yr - 2] (see METHX77)
LENGTH	8
VARNUM	295

METHX80: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	3
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	7
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	6
Emergency contraception pills	20	9
Other method	21	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5545
		5586

Section E

METHX81	
LABEL	ED-6 Method(s) used in Sept [interview yr-2] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirsm <= cmmhcalx21)
LENGTH	8
VARNUM	296

METHX81: Distribution	Value	n
No method used	1	1502
Birth control pills	3	815
Condom	4	489
Partners vasectomy	5	188
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	477
Withdrawal, pulling out	7	347
Depo-Provera, injectables (shot)	8	64
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	100
Calendar rhythm, Standard Days, or CycleBeads method	10	49
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	3
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	1
IUD	19	394
Emergency contraception pills	20	4
Other method	21	6
You were sterile	22	3
Contraceptive patch (Ortho-Evra or Xulane)	25	13
Vaginal contraceptive ring	26	38
Refused	98	8
Don't Know	99	19
Inapplicable	.	1060
		5586

METHX82	
LABEL	ED-6 Method(s) used in Sept [interview yr-2] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Sept [interview yr - 2] (see METHX81)
LENGTH	8
VARNUM	297

METHX82: Distribution	Value	n
Birth control pills	3	6
Condom	4	144
Partners vasectomy	5	31
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	27
Withdrawal, pulling out	7	202
Depo-Provera, injectables (shot)	8	14
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	24
Calendar rhythm, Standard Days, or CycleBeads method	10	112
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	8
Foam	14	3
Jelly or cream	15	1
IUD	19	73
Emergency contraception pills	20	10
Other method	21	5
You were sterile	22	1
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	10

METHX82: Distribution	Value	n
Inapplicable	.	4913
		5586

METHX83	
LABEL	ED-6 Method(s) used in Sept [interview yr-2] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Sept [interview yr - 2] (see METHX81)
LENGTH	8
VARNUM	298

METHX83: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	7
Withdrawal, pulling out	7	45
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	40
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Diaphragm	12	1
Female condom, internal condom	13	2
Jelly or cream	15	2
IUD	19	20
Emergency contraception pills	20	10
Other method	21	6
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	6
Inapplicable	.	5411
		5586

METHX84	
LABEL	ED-6 Method(s) used in Sep [interview yr-2] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Sept [interview yr - 2] (see METHX81)
LENGTH	8
VARNUM	299

METHX84: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	3
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	8
Other method	21	1
Vaginal contraceptive ring	26	3
Inapplicable	.	5548
		5586

METHX85	
LABEL	ED-6 Method(s) used in Oct [interview yr-2] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx22)

Section E

METHX85	
LENGTH	8
VARNUM	300

METHX85: Distribution	Value	n
No method used	1	1491
Birth control pills	3	816
Condom	4	511
Partners vasectomy	5	188
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	477
Withdrawal, pulling out	7	345
Depo-Provera, injectables (shot)	8	65
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	98
Calendar rhythm, Standard Days, or CycleBeads method	10	51
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
Diaphragm	12	3
Foam	14	1
Jelly or cream	15	1
IUD	19	397
Emergency contraception pills	20	2
Other method	21	8
You were sterile	22	3
Contraceptive patch (Ortho-Evra or Xulane)	25	16
Vaginal contraceptive ring	26	35
Refused	98	9
Don't Know	99	16
Inapplicable	.	1050
		5586

METHX86	
LABEL	ED-6 Method(s) used in Oct [interview yr-2] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Oct [interview yr - 2] (see METHX85)
LENGTH	8
VARNUM	301

METHX86: Distribution	Value	n
Birth control pills	3	5
Condom	4	139
Partners vasectomy	5	30
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	29
Withdrawal, pulling out	7	203
Depo-Provera, injectables (shot)	8	13
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	25
Calendar rhythm, Standard Days, or CycleBeads method	10	113
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	1
IUD	19	75
Emergency contraception pills	20	11
Other method	21	2
You were sterile	22	1
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	12
Inapplicable	.	4912
		5586

Section E

METHX87	
LABEL	ED-6 Method(s) used in Oct [interview yr-2] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Oct [interview yr - 2] (see METHX85)
LENGTH	8
VARNUM	302

METHX87: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	5
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	7
Withdrawal, pulling out	7	44
Depo-Provera, injectables (shot)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	40
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Female condom, internal condom	13	2
Foam	14	1
Jelly or cream	15	1
IUD	19	20
Emergency contraception pills	20	11
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	7
Inapplicable	.	5413
		5586

METHX88	
LABEL	ED-6 Method(s) used in Oct [interview yr-2] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Oct [interview yr - 2] (see METHX85)
LENGTH	8
VARNUM	303

METHX88: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	3
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	6
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	11
Other method	21	1
Vaginal contraceptive ring	26	3
Inapplicable	.	5541
		5586

METHX89	
LABEL	ED-6 Method(s) used in Nov [interview yr-2] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirsm <= cmmhcalx23)
LENGTH	8
VARNUM	304

Section E

METHX89: Distribution	Value	n
No method used	1	1477
Birth control pills	3	809
Condom	4	524
Partners vasectomy	5	197
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	479
Withdrawal, pulling out	7	351
Depo-Provera, injectables (shot)	8	70
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	96
Calendar rhythm, Standard Days, or CycleBeads method	10	50
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	3
Foam	14	1
Jelly or cream	15	1
IUD	19	387
Emergency contraception pills	20	3
Other method	21	9
You were sterile	22	3
Contraceptive patch (Ortho-Evra or Xulane)	25	14
Vaginal contraceptive ring	26	37
Refused	98	9
Don't Know	99	17
Inapplicable	.	1044
		5586

METHX90	
LABEL	ED-6 Method(s) used in Nov [interview yr-2] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Nov [interview yr - 2] (see METHX89)
LENGTH	8
VARNUM	305

METHX90: Distribution	Value	n
Birth control pills	3	5
Condom	4	136
Partners vasectomy	5	29
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	28
Withdrawal, pulling out	7	213
Depo-Provera, injectables (shot)	8	11
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	29
Calendar rhythm, Standard Days, or CycleBeads method	10	115
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	2
IUD	19	79
Emergency contraception pills	20	8
Other method	21	3
You were sterile	22	1
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	12
Inapplicable	.	4901
		5586

METHX91	
LABEL	ED-6 Method(s) used in Nov [interview yr-2] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Nov [interview yr - 2] (see METHX89)

Section E

METHX91	
LENGTH	8
VARNUM	306

METHX91: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	7
Withdrawal, pulling out	7	40
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	41
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Female condom, internal condom	13	2
Foam	14	1
Jelly or cream	15	1
IUD	19	21
Emergency contraception pills	20	8
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	7
Inapplicable	.	5419
		5586

METHX92	
LABEL	ED-6 Method(s) used in Nov [interview yr-2] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Nov [interview yr - 2] (see METHX89)
LENGTH	8
VARNUM	307

METHX92: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	9
Other method	21	1
Vaginal contraceptive ring	26	2
Inapplicable	.	5550
		5586

METHX93	
LABEL	ED-6 Method(s) used in Dec [interview yr-2] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirsm <= cmmhcalx24)
LENGTH	8
VARNUM	308

METHX93: Distribution	Value	n
No method used	1	1518
Birth control pills	3	805
Condom	4	517
Partners vasectomy	5	193

Section E

METHX93: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	478
Withdrawal, pulling out	7	338
Depo-Provera, injectables (shot)	8	61
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	94
Calendar rhythm, Standard Days, or CycleBeads method	10	53
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Diaphragm	12	3
Foam	14	1
Jelly or cream	15	1
IUD	19	392
Emergency contraception pills	20	3
Other method	21	6
You were sterile	22	3
Contraceptive patch (Ortho-Evra or Xulane)	25	15
Vaginal contraceptive ring	26	41
Refused	98	10
Don't Know	99	16
Inapplicable	.	1031
		5586

METHX94	
LABEL	ED-6 Method(s) used in Dec [interview yr-2] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Dec [interview yr - 2] (see METHX93)
LENGTH	8
VARNUM	309

METHX94: Distribution	Value	n
Birth control pills	3	5
Condom	4	143
Partners vasectomy	5	29
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	27
Withdrawal, pulling out	7	202
Depo-Provera, injectables (shot)	8	12
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	33
Calendar rhythm, Standard Days, or CycleBeads method	10	110
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	8
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	2
IUD	19	85
Emergency contraception pills	20	8
Other method	21	3
You were sterile	22	2
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	9
Inapplicable	.	4905
		5586

METHX95	
LABEL	ED-6 Method(s) used in Dec [interview yr-2] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Dec [interview yr - 2] (see METHX93)
LENGTH	8
VARNUM	310

Section E

METHX95: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	5
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	9
Withdrawal, pulling out	7	41
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	37
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Female condom, internal condom	13	2
Foam	14	1
Jelly or cream	15	1
IUD	19	15
Emergency contraception pills	20	7
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	6
Inapplicable	.	5426
		5586

METHX96	
LABEL	ED-6 Method(s) used in Dec [interview yr-2] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Dec [interview yr - 2] (see METHX93)
LENGTH	8
VARNUM	311

METHX96: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	6
Emergency contraception pills	20	8
Other method	21	2
Vaginal contraceptive ring	26	2
Inapplicable	.	5549
		5586

METHX97	
LABEL	ED-6 Method(s) used in Jan [interview yr-1] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirsm <= cmmhcalx25)
LENGTH	8
VARNUM	312

METHX97: Distribution	Value	n
No method used	1	1498
Birth control pills	3	792
Condom	4	496
Partners vasectomy	5	209
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	478
Withdrawal, pulling out	7	353
Depo-Provera, injectables (shot)	8	66
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	107

Section E

METHX97: Distribution	Value	n
Calendar rhythm, Standard Days, or CycleBeads method	10	63
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	3
Jelly or cream	15	1
IUD	19	403
Emergency contraception pills	20	4
Other method	21	6
You were sterile	22	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	16
Vaginal contraceptive ring	26	37
Refused	98	12
Don't Know	99	15
Inapplicable	.	1019
		5586

METHX98	
LABEL	ED-6 Method(s) used in Jan [interview yr-1] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in January [interview yr - 1] (see METHX97)
LENGTH	8
VARNUM	313

METHX98: Distribution	Value	n
Birth control pills	3	4
Condom	4	132
Partners vasectomy	5	32
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	29
Withdrawal, pulling out	7	194
Depo-Provera, injectables (shot)	8	20
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	21
Calendar rhythm, Standard Days, or CycleBeads method	10	111
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Diaphragm	12	1
Foam	14	1
Jelly or cream	15	3
Suppository, insert	17	1
IUD	19	82
Emergency contraception pills	20	9
Other method	21	3
You were sterile	22	1
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	15
Inapplicable	.	4912
		5586

METHX99	
LABEL	ED-6 Method(s) used in Jan [interview yr-1] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in January [interview yr - 1] (see METHX97)
LENGTH	8
VARNUM	314

METHX99: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	11
Withdrawal, pulling out	7	36

Section E

METHX99: Distribution	Value	n
Depo-Provera, injectables (shot)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	37
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	1
IUD	19	20
Emergency contraception pills	20	8
Other method	21	6
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	4
Inapplicable	.	5427
		5586

METHX100	
LABEL	ED-6 Method(s) used in Jan [interview yr-1] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in January [interview yr - 1] (see METHX97)
LENGTH	8
VARNUM	315

METHX100: Distribution	Value	n
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Female condom, internal condom	13	1
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	8
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	3
Inapplicable	.	5546
		5586

METHX101	
LABEL	ED-6 Method(s) used in Feb [interview yr-1] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirsm <= cmmhcalx26)
LENGTH	8
VARNUM	316

METHX101: Distribution	Value	n
No method used	1	1504
Birth control pills	3	784
Condom	4	502
Partners vasectomy	5	211
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	481
Withdrawal, pulling out	7	357
Depo-Provera, injectables (shot)	8	67
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	106
Calendar rhythm, Standard Days, or CycleBeads method	10	62

Section E

METHX101: Distribution	Value	n
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
Diaphragm	12	3
IUD	19	399
Emergency contraception pills	20	5
Other method	21	6
You were sterile	22	5
Contraceptive patch (Ortho-Evra or Xulane)	25	16
Vaginal contraceptive ring	26	38
Refused	55, 98	13
Don't Know	99	12
Inapplicable	.	1012
		5586

METHX102	
LABEL	ED-6 Method(s) used in Feb [interview yr-1] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in February [interview yr - 1] (see METHX101)
LENGTH	8
VARNUM	317

METHX102: Distribution	Value	n
Birth control pills	3	5
Condom	4	127
Partners vasectomy	5	33
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	24
Withdrawal, pulling out	7	196
Depo-Provera, injectables (shot)	8	13
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	22
Calendar rhythm, Standard Days, or CycleBeads method	10	112
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Diaphragm	12	1
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	3
IUD	19	84
Emergency contraception pills	20	13
Other method	21	2
You were sterile	22	1
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	16
Inapplicable	.	4916
		5586

METHX103	
LABEL	ED-6 Method(s) used in Feb [interview yr-1] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in February [interview yr - 1] (see METHX101)
LENGTH	8
VARNUM	318

METHX103: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	10
Withdrawal, pulling out	7	35
Depo-Provera, injectables (shot)	8	8
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	34

Section E

METHX103: Distribution	Value	n
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Female condom, internal condom	13	3
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	19
Emergency contraception pills	20	11
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	4
Inapplicable	.	5428
		5586

METHX104	
LABEL	ED-6 Method(s) used in Feb [interview yr-1] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in February [interview yr - 1] (see METHX101)
LENGTH	8
VARNUM	319

METHX104: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	9
Other method	21	1
Vaginal contraceptive ring	26	3
Inapplicable	.	5548
		5586

METHX105	
LABEL	ED-6 Method(s) used in Mar [interview yr-1] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirsm <= cmmhcalx27)
LENGTH	8
VARNUM	320

METHX105: Distribution	Value	n
No method used	1	1504
Birth control pills	3	785
Condom	4	496
Partners vasectomy	5	216
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	483
Withdrawal, pulling out	7	358
Depo-Provera, injectables (shot)	8	59
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	109
Calendar rhythm, Standard Days, or CycleBeads method	10	65
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	2
Diaphragm	12	2
IUD	19	406
Emergency contraception pills	20	6
Other method	21	6

Section E

METHX105: Distribution	Value	n
You were sterile	22	4
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	16
Vaginal contraceptive ring	26	39
Refused	98	12
Don't Know	99	12
Inapplicable	.	1005
		5586

METHX106	
LABEL	ED-6 Method(s) used in Mar [interview yr-1] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in March [interview yr - 1] (see METHX105)
LENGTH	8
VARNUM	321

METHX106: Distribution	Value	n
Birth control pills	3	4
Condom	4	131
Partners vasectomy	5	26
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	27
Withdrawal, pulling out	7	194
Depo-Provera, injectables (shot)	8	19
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	19
Calendar rhythm, Standard Days, or CycleBeads method	10	111
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	14
Diaphragm	12	2
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	1
IUD	19	81
Emergency contraception pills	20	14
Other method	21	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	14
Inapplicable	.	4920
		5586

METHX107	
LABEL	ED-6 Method(s) used in Mar [interview yr-1] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in March [interview yr - 1] (see METHX105)
LENGTH	8
VARNUM	322

METHX107: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	10
Withdrawal, pulling out	7	33
Depo-Provera, injectables (shot)	8	6
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	36
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Female condom, internal condom	13	3
Jelly or cream	15	2
IUD	19	21
Emergency contraception pills	20	11

METHX107: Distribution	Value	n
Other method	21	4
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	4
Inapplicable	.	5429
		5586

METHX108	
LABEL	ED-6 Method(s) used in Mar [interview yr-1] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in March [interview yr - 1] (see METHX105)
LENGTH	8
VARNUM	323

METHX108: Distribution	Value	n
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	8
Emergency contraception pills	20	12
Other method	21	1
Vaginal contraceptive ring	26	2
Inapplicable	.	5543
		5586

METHX109	
LABEL	ED-6 Method(s) used in Apr [interview yr-1] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirsm <= cmmhcalx28)
LENGTH	8
VARNUM	324

METHX109: Distribution	Value	n
No method used	1	1517
Birth control pills	3	780
Condom	4	506
Partners vasectomy	5	213
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	482
Withdrawal, pulling out	7	352
Depo-Provera, injectables (shot)	8	66
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	111
Calendar rhythm, Standard Days, or CycleBeads method	10	61
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
Diaphragm	12	3
Jelly or cream	15	1
IUD	19	408
Emergency contraception pills	20	6
Other method	21	6
You were sterile	22	4
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	16
Vaginal contraceptive ring	26	38
Refused	98	10

Section E

METHX109: Distribution	Value	n
Don't Know	99	13
Inapplicable	.	989
		5586

METHX110	
LABEL	ED-6 Method(s) used in Apr [interview yr-1] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in April [interview yr - 1] (see METHX109)
LENGTH	8
VARNUM	325

METHX110: Distribution	Value	n
Birth control pills	3	5
Condom	4	122
Partners vasectomy	5	27
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	27
Withdrawal, pulling out	7	204
Depo-Provera, injectables (shot)	8	20
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	19
Calendar rhythm, Standard Days, or CycleBeads method	10	106
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Diaphragm	12	1
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	2
IUD	19	82
Emergency contraception pills	20	11
Other method	21	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	5
Vaginal contraceptive ring	26	15
Inapplicable	.	4922
		5586

METHX111	
LABEL	ED-6 Method(s) used in Apr [interview yr-1] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in April [interview yr - 1] (see METHX109)
LENGTH	8
VARNUM	326

METHX111: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	9
Withdrawal, pulling out	7	33
Depo-Provera, injectables (shot)	8	6
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	38
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Diaphragm	12	1
Female condom, internal condom	13	3
Jelly or cream	15	1
IUD	19	20
Emergency contraception pills	20	9
Other method	21	4
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	5

Section E

METHX111: Distribution	Value	n
Inapplicable	.	5431
		5586

METHX112	
LABEL	ED-6 Method(s) used in Apr [interview yr-1] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in April [interview yr - 1] (see METHX109)
LENGTH	8
VARNUM	327

METHX112: Distribution	Value	n
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Female condom, internal condom	13	1
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	12
Other method	21	1
Vaginal contraceptive ring	26	3
Inapplicable	.	5545
		5586

METHX113	
LABEL	ED-6 Method(s) used in May [interview yr-1] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirsm <= cmmhcalx29)
LENGTH	8
VARNUM	328

METHX113: Distribution	Value	n
No method used	1	1509
Birth control pills	3	784
Condom	4	504
Partners vasectomy	5	210
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	484
Withdrawal, pulling out	7	370
Depo-Provera, injectables (shot)	8	69
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	110
Calendar rhythm, Standard Days, or CycleBeads method	10	65
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	3
Female condom, internal condom	13	1
Jelly or cream	15	1
IUD	19	399
Emergency contraception pills	20	3
Other method	21	8
You were sterile	22	4
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	19
Vaginal contraceptive ring	26	37
Refused	98	10
Don't Know	99	13

METHX113: Distribution	Value	n
Inapplicable	.	978
		5586

METHX114	
LABEL	ED-6 Method(s) used in May [interview yr-1] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in May [interview yr - 1] (see METHX113)
LENGTH	8
VARNUM	329

METHX114: Distribution	Value	n
Birth control pills	3	4
Condom	4	135
Partners vasectomy	5	29
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	23
Withdrawal, pulling out	7	190
Depo-Provera, injectables (shot)	8	16
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	19
Calendar rhythm, Standard Days, or CycleBeads method	10	115
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Diaphragm	12	1
Female condom, internal condom	13	1
Foam	14	1
Jelly or cream	15	2
IUD	19	88
Emergency contraception pills	20	8
Other method	21	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	15
Inapplicable	.	4921
		5586

METHX115	
LABEL	ED-6 Method(s) used in May [interview yr-1] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in May [interview yr - 1] (see METHX113)
LENGTH	8
VARNUM	330

METHX115: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	11
Withdrawal, pulling out	7	37
Depo-Provera, injectables (shot)	8	5
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	37
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	13
Female condom, internal condom	13	2
Jelly or cream	15	2
IUD	19	22
Emergency contraception pills	20	15
Other method	21	4
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	7
Inapplicable	.	5413
		5586

Section E

METHX116	
LABEL	ED-6 Method(s) used in May [interview yr-1] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in May [interview yr - 1] (see METHX113)
LENGTH	8
VARNUM	331

METHX116: Distribution	Value	n
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	3
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	6
Emergency contraception pills	20	11
Other method	21	1
Vaginal contraceptive ring	26	3
Inapplicable	.	5547
		5586

METHX117	
LABEL	ED-6 Method(s) used in June [interview yr-1] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirsm <= cmmhcalx30)
LENGTH	8
VARNUM	332

METHX117: Distribution	Value	n
No method used	1	1511
Birth control pills	3	788
Condom	4	514
Partners vasectomy	5	218
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	482
Withdrawal, pulling out	7	355
Depo-Provera, injectables (shot)	8	72
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	110
Calendar rhythm, Standard Days, or CycleBeads method	10	63
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Diaphragm	12	4
IUD	19	400
Emergency contraception pills	20	2
Other method	21	7
You were sterile	22	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	18
Vaginal contraceptive ring	26	36
Refused	98	10
Don't Know	99	13
Inapplicable	.	971
		5586

Section E

METHX118	
LABEL	ED-6 Method(s) used in June [interview yr-1] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in June [interview yr - 1] (see METHX117)
LENGTH	8
VARNUM	333

METHX118: Distribution	Value	n
Birth control pills	3	4
Condom	4	134
Partners vasectomy	5	35
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	24
Withdrawal, pulling out	7	209
Depo-Provera, injectables (shot)	8	16
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	19
Calendar rhythm, Standard Days, or CycleBeads method	10	105
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Diaphragm	12	1
Foam	14	1
Jelly or cream	15	2
IUD	19	84
Emergency contraception pills	20	8
Other method	21	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	5
Vaginal contraceptive ring	26	16
Inapplicable	.	4907
		5586

METHX119	
LABEL	ED-6 Method(s) used in June [interview yr-1] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in June [interview yr - 1] (see METHX117)
LENGTH	8
VARNUM	334

METHX119: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	11
Withdrawal, pulling out	7	38
Depo-Provera, injectables (shot)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	10
Calendar rhythm, Standard Days, or CycleBeads method	10	38
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	13
Female condom, internal condom	13	3
Jelly or cream	15	2
IUD	19	18
Emergency contraception pills	20	12
Other method	21	4
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	5
Inapplicable	.	5417
		5586

METHX120	
LABEL	ED-6 Method(s) used in June [interview yr-1] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in June [interview yr - 1] (see METHX117)

Section E

METHX120	
LENGTH	8
VARNUM	335

METHX120: Distribution	Value	n
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	8
Emergency contraception pills	20	10
Other method	21	1
Vaginal contraceptive ring	26	2
Inapplicable	.	5544
		5586

METHX121	
LABEL	ED-6 Method(s) used in July [interview yr-1] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirsm <= cmmhcalx31)
LENGTH	8
VARNUM	336

METHX121: Distribution	Value	n
No method used	1	1543
Birth control pills	3	778
Condom	4	499
Partners vasectomy	5	217
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	485
Withdrawal, pulling out	7	363
Depo-Provera, injectables (shot)	8	69
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	111
Calendar rhythm, Standard Days, or CycleBeads method	10	61
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	3
Jelly or cream	15	1
IUD	19	400
Emergency contraception pills	20	4
Other method	21	5
You were sterile	22	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	18
Vaginal contraceptive ring	26	36
Refused	98	9
Don't Know	99	14
Inapplicable	.	959
		5586

METHX122	
LABEL	ED-6 Method(s) used in July [interview yr-1] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in July [interview yr - 1] (see METHX121)
LENGTH	8
VARNUM	337

Section E

METHX122: Distribution	Value	n
Birth control pills	3	3
Condom	4	130
Partners vasectomy	5	31
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	26
Withdrawal, pulling out	7	204
Depo-Provera, injectables (shot)	8	19
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	21
Calendar rhythm, Standard Days, or CycleBeads method	10	102
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Diaphragm	12	1
Jelly or cream	15	2
IUD	19	83
Emergency contraception pills	20	12
Other method	21	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	16
Inapplicable	.	4917
		5586

METHX123	
LABEL	ED-6 Method(s) used in July [interview yr-1] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in July [interview yr - 1] (see METHX121)
LENGTH	8
VARNUM	338

METHX123: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	11
Withdrawal, pulling out	7	36
Depo-Provera, injectables (shot)	8	5
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	37
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Female condom, internal condom	13	2
Jelly or cream	15	1
IUD	19	22
Emergency contraception pills	20	12
Other method	21	4
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	5
Inapplicable	.	5422
		5586

METHX124	
LABEL	ED-6 Method(s) used in July [interview yr-1] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in July [interview yr - 1] (see METHX121)
LENGTH	8
VARNUM	339

METHX124: Distribution	Value	n
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	1

Section E

METHX124: Distribution	Value	n
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Female condom, internal condom	13	1
Jelly or cream	15	3
Suppository, insert	17	1
IUD	19	7
Emergency contraception pills	20	11
Other method	21	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5544
		5586

METHX125	
LABEL	ED-6 Method(s) used in Aug [interview yr-1] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirsm <= cmmhcalx32)
LENGTH	8
VARNUM	340

METHX125: Distribution	Value	n
No method used	1	1554
Birth control pills	3	772
Condom	4	508
Partners vasectomy	5	225
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	488
Withdrawal, pulling out	7	345
Depo-Provera, injectables (shot)	8	69
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	115
Calendar rhythm, Standard Days, or CycleBeads method	10	63
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	3
Jelly or cream	15	1
IUD	19	404
Emergency contraception pills	20	3
Other method	21	7
You were sterile	22	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	20
Vaginal contraceptive ring	26	37
Refused	98	9
Don't Know	99	14
Inapplicable	.	939
		5586

METHX126	
LABEL	ED-6 Method(s) used in Aug [interview yr-1] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Aug [interview yr - 1] (see METHX125)
LENGTH	8
VARNUM	341

METHX126: Distribution	Value	n
Birth control pills	3	3
Condom	4	132
Partners vasectomy	5	32
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	30
Withdrawal, pulling out	7	194

Section E

METHX126: Distribution	Value	n
Depo-Provera, injectables (shot)	8	16
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	20
Calendar rhythm, Standard Days, or CycleBeads method	10	111
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Diaphragm	12	1
Jelly or cream	15	2
IUD	19	82
Emergency contraception pills	20	12
Other method	21	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	5
Vaginal contraceptive ring	26	14
Inapplicable	.	4919
		5586

METHX127	
LABEL	ED-6 Method(s) used in Aug [interview yr-1] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Aug [interview yr - 1] (see METHX125)
LENGTH	8
VARNUM	342

METHX127: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	10
Withdrawal, pulling out	7	37
Depo-Provera, injectables (shot)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	33
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	13
Female condom, internal condom	13	2
Jelly or cream	15	1
IUD	19	20
Emergency contraception pills	20	6
Other method	21	4
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	7
Inapplicable	.	5428
		5586

METHX128	
LABEL	ED-6 Method(s) used in Aug [interview yr-1] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Aug [interview yr - 1] (see METHX125)
LENGTH	8
VARNUM	343

METHX128: Distribution	Value	n
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Female condom, internal condom	13	1
Jelly or cream	15	3

Section E

METHX128: Distribution	Value	n
Suppository, insert	17	1
IUD	19	7
Emergency contraception pills	20	11
Other method	21	1
Inapplicable	.	5545
		5586

METHX129	
LABEL	ED-6 Method(s) used in Sept [interview yr-1] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirsm <= cmmhcalx33)
LENGTH	8
VARNUM	344

METHX129: Distribution	Value	n
No method used	1	1553
Birth control pills	3	775
Condom	4	507
Partners vasectomy	5	224
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	489
Withdrawal, pulling out	7	347
Depo-Provera, injectables (shot)	8	78
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	109
Calendar rhythm, Standard Days, or CycleBeads method	10	66
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
Diaphragm	12	2
IUD	19	404
Emergency contraception pills	20	6
Other method	21	7
You were sterile	22	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	20
Vaginal contraceptive ring	26	40
Refused	98	9
Don't Know	99	14
Inapplicable	.	927
		5586

METHX130	
LABEL	ED-6 Method(s) used in Sept [interview yr-1] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Sept [interview yr - 1] (see METHX129)
LENGTH	8
VARNUM	345

METHX130: Distribution	Value	n
Birth control pills	3	3
Condom	4	133
Partners vasectomy	5	29
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	34
Withdrawal, pulling out	7	202
Depo-Provera, injectables (shot)	8	17
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	23
Calendar rhythm, Standard Days, or CycleBeads method	10	106
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Diaphragm	12	2
Female condom, internal condom	13	2
Jelly or cream	15	1

Section E

METHX130: Distribution	Value	n
IUD	19	80
Emergency contraception pills	20	11
Other method	21	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	9
Inapplicable	.	4916
		5586

METHX131	
LABEL	ED-6 Method(s) used in Sept [interview yr-1] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Sept [interview yr - 1] (see METHX129)
LENGTH	8
VARNUM	346

METHX131: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	9
Withdrawal, pulling out	7	33
Depo-Provera, injectables (shot)	8	5
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	34
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	11
Female condom, internal condom	13	1
Jelly or cream	15	2
IUD	19	24
Emergency contraception pills	20	10
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	10
Inapplicable	.	5426
		5586

METHX132	
LABEL	ED-6 Method(s) used in Sept [interview yr-1] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Sept [interview yr - 1] (see METHX129)
LENGTH	8
VARNUM	347

METHX132: Distribution	Value	n
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	3
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Female condom, internal condom	13	1
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	9
Other method	21	2
Inapplicable	.	5550
		5586

Section E

METHX133	
LABEL	ED-6 Method(s) used in Oct [interview yr-1] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx34)
LENGTH	8
VARNUM	348

METHX133: Distribution	Value	n
No method used	1	1564
Birth control pills	3	777
Condom	4	502
Partners vasectomy	5	231
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	490
Withdrawal, pulling out	7	360
Depo-Provera, injectables (shot)	8	77
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	109
Calendar rhythm, Standard Days, or CycleBeads method	10	63
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	3
Jelly or cream	15	1
IUD	19	395
Emergency contraception pills	20	6
Other method	21	6
You were sterile	22	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	19
Vaginal contraceptive ring	26	40
Refused	98	9
Don't Know	99	14
Inapplicable	.	910
		5586

METHX134	
LABEL	ED-6 Method(s) used in Oct [interview yr-1] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Oct [interview yr - 1] (see METHX85)
LENGTH	8
VARNUM	349

METHX134: Distribution	Value	n
Birth control pills	3	3
Condom	4	148
Partners vasectomy	5	30
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	33
Withdrawal, pulling out	7	199
Depo-Provera, injectables (shot)	8	16
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	25
Calendar rhythm, Standard Days, or CycleBeads method	10	115
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Diaphragm	12	1
Jelly or cream	15	2
IUD	19	87
Emergency contraception pills	20	11
Other method	21	1
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	15
Inapplicable	.	4887
		5586

Section E

METHX135	
LABEL	ED-6 Method(s) used in Oct [interview yr-1] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Oct [interview yr - 1] (see METHX85)
LENGTH	8
VARNUM	350

METHX135: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	9
Withdrawal, pulling out	7	37
Depo-Provera, injectables (shot)	8	6
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	7
Calendar rhythm, Standard Days, or CycleBeads method	10	31
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Female condom, internal condom	13	2
Jelly or cream	15	1
IUD	19	24
Emergency contraception pills	20	12
Other method	21	6
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	5
Inapplicable	.	5427
		5586

METHX136	
LABEL	ED-6 Method(s) used in Oct [interview yr-1] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Oct [interview yr - 1] (see METHX85)
LENGTH	8
VARNUM	351

METHX136: Distribution	Value	n
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	6
Emergency contraception pills	20	11
Other method	21	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5547
		5586

METHX137	
LABEL	ED-6 Method(s) used in Nov [interview yr-1] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirsm <= cmmhcalx35)
LENGTH	8
VARNUM	352

Section E

METHX137: Distribution	Value	n
No method used	1	1548
Birth control pills	3	774
Condom	4	525
Partners vasectomy	5	231
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	496
Withdrawal, pulling out	7	356
Depo-Provera, injectables (shot)	8	77
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	108
Calendar rhythm, Standard Days, or CycleBeads method	10	65
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	2
Diaphragm	12	2
Female condom, internal condom	13	1
IUD	19	401
Emergency contraception pills	20	4
Other method	21	5
You were sterile	22	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	18
Vaginal contraceptive ring	26	42
Refused	98	9
Don't Know	99	15
Inapplicable	.	901
		5586

METHX138	
LABEL	ED-6 Method(s) used in Nov [interview yr-1] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Nov [interview yr - 1] (see METHX137)
LENGTH	8
VARNUM	353

METHX138: Distribution	Value	n
Birth control pills	3	4
Condom	4	149
Partners vasectomy	5	31
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	31
Withdrawal, pulling out	7	191
Depo-Provera, injectables (shot)	8	18
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	23
Calendar rhythm, Standard Days, or CycleBeads method	10	108
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Diaphragm	12	3
Jelly or cream	15	1
IUD	19	87
Emergency contraception pills	20	16
Other method	21	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	12
Inapplicable	.	4895
		5586

METHX139	
LABEL	ED-6 Method(s) used in Nov [interview yr-1] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Nov [interview yr - 1] (see METHX137)
LENGTH	8
VARNUM	354

Section E

METHX139: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	10
Withdrawal, pulling out	7	40
Depo-Provera, injectables (shot)	8	5
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	11
Calendar rhythm, Standard Days, or CycleBeads method	10	34
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	12
Female condom, internal condom	13	2
Jelly or cream	15	2
IUD	19	23
Emergency contraception pills	20	13
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	7
Inapplicable	.	5414
		5586

METHX140	
LABEL	ED-6 Method(s) used in Nov [interview yr-1] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Nov [interview yr - 1] (see METHX137)
LENGTH	8
VARNUM	355

METHX140: Distribution	Value	n
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Female condom, internal condom	13	1
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	9
Other method	21	2
Vaginal contraceptive ring	26	4
Inapplicable	.	5545
		5586

METHX141	
LABEL	ED-6 Method(s) used in Dec [interview yr-1] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirsm <= cmmhcalx36)
LENGTH	8
VARNUM	356

METHX141: Distribution	Value	n
No method used	1	1538
Birth control pills	3	774
Condom	4	540
Partners vasectomy	5	230
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	498
Withdrawal, pulling out	7	356
Depo-Provera, injectables (shot)	8	73

Section E

METHX141: Distribution	Value	n
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	110
Calendar rhythm, Standard Days, or CycleBeads method	10	62
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	2
Diaphragm	12	3
Female condom, internal condom	13	2
IUD	19	405
Emergency contraception pills	20	5
Other method	21	7
You were sterile	22	5
Contraceptive patch (Ortho-Evra or Xulane)	25	21
Vaginal contraceptive ring	26	39
Refused	98	9
Don't Know	99	15
Inapplicable	.	892
		5586

METHX142	
LABEL	ED-6 Method(s) used in Dec [interview yr-1] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Dec [interview yr - 1] (see METHX141)
LENGTH	8
VARNUM	357

METHX142: Distribution	Value	n
Birth control pills	3	2
Condom	4	150
Partners vasectomy	5	30
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	31
Withdrawal, pulling out	7	207
Depo-Provera, injectables (shot)	8	17
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	24
Calendar rhythm, Standard Days, or CycleBeads method	10	115
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	9
Diaphragm	12	2
Jelly or cream	15	2
IUD	19	84
Emergency contraception pills	20	13
Other method	21	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	15
Inapplicable	.	4880
		5586

METHX143	
LABEL	ED-6 Method(s) used in Dec [interview yr-1] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Dec [interview yr - 1] (see METHX141)
LENGTH	8
VARNUM	358

METHX143: Distribution	Value	n
Condom	4	2
Partners vasectomy	5	5
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	10
Withdrawal, pulling out	7	43
Depo-Provera, injectables (shot)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	10
Calendar rhythm, Standard Days, or CycleBeads method	10	33

Section E

METHX143: Distribution	Value	n
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	14
Female condom, internal condom	13	4
Jelly or cream	15	2
IUD	19	21
Emergency contraception pills	20	13
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	6
Inapplicable	.	5410
		5586

METHX144	
LABEL	ED-6 Method(s) used in Dec [interview yr-1] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Dec [interview yr - 1] (see METHX141)
LENGTH	8
VARNUM	359

METHX144: Distribution	Value	n
Partners vasectomy	5	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Female condom, internal condom	13	1
Jelly or cream	15	2
Suppository, insert	17	1
IUD	19	7
Emergency contraception pills	20	9
Other method	21	1
Vaginal contraceptive ring	26	3
Inapplicable	.	5545
		5586

METHX145	
LABEL	ED-6 Method(s) used in Jan [interview yr] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirsm <= cmmhcalx37)
LENGTH	8
VARNUM	360

METHX145: Distribution	Value	n
No method used	1	1505
Birth control pills	3	784
Condom	4	548
Partners vasectomy	5	238
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	498
Withdrawal, pulling out	7	388
Depo-Provera, injectables (shot)	8	78
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	113
Calendar rhythm, Standard Days, or CycleBeads method	10	62
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Diaphragm	12	2
IUD	19	398
Emergency contraception pills	20	8

Section E

METHX145: Distribution	Value	n
Other method	21	5
You were sterile	22	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	17
Vaginal contraceptive ring	26	35
Refused	98	11
Don't Know	99	6
Inapplicable	.	878
		5586

METHX146	
LABEL	ED-6 Method(s) used in Jan [interview yr] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in January [interview yr] (see METHX145)
LENGTH	8
VARNUM	361

METHX146: Distribution	Value	n
Birth control pills	3	6
Condom	4	152
Partners vasectomy	5	38
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	38
Withdrawal, pulling out	7	217
Depo-Provera, injectables (shot)	8	14
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	24
Calendar rhythm, Standard Days, or CycleBeads method	10	126
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Diaphragm	12	3
Foam	14	1
Jelly or cream	15	2
IUD	19	95
Emergency contraception pills	20	14
Other method	21	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	16
Inapplicable	.	4824
		5586

METHX147	
LABEL	ED-6 Method(s) used in Jan [interview yr] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in January [interview yr] (see METHX145)
LENGTH	8
VARNUM	362

METHX147: Distribution	Value	n
Birth control pills	3	1
Condom	4	2
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	7
Withdrawal, pulling out	7	44
Depo-Provera, injectables (shot)	8	12
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	37
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	15
Diaphragm	12	1
Female condom, internal condom	13	3
Jelly or cream	15	3

Section E

METHX147: Distribution	Value	n
IUD	19	28
Emergency contraception pills	20	16
Other method	21	6
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	5
Inapplicable	.	5392
		5586

METHX148	
LABEL	ED-6 Method(s) used in Jan [interview yr] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in January [interview yr] (see METHX145)
LENGTH	8
VARNUM	363

METHX148: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	8
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Female condom, internal condom	13	3
Foam	14	1
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	11
Other method	21	1
Vaginal contraceptive ring	26	2
Inapplicable	.	5539
		5586

METHX149	
LABEL	ED-6 Method(s) used in Feb [interview yr] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year] (cmfirsm <= cmmhcalx38) and interview was on or after February [interview year] (cmintvw >= cmmhcalx38)
LENGTH	8
VARNUM	364

METHX149: Distribution	Value	n
No method used	1	1362
Birth control pills	3	663
Condom	4	466
Partners vasectomy	5	206
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	439
Withdrawal, pulling out	7	354
Depo-Provera, injectables (shot)	8	68
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	106
Calendar rhythm, Standard Days, or CycleBeads method	10	54
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Diaphragm	12	3
IUD	19	343
Emergency contraception pills	20	3
Other method	21	6
You were sterile	22	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	17

Section E

METHX149: Distribution	Value	n
Vaginal contraceptive ring	26	30
Refused	98	11
Don't Know	99	6
Inapplicable	.	1436
		5586

METHX150	
LABEL	ED-6 Method(s) used in Feb [interview yr] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in February [interview yr] (see METHX149)
LENGTH	8
VARNUM	365

METHX150: Distribution	Value	n
Birth control pills	3	7
Condom	4	123
Partners vasectomy	5	30
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	35
Withdrawal, pulling out	7	170
Depo-Provera, injectables (shot)	8	19
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	19
Calendar rhythm, Standard Days, or CycleBeads method	10	120
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Diaphragm	12	2
Foam	14	1
Jelly or cream	15	2
IUD	19	77
Emergency contraception pills	20	15
Other method	21	1
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	12
Inapplicable	.	4942
		5586

METHX151	
LABEL	ED-6 Method(s) used in Feb [interview yr] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in February [interview yr] (see METHX149)
LENGTH	8
VARNUM	366

METHX151: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	5
Withdrawal, pulling out	7	41
Depo-Provera, injectables (shot)	8	10
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	25
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	15
Female condom, internal condom	13	3
IUD	19	21
Emergency contraception pills	20	13
Other method	21	7
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	4
Inapplicable	.	5428
		5586

Section E

METHX152	
LABEL	ED-6 Method(s) used in Feb [interview yr] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in February [interview yr] (see METHX149)
LENGTH	8
VARNUM	367

METHX152: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	1
Depo-Provera, injectables (shot)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	6
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Female condom, internal condom	13	2
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	6
Emergency contraception pills	20	6
Other method	21	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5551
		5586

METHX153	
LABEL	ED-6 Method(s) used in Mar [interview yr] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before March [interview year] (cmfirsm <= cmmhcalx39) and interview was on or after March [interview year] (cmintvw >= cmmhcalx39)
LENGTH	8
VARNUM	368

METHX153: Distribution	Value	n
No method used	1	1300
Birth control pills	3	624
Condom	4	433
Partners vasectomy	5	194
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	412
Withdrawal, pulling out	7	325
Depo-Provera, injectables (shot)	8	60
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	94
Calendar rhythm, Standard Days, or CycleBeads method	10	55
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	2
IUD	19	310
Emergency contraception pills	20	4
Other method	21	5
You were sterile	22	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	16
Vaginal contraceptive ring	26	32
Refused	98	10
Don't Know	99	7
Inapplicable	.	1692
		5586

Section E

METHX154	
LABEL	ED-6 Method(s) used in Mar [interview yr] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in March [interview yr] (see METHX153)
LENGTH	8
VARNUM	369

METHX154: Distribution	Value	n
Birth control pills	3	7
Condom	4	124
Partners vasectomy	5	26
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	32
Withdrawal, pulling out	7	154
Depo-Provera, injectables (shot)	8	20
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	20
Calendar rhythm, Standard Days, or CycleBeads method	10	111
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Diaphragm	12	1
Female condom, internal condom	13	1
Jelly or cream	15	1
IUD	19	74
Emergency contraception pills	20	16
Other method	21	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	12
Inapplicable	.	4975
		5586

METHX155	
LABEL	ED-6 Method(s) used in Mar [interview yr] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in March [interview yr] (see METHX153)
LENGTH	8
VARNUM	370

METHX155: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	5
Withdrawal, pulling out	7	37
Depo-Provera, injectables (shot)	8	5
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	7
Calendar rhythm, Standard Days, or CycleBeads method	10	25
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	15
Female condom, internal condom	13	2
Jelly or cream	15	1
IUD	19	20
Emergency contraception pills	20	16
Other method	21	5
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	5
Inapplicable	.	5438
		5586

METHX156	
LABEL	ED-6 Method(s) used in Mar [interview yr] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in March [interview yr] (see METHX153)

Section E

METHX156	
LENGTH	8
VARNUM	371

METHX156: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	6
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
Female condom, internal condom	13	1
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	9
Other method	21	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5554
		5586

METHX157	
LABEL	ED-6 Method(s) used in Apr [interview yr] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before April [interview year] (cmfirsm <= cmmhcalx40) and interview was on or after April [interview year] (cmintvw >= cmmhcalx40)
LENGTH	8
VARNUM	372

METHX157: Distribution	Value	n
No method used	1	1269
Birth control pills	3	592
Condom	4	419
Partners vasectomy	5	192
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	407
Withdrawal, pulling out	7	303
Depo-Provera, injectables (shot)	8	59
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	89
Calendar rhythm, Standard Days, or CycleBeads method	10	47
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	2
IUD	19	302
Emergency contraception pills	20	3
Other method	21	6
You were sterile	22	5
Contraceptive patch (Ortho-Evra or Xulane)	25	9
Vaginal contraceptive ring	26	30
Refused	98	10
Don't Know	99	7
Inapplicable	.	1830
		5586

METHX158	
LABEL	ED-6 Method(s) used in Apr [interview yr] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in April [interview yr] (see METHX157)
LENGTH	8
VARNUM	373

Section E

METHX158: Distribution	Value	n
Birth control pills	3	8
Condom	4	110
Partners vasectomy	5	31
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	27
Withdrawal, pulling out	7	152
Depo-Provera, injectables (shot)	8	16
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	21
Calendar rhythm, Standard Days, or CycleBeads method	10	97
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Female condom, internal condom	13	1
Jelly or cream	15	1
IUD	19	67
Emergency contraception pills	20	10
Other method	21	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	11
Inapplicable	.	5021
		5586

METHX159	
LABEL	ED-6 Method(s) used in Apr [interview yr] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in April [interview yr] (see METHX157)
LENGTH	8
VARNUM	374

METHX159: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	4
Withdrawal, pulling out	7	29
Depo-Provera, injectables (shot)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	7
Calendar rhythm, Standard Days, or CycleBeads method	10	28
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	14
Female condom, internal condom	13	2
IUD	19	16
Emergency contraception pills	20	13
Other method	21	4
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	4
Inapplicable	.	5452
		5586

METHX160	
LABEL	ED-6 Method(s) used in Apr [interview yr] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in April [interview yr] (see METHX157)
LENGTH	8
VARNUM	375

METHX160: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	2
Calendar rhythm, Standard Days, or CycleBeads method	10	6

Section E

METHX160: Distribution	Value	n
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Female condom, internal condom	13	1
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	7
Emergency contraception pills	20	4
Other method	21	1
Inapplicable	.	5557
		5586

METHX161	
LABEL	ED-6 Method(s) used in May [interview yr] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before May [interview year] (cmfirsm <= cmmhcalx41) and interview was on or after May [interview year] (cmintvw >= cmmhcalx41)
LENGTH	8
VARNUM	376

METHX161: Distribution	Value	n
No method used	1	1015
Birth control pills	3	446
Condom	4	370
Partners vasectomy	5	143
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	321
Withdrawal, pulling out	7	243
Depo-Provera, injectables (shot)	8	45
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	72
Calendar rhythm, Standard Days, or CycleBeads method	10	39
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	2
IUD	19	240
Emergency contraception pills	20	1
Other method	21	5
You were sterile	22	5
Contraceptive patch (Ortho-Evra or Xulane)	25	8
Vaginal contraceptive ring	26	22
Refused	98	9
Don't Know	99	7
Inapplicable	.	2589
		5586

METHX162	
LABEL	ED-6 Method(s) used in May [interview yr] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in May [interview yr] (see METHX161)
LENGTH	8
VARNUM	377

METHX162: Distribution	Value	n
Birth control pills	3	7
Condom	4	87
Partners vasectomy	5	25
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	19
Withdrawal, pulling out	7	128
Depo-Provera, injectables (shot)	8	11
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	12
Calendar rhythm, Standard Days, or CycleBeads method	10	74

Section E

METHX162: Distribution	Value	n
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Female condom, internal condom	13	2
Jelly or cream	15	1
IUD	19	50
Emergency contraception pills	20	16
Other method	21	1
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	9
Inapplicable	.	5135
		5586

METHX163	
LABEL	ED-6 Method(s) used in May [interview yr] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in May [interview yr] (see METHX161)
LENGTH	8
VARNUM	378

METHX163: Distribution	Value	n
Condom	4	1
Partners vasectomy	5	2
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	4
Withdrawal, pulling out	7	18
Depo-Provera, injectables (shot)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	6
Calendar rhythm, Standard Days, or CycleBeads method	10	20
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	13
Female condom, internal condom	13	1
Suppository, insert	17	1
IUD	19	11
Emergency contraception pills	20	7
Other method	21	4
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	3
Inapplicable	.	5487
		5586

METHX164	
LABEL	ED-6 Method(s) used in May [interview yr] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in May [interview yr] (see METHX161)
LENGTH	8
VARNUM	379

METHX164: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
Female condom, internal condom	13	1
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	8
Emergency contraception pills	20	6
Other method	21	1
Inapplicable	.	5556
		5586

Section E

METHX165	
LABEL	ED-6 Method(s) used in June [interview yr] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before June [interview year] (cmfirsm <= cmmhcalx42) and interview was on or after June [interview year] (cmintvw >= cmmhcalx42)
LENGTH	8
VARNUM	380

METHX165: Distribution	Value	n
No method used	1	931
Birth control pills	3	405
Condom	4	355
Partners vasectomy	5	137
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	303
Withdrawal, pulling out	7	222
Depo-Provera, injectables (shot)	8	45
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	63
Calendar rhythm, Standard Days, or CycleBeads method	10	37
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	2
Female condom, internal condom	13	1
IUD	19	214
Emergency contraception pills	20	2
Other method	21	3
You were sterile	22	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	8
Vaginal contraceptive ring	26	18
Refused	98	8
Don't Know	99	5
Inapplicable	.	2817
		5586

METHX166	
LABEL	ED-6 Method(s) used in June [interview yr] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in June [interview yr] (see METHX165)
LENGTH	8
VARNUM	381

METHX166: Distribution	Value	n
Birth control pills	3	7
Condom	4	84
Partners vasectomy	5	22
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	16
Withdrawal, pulling out	7	135
Depo-Provera, injectables (shot)	8	10
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	13
Calendar rhythm, Standard Days, or CycleBeads method	10	66
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	8
Jelly or cream	15	1
IUD	19	47
Emergency contraception pills	20	8
Other method	21	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	3
Vaginal contraceptive ring	26	8
Inapplicable	.	5154
		5586

Section E

METHX167	
LABEL	ED-6 Method(s) used in June [interview yr] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in June [interview yr] (see METHX165)
LENGTH	8
VARNUM	382

METHX167: Distribution	Value	n
Condom	4	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	5
Withdrawal, pulling out	7	22
Depo-Provera, injectables (shot)	8	4
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	6
Calendar rhythm, Standard Days, or CycleBeads method	10	19
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Female condom, internal condom	13	1
Jelly or cream	15	1
IUD	19	15
Emergency contraception pills	20	3
Other method	21	4
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	3
Inapplicable	.	5491
		5586

METHX168	
LABEL	ED-6 Method(s) used in June [interview yr] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in June [interview yr] (see METHX165)
LENGTH	8
VARNUM	383

METHX168: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	1
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Female condom, internal condom	13	1
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	6
Emergency contraception pills	20	3
Other method	21	2
Vaginal contraceptive ring	26	1
Inapplicable	.	5560
		5586

METHX169	
LABEL	ED-6 Method(s) used in July [interview yr] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before July [interview year] (cmfirsm <= cmmhcalx43) and interview was on or after July [interview year] (cmintvw >= cmmhcalx43)
LENGTH	8
VARNUM	384

METHX169: Distribution	Value	n
No method used	1	812
Birth control pills	3	340
Condom	4	286
Partners vasectomy	5	118

Section E

METHX169: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	258
Withdrawal, pulling out	7	192
Depo-Provera, injectables (shot)	8	35
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	59
Calendar rhythm, Standard Days, or CycleBeads method	10	38
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	1
IUD	19	182
Emergency contraception pills	20	2
Other method	21	2
You were sterile	22	5
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	6
Vaginal contraceptive ring	26	19
Refused	98	8
Don't Know	99	4
Inapplicable	.	3213
		5586

METHX170	
LABEL	ED-6 Method(s) used in July [interview yr] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in July [interview yr] (see METHX169)
LENGTH	8
VARNUM	385

METHX170: Distribution	Value	n
Birth control pills	3	6
Condom	4	70
Partners vasectomy	5	17
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	14
Withdrawal, pulling out	7	114
Depo-Provera, injectables (shot)	8	6
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	12
Calendar rhythm, Standard Days, or CycleBeads method	10	52
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Jelly or cream	15	1
IUD	19	47
Emergency contraception pills	20	11
Other method	21	2
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	8
Inapplicable	.	5216
		5586

METHX171	
LABEL	ED-6 Method(s) used in July [interview yr] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in July [interview yr] (see METHX169)
LENGTH	8
VARNUM	386

METHX171: Distribution	Value	n
Condom	4	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	4
Withdrawal, pulling out	7	17
Depo-Provera, injectables (shot)	8	3

Section E

METHX171: Distribution	Value	n
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	5
Calendar rhythm, Standard Days, or CycleBeads method	10	19
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	10
Female condom, internal condom	13	2
Jelly or cream	15	1
IUD	19	11
Emergency contraception pills	20	8
Other method	21	2
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	2
Inapplicable	.	5500
		5586

METHX172	
LABEL	ED-6 Method(s) used in July [interview yr] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in July [interview yr] (see METHX169)
LENGTH	8
VARNUM	387

METHX172: Distribution	Value	n
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	1
Calendar rhythm, Standard Days, or CycleBeads method	10	3
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Female condom, internal condom	13	1
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	5
Emergency contraception pills	20	5
Vaginal contraceptive ring	26	2
Inapplicable	.	5562
		5586

METHX173	
LABEL	ED-6 Method(s) used in Aug [interview yr] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before August [interview year] (cmfirsm <= cmmhcalx44) and interview was on or after August [interview year] (cmintvw >= cmmhcalx44)
LENGTH	8
VARNUM	388

METHX173: Distribution	Value	n
No method used	1	602
Birth control pills	3	248
Condom	4	210
Partners vasectomy	5	86
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	178
Withdrawal, pulling out	7	148
Depo-Provera, injectables (shot)	8	29
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	50
Calendar rhythm, Standard Days, or CycleBeads method	10	25
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Diaphragm	12	1
Female condom, internal condom	13	1
IUD	19	138
Emergency contraception pills	20	1
Other method	21	1
You were sterile	22	5

Section E

METHX173: Distribution	Value	n
Contraceptive patch (Ortho-Evra or Xulane)	25	6
Vaginal contraceptive ring	26	12
Refused	98	7
Don't Know	99	3
Inapplicable	.	3830
		5586

METHX174	
LABEL	ED-6 Method(s) used in Aug [interview yr] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Aug [interview yr] (see METHX173)
LENGTH	8
VARNUM	389

METHX174: Distribution	Value	n
Birth control pills	3	6
Condom	4	54
Partners vasectomy	5	17
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	11
Withdrawal, pulling out	7	80
Depo-Provera, injectables (shot)	8	5
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	9
Calendar rhythm, Standard Days, or CycleBeads method	10	41
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Jelly or cream	15	2
IUD	19	35
Emergency contraception pills	20	6
Other method	21	1
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	6
Inapplicable	.	5307
		5586

METHX175	
LABEL	ED-6 Method(s) used in Aug [interview yr] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Aug [interview yr] (see METHX173)
LENGTH	8
VARNUM	390

METHX175: Distribution	Value	n
Condom	4	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	4
Withdrawal, pulling out	7	18
Depo-Provera, injectables (shot)	8	3
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	11
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	8
Jelly or cream	15	2
IUD	19	10
Emergency contraception pills	20	3
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	1
Inapplicable	.	5518
		5586

Section E

METHX176	
LABEL	ED-6 Method(s) used in Aug [interview yr] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Aug [interview yr] (see METHX173)
LENGTH	8
VARNUM	391

METHX176: Distribution	Value	n
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	1
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
Female condom, internal condom	13	1
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	3
Emergency contraception pills	20	5
Inapplicable	.	5567
		5586

METHX177	
LABEL	ED-6 Method(s) used in Sept [interview yr] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before September [interview year] (cmfirsm <= cmmhcalx45) and interview was on or after September [interview year] (cmintvw >= cmmhcalx45)
LENGTH	8
VARNUM	392

METHX177: Distribution	Value	n
No method used	1	497
Birth control pills	3	212
Condom	4	181
Partners vasectomy	5	78
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	147
Withdrawal, pulling out	7	129
Depo-Provera, injectables (shot)	8	28
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	39
Calendar rhythm, Standard Days, or CycleBeads method	10	22
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Female condom, internal condom	13	1
IUD	19	118
Emergency contraception pills	20	3
Other method	21	1
You were sterile	22	3
Contraceptive patch (Ortho-Evra or Xulane)	25	5
Vaginal contraceptive ring	26	10
Refused	98	7
Don't Know	99	1
Inapplicable	.	4099
		5586

METHX178	
LABEL	ED-6 Method(s) used in Sept [interview yr] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Sept [interview yr] (see METHX177)
LENGTH	8
VARNUM	393

Section E

METHX178: Distribution	Value	n
Birth control pills	3	4
Condom	4	48
Partners vasectomy	5	12
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	12
Withdrawal, pulling out	7	66
Depo-Provera, injectables (shot)	8	3
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	11
Calendar rhythm, Standard Days, or CycleBeads method	10	34
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
Jelly or cream	15	1
IUD	19	32
Emergency contraception pills	20	1
Other method	21	1
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	7
Inapplicable	.	5346
		5586

METHX179	
LABEL	ED-6 Method(s) used in Sept [interview yr] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Sept [interview yr] (see METHX177)
LENGTH	8
VARNUM	394

METHX179: Distribution	Value	n
Condom	4	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	4
Withdrawal, pulling out	7	16
Depo-Provera, injectables (shot)	8	4
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	10
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	6
IUD	19	10
Emergency contraception pills	20	5
Other method	21	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5524
		5586

METHX180	
LABEL	ED-6 Method(s) used in Sept [interview yr] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Sept [interview yr] (see METHX177)
LENGTH	8
VARNUM	395

METHX180: Distribution	Value	n
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	1
Calendar rhythm, Standard Days, or CycleBeads method	10	4
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5
Female condom, internal condom	13	1
Jelly or cream	15	1
Suppository, insert	17	1
IUD	19	2
Emergency contraception pills	20	3
Other method	21	1

Section E

METHX180: Distribution	Value	n
Inapplicable	.	5567
		5586

METHX181	
LABEL	ED-6 Method(s) used in Oct [interview yr] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before October [interview year] (cmfirsm <= cmmhcalx46) and interview was on or after October [interview year] (cmintvw >= cmmhcalx46)
LENGTH	8
VARNUM	396

METHX181: Distribution	Value	n
No method used	1	301
Birth control pills	3	126
Condom	4	107
Partners vasectomy	5	46
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	81
Withdrawal, pulling out	7	75
Depo-Provera, injectables (shot)	8	17
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	19
Calendar rhythm, Standard Days, or CycleBeads method	10	12
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
IUD	19	65
Emergency contraception pills	20	3
You were sterile	22	2
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	5
Refused	98	6
Inapplicable	.	4716
		5586

METHX182	
LABEL	ED-6 Method(s) used in Oct [interview yr] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Oct [interview yr] (see METHX181)
LENGTH	8
VARNUM	397

METHX182: Distribution	Value	n
Birth control pills	3	3
Condom	4	26
Partners vasectomy	5	7
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	8
Withdrawal, pulling out	7	43
Depo-Provera, injectables (shot)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	6
Calendar rhythm, Standard Days, or CycleBeads method	10	22
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	2
IUD	19	18
Emergency contraception pills	20	3
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	4
Inapplicable	.	5440
		5586

Section E

METHX183	
LABEL	ED-6 Method(s) used in Oct [interview yr] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Oct [interview yr] (see METHX181)
LENGTH	8
VARNUM	398

METHX183: Distribution	Value	n
Condom	4	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	9
Depo-Provera, injectables (shot)	8	3
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	3
Calendar rhythm, Standard Days, or CycleBeads method	10	8
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
IUD	19	3
Emergency contraception pills	20	3
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5549
		5586

METHX184	
LABEL	ED-6 Method(s) used in Oct [interview yr] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Oct [interview yr] (see METHX181)
LENGTH	8
VARNUM	399

METHX184: Distribution	Value	n
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	1
Calendar rhythm, Standard Days, or CycleBeads method	10	1
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
Suppository, insert	17	1
IUD	19	2
Emergency contraception pills	20	3
Other method	21	1
Inapplicable	.	5574
		5586

METHX185	
LABEL	ED-6 Method(s) used in Nov [interview yr] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before November [interview year] (cmfirsm <= cmmhcalx47) and interview was on or after November [interview year] (cmintvw >= cmmhcalx47)
LENGTH	8
VARNUM	400

METHX185: Distribution	Value	n
No method used	1	139
Birth control pills	3	52
Condom	4	42
Partners vasectomy	5	15
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	41
Withdrawal, pulling out	7	37
Depo-Provera, injectables (shot)	8	11
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	10
Calendar rhythm, Standard Days, or CycleBeads method	10	4

Section E

METHX185: Distribution	Value	n
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
IUD	19	28
You were sterile	22	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	2
Refused	98	4
Inapplicable	.	5198
		5586

METHX186	
LABEL	ED-6 Method(s) used in Nov [interview yr] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Nov [interview yr] (see METHX185)
LENGTH	8
VARNUM	401

METHX186: Distribution	Value	n
Birth control pills	3	2
Condom	4	12
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	16
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	5
Calendar rhythm, Standard Days, or CycleBeads method	10	10
IUD	19	7
Emergency contraception pills	20	1
Vaginal contraceptive ring	26	2
Inapplicable	.	5526
		5586

METHX187	
LABEL	ED-6 Method(s) used in Nov [interview yr] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Nov [interview yr] (see METHX185)
LENGTH	8
VARNUM	402

METHX187: Distribution	Value	n
Withdrawal, pulling out	7	3
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
IUD	19	1
Emergency contraception pills	20	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5572
		5586

METHX188	
LABEL	ED-6 Method(s) used in Nov [interview yr] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Nov [interview yr] (see METHX185)
LENGTH	8
VARNUM	403

METHX188: Distribution	Value	n
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	1
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
Emergency contraception pills	20	1

METHX188: Distribution	Value	n
Inapplicable	.	5583
		5586

METHX189	
LABEL	ED-6 Method(s) used in Dec [interview yr] - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before December [interview year] (cmfirsm <= cmmhcalx48) and interview was on or after December [interview year] (cmintvw >= cmmhcalx48)
LENGTH	8
VARNUM	404

METHX189: Distribution	Value	n
No method used	1	61
Birth control pills	3	26
Condom	4	23
Partners vasectomy	5	8
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	21
Withdrawal, pulling out	7	21
Depo-Provera, injectables (shot)	8	4
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	7
Calendar rhythm, Standard Days, or CycleBeads method	10	5
IUD	19	16
You were sterile	22	1
Vaginal contraceptive ring	26	1
Refused	98	1
Inapplicable	.	5391
		5586

METHX190	
LABEL	ED-6 Method(s) used in Dec [interview yr] - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods in Dec [interview yr] (see METHX189)
LENGTH	8
VARNUM	405

METHX190: Distribution	Value	n
Condom	4	6
Partners vasectomy	5	2
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Withdrawal, pulling out	7	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	8
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
IUD	19	2
Emergency contraception pills	20	1
Vaginal contraceptive ring	26	1
Inapplicable	.	5553
		5586

METHX191	
LABEL	ED-6 Method(s) used in Dec [interview yr] - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods in Dec [interview yr] (see METHX189)
LENGTH	8
VARNUM	406

METHX191: Distribution	Value	n
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	1
Calendar rhythm, Standard Days, or CycleBeads method	10	2
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	3
Emergency contraception pills	20	1
Inapplicable	.	5577
		5586

METHX192	
LABEL	ED-6 Method(s) used in Dec [interview yr] - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods in Dec [interview yr] (see METHX189)
LENGTH	8
VARNUM	407

METHX192: Distribution	Value	n
Condom	4	1
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
Inapplicable	.	5584
		5586

CMMHCALX1	
LABEL	Century month of Jan [interview yr-3] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	408

CMMHCALX1: Distribution	Value	n
1429	1429	1342
1441	1441	3420
Missing	.	824
		5586

CMMHCALX2	
LABEL	Century month of Feb [interview yr-3] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	409

CMMHCALX2: Distribution	Value	n
1430	1430	1342
1442	1442	3420
Missing	.	824
		5586

CMMHCALX3	
LABEL	Century month of March [interview yr-3] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	410

CMMHCALX3: Distribution	Value	n
1431	1431	1342
1443	1443	3420
Missing	.	824
		5586

CMMHCALX4	
LABEL	Century month of April [interview yr-3] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	411

CMMHCALX4: Distribution	Value	n
1432	1432	1342
1444	1444	3420
Missing	.	824
		5586

CMMHCALX5	
LABEL	Century month of May [interview yr-3] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	412

CMMHCALX5: Distribution	Value	n
1433	1433	1342
1445	1445	3420
Missing	.	824
		5586

CMMHCALX6	
LABEL	Century month of June [interview yr-3] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	413

CMMHCALX6: Distribution	Value	n
1434	1434	1342
1446	1446	3420
Missing	.	824
		5586

CMMHCALX7	
LABEL	Century month of July [interview yr-3] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	414

CMMHCALX7: Distribution	Value	n
1435	1435	1342
1447	1447	3420
Missing	.	824
		5586

Section E

CMMHCALX8	
LABEL	Century month of Aug [interview yr-3] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	415

CMMHCALX8: Distribution	Value	n
1436	1436	1342
1448	1448	3420
Missing	.	824
		5586

CMMHCALX9	
LABEL	Century month of Sept [interview yr-3] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	416

CMMHCALX9: Distribution	Value	n
1437	1437	1342
1449	1449	3420
Missing	.	824
		5586

CMMHCALX10	
LABEL	Century month of Oct [interview yr-3] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	417

CMMHCALX10: Distribution	Value	n
1438	1438	1342
1450	1450	3420
Missing	.	824
		5586

CMMHCALX11	
LABEL	Century month of Nov [interview yr-3] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	418

CMMHCALX11: Distribution	Value	n
1439	1439	1342
1451	1451	3420
Missing	.	824
		5586

CMMHCALX12	
LABEL	Century month of Dec [interview yr-3] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).

Section E

CMMHCALX12	
LENGTH	8
VARNUM	419

CMMHCALX12: Distribution	Value	n
1440	1440	1342
1452	1452	3420
Missing	.	824
		5586

CMMHCALX13	
LABEL	Century month of Jan [interview yr-2] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	420

CMMHCALX13: Distribution	Value	n
1441	1441	1342
1453	1453	3420
Missing	.	824
		5586

CMMHCALX14	
LABEL	Century month of Feb [interview yr-2] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	421

CMMHCALX14: Distribution	Value	n
1442	1442	1342
1454	1454	3420
Missing	.	824
		5586

CMMHCALX15	
LABEL	Century month of March [interview yr-2] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	422

CMMHCALX15: Distribution	Value	n
1443	1443	1342
1455	1455	3420
Missing	.	824
		5586

CMMHCALX16	
LABEL	Century month of April [interview yr-2] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	423

CMMHCALX16: Distribution	Value	n
1444	1444	1342
1456	1456	3420
Missing	.	824
		5586

CMMHCALX17	
LABEL	Century month of May [interview yr-2] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	424

CMMHCALX17: Distribution	Value	n
1445	1445	1342
1457	1457	3420
Missing	.	824
		5586

CMMHCALX18	
LABEL	Century month of June [interview yr-2] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	425

CMMHCALX18: Distribution	Value	n
1446	1446	1342
1458	1458	3420
Missing	.	824
		5586

CMMHCALX19	
LABEL	Century month of July [interview yr-2] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	426

CMMHCALX19: Distribution	Value	n
1447	1447	1342
1459	1459	3420
Missing	.	824
		5586

CMMHCALX20	
LABEL	Century month of Aug [interview yr-2] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	427

CMMHCALX20: Distribution	Value	n
1448	1448	1342
1460	1460	3420
Missing	.	824
		5586

Section E

CMMHCALX21	
LABEL	Century month of Sept [interview yr-2] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	428

CMMHCALX21: Distribution	Value	n
1449	1449	1342
1461	1461	3420
Missing	.	824
		5586

CMMHCALX22	
LABEL	Century month of Oct [interview yr-2] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	429

CMMHCALX22: Distribution	Value	n
1450	1450	1342
1462	1462	3420
Missing	.	824
		5586

CMMHCALX23	
LABEL	Century month of Nov [interview yr-2] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	430

CMMHCALX23: Distribution	Value	n
1451	1451	1342
1463	1463	3420
Missing	.	824
		5586

CMMHCALX24	
LABEL	Century month of Dec [interview yr-2] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	431

CMMHCALX24: Distribution	Value	n
1452	1452	1342
1464	1464	3420
Missing	.	824
		5586

CMMHCALX25	
LABEL	Century month of Jan [interview yr-1] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).

Section E

CMMHCALX25	
LENGTH	8
VARNUM	432

CMMHCALX25: Distribution	Value	n
1453	1453	1342
1465	1465	3420
Missing	.	824
		5586

CMMHCALX26	
LABEL	Century month of Feb [interview yr-1] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	433

CMMHCALX26: Distribution	Value	n
1454	1454	1342
1466	1466	3420
Missing	.	824
		5586

CMMHCALX27	
LABEL	Century month of March [interview yr-1] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	434

CMMHCALX27: Distribution	Value	n
1455	1455	1342
1467	1467	3420
Missing	.	824
		5586

CMMHCALX28	
LABEL	Century month of April [interview yr-1] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	435

CMMHCALX28: Distribution	Value	n
1456	1456	1342
1468	1468	3420
Missing	.	824
		5586

CMMHCALX29	
LABEL	Century month of May [interview yr-1] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	436

CMMHCALX29: Distribution	Value	n
1457	1457	1342
1469	1469	3420
Missing	.	824
		5586

CMMHCALX30	
LABEL	Century month of June [interview yr-1] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	437

CMMHCALX30: Distribution	Value	n
1458	1458	1342
1470	1470	3420
Missing	.	824
		5586

CMMHCALX31	
LABEL	Century month of July [interview yr-1] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	438

CMMHCALX31: Distribution	Value	n
1459	1459	1342
1471	1471	3420
Missing	.	824
		5586

CMMHCALX32	
LABEL	Century month of Aug [interview yr-1] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	439

CMMHCALX32: Distribution	Value	n
1460	1460	1342
1472	1472	3420
Missing	.	824
		5586

CMMHCALX33	
LABEL	Century month of Sept [interview yr-1] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	440

CMMHCALX33: Distribution	Value	n
1461	1461	1342
1473	1473	3420
Missing	.	824
		5586

CMMHCALX34	
LABEL	Century month of Oct [interview yr-1] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	441

CMMHCALX34: Distribution	Value	n
1462	1462	1342
1474	1474	3420
Missing	.	824
		5586

CMMHCALX35	
LABEL	Century month of Nov [interview yr-1] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	442

CMMHCALX35: Distribution	Value	n
1463	1463	1342
1475	1475	3420
Missing	.	824
		5586

CMMHCALX36	
LABEL	Century month of Dec [interview yr-1] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	443

CMMHCALX36: Distribution	Value	n
1464	1464	1342
1476	1476	3420
Missing	.	824
		5586

CMMHCALX37	
LABEL	Century month of Jan [interview yr] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method of contraception (everused = 1)
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	444

CMMHCALX37: Distribution	Value	n
1465	1465	1342
1477	1477	3420
Missing	.	824
		5586

Section E

CMMHCALX38	
LABEL	Century month of Feb [interview yr] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if first method use was on or before January [interview year minus 3] (cmfirsm <= cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm > cmjan3yr) and interview was on or after February [interview year] (cmintvw >= cmmhcalx38)).
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	445

CMMHCALX38: Distribution	Value	n
1466	1466	1290
1478	1478	2909
Missing	.	1387
		5586

CMMHCALX39	
LABEL	Century month of March [interview yr] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if first method use was on or before January [interview year minus 3] (cmfirsm <= cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm > cmjan3yr) and interview was on or after March [interview year] (cmintvw >= cmmhcalx39)).
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	446

CMMHCALX39: Distribution	Value	n
1467	1467	1210
1479	1479	2722
Missing	.	1654
		5586

CMMHCALX40	
LABEL	Century month of April [interview yr] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if first method use was on or before January [interview year minus 3] (cmfirsm <= cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm > cmjan3yr) and interview was on or after April [interview year] (cmintvw >= cmmhcalx40)).
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	447

CMMHCALX40: Distribution	Value	n
1468	1468	1199
1480	1480	2590
Missing	.	1797
		5586

CMMHCALX41	
LABEL	Century month of May [interview yr] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if first method use was on or before January [interview year minus 3] (cmfirsm <= cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm > cmjan3yr) and interview was on or after May [interview year] (cmintvw >= cmmhcalx41)).
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	448

CMMHCALX41: Distribution	Value	n
1469	1469	1044
1481	1481	1976
Missing	.	2566
		5586

Section E

CMMHCALX42	
LABEL	Century month of June [interview yr] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if first method use was on or before January [interview year minus 3] (cmfirsm <= cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm > cmjan3yr) and interview was on or after June [interview year] (cmintvw >= cmmhcalx42)).
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	449

CMMHCALX42: Distribution	Value	n
1470	1470	982
1482	1482	1801
Missing	.	2803
		5586

CMMHCALX43	
LABEL	Century month of July [interview yr] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if first method use was on or before January [interview year minus 3] (cmfirsm <= cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm > cmjan3yr) and interview was on or after July [interview year] (cmintvw >= cmmhcalx43)).
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	450

CMMHCALX43: Distribution	Value	n
1471	1471	889
1483	1483	1492
Missing	.	3205
		5586

CMMHCALX44	
LABEL	Century month of Aug [interview yr] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if first method use was on or before January [interview year minus 3] (cmfirsm <= cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm > cmjan3yr) and interview was on or after Aug [interview year] (cmintvw >= cmmhcalx44)).
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	451

CMMHCALX44: Distribution	Value	n
1472	1472	671
1484	1484	1091
Missing	.	3824
		5586

CMMHCALX45	
LABEL	Century month of Sept [interview yr] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if first method use was on or before January [interview year minus 3] (cmfirsm <= cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm > cmjan3yr) and interview was on or after Sept [interview year] (cmintvw >= cmmhcalx45)).
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	452

CMMHCALX45: Distribution	Value	n
1473	1473	552
1485	1485	938
Missing	.	4096
		5586

Section E

CMMHCALX46	
LABEL	Century month of Oct [interview yr] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if first method use was on or before January [interview year minus 3] (cmfirsm <= cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm > cmjan3yr) and interview was on or after Oct [interview year] (cmintvw >= cmmhcalx46)).
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	453

CMMHCALX46: Distribution	Value	n
1474	1474	370
1486	1486	501
Missing	.	4715
		5586

CMMHCALX47	
LABEL	Century month of Nov [interview yr] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if first method use was on or before January [interview year minus 3] (cmfirsm <= cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm > cmjan3yr) and interview was on or after Nov [interview year] (cmintvw >= cmmhcalx47)).
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	454

CMMHCALX47: Distribution	Value	n
1475	1475	150
1487	1487	238
Missing	.	5198
		5586

CMMHCALX48	
LABEL	Century month of Dec [interview yr] in the method history calendar
VARIABLE TYPE	computed
UNIVERSE	Applicable if first method use was on or before January [interview year minus 3] (cmfirsm <= cmjan3yr) or if (first method use was after January [interview year minus 3] (cmfirsm > cmjan3yr) and interview was on or after Dec [interview year] (cmintvw >= cmmhcalx48)).
NOTES	These variables correspond with all possible 48 slots of the method calendar and are for use with the METHx variables (see User's Guide, Part 2 for guidance).
LENGTH	8
VARNUM	455

CMMHCALX48: Distribution	Value	n
1476	1476	62
1488	1488	133
Missing	.	5391
		5586

NUMMULTX1	
LABEL	Number of Methods Reported in Jan [interview yr-3] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirsm <= cmjan3yr)
LENGTH	8
VARNUM	456

NUMMULTX1: Distribution	Value	n
0	0	446
1	1	3008
2	2	529
3	3	130
4	4	47
Inapplicable	.	1426
		5586

Section E

NUMMULTX2	
LABEL	Number of Methods Reported in Feb [interview yr-3] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirsm <= cmmhcalx2)
LENGTH	8
VARNUM	457

NUMMULTX2: Distribution	Value	n
0	0	457
1	1	3048
2	2	505
3	3	125
4	4	34
Inapplicable	.	1417
		5586

NUMMULTX3	
LABEL	Number of Methods Reported in March [interview yr-3] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirsm <= cmmhcalx3)
LENGTH	8
VARNUM	458

NUMMULTX3: Distribution	Value	n
0	0	457
1	1	3059
2	2	504
3	3	125
4	4	33
Inapplicable	.	1408
		5586

NUMMULTX4	
LABEL	Number of Methods Reported in April [interview yr-3] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirsm <= cmmhcalx4)
LENGTH	8
VARNUM	459

NUMMULTX4: Distribution	Value	n
0	0	464
1	1	3083
2	2	490
3	3	123
4	4	30
Inapplicable	.	1396
		5586

NUMMULTX5	
LABEL	Number of Methods Reported in May [interview yr-3] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirsm <= cmmhcalx5)
LENGTH	8
VARNUM	460

NUMMULTX5: Distribution	Value	n
0	0	458
1	1	3086
2	2	504
3	3	124
4	4	33

NUMMULTX5: Distribution	Value	n
Inapplicable	.	1381
		5586

NUMMULTX6	
LABEL	Number of Methods Reported in June [interview yr-3] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirsm <= cmmhcalx6)
LENGTH	8
VARNUM	461

NUMMULTX6: Distribution	Value	n
0	0	454
1	1	3103
2	2	512
3	3	117
4	4	33
Inapplicable	.	1367
		5586

NUMMULTX7	
LABEL	Number of Methods Reported in July [interview yr-3] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirsm <= cmmhcalx7)
LENGTH	8
VARNUM	462

NUMMULTX7: Distribution	Value	n
0	0	452
1	1	3113
2	2	510
3	3	124
4	4	34
Inapplicable	.	1353
		5586

NUMMULTX8	
LABEL	Number of Methods Reported in Aug [interview yr-3] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirsm <= cmmhcalx8)
LENGTH	8
VARNUM	463

NUMMULTX8: Distribution	Value	n
0	0	457
1	1	3131
2	2	505
3	3	114
4	4	35
Inapplicable	.	1344
		5586

NUMMULTX9	
LABEL	Number of Methods Reported in Sept [interview yr-3] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirsm <= cmmhcalx9)
LENGTH	8
VARNUM	464

Section E

NUMMULTX9: Distribution	Value	n
0	0	450
1	1	3134
2	2	516
3	3	113
4	4	38
Inapplicable	.	1335
		5586

NUMMULTX10	
LABEL	Number of Methods Reported in Oct [interview yr-3] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx10)
LENGTH	8
VARNUM	465

NUMMULTX10: Distribution	Value	n
0	0	459
1	1	3137
2	2	512
3	3	117
4	4	36
Inapplicable	.	1325
		5586

NUMMULTX11	
LABEL	Number of Methods Reported in Nov [interview yr-3] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirsm <= cmmhcalx11)
LENGTH	8
VARNUM	466

NUMMULTX11: Distribution	Value	n
0	0	450
1	1	3151
2	2	510
3	3	120
4	4	40
Inapplicable	.	1315
		5586

NUMMULTX12	
LABEL	Number of Methods Reported in Dec [interview yr-3] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirsm <= cmmhcalx12)
LENGTH	8
VARNUM	467

NUMMULTX12: Distribution	Value	n
0	0	442
1	1	3161
2	2	511
3	3	125
4	4	36
Inapplicable	.	1311
		5586

NUMMULTX13	
LABEL	Number of Methods Reported in Jan [interview yr-2] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirsm <= cmjan2yr)

Section E

NUMMULTX13	
LENGTH	8
VARNUM	468

NUMMULTX13: Distribution	Value	n
0	0	466
1	1	3143
2	2	502
3	3	134
4	4	38
Inapplicable	.	1303
		5586

NUMMULTX14	
LABEL	Number of Methods Reported in Feb [interview yr-2] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 2] (cmfirsm <= cmmhcalx14)
LENGTH	8
VARNUM	469

NUMMULTX14: Distribution	Value	n
0	0	467
1	1	3172
2	2	495
3	3	124
4	4	32
Inapplicable	.	1296
		5586

NUMMULTX15	
LABEL	Number of Methods Reported in March [interview yr-2] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirsm <= cmmhcalx15)
LENGTH	8
VARNUM	470

NUMMULTX15: Distribution	Value	n
0	0	480
1	1	3157
2	2	499
3	3	127
4	4	31
Inapplicable	.	1292
		5586

NUMMULTX16	
LABEL	Number of Methods Reported in April [interview yr-2] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirsm <= cmmhcalx16)
LENGTH	8
VARNUM	471

NUMMULTX16: Distribution	Value	n
0	0	475
1	1	3185
2	2	490
3	3	126
4	4	33
Inapplicable	.	1277
		5586

Section E

NUMMULTX17	
LABEL	Number of Methods Reported in May [interview yr-2] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 2] (cmfirsm <= cmmhcalx17)
LENGTH	8
VARNUM	472

NUMMULTX17: Distribution	Value	n
0	0	471
1	1	3200
2	2	485
3	3	126
4	4	33
Inapplicable	.	1271
		5586

NUMMULTX18	
LABEL	Number of Methods Reported in June [interview yr-2] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 2] (cmfirsm <= cmmhcalx18)
LENGTH	8
VARNUM	473

NUMMULTX18: Distribution	Value	n
0	0	480
1	1	3189
2	2	503
3	3	123
4	4	38
Inapplicable	.	1253
		5586

NUMMULTX19	
LABEL	Number of Methods Reported in July [interview yr-2]
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 2] (cmfirsm <= cmmhcalx19)
LENGTH	8
VARNUM	474

NUMMULTX19: Distribution	Value	n
0	0	482
1	1	3180
2	2	515
3	3	135
4	4	32
Inapplicable	.	1242
		5586

NUMMULTX20	
LABEL	Number of Methods Reported in Aug [interview yr-2] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 2] (cmfirsm <= cmmhcalx20)
LENGTH	8
VARNUM	475

NUMMULTX20: Distribution	Value	n
0	0	477
1	1	3204
2	2	497
3	3	133
4	4	41

NUMMULTX20: Distribution	Value	n
Inapplicable	.	1234
		5586

NUMMULTX21	
LABEL	Number of Methods Reported in Sept [interview yr-2] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 2] (cmfirsm <= cmmhcalx21)
LENGTH	8
VARNUM	476

NUMMULTX21: Distribution	Value	n
0	0	478
1	1	3212
2	2	495
3	3	136
4	4	38
Inapplicable	.	1227
		5586

NUMMULTX22	
LABEL	Number of Methods Reported in Oct [interview yr-2] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 2] (cmfirsm <= cmmhcalx22)
LENGTH	8
VARNUM	477

NUMMULTX22: Distribution	Value	n
0	0	470
1	1	3231
2	2	496
3	3	127
4	4	45
Inapplicable	.	1217
		5586

NUMMULTX23	
LABEL	Number of Methods Reported in Nov [interview yr-2] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 2] (cmfirsm <= cmmhcalx23)
LENGTH	8
VARNUM	478

NUMMULTX23: Distribution	Value	n
0	0	468
1	1	3227
2	2	514
3	3	130
4	4	36
Inapplicable	.	1211
		5586

NUMMULTX24	
LABEL	Number of Methods Reported in Dec [interview yr-2] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 2] (cmfirsm <= cmmhcalx24)
LENGTH	8
VARNUM	479

Section E

NUMMULTX24: Distribution	Value	n
0	0	478
1	1	3235
2	2	516
3	3	122
4	4	37
Inapplicable	.	1198
		5586

NUMMULTX25	
LABEL	Number of Methods Reported in Jan [interview yr-1] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirsm <= cmmhcalx25)
LENGTH	8
VARNUM	480

NUMMULTX25: Distribution	Value	n
0	0	487
1	1	3247
2	2	508
3	3	118
4	4	40
Inapplicable	.	1186
		5586

NUMMULTX26	
LABEL	Number of Methods Reported in Feb [interview yr-1] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirsm <= cmmhcalx26)
LENGTH	8
VARNUM	481

NUMMULTX26: Distribution	Value	n
0	0	487
1	1	3258
2	2	505
3	3	119
4	4	38
Inapplicable	.	1179
		5586

NUMMULTX27	
LABEL	Number of Methods Reported in March [interview yr-1] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirsm <= cmmhcalx27)
LENGTH	8
VARNUM	482

NUMMULTX27: Distribution	Value	n
0	0	479
1	1	3276
2	2	503
3	3	113
4	4	43
Inapplicable	.	1172
		5586

NUMMULTX28	
LABEL	Number of Methods Reported in April [interview yr-1] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 1] (cmfirsm <= cmmhcalx28)

Section E

NUMMULTX28	
LENGTH	8
VARNUM	483

NUMMULTX28: Distribution	Value	n
0	0	478
1	1	3294
2	2	504
3	3	113
4	4	41
Inapplicable	.	1156
		5586

NUMMULTX29	
LABEL	Number of Methods Reported in May [interview yr-1] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirsm <= cmmhcalx29)
LENGTH	8
VARNUM	484

NUMMULTX29: Distribution	Value	n
0	0	468
1	1	3315
2	2	487
3	3	132
4	4	39
Inapplicable	.	1145
		5586

NUMMULTX30	
LABEL	Number of Methods Reported in June [interview yr-1] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirsm <= cmmhcalx30)
LENGTH	8
VARNUM	485

NUMMULTX30: Distribution	Value	n
0	0	472
1	1	3304
2	2	504
3	3	126
4	4	42
Inapplicable	.	1138
		5586

NUMMULTX31	
LABEL	Number of Methods Reported in July [interview yr-1] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirsm <= cmmhcalx31)
LENGTH	8
VARNUM	486

NUMMULTX31: Distribution	Value	n
0	0	482
1	1	3315
2	2	500
3	3	121
4	4	42
Inapplicable	.	1126
		5586

Section E

NUMMULTX32	
LABEL	Number of Methods Reported in Aug [interview yr-1] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirsm <= cmmhcalx32)
LENGTH	8
VARNUM	487

NUMMULTX32: Distribution	Value	n
0	0	490
1	1	3330
2	2	503
3	3	116
4	4	41
Inapplicable	.	1106
		5586

NUMMULTX33	
LABEL	Number of Methods Reported in Sept [interview yr-1] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirsm <= cmmhcalx33)
LENGTH	8
VARNUM	488

NUMMULTX33: Distribution	Value	n
0	0	491
1	1	3338
2	2	504
3	3	123
4	4	36
Inapplicable	.	1094
		5586

NUMMULTX34	
LABEL	Number of Methods Reported in Oct [interview yr-1] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 1] (cmfirsm <= cmmhcalx34)
LENGTH	8
VARNUM	489

NUMMULTX34: Distribution	Value	n
0	0	494
1	1	3325
2	2	532
3	3	119
4	4	39
Inapplicable	.	1077
		5586

NUMMULTX35	
LABEL	Number of Methods Reported in Nov [interview yr-1] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirsm <= cmmhcalx35)
LENGTH	8
VARNUM	490

NUMMULTX35: Distribution	Value	n
0	0	492
1	1	3343
2	2	512
3	3	130
4	4	41

Section E

NUMMULTX35: Distribution	Value	n
Inapplicable	.	1068
		5586

NUMMULTX36	
LABEL	Number of Methods Reported in Dec [interview yr-1] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirsm <= cmmhcalx36)
LENGTH	8
VARNUM	491

NUMMULTX36: Distribution	Value	n
0	0	491
1	1	3338
2	2	523
3	3	134
4	4	41
Inapplicable	.	1059
		5586

NUMMULTX37	
LABEL	Number of Methods Reported in Jan [interview yr] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirsm <= cmmhcalx37)
LENGTH	8
VARNUM	492

NUMMULTX37: Distribution	Value	n
0	0	501
1	1	3282
2	2	564
3	3	146
4	4	47
Inapplicable	.	1046
		5586

NUMMULTX38	
LABEL	Number of Methods Reported in Feb [interview yr] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before February [interview year] (cmfirsm <= cmmhcalx38) and interview was on or after Feb [interview year] (cmintvw >= cmmhcalx38)
LENGTH	8
VARNUM	493

NUMMULTX38: Distribution	Value	n
0	0	502
1	1	2855
2	2	482
3	3	122
4	4	35
Inapplicable	.	1590
		5586

NUMMULTX39	
LABEL	Number of Methods Reported in March [interview yr] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before March [interview year] (cmfirsm <= cmmhcalx39) and interview was on or after March [interview year] (cmintvw >= cmmhcalx39)
LENGTH	8
VARNUM	494

NUMMULTX39: Distribution	Value	n
0	0	484
1	1	2661
2	2	458
3	3	116
4	4	32
Inapplicable	.	1835
		5586

NUMMULTX40	
LABEL	Number of Methods Reported in April [interview yr] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before April [interview year] (cmfirsm <= cmmhcalx40) and interview was on or after Apr [interview year] (cmintvw >= cmmhcalx40)
LENGTH	8
VARNUM	495

NUMMULTX40: Distribution	Value	n
0	0	454
1	1	2599
2	2	427
3	3	104
4	4	29
Inapplicable	.	1973
		5586

NUMMULTX41	
LABEL	Number of Methods Reported in May [interview yr] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before May [interview year] (cmfirsm <= cmmhcalx41) and interview was on or after May [interview year] (cmintvw >= cmmhcalx41)
LENGTH	8
VARNUM	496

NUMMULTX41: Distribution	Value	n
0	0	403
1	1	2037
2	2	347
3	3	68
4	4	30
Inapplicable	.	2701
		5586

NUMMULTX42	
LABEL	Number of Methods Reported in June [interview yr] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before June [interview year] (cmfirsm <= cmmhcalx42) and interview was on or after June [interview year] (cmintvw >= cmmhcalx42)
LENGTH	8
VARNUM	497

NUMMULTX42: Distribution	Value	n
0	0	355
1	1	1880
2	2	333
3	3	68
4	4	26
Inapplicable	.	2924
		5586

Section E

NUMMULTX43	
LABEL	Number of Methods Reported in July [interview yr] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before July [interview year] (cmfirsm <= cmmhcalx43) and interview was on or after July [interview year] (cmintvw >= cmmhcalx43)
LENGTH	8
VARNUM	498

NUMMULTX43: Distribution	Value	n
0	0	315
1	1	1602
2	2	280
3	3	61
4	4	24
Inapplicable	.	3304
		5586

NUMMULTX44	
LABEL	Number of Methods Reported in Aug [interview yr] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before August [interview year] (cmfirsm <= cmmhcalx44) and interview was on or after Aug [interview year] (cmintvw >= cmmhcalx44)
LENGTH	8
VARNUM	499

NUMMULTX44: Distribution	Value	n
0	0	265
1	1	1148
2	2	209
3	3	48
4	4	19
Inapplicable	.	3897
		5586

NUMMULTX45	
LABEL	Number of Methods Reported in Sept [interview yr] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before September [interview year] (cmfirsm <= cmmhcalx45) and interview was on or after Sept [interview year] (cmintvw >= cmmhcalx45)
LENGTH	8
VARNUM	500

NUMMULTX45: Distribution	Value	n
0	0	186
1	1	1006
2	2	178
3	3	42
4	4	19
Inapplicable	.	4155
		5586

NUMMULTX46	
LABEL	Number of Methods Reported in Oct [interview yr] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before October [interview year] (cmfirsm <= cmmhcalx46) and interview was on or after Oct [interview year] (cmintvw >= cmmhcalx46)
LENGTH	8
VARNUM	501

Section E

NUMMULTX46: Distribution	Value	n
0	0	127
1	1	568
2	2	109
3	3	24
4	4	12
Inapplicable	.	4746
		5586

NUMMULTX47	
LABEL	Number of Methods Reported in Nov [interview yr] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before November [interview year] (cmfirsm <= cmmhcalx47) and interview was on or after Nov [interview year] (cmintvw >= cmmhcalx47)
LENGTH	8
VARNUM	502

NUMMULTX47: Distribution	Value	n
0	0	76
1	1	235
2	2	46
3	3	11
4	4	3
Inapplicable	.	5215
		5586

NUMMULTX48	
LABEL	Number of Methods Reported in Dec [interview yr] (Computed in FC E-48)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused=1) and date of first method use was on or before December [interview year] (cmfirsm <= cmmhcalx48) and interview was on or after Dec [interview year] (cmintvw >= cmmhcalx48)
LENGTH	8
VARNUM	503

NUMMULTX48: Distribution	Value	n
0	0	30
1	1	125
2	2	24
3	3	7
4	4	2
Inapplicable	.	5398
		5586

SALMX1	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirsm <= cmmhcalx1) and R gave a valid response on method used this month (ED-6 METHX1 <= 26)
LENGTH	8
VARNUM	504

SALMX1: Distribution	Value	n
No	0	4201
Inapplicable	.	1385
		5586

Section E

SALMX2	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirsm <= cmmhcalx2) and R gave a valid response on method used this month (ED-6 METHX5 <=26)
LENGTH	8
VARNUM	505

SALMX2: Distribution	Value	n
No	0	4161
Yes	1	49
Inapplicable	.	1376
		5586

SALMX3	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST -Mar [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirsm <= cmmhcalx3) and R gave a valid response on method used this month (ED-6 METHX9 <= 26)
LENGTH	8
VARNUM	506

SALMX3: Distribution	Value	n
No	0	3640
Yes	1	34
Inapplicable	.	1912
		5586

SALMX4	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirsm <= cmmhcalx4) and R gave a valid response on method used this month (ED-13 METHX13 <= 26)
LENGTH	8
VARNUM	507

SALMX4: Distribution	Value	n
No	0	3545
Yes	1	32
Inapplicable	.	2009
		5586

SALMX5	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirsm <= cmmhcalx5) and R gave a valid response on method used this month (ED-13 METHX17 <= 26)
LENGTH	8
VARNUM	508

SALMX5: Distribution	Value	n
No	0	3535
Yes	1	29
Inapplicable	.	2022
		5586

Section E

SALMX6	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirsm <= cmmhcalx6) and R gave a valid response on method used this month (ED-13 METHX21 <= 26)
LENGTH	8
VARNUM	509

SALMX6: Distribution	Value	n
No	0	3534
Yes	1	23
Inapplicable	.	2029
		5586

SALMX7	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirsm <= cmmhcalx7) and R gave a valid response on method used this month (ED-6 METHX25 <= 26)
LENGTH	8
VARNUM	510

SALMX7: Distribution	Value	n
No	0	3525
Yes	1	24
Inapplicable	.	2037
		5586

SALMX8	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirsm <= cmmhcalx8) and R gave a valid response on method used this month (ED-6 METHX29 <= 26)
LENGTH	8
VARNUM	511

SALMX8: Distribution	Value	n
No	0	3526
Yes	1	19
Inapplicable	.	2041
		5586

SALMX9	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirsm <= cmmhcalx9) and R gave a valid response on method used this month (ED-6 METHX33 <= 26)
LENGTH	8
VARNUM	512

SALMX9: Distribution	Value	n
No	0	3518
Yes	1	20
Inapplicable	.	2048
		5586

Section E

SALMX10	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx10) and R gave a valid response on method used this month (ED-6 METHX37 <= 26)
LENGTH	8
VARNUM	513

SALMX10: Distribution	Value	n
No	0	3521
Yes	1	12
Inapplicable	.	2053
		5586

SALMX11	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirsm <= cmmhcalx11) and R gave a valid response on method used this month (ED-6 METHX41 <= 26)
LENGTH	8
VARNUM	514

SALMX11: Distribution	Value	n
No	0	3510
Yes	1	16
Inapplicable	.	2060
		5586

SALMX12	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirsm <= cmmhcalx12) and R gave a valid response on method used this month (ED-6 METHX45 <= 26)
LENGTH	8
VARNUM	515

SALMX12: Distribution	Value	n
No	0	3494
Yes	1	15
Inapplicable	.	2077
		5586

SALMX13	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirsm <= cmmhcalx13) and R gave a valid response on method used this month (ED-6 METHX49 <= 26)
LENGTH	8
VARNUM	516

SALMX13: Distribution	Value	n
No	0	4324
Inapplicable	.	1262
		5586

Section E

SALMX14	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirsm <= cmmhcalx14) and R gave a valid response on method used this month (ED-6 METHX53 <= 26)
LENGTH	8
VARNUM	517

SALMX14: Distribution	Value	n
No	0	4275
Yes	1	56
Inapplicable	.	1255
		5586

SALMX15	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Mar [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirsm <= cmmhcalx15) and R gave a valid response on method used this month (ED-6 METHX57 <= 26)
LENGTH	8
VARNUM	518

SALMX15: Distribution	Value	n
No	0	3638
Yes	1	48
Inapplicable	.	1900
		5586

SALMX16	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirsm <= cmmhcalx16) and R gave a valid response on method used this month (ED-6 METHX61 <= 26)
LENGTH	8
VARNUM	519

SALMX16: Distribution	Value	n
No	0	3625
Yes	1	39
Inapplicable	.	1922
		5586

SALMX17	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirsm <= cmmhcalx17) and R gave a valid response on method used this month (ED-6 METHX65 <= 26)
LENGTH	8
VARNUM	520

SALMX17: Distribution	Value	n
No	0	3605
Yes	1	38
Inapplicable	.	1943
		5586

Section E

SALMX18	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirsm <= cmmhcalx18) and R gave a valid response on method used this month (ED-6 METHX69 <= 26)
LENGTH	8
VARNUM	521

SALMX18: Distribution	Value	n
No	0	3615
Yes	1	31
Inapplicable	.	1940
		5586

SALMX19	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirsm <= cmmhcalx19) and R gave a valid response on method used this month (ED-6 METHX73 <= 26)
LENGTH	8
VARNUM	522

SALMX19: Distribution	Value	n
No	0	3604
Yes	1	27
Inapplicable	.	1955
		5586

SALMX20	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirsm <= cmmhcalx20) and R gave a valid response on method used this month (ED-6 METHX77 <= 26)
LENGTH	8
VARNUM	523

SALMX20: Distribution	Value	n
No	0	3601
Yes	1	20
Inapplicable	.	1965
		5586

SALMX21	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirsm <= cmmhcalx21) and R gave a valid response on method used this month (ED-6 METHX81 <= 26)
LENGTH	8
VARNUM	524

SALMX21: Distribution	Value	n
No	0	3589
Yes	1	18
Inapplicable	.	1979
		5586

Section E

SALMX22	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx22) and R gave a valid response on method used this month (ED-6 METHX85 <= 26)
LENGTH	8
VARNUM	525

SALMX22: Distribution	Value	n
No	0	3580
Yes	1	17
Inapplicable	.	1989
		5586

SALMX23	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirsm <= cmmhcalx23) and R gave a valid response on method used this month (ED-6 METHX89 <= 26)
LENGTH	8
VARNUM	526

SALMX23: Distribution	Value	n
No	0	3575
Yes	1	12
Inapplicable	.	1999
		5586

SALMX24	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirsm <= cmmhcalx24) and R gave a valid response on method used this month (ED-6 METHX93 <= 26)
LENGTH	8
VARNUM	527

SALMX24: Distribution	Value	n
No	0	3577
Yes	1	10
Inapplicable	.	1999
		5586

SALMX25	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirsm <= cmmhcalx25) and R gave a valid response on method used this month (ED-6 METHX97 <= 26)
LENGTH	8
VARNUM	528

SALMX25: Distribution	Value	n
No	0	4441
Inapplicable	.	1145
		5586

Section E

SALMX26	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirsm <= cmmhcalx26) and R gave a valid response on method used this month (ED-6 METHX101 <= 26)
LENGTH	8
VARNUM	529

SALMX26: Distribution	Value	n
No	0	4385
Yes	1	63
Inapplicable	.	1138
		5586

SALMX27	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Mar [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirsm <= cmmhcalx27) and R gave a valid response on method used this month (ED-6 METHX105 <= 26)
LENGTH	8
VARNUM	530

SALMX27: Distribution	Value	n
No	0	3741
Yes	1	55
Inapplicable	.	1790
		5586

SALMX28	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirsm <= cmmhcalx28) and R gave a valid response on method used this month (ED-6 METHX109 <= 26)
LENGTH	8
VARNUM	531

SALMX28: Distribution	Value	n
No	0	3724
Yes	1	52
Inapplicable	.	1810
		5586

SALMX29	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirsm <= cmmhcalx29) and R gave a valid response on method used this month (ED-6 METHX113 <= 26)
LENGTH	8
VARNUM	532

SALMX29: Distribution	Value	n
No	0	3723
Yes	1	49
Inapplicable	.	1814
		5586

Section E

SALMX30	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirsm <= cmmhcalx30) and R gave a valid response on method used this month (ED-6 METHX117 <= 26)
LENGTH	8
VARNUM	533

SALMX30: Distribution	Value	n
No	0	3713
Yes	1	45
Inapplicable	.	1828
		5586

SALMX31	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirsm <= cmmhcalx31) and R gave a valid response on method used this month (ED-6 METHX121 <= 26)
LENGTH	8
VARNUM	534

SALMX31: Distribution	Value	n
No	0	3711
Yes	1	40
Inapplicable	.	1835
		5586

SALMX32	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirsm <= cmmhcalx32) and R gave a valid response on method used this month (ED-6 METHX125 <= 26)
LENGTH	8
VARNUM	535

SALMX32: Distribution	Value	n
No	0	3715
Yes	1	34
Inapplicable	.	1837
		5586

SALMX33	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirsm <= cmmhcalx33) and R gave a valid response on method used this month (ED-6 METHX129 <= 26)
LENGTH	8
VARNUM	536

SALMX33: Distribution	Value	n
No	0	3708
Yes	1	29
Inapplicable	.	1849
		5586

Section E

SALMX34	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx34) and R gave a valid response on method used this month (ED-6 METHX133 <= 26)
LENGTH	8
VARNUM	537

SALMX34: Distribution	Value	n
No	0	3707
Yes	1	17
Inapplicable	.	1862
		5586

SALMX35	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirsm <= cmmhcalx35) and R gave a valid response on method used this month (ED-6 METHX137 <= 26)
LENGTH	8
VARNUM	538

SALMX35: Distribution	Value	n
No	0	3702
Yes	1	14
Inapplicable	.	1870
		5586

SALMX36	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirsm <= cmmhcalx36) and R gave a valid response on method used this month (ED-6 METHX141 <= 26)
LENGTH	8
VARNUM	539

SALMX36: Distribution	Value	n
No	0	3695
Yes	1	7
Inapplicable	.	1884
		5586

SALMX37	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Jan [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirsm <= cmmhcalx37) and R gave a valid response on method used this month (ED-6 METHX145 <= 26)
LENGTH	8
VARNUM	540

SALMX37: Distribution	Value	n
No	0	4581
Inapplicable	.	1005
		5586

Section E

SALMX38	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Feb [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year] (cmfirsm <= cmmhcalx38) and R gave a valid response on method used this month (ED-6 METHX149 <= 26) and interview was on or after Feb [interview year] (cmintvw >= cmmhcalx38)
LENGTH	8
VARNUM	541

SALMX38: Distribution	Value	n
No	0	3969
Yes	1	59
Inapplicable	.	1558
		5586

SALMX39	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Mar [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year] (cmfirsm <= cmmhcalx39) and R gave a valid response on method used this month (ED-6 METHX153 <= 26) and interview was on or after March [interview year] (cmintvw >= cmmhcalx39)
LENGTH	8
VARNUM	542

SALMX39: Distribution	Value	n
No	0	3061
Yes	1	53
Inapplicable	.	2472
		5586

SALMX40	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - April [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year] (cmfirsm <= cmmhcalx40) and R gave a valid response on method used this month (ED-6 METHX157 <= 26) and interview was on or after Apr [interview year] (cmintvw >= cmmhcalx40)
LENGTH	8
VARNUM	543

SALMX40: Distribution	Value	n
No	0	2937
Yes	1	43
Inapplicable	.	2606
		5586

SALMX41	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - May [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year] (cmfirsm <= cmmhcalx41) and R gave a valid response on method used this month (ED-6 METHX161 <= 26) and interview was on or after May [interview year] (cmintvw >= cmmhcalx41)
LENGTH	8
VARNUM	544

SALMX41: Distribution	Value	n
No	0	2255
Yes	1	30
Inapplicable	.	3301
		5586

Section E

SALMX42	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - June [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview yr] (cmfirsm <= cmmhcalx42) and R gave a valid response on method used this month (ED-6 METHX165 <= 26) and interview was on or after June [interview year] (cmintvw >= cmmhcalx42)
LENGTH	8
VARNUM	545

SALMX42: Distribution	Value	n
No	0	2102
Yes	1	23
Inapplicable	.	3461
		5586

SALMX43	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - July [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview yr] (cmfirsm <= cmmhcalx43) and R gave a valid response on method used this month (ED-6 METHX169 <= 26) and interview was on or after July [interview year] (cmintvw >= cmmhcalx43)
LENGTH	8
VARNUM	546

SALMX43: Distribution	Value	n
No	0	1778
Yes	1	20
Inapplicable	.	3788
		5586

SALMX44	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Aug [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview yr] (cmfirsm <= cmmhcalx44) and R gave a valid response on method used this month (ED-6 METHX173 <= 26) and interview was on or after Aug [interview year] (cmintvw >= cmmhcalx44)
LENGTH	8
VARNUM	547

SALMX44: Distribution	Value	n
No	0	1256
Yes	1	17
Inapplicable	.	4313
		5586

SALMX45	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Sept [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview yr] (cmfirsm <= cmmhcalx45) and R gave a valid response on method used this month (ED-6 METHX177 <= 26) and interview was on or after Sept [interview year] (cmintvw >= cmmhcalx45)
LENGTH	8
VARNUM	548

SALMX45: Distribution	Value	n
No	0	1100
Yes	1	14
Inapplicable	.	4472
		5586

Section E

SALMX46	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Oct [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview yr] (cmfirsm <= cmmhcalx46) and R gave a valid response on method used this month (ED-6 METHX181 <= 26) and interview was on or after Oct [interview year] (cmintvw >= cmmhcalx46)
LENGTH	8
VARNUM	549

SALMX46: Distribution	Value	n
No	0	601
Yes	1	7
Inapplicable	.	4978
		5586

SALMX47	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Nov [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview yr] (cmfirsm <= cmmhcalx47) and R gave a valid response on method used this month (ED-6 METHX185 <= 26) and interview was on or after Nov [interview year] (cmintvw >= cmmhcalx47)
LENGTH	8
VARNUM	550

SALMX47: Distribution	Value	n
No	0	229
Yes	1	4
Inapplicable	.	5353
		5586

SALMX48	
LABEL	Flag indicating whether " Same as last month" was original answer to ED-6 METHHIST - Dec [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview yr] (cmfirsm <= cmmhcalx48) and R gave a valid response on method used this month (ED-6 METHX194 <= 26) and interview was on or after Nov [interview year] (cmintvw >= cmmhcalx48)
LENGTH	8
VARNUM	551

SALMX48: Distribution	Value	n
No	0	129
Inapplicable	.	5457
		5586

SAYX1	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 3] (cmfirsm <= cmmhcalx1) and R gave a valid response on method used this month (ED-6 METHX1 <= 26)
LENGTH	8
VARNUM	552

SAYX1: Distribution	Value	n
No	0	4201
Inapplicable	.	1385
		5586

Section E

SAYX2	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirsm <= cmmhcalx2) and R gave a valid response on method used this month (ED-6 METHX5 <= 26)
LENGTH	8
VARNUM	553

SAYX2: Distribution	Value	n
No	0	3646
Yes	1	564
Inapplicable	.	1376
		5586

SAYX3	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 3] (cmfirsm <= cmmhcalx3) and R gave a valid response on method used this month (ED-6 METHX9 <= 26)
LENGTH	8
VARNUM	554

SAYX3: Distribution	Value	n
No	0	3558
Yes	1	116
Inapplicable	.	1912
		5586

SAYX4	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 3] (cmfirsm <= cmmhcalx4) and R gave a valid response on method used this month (ED-13 METHX13 <= 26)
LENGTH	8
VARNUM	555

SAYX4: Distribution	Value	n
No	0	3544
Yes	1	33
Inapplicable	.	2009
		5586

SAYX5	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirsm <= cmmhcalx5) and R gave a valid response on method used this month (ED-13 METHX17 <= 26)
LENGTH	8
VARNUM	556

SAYX5: Distribution	Value	n
No	0	3542
Yes	1	22
Inapplicable	.	2022
		5586

Section E

SAYX6	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirsm <= cmmhcalx6) and R gave a valid response on method used this month (ED-13 METHX21 <= 26)
LENGTH	8
VARNUM	557

SAYX6: Distribution	Value	n
No	0	3532
Yes	1	25
Inapplicable	.	2029
		5586

SAYX7	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirsm <= cmmhcalx7) and R gave a valid response on method used this month (ED-6 METHX25 <= 26)
LENGTH	8
VARNUM	558

SAYX7: Distribution	Value	n
No	0	3534
Yes	1	15
Inapplicable	.	2037
		5586

SAYX8	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirsm <= cmmhcalx8) and R gave a valid response on method used this month (ED-6 METHX29 <= 26)
LENGTH	8
VARNUM	559

SAYX8: Distribution	Value	n
No	0	3526
Yes	1	19
Inapplicable	.	2041
		5586

SAYX9	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirsm <= cmmhcalx9) and R gave a valid response on method used this month (ED-6 METHX33 <= 26)
LENGTH	8
VARNUM	560

SAYX9: Distribution	Value	n
No	0	3521
Yes	1	17
Inapplicable	.	2048
		5586

Section E

SAYX10	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx10) and R gave a valid response on method used this month (ED-6 METHX37 <= 26)
LENGTH	8
VARNUM	561

SAYX10: Distribution	Value	n
No	0	3513
Yes	1	20
Inapplicable	.	2053
		5586

SAYX11	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirsm <= cmmhcalx11) and R gave a valid response on method used this month (ED-6 METHX41 <= 26)
LENGTH	8
VARNUM	562

SAYX11: Distribution	Value	n
No	0	3504
Yes	1	22
Inapplicable	.	2060
		5586

SAYX12	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr-3] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirsm <= cmmhcalx12) and R gave a valid response on method used this month (ED-6 METHX45 <= 26)
LENGTH	8
VARNUM	563

SAYX12: Distribution	Value	n
No	0	3507
Yes	1	2
Inapplicable	.	2077
		5586

SAYX13	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 2] (cmfirsm <= cmmhcalx13) and R gave a valid response on method used this month (ED-6 METHX49 <= 26)
LENGTH	8
VARNUM	564

SAYX13: Distribution	Value	n
No	0	4324
Inapplicable	.	1262
		5586

Section E

SAYX14	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 3] (cmfirsm <= cmmhcalx14) and R gave a valid response on method used this month (ED-6 METHX53 <= 26)
LENGTH	8
VARNUM	565

SAYX14: Distribution	Value	n
No	0	3668
Yes	1	663
Inapplicable	.	1255
		5586

SAYX15	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 2] (cmfirsm <= cmmhcalx15) and R gave a valid response on method used this month (ED-6 METHX57 <= 26)
LENGTH	8
VARNUM	566

SAYX15: Distribution	Value	n
No	0	3643
Yes	1	43
Inapplicable	.	1900
		5586

SAYX16	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirsm <= cmmhcalx16) and R gave a valid response on method used this month (ED-6 METHX61 <= 26)
LENGTH	8
VARNUM	567

SAYX16: Distribution	Value	n
No	0	3633
Yes	1	31
Inapplicable	.	1922
		5586

SAYX17	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 3] (cmfirsm <= cmmhcalx17) and R gave a valid response on method used this month (ED-6 METHX65 <= 26)
LENGTH	8
VARNUM	568

SAYX17: Distribution	Value	n
No	0	3625
Yes	1	18
Inapplicable	.	1943
		5586

Section E

SAYX18	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 3] (cmfirsm <= cmmhcalx18) and R gave a valid response on method used this month (ED-6 METHX69 <= 26)
LENGTH	8
VARNUM	569

SAYX18: Distribution	Value	n
No	0	3617
Yes	1	29
Inapplicable	.	1940
		5586

SAYX19	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 3] (cmfirsm <= cmmhcalx19) and R gave a valid response on method used this month (ED-6 METHX73 <= 26)
LENGTH	8
VARNUM	570

SAYX19: Distribution	Value	n
No	0	3610
Yes	1	21
Inapplicable	.	1955
		5586

SAYX20	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 3] (cmfirsm <= cmmhcalx20) and R gave a valid response on method used this month (ED-6 METHX77 <= 26)
LENGTH	8
VARNUM	571

SAYX20: Distribution	Value	n
No	0	3599
Yes	1	22
Inapplicable	.	1965
		5586

SAYX21	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 3] (cmfirsm <= cmmhcalx21) and R gave a valid response on method used this month (ED-6 METHX81 <= 26)
LENGTH	8
VARNUM	572

SAYX21: Distribution	Value	n
No	0	3584
Yes	1	23
Inapplicable	.	1979
		5586

Section E

SAYX22	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx22) and R gave a valid response on method used this month (ED-6 METHX85 <= 26)
LENGTH	8
VARNUM	573

SAYX22: Distribution	Value	n
No	0	3580
Yes	1	17
Inapplicable	.	1989
		5586

SAYX23	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 3] (cmfirsm <= cmmhcalx23) and R gave a valid response on method used this month (ED-6 METHX89 <= 26)
LENGTH	8
VARNUM	574

SAYX23: Distribution	Value	n
No	0	3574
Yes	1	13
Inapplicable	.	1999
		5586

SAYX24	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr-2] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 3] (cmfirsm <= cmmhcalx24) and R gave a valid response on method used this month (ED-6 METHX93 <= 26)
LENGTH	8
VARNUM	575

SAYX24: Distribution	Value	n
No	0	3584
Yes	1	3
Inapplicable	.	1999
		5586

SAYX25	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year - 1] (cmfirsm <= cmmhcalx25) and R gave a valid response on method used this month (ED-6 METHX97 <= 26)
LENGTH	8
VARNUM	576

SAYX25: Distribution	Value	n
No	0	4441
Inapplicable	.	1145
		5586

Section E

SAYX26	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year - 1] (cmfirsm <= cmmhcalx26) and R gave a valid response on method used this month (ED-6 METHX101 <= 26)
LENGTH	8
VARNUM	577

SAYX26: Distribution	Value	n
No	0	3780
Yes	1	668
Inapplicable	.	1138
		5586

SAYX27	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year - 1] (cmfirsm <= cmmhcalx27) and R gave a valid response on method used this month (ED-6 METHX105 <= 26)
LENGTH	8
VARNUM	578

SAYX27: Distribution	Value	n
No	0	3757
Yes	1	39
Inapplicable	.	1790
		5586

SAYX28	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year - 2] (cmfirsm <= cmmhcalx28) and R gave a valid response on method used this month (ED-6 METHX109 <= 26)
LENGTH	8
VARNUM	579

SAYX28: Distribution	Value	n
No	0	3759
Yes	1	17
Inapplicable	.	1810
		5586

SAYX29	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year - 1] (cmfirsm <= cmmhcalx29) and R gave a valid response on method used this month (ED-6 METHX113 <= 26)
LENGTH	8
VARNUM	580

SAYX29: Distribution	Value	n
No	0	3750
Yes	1	22
Inapplicable	.	1814
		5586

Section E

SAYX30	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview year - 1] (cmfirsm <= cmmhcalx30) and R gave a valid response on method used this month (ED-6 METHX117 <= 26)
LENGTH	8
VARNUM	581

SAYX30: Distribution	Value	n
No	0	3737
Yes	1	21
Inapplicable	.	1828
		5586

SAYX31	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview year - 1] (cmfirsm <= cmmhcalx31) and R gave a valid response on method used this month (ED-6 METHX121 <= 26)
LENGTH	8
VARNUM	582

SAYX31: Distribution	Value	n
No	0	3729
Yes	1	22
Inapplicable	.	1835
		5586

SAYX32	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview year - 1] (cmfirsm <= cmmhcalx32) and R gave a valid response on method used this month (ED-6 METHX125 <= 26)
LENGTH	8
VARNUM	583

SAYX32: Distribution	Value	n
No	0	3724
Yes	1	25
Inapplicable	.	1837
		5586

SAYX33	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview year - 1] (cmfirsm <= cmmhcalx33) and R gave a valid response on method used this month (ED-6 METHX129 <= 26)
LENGTH	8
VARNUM	584

SAYX33: Distribution	Value	n
No	0	3706
Yes	1	31
Inapplicable	.	1849
		5586

Section E

SAYX34	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview year - 3] (cmfirsm <= cmmhcalx34) and R gave a valid response on method used this month (ED-6 METHX133 <= 26)
LENGTH	8
VARNUM	585

SAYX34: Distribution	Value	n
No	0	3704
Yes	1	20
Inapplicable	.	1862
		5586

SAYX35	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview year - 1] (cmfirsm <= cmmhcalx35) and R gave a valid response on method used this month (ED-6 METHX137 <= 26)
LENGTH	8
VARNUM	586

SAYX35: Distribution	Value	n
No	0	3691
Yes	1	25
Inapplicable	.	1870
		5586

SAYX36	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr-1] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview year - 1] (cmfirsm <= cmmhcalx36) and R gave a valid response on method used this month (ED-6 METHX141 <= 26)
LENGTH	8
VARNUM	587

SAYX36: Distribution	Value	n
No	0	3693
Yes	1	9
Inapplicable	.	1884
		5586

SAYX37	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Jan [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before January [interview year] (cmfirsm <= cmmhcalx37) and R gave a valid response on method used this month (ED-6 METHX145 <= 26)
LENGTH	8
VARNUM	588

SAYX37: Distribution	Value	n
No	0	4581
Inapplicable	.	1005
		5586

Section E

SAYX38	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Feb [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before February [interview year] (cmfirsm <= cmmhcalx38) and R gave a valid response on method used this month (ED-6 METHX149 <= 26) and interview was on or after Feb [interview year] (cmintvw >= cmmhcalx38)
LENGTH	8
VARNUM	589

SAYX38: Distribution	Value	n
No	0	3336
Yes	1	692
Inapplicable	.	1558
		5586

SAYX39	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Mar [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before March [interview year] (cmfirsm <= cmmhcalx39) and R gave a valid response on method used this month (ED-6 METHX153 <= 26) and interview was on or after March [interview year] (cmintvw >= cmmhcalx39)
LENGTH	8
VARNUM	590

SAYX39: Distribution	Value	n
No	0	3083
Yes	1	31
Inapplicable	.	2472
		5586

SAYX40	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - April [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before April [interview year] (cmfirsm <= cmmhcalx40) and R gave a valid response on method used this month (ED-6 METHX157 <= 26) and interview was on or after Apr [interview year] (cmintvw >= cmmhcalx40)
LENGTH	8
VARNUM	591

SAYX40: Distribution	Value	n
No	0	2970
Yes	1	10
Inapplicable	.	2606
		5586

SAYX41	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - May [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before May [interview year] (cmfirsm <= cmmhcalx41) and R gave a valid response on method used this month (ED-6 METHX161 <= 26) and interview was on or after May [interview year] (cmintvw >= cmmhcalx41)
LENGTH	8
VARNUM	592

SAYX41: Distribution	Value	n
No	0	2269
Yes	1	16
Inapplicable	.	3301
		5586

Section E

SAYX42	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - June [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before June [interview yr] (cmfirsm <= cmmhcalx42) and R gave a valid response on method used this month (ED-6 METHX165 <= 26) and interview was on or after June [interview year] (cmintvw >= cmmhcalx42)
LENGTH	8
VARNUM	593

SAYX42: Distribution	Value	n
No	0	2119
Yes	1	6
Inapplicable	.	3461
		5586

SAYX43	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - July [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before July [interview yr] (cmfirsm <= cmmhcalx43) and R gave a valid response on method used this month (ED-6 METHX169 <= 26) and interview was on or after July [interview year] (cmintvw >= cmmhcalx43)
LENGTH	8
VARNUM	594

SAYX43: Distribution	Value	n
No	0	1787
Yes	1	11
Inapplicable	.	3788
		5586

SAYX44	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Aug [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Aug [interview yr] (cmfirsm <= cmmhcalx44) and R gave a valid response on method used this month (ED-6 METHX173 <= 26) and interview was on or after Aug [interview year] (cmintvw >= cmmhcalx44)
LENGTH	8
VARNUM	595

SAYX44: Distribution	Value	n
No	0	1263
Yes	1	10
Inapplicable	.	4313
		5586

SAYX45	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Sept [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Sept [interview yr] (cmfirsm <= cmmhcalx45) and R gave a valid response on method used this month (ED-6 METHX177 <= 26) and interview was on or after Sept [interview year] (cmintvw >= cmmhcalx45)
LENGTH	8
VARNUM	596

SAYX45: Distribution	Value	n
No	0	1111
Yes	1	3
Inapplicable	.	4472
		5586

Section E

SAYX46	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Oct [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Oct [interview yr] (cmfirsm <= cmmhcalx46) and R gave a valid response on method used this month (ED-6 METHX181 <= 26) and interview was on or after Oct [interview year] (cmintvw >= cmmhcalx46)
LENGTH	8
VARNUM	597

SAYX46: Distribution	Value	n
No	0	606
Yes	1	2
Inapplicable	.	4978
		5586

SAYX47	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Nov [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Nov [interview yr] (cmfirsm <= cmmhcalx47) and R gave a valid response on method used this month (ED-6 METHX185 <= 26) and interview was on or after Nov [interview year] (cmintvw >= cmmhcalx47)
LENGTH	8
VARNUM	598

SAYX47: Distribution	Value	n
No	0	231
Yes	1	2
Inapplicable	.	5353
		5586

SAYX48	
LABEL	Flag indicating whether " Same all year" was original answer to ED-6 METHHIST - Dec [interview yr] (Computed in FC E-44)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R ever used a method (everused = 1) and date of first method use was on or before Dec [interview yr] (cmfirsm <= cmmhcalx48) and R gave a valid response on method used this month (ED-6 METHX194 <= 26) and interview was on or after Nov [interview year] (cmintvw >= cmmhcalx48)
LENGTH	8
VARNUM	599

SAYX48: Distribution	Value	n
No	0	128
Yes	1	1
Inapplicable	.	5457
		5586

SIMSEQX1	
LABEL	ED-10 Use Methods Together or at Different Times - Jan [interview yr-3]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in January [interview yr - 3] (nummultx1 = 2)
LENGTH	8
VARNUM	600

SIMSEQX1: Distribution	Value	n
Same time	1	2
Different times	2	2
Inapplicable	.	5582
		5586

SIMSEQX2	
LABEL	ED-10 Use Methods Together or at Different Times - Feb [interview yr-3]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in February [interview yr - 3] (nummultx2 = 2)
LENGTH	8
VARNUM	601

Section E

SIMSEQX2: Distribution	Value	n
Same time	1	409
Different times	2	186
Refused	8	3
Don't know	9	4
Inapplicable	.	4984
		5586

SIMSEQX3	
LABEL	ED-10 Use Methods Together or at Different Times - Mar [interview yr-3]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in March [interview yr - 3] (nummultx3 = 2)
LENGTH	8
VARNUM	602

SIMSEQX3: Distribution	Value	n
Same time	1	387
Different times	2	184
Refused	8	6
Don't know	9	4
Inapplicable	.	5005
		5586

SIMSEQX4	
LABEL	ED-10 Use Methods Together or at Different Times - April [interview yr-3]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in April [interview yr - 3] (nummultx4 = 2)
LENGTH	8
VARNUM	603

SIMSEQX4: Distribution	Value	n
Same time	1	394
Different times	2	172
Refused	8	3
Don't know	9	6
Inapplicable	.	5011
		5586

SIMSEQX5	
LABEL	ED-10 Use Methods Together or at Different Times - May [interview yr-3]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in May [interview yr - 3] (nummultx5 = 2)
LENGTH	8
VARNUM	604

SIMSEQX5: Distribution	Value	n
Same time	1	402
Different times	2	174
Refused	8	5
Don't know	9	9
Inapplicable	.	4996
		5586

SIMSEQX6	
LABEL	ED-10 Use Methods Together or at Different Times - June [interview yr-3]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in June [interview yr - 3] (nummultx6 = 2)
LENGTH	8
VARNUM	605

SIMSEQX6: Distribution	Value	n
Same time	1	406
Different times	2	170
Refused	8	3
Don't know	9	6

Section E

SIMSEQX6: Distribution	Value	n
Inapplicable	.	5001
		5586

SIMSEQX7	
LABEL	ED-10 Use Methods Together or at Different Times - July [interview yr-3]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in July [interview yr - 3] (nummultx7 = 2)
LENGTH	8
VARNUM	606

SIMSEQX7: Distribution	Value	n
Same time	1	403
Different times	2	181
Refused	8	3
Don't know	9	8
Inapplicable	.	4991
		5586

SIMSEQX8	
LABEL	ED-10 Use Methods Together or at Different Times - Aug [interview yr-3]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in Aug [interview yr - 3] (nummultx8 = 2)
LENGTH	8
VARNUM	607

SIMSEQX8: Distribution	Value	n
Same time	1	417
Different times	2	162
Refused	8	2
Don't know	9	5
Inapplicable	.	5000
		5586

SIMSEQX9	
LABEL	ED-10 Use Methods Together or at Different Times - Sept [interview yr-3]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in September [interview yr - 3] (nummultx9 = 2)
LENGTH	8
VARNUM	608

SIMSEQX9: Distribution	Value	n
Same time	1	409
Different times	2	177
Refused	8	3
Don't know	9	7
Inapplicable	.	4990
		5586

SIMSEQX10	
LABEL	ED-10 Use Methods Together or at Different Times - Oct [interview yr-3]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in October [interview yr - 3] (nummultx10 = 2)
LENGTH	8
VARNUM	609

SIMSEQX10: Distribution	Value	n
Same time	1	411
Different times	2	173
Refused	8	3
Don't know	9	5
Inapplicable	.	4994
		5586

Section E

SIMSEQX11	
LABEL	ED-10 Use Methods Together or at Different Times - Nov [interview yr-3]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in November [interview yr - 3] (nummultx11 = 2)
LENGTH	8
VARNUM	610

SIMSEQX11: Distribution	Value	n
Same time	1	403
Different times	2	186
Refused	8	4
Don't know	9	6
Inapplicable	.	4987
		5586

SIMSEQX12	
LABEL	ED-10 Use Methods Together or at Different Times - Dec [interview yr-3]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in December [interview yr - 3] (nummultx12 = 2)
LENGTH	8
VARNUM	611

SIMSEQX12: Distribution	Value	n
Same time	1	412
Different times	2	179
Refused	8	5
Don't know	9	7
Inapplicable	.	4983
		5586

SIMSEQX13	
LABEL	ED-10 Use Methods Together or at Different Times - Jan [interview yr-2]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in January [interview yr - 2] (nummultx13 = 2)
LENGTH	8
VARNUM	612

SIMSEQX13: Distribution	Value	n
Same time	1	430
Different times	2	201
Refused	8	5
Don't know	9	7
Inapplicable	.	4943
		5586

SIMSEQX14	
LABEL	ED-10 Use Methods Together or at Different Times - Feb [interview yr-2]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in February [interview yr - 2] (nummultx14 = 2)
LENGTH	8
VARNUM	613

SIMSEQX14: Distribution	Value	n
Same time	1	391
Different times	2	176
Refused	8	4
Don't know	9	5
Inapplicable	.	5010
		5586

SIMSEQX15	
LABEL	ED-10 Use Methods Together or at Different Times - Mar [interview yr-2]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in March [interview yr - 2] (nummultx15 = 2)
LENGTH	8
VARNUM	614

Section E

SIMSEQX15: Distribution	Value	n
Same time	1	434
Different times	2	181
Refused	8	3
Don't know	9	7
Inapplicable	.	4961
		5586

SIMSEQX16	
LABEL	ED-10 Use Methods Together or at Different Times - April [interview yr-2]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in April [interview yr - 2] (nummultx16 = 2)
LENGTH	8
VARNUM	615

SIMSEQX16: Distribution	Value	n
Same time	1	421
Different times	2	185
Refused	8	3
Don't know	9	7
Inapplicable	.	4970
		5586

SIMSEQX17	
LABEL	ED-10 Use Methods Together or at Different Times - May [interview yr-2]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in May [interview yr - 2] (nummultx17 = 2)
LENGTH	8
VARNUM	616

SIMSEQX17: Distribution	Value	n
Same time	1	417
Different times	2	185
Refused	8	3
Don't know	9	6
Inapplicable	.	4975
		5586

SIMSEQX18	
LABEL	ED-10 Use Methods Together or at Different Times - June [interview yr-2]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in June [interview yr - 2] (nummultx18 = 2)
LENGTH	8
VARNUM	617

SIMSEQX18: Distribution	Value	n
Same time	1	437
Different times	2	186
Refused	8	4
Don't know	9	6
Inapplicable	.	4953
		5586

SIMSEQX19	
LABEL	ED-10 Use Methods Together or at Different Times - July [interview yr-2]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in July [interview yr - 2] (nummultx19 = 2)
LENGTH	8
VARNUM	618

SIMSEQX19: Distribution	Value	n
Same time	1	449
Different times	2	191
Refused	8	3
Don't know	9	6

Section E

SIMSEQX19: Distribution	Value	n
Inapplicable	.	4937
		5586

SIMSEQX20	
LABEL	ED-10 Use Methods Together or at Different Times - Aug [interview yr-2]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in Aug [interview yr - 2] (nummultx20 = 2)
LENGTH	8
VARNUM	619

SIMSEQX20: Distribution	Value	n
Same time	1	437
Different times	2	190
Refused	8	6
Don't know	9	6
Inapplicable	.	4947
		5586

SIMSEQX21	
LABEL	ED-10 Use Methods Together or at Different Times - Sept [interview yr-2]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in September [interview yr - 2] (nummultx21 = 2)
LENGTH	8
VARNUM	620

SIMSEQX21: Distribution	Value	n
Same time	1	441
Different times	2	182
Refused	8	7
Don't know	9	7
Inapplicable	.	4949
		5586

SIMSEQX22	
LABEL	ED-10 Use Methods Together or at Different Times - Oct [interview yr-2]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in October [interview yr - 2] (nummultx22 = 2)
LENGTH	8
VARNUM	621

SIMSEQX22: Distribution	Value	n
Same time	1	449
Different times	2	172
Refused	8	5
Don't know	9	7
Inapplicable	.	4953
		5586

SIMSEQX23	
LABEL	ED-10 Use Methods Together or at Different Times - Nov [interview yr-2]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in November [interview yr - 2] (nummultx23 = 2)
LENGTH	8
VARNUM	622

SIMSEQX23: Distribution	Value	n
Same time	1	450
Different times	2	189
Refused	8	3
Don't know	9	6
Inapplicable	.	4938
		5586

Section E

SIMSEQX24	
LABEL	ED-10 Use Methods Together or at Different Times - Dec [interview yr-2]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in December [interview yr - 2] (nummultx24 = 2)
LENGTH	8
VARNUM	623

SIMSEQX24: Distribution	Value	n
Same time	1	456
Different times	2	178
Refused	8	5
Don't know	9	4
Inapplicable	.	4943
		5586

SIMSEQX25	
LABEL	ED-10 Use Methods Together or at Different Times - Jan [interview yr-1]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in January [interview yr - 1] (nummultx25 = 2)
LENGTH	8
VARNUM	624

SIMSEQX25: Distribution	Value	n
Same time	1	436
Different times	2	191
Refused	8	3
Don't know	9	4
Inapplicable	.	4952
		5586

SIMSEQX26	
LABEL	ED-10 Use Methods Together or at Different Times - Feb [interview yr-1]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in February [interview yr - 1] (nummultx26 = 2)
LENGTH	8
VARNUM	625

SIMSEQX26: Distribution	Value	n
Same time	1	394
Different times	2	183
Refused	8	4
Don't know	9	4
Inapplicable	.	5001
		5586

SIMSEQX27	
LABEL	ED-10 Use Methods Together or at Different Times - Mar [interview yr-1]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in March [interview yr - 1] (nummultx27 = 2)
LENGTH	8
VARNUM	626

SIMSEQX27: Distribution	Value	n
Same time	1	427
Different times	2	194
Refused	8	3
Don't know	9	3
Inapplicable	.	4959
		5586

SIMSEQX28	
LABEL	ED-10 Use Methods Together or at Different Times - April [interview yr-1]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in April [interview yr - 1] (nummultx28 = 2)
LENGTH	8
VARNUM	627

Section E

SIMSEQX28: Distribution	Value	n
Same time	1	431
Different times	2	187
Refused	8	5
Don't know	9	3
Inapplicable	.	4960
		5586

SIMSEQX29	
LABEL	ED-10 Use Methods Together or at Different Times - May [interview yr-1]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in May [interview yr - 1] (nummultx29 = 2)
LENGTH	8
VARNUM	628

SIMSEQX29: Distribution	Value	n
Same time	1	434
Different times	2	191
Refused	8	4
Don't know	9	4
Inapplicable	.	4953
		5586

SIMSEQX30	
LABEL	ED-10 Use Methods Together or at Different Times - June [interview yr-1]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in June [interview yr - 1] (nummultx30 = 2)
LENGTH	8
VARNUM	629

SIMSEQX30: Distribution	Value	n
Same time	1	446
Different times	2	192
Refused	8	4
Don't know	9	3
Inapplicable	.	4941
		5586

SIMSEQX31	
LABEL	ED-10 Use Methods Together or at Different Times - July [interview yr-1]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in July [interview yr - 1] (nummultx31 = 2)
LENGTH	8
VARNUM	630

SIMSEQX31: Distribution	Value	n
Same time	1	440
Different times	2	184
Refused	8	5
Don't know	9	3
Inapplicable	.	4954
		5586

SIMSEQX32	
LABEL	ED-10 Use Methods Together or at Different Times - Aug [interview yr-1]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in Aug [interview yr - 1] (nummultx32 = 2)
LENGTH	8
VARNUM	631

SIMSEQX32: Distribution	Value	n
Same time	1	446
Different times	2	173
Refused	8	3
Don't know	9	4

Section E

SIMSEQX32: Distribution	Value	n
Inapplicable	.	4960
		5586

SIMSEQX33	
LABEL	ED-10 Use Methods Together or at Different Times - Sept [interview yr-1]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in September [interview yr - 1] (nummultx33 = 2)
LENGTH	8
VARNUM	632

SIMSEQX33: Distribution	Value	n
Same time	1	432
Different times	2	184
Refused	8	3
Don't know	9	3
Inapplicable	.	4964
		5586

SIMSEQX34	
LABEL	ED-10 Use Methods Together or at Different Times - Oct [interview yr-1]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in October [interview yr - 1] (nummultx34 = 2)
LENGTH	8
VARNUM	633

SIMSEQX34: Distribution	Value	n
Same time	1	458
Different times	2	187
Refused	8	3
Don't know	9	3
Inapplicable	.	4935
		5586

SIMSEQX35	
LABEL	ED-10 Use Methods Together or at Different Times - Nov [interview yr-1]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in November [interview yr - 1] (nummultx35 = 2)
LENGTH	8
VARNUM	634

SIMSEQX35: Distribution	Value	n
Same time	1	461
Different times	2	180
Refused	8	3
Don't know	9	3
Inapplicable	.	4939
		5586

SIMSEQX36	
LABEL	ED-10 Use Methods Together or at Different Times - Dec [interview yr-1]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in December [interview yr - 1] (nummultx36 = 2)
LENGTH	8
VARNUM	635

SIMSEQX36: Distribution	Value	n
Same time	1	470
Different times	2	184
Refused	8	4
Don't know	9	5
Inapplicable	.	4923
		5586

Section E

SIMSEQX37	
LABEL	ED-10 Use Methods Together or at Different Times - Jan [interview yr]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in January [interview yr] (nummultx37 = 2)
LENGTH	8
VARNUM	636

SIMSEQX37: Distribution	Value	n
Same time	1	491
Different times	2	216
Refused	8	4
Don't know	9	6
Inapplicable	.	4869
		5586

SIMSEQX38	
LABEL	ED-10 Use Methods Together or at Different Times - Feb [interview yr]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in February [interview yr] (nummultx38 = 2) and interview was on or after Feb [interview year] (cmintvw >= cmmhcalx38)
LENGTH	8
VARNUM	637

SIMSEQX38: Distribution	Value	n
Same time	1	375
Different times	2	170
Refused	8	2
Don't know	9	7
Inapplicable	.	5032
		5586

SIMSEQX39	
LABEL	ED-10 Use Methods Together or at Different Times - Mar [interview yr]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in March [interview yr] (nummultx39 = 2) and interview was on or after Mar [interview year] (cmintvw >= cmmhcalx39)
LENGTH	8
VARNUM	638

SIMSEQX39: Distribution	Value	n
Same time	1	398
Different times	2	158
Refused	8	4
Don't know	9	7
Inapplicable	.	5019
		5586

SIMSEQX40	
LABEL	ED-10 Use Methods Together or at Different Times - April [interview yr]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in April [interview yr] (nummultx40 = 2) and interview was on or after Apr [interview year] (cmintvw >= cmmhcalx40)
LENGTH	8
VARNUM	639

SIMSEQX40: Distribution	Value	n
Same time	1	366
Different times	2	153
Refused	8	4
Don't know	9	6
Inapplicable	.	5057
		5586

Section E

SIMSEQX41	
LABEL	ED-10 Use Methods Together or at Different Times - May [interview yr]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in May [interview yr] (nummultx41 = 2) and interview was on or after May [interview year] (cmintvw >= cmmhcalx41)
LENGTH	8
VARNUM	640

SIMSEQX41: Distribution	Value	n
Same time	1	300
Different times	2	113
Refused	8	1
Don't know	9	7
Inapplicable	.	5165
		5586

SIMSEQX42	
LABEL	ED-10 Use Methods Together or at Different Times - June [interview yr]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in June [interview yr] (nummultx42 = 2) and interview was on or after June [interview year] (cmintvw >= cmmhcalx42)
LENGTH	8
VARNUM	641

SIMSEQX42: Distribution	Value	n
Same time	1	280
Different times	2	116
Refused	8	3
Don't know	9	8
Inapplicable	.	5179
		5586

SIMSEQX43	
LABEL	ED-10 Use Methods Together or at Different Times - July [interview yr]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in July [interview yr] (nummultx43 = 2) and interview was on or after July [interview year] (cmintvw >= cmmhcalx43)
LENGTH	8
VARNUM	642

SIMSEQX43: Distribution	Value	n
Same time	1	245
Different times	2	95
Refused	8	2
Don't know	9	5
Inapplicable	.	5239
		5586

SIMSEQX44	
LABEL	ED-10 Use Methods Together or at Different Times - Aug [interview yr]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in Aug [interview yr] (nummultx44 = 2) and interview was on or after Aug [interview year] (cmintvw >= cmmhcalx44)
LENGTH	8
VARNUM	643

SIMSEQX44: Distribution	Value	n
Same time	1	185
Different times	2	70
Refused	8	1
Don't know	9	3
Inapplicable	.	5327
		5586

Section E

SIMSEQX45	
LABEL	ED-10 Use Methods Together or at Different Times - Sept [interview yr]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in September [interview yr] (nummultx45 = 2) and interview was on or after Sept [interview year] (cmintvw >= cmmhcalx45)
LENGTH	8
VARNUM	644

SIMSEQX45: Distribution	Value	n
Same time	1	160
Different times	2	60
Refused	8	3
Inapplicable	.	5363
		5586

SIMSEQX46	
LABEL	ED-10 Use Methods Together or at Different Times - Oct [interview yr]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in October [interview yr] (nummultx46 = 2) and interview was on or after Oct [interview year] (cmintvw >= cmmhcalx46)
LENGTH	8
VARNUM	645

SIMSEQX46: Distribution	Value	n
Same time	1	97
Different times	2	37
Inapplicable	.	5452
		5586

SIMSEQX47	
LABEL	ED-10 Use Methods Together or at Different Times - Nov [interview yr]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in November [interview yr] (nummultx47 = 2) and interview was on or after Nov [interview year] (cmintvw >= cmmhcalx47)
LENGTH	8
VARNUM	646

SIMSEQX47: Distribution	Value	n
Same time	1	48
Different times	2	10
Inapplicable	.	5528
		5586

SIMSEQX48	
LABEL	ED-10 Use Methods Together or at Different Times - Dec [interview yr]
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used two methods in December [interview yr] (nummultx48 = 2) and interview was on or after Dec [interview year] (cmintvw >= cmmhcalx48)
LENGTH	8
VARNUM	647

SIMSEQX48: Distribution	Value	n
Same time	1	24
Different times	2	7
Inapplicable	.	5555
		5586

USELSTP	
LABEL	EF-1 Use Method at Last Sex with last partner in past 12 months?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had at least 1 sexual partner in the past 12 months (parts12 > 0 or cmlsex/cmfplast >= cmlstyr) and last partner in past 12 months was not the first partner or was the first partner but R had sex with him more than once ((parts12 and lifeprts ne 1) or (lifeprts = 1 and CG-7m LSTSEXFP_M ne 96))
NOTES	use recode MTH12M1-4 or MTH3M1-4
LENGTH	8
VARNUM	648

Section E

USELSTP: Distribution	Value	n
Yes	1	2411
No	5	1136
Refused	8	18
Don't know	9	5
Inapplicable	.	2016
		5586

WYNOLSTP	
LABEL	EF-1b No BC use with last partner bec you wanted preg?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not use a method at last intercourse with last partner in the past 12 months (EF-1 USELSTP NE 5) and last sex with last partner was not during a pregnancy (cmprgbeg <= cmlsex1 <= cmpregend)
LENGTH	8
VARNUM	649

WYNOLSTP: Distribution	Value	n
Yes	1	94
No	5	299
Refused	8	11
Don't know	9	1
Inapplicable	.	5181
		5586

HPLSTP	
LABEL	EF-1c No BC use with last partner bec he wanted you to become preg?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not use a method at last intercourse with last partner in the past 12 months (EF-1 USELSTP NE 5) and last sex with last partner was not during a pregnancy (cmprgbeg <= cmlsex1 <= cmpregend)
LENGTH	8
VARNUM	650

HPLSTP: Distribution	Value	n
Yes	1	114
No	5	276
Refused	8	9
Don't know	9	6
Inapplicable	.	5181
		5586

LSTMTHP1	
LABEL	EF-2 Method Used at Last Sex with last partner in past 12 mons -1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used a method at last intercourse with last partner in the past 12 months (EF-1 USELSTP = 1)
NOTES	use recode MTH12M1 or MTH3M1
LENGTH	8
VARNUM	651

LSTMTHP1: Distribution	Value	n
Birth control pills	3	482
Condom	4	623
Partners vasectomy	5	230
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	58
Withdrawal, pulling out	7	321
Depo-Provera, injectables (shots)	8	55
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	99
Calendar rhythm, Standard Days, or CycleBeads method	10	22
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	4
Diaphragm	12	2
Jelly or cream	15	1
IUD	19	410

Section E

LSTMTHP1: Distribution	Value	n
Emergency contraception pills	20	9
Other method	21	4
You were sterile	22	9
Your partner was sterile	23	14
Contraceptive patch (Ortho-Evra or Xulane)	25	9
Vaginal contraceptive ring	26	32
Refused	98	13
Don't Know	99	14
Inapplicable	.	3175
		5586

LSTMTHP2	
LABEL	EF-2 Method Used at Last Sex with last partner in past 12 mons -2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods at last intercourse with last partner in the past 12 months (see EF-2 LSTMTHP1)
NOTES	use recode MTH12M2 or MTH3M2
LENGTH	8
VARNUM	652

LSTMTHP2: Distribution	Value	n
Birth control pills	3	33
Condom	4	98
Partners vasectomy	5	21
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	15
Withdrawal, pulling out	7	132
Depo-Provera, injectables (shots)	8	10
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	17
Calendar rhythm, Standard Days, or CycleBeads method	10	40
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	7
Diaphragm	12	1
Female condom, internal condom	13	1
Jelly or cream	15	3
IUD	19	65
Emergency contraception pills	20	10
Your partner was sterile	23	3
Lunelle injectable (monthly shot)	24	1
Contraceptive patch (Ortho-Evra or Xulane)	25	2
Vaginal contraceptive ring	26	9
Inapplicable	.	5118
		5586

LSTMTHP3	
LABEL	EF-2 Method Used at Last Sex with last partner in past 12 mons -3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods at last intercourse with last partner in the past 12 months (see EF-2 LSTMTHP1)
NOTES	use recode MTH12M3 or MTH3M3
LENGTH	8
VARNUM	653

LSTMTHP3: Distribution	Value	n
Birth control pills	3	5
Condom	4	5
Partners vasectomy	5	2
Withdrawal, pulling out	7	10
Depo-Provera, injectables (shots)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	1
Calendar rhythm, Standard Days, or CycleBeads method	10	8
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	5

Section E

LSTMTHP3: Distribution	Value	n
IUD	19	2
Emergency contraception pills	20	4
Other method	21	1
Your partner was sterile	23	1
Vaginal contraceptive ring	26	2
Inapplicable	.	5538
		5586

LSTMTHP4	
LABEL	EF-2 Method Used at Last Sex with last partner in past 12 mons -4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods at last intercourse with last partner in the past 12 months (see EF-2 LSTMTHP1)
NOTES	use recode MTH12M4 or MTH3M4
LENGTH	8
VARNUM	654

LSTMTHP4: Distribution	Value	n
Birth control pills	3	1
Condom	4	1
Withdrawal, pulling out	7	2
Calendar rhythm, Standard Days, or CycleBeads method	10	2
IUD	19	2
Emergency contraception pills	20	1
Inapplicable	.	5577
		5586

USEFSTP	
LABEL	EF-3 use method at first sex with last partner in past 12 months?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had at least 1 sexual partner in the past 12 months (parts12 > 0) and had sex more than once with last partner in past 12 months (cmfsex ne 9996) and last partner in past 12 months was not the first partner (p1yrelp ne 13)
LENGTH	8
VARNUM	655

USEFSTP: Distribution	Value	n
Yes	1	2031
No	5	579
Refused	8	14
Don't know	9	7
Inapplicable	.	2955
		5586

FSTMTHP1	
LABEL	EF-4 Method used at first sex with last partner in past 12 mons -1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used a method at first intercourse with last partner in the past 12 months (EF-3 USEFSTP = 1)
LENGTH	8
VARNUM	656

FSTMTHP1: Distribution	Value	n
Birth control pills	3	506
Condom	4	1005
Partners vasectomy	5	37
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	10
Withdrawal, pulling out	7	228
Depo-Provera, injectables (shots)	8	36
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	35
Calendar rhythm, Standard Days, or CycleBeads method	10	8
Female condom, internal condom	13	2
Foam	14	1
IUD	19	119

Section E

FSTMTHP1: Distribution	Value	n
Emergency contraception pills	20	7
Other method	21	1
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	5
Vaginal contraceptive ring	26	19
Refused	98	9
Don't Know	99	2
Inapplicable	.	3555
		5586

FSTMTHP2	
LABEL	EF-4 Method used at first sex with last partner in past 12 mons -2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods at last intercourse with last partner in the past 12 months (see EF-4 FSTMTHP1)
LENGTH	8
VARNUM	657

FSTMTHP2: Distribution	Value	n
Birth control pills	3	89
Condom	4	256
Partners vasectomy	5	5
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	3
Withdrawal, pulling out	7	103
Depo-Provera, injectables (shots)	8	15
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	28
Calendar rhythm, Standard Days, or CycleBeads method	10	9
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
Female condom, internal condom	13	1
Jelly or cream	15	1
IUD	19	55
Emergency contraception pills	20	6
You were sterile	22	1
Contraceptive patch (Ortho-Evra or Xulane)	25	4
Vaginal contraceptive ring	26	17
Inapplicable	.	4992
		5586

FSTMTHP3	
LABEL	EF-4 Method used at first sex with last partner in past 12 mons -3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods at last intercourse with last partner in the past 12 months (see EF-4 FSTMTHP1)
LENGTH	8
VARNUM	658

FSTMTHP3: Distribution	Value	n
Birth control pills	3	3
Condom	4	3
Partners vasectomy	5	3
Withdrawal, pulling out	7	17
Depo-Provera, injectables (shots)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	1
Calendar rhythm, Standard Days, or CycleBeads method	10	2
Diaphragm	12	1
IUD	19	2
Emergency contraception pills	20	3
Your partner was sterile	23	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	2
Inapplicable	.	5546
		5586

Section E

FSTMTHP4	
LABEL	EF-4 Method used at first sex with last partner in past 12 mons -4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods at last intercourse with last partner in the past 12 months (see EF-4 FSTMTHP1)
LENGTH	8
VARNUM	659

FSTMTHP4: Distribution	Value	n
Birth control pills	3	1
Withdrawal, pulling out	7	3
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	2
Inapplicable	.	5578
		5586

USELSTP2	
LABEL	EF-1 Use Method at Last Sex with 2nd-to-lastpartner in past 12 months?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had at least 2 sexual partners in the past 12 months (parts12 > 1 or cmlsex2 >= cmlstyr)
LENGTH	8
VARNUM	660

USELSTP2: Distribution	Value	n
Yes	1	347
No	5	85
Refused	8	2
Don't know	9	1
Inapplicable	.	5151
		5586

WYNOLSTP2	
LABEL	EF-1b No BC use with 2nd-to-last partner bec you wanted preg?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not use a method at last intercourse with 2nd-to-last partner in the past 12 months (EF-1 USELSTP2 NE 5) and last sex with last partner was not during a pregnancy (cmprgbeg <= cmlsex2 <= cmpregend)
LENGTH	8
VARNUM	661

WYNOLSTP2: Distribution	Value	n
Yes	1	7
No	5	65
Refused	8	1
Don't know	9	1
Inapplicable	.	5512
		5586

HPLSTP2	
LABEL	EF-1c No BC use with 2nd-to-last partner bec he wanted you to become preg?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not use a method at last intercourse with 2nd-to-last partner in the past 12 months (EF-1 USELSTP2 NE 5) and last sex with last partner was not during a pregnancy (cmprgbeg <= cmlsex2 <= cmpregend)
LENGTH	8
VARNUM	662

HPLSTP2: Distribution	Value	n
Yes	1	14
No	5	59
Refused	8	1
Inapplicable	.	5512
		5586

Section E

LSTMTHP5	
LABEL	EF-2 Method Used at Last Sex with 2nd-to-last partner in past 12 mons -1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used a method at last intercourse with 2nd-to-last partner in the past 12 months (EF-1 USELSTP2 = 1)
LENGTH	8
VARNUM	663

LSTMTHP5: Distribution	Value	n
Birth control pills	3	64
Condom	4	126
Partners vasectomy	5	9
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	9
Withdrawal, pulling out	7	51
Depo-Provera, injectables (shots)	8	7
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	14
Calendar rhythm, Standard Days, or CycleBeads method	10	5
IUD	19	47
Emergency contraception pills	20	4
Other method	21	1
You were sterile	22	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	4
Refused	98	2
Don't Know	99	2
Inapplicable	.	5239
		5586

LSTMTHP6	
LABEL	EF-2 Method Used at Last Sex with 2nd-to-last partner in past 12 mons -2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 LSTMTHP5)
LENGTH	8
VARNUM	664

LSTMTHP6: Distribution	Value	n
Birth control pills	3	8
Condom	4	24
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	3
Withdrawal, pulling out	7	19
Depo-Provera, injectables (shots)	8	3
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	11
Calendar rhythm, Standard Days, or CycleBeads method	10	5
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
Diaphragm	12	1
IUD	19	14
Emergency contraception pills	20	3
Your partner was sterile	23	2
Vaginal contraceptive ring	26	1
Inapplicable	.	5488
		5586

LSTMTHP7	
LABEL	EF-2 Method Used at Last Sex with 2nd-to-last partner in past 12 mons -3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 LSTMTHP5)
LENGTH	8
VARNUM	665

Section E

LSTMTHP7: Distribution	Value	n
Birth control pills	3	1
Partners vasectomy	5	1
Withdrawal, pulling out	7	2
Depo-Provera, injectables (shots)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	1
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
Jelly or cream	15	1
IUD	19	1
Inapplicable	.	5577
		5586

LSTMTHP8	
LABEL	EF-2 Method Used at Last Sex with 2nd-to-last partner in past 12 mons -4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-2 LSTMTHP5)
LENGTH	8
VARNUM	666

LSTMTHP8: Distribution	Value	n
Condom	4	1
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	1
Emergency contraception pills	20	1
Inapplicable	.	5583
		5586

USEFSTP2	
LABEL	EF-3 use method at first sex with 2nd-to-lat partner in past 12 months?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had at least 2 sexual partners in the past 12 months (parts12 > 1) and had sex more than once with 2nd-to-last partner in past 12 months (cmfsex2 ne 9996) and last partner in past 12 months was not the first partner (p1yrelp2 ne 13)
LENGTH	8
VARNUM	667

USEFSTP2: Distribution	Value	n
Yes	1	273
No	5	85
Refused	8	2
Don't know	9	1
Inapplicable	.	5225
		5586

FSTMTHP5	
LABEL	EF-4 Method used at first sex with 2nd-to-last partner in past 12 mons -1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used a method at first intercourse with 2nd-to-last partner in the past 12 months (EF-3 USEFSTP2 = 1)
LENGTH	8
VARNUM	668

FSTMTHP5: Distribution	Value	n
Birth control pills	3	50
Condom	4	124
Partners vasectomy	5	8
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	4
Withdrawal, pulling out	7	30
Depo-Provera, injectables (shots)	8	9
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	7
Calendar rhythm, Standard Days, or CycleBeads method	10	2
IUD	19	28
Emergency contraception pills	20	2

Section E

FSTMTHP5: Distribution	Value	n
Other method	21	1
Contraceptive patch (Ortho-Evra or Xulane)	25	1
Vaginal contraceptive ring	26	3
Refused	98	1
Don't Know	99	3
Inapplicable	.	5313
		5586

FSTMTHP6	
LABEL	EF-4 Method used at first sex with 2nd-to-last partner in past 12 mons -2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-4 FSTMTHP5)
LENGTH	8
VARNUM	669

FSTMTHP6: Distribution	Value	n
Birth control pills	3	5
Condom	4	21
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	17
Depo-Provera, injectables (shots)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	8
Calendar rhythm, Standard Days, or CycleBeads method	10	2
Safe period by temperature or cervical mucus test (Two Day, Billings Ovulation, Symptothermal Method, Marquette Method, Natural Cycles app)	11	1
Jelly or cream	15	1
IUD	19	13
Emergency contraception pills	20	2
Vaginal contraceptive ring	26	1
Inapplicable	.	5509
		5586

FSTMTHP7	
LABEL	EF-4 Method used at first sex with 2nd-to-last partner in past 12 mons -3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-4 FSTMTHP5)
LENGTH	8
VARNUM	670

FSTMTHP7: Distribution	Value	n
Condom	4	1
Withdrawal, pulling out	7	3
IUD	19	2
Emergency contraception pills	20	1
You were sterile	22	1
Inapplicable	.	5578
		5586

FSTMTHP8	
LABEL	EF-4 Method used at first sex with 2nd-to-last partner in past 12 mons -4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods at last intercourse with 2nd-to-last partner in the past 12 months (see EF-4 FSTMTHP5)
LENGTH	8
VARNUM	671

Section E

FSTMTHP8: Distribution	Value	n
Emergency contraception pills	20	1
Your partner was sterile	23	1
Inapplicable	.	5584
		5586

USELSTP3	
LABEL	EF-1 Use Method at Last Sex with 3rd-to-last partner in past 12 months?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had at least 3 sexual partners in the past 12 months (parts12 > 2 or cmlsex3 GE cmlstyr)
LENGTH	8
VARNUM	672

USELSTP3: Distribution	Value	n
Yes	1	164
No	5	37
Refused	8	1
Inapplicable	.	5384
		5586

WYNOLSTP3	
LABEL	EF-1b No BC use with 3rd-to-last partner bec you wanted preg?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not use a method at last intercourse with 3rd-to-last partner in the past 12 months (EF-1 USELSTP3 NE 5) and last sex with last partner was not during a pregnancy (cmprgbeg <= cmlsex3 <= cmpregend)
LENGTH	8
VARNUM	673

WYNOLSTP3: Distribution	Value	n
Yes	1	2
No	5	28
Inapplicable	.	5556
		5586

HPLSTP3	
LABEL	EF-1c No BC use with 3rd-to-last partner bec he wanted you to become preg?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not use a method at last intercourse with 3rd-to-last partner in the past 12 months (EF-1 USELSTP3 NE 5) and last sex with last partner was not during a pregnancy (cmprgbeg <= cmlsex3 <= cmpregend)
LENGTH	8
VARNUM	674

HPLSTP3: Distribution	Value	n
Yes	1	2
No	5	28
Inapplicable	.	5556
		5586

LSTMTHP9	
LABEL	EF-2 Method Used at Last Sex with 3rd-to-last partner in past 12 mons -1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used a method at last intercourse with 3rd-to-last partner in the past 12 months (EF-1 USELSTP3 = 1)
LENGTH	8
VARNUM	675

LSTMTHP9: Distribution	Value	n
Birth control pills	3	34
Condom	4	54
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	6
Withdrawal, pulling out	7	24
Depo-Provera, injectables (shots)	8	2

LSTMTHP9: Distribution	Value	n
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	7
IUD	19	26
Emergency contraception pills	20	1
Other method	21	1
Vaginal contraceptive ring	26	2
Refused	98	2
Don't Know	99	1
Inapplicable	.	5422
		5586

LSTMTHP10	
LABEL	EF-2 Method Used at Last Sex with 3rd-to-last partner in past 12 mons -2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 LSTMTHP9)
LENGTH	8
VARNUM	676

LSTMTHP10: Distribution	Value	n
Birth control pills	3	2
Condom	4	11
Partners vasectomy	5	3
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	8
Depo-Provera, injectables (shots)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
Calendar rhythm, Standard Days, or CycleBeads method	10	2
Foam	14	1
IUD	19	9
Emergency contraception pills	20	1
Inapplicable	.	5542
		5586

LSTMTHP11	
LABEL	EF-2 Method Used at Last Sex with 3rd-to-last partner in past 12 mons -3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 LSTMTHP9)
LENGTH	8
VARNUM	677

LSTMTHP11: Distribution	Value	n
Condom	4	1
Withdrawal, pulling out	7	3
IUD	19	1
Inapplicable	.	5581
		5586

LSTMTHP12	
LABEL	EF-2 Method Used at Last Sex with 3rd-to-last partner in past 12 mons -4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-2 LSTMTHP9)
LENGTH	8
VARNUM	678

LSTMTHP12: Distribution	Value	n
Emergency contraception pills	20	1
Inapplicable	.	5585
		5586

Section E

USEFSTP3	
LABEL	EF-3 use method at first sex with 3rd-to-last partner in past 12 months?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had at least 3 sexual partners in the past 12 months (parts12 > 2) and had sex more than once with 3rd-to-last partner in past 12 months (cmfsex3 ne 9996) and last partner in past 12 months was not the first partner (p1yrelp3 ne 13)
LENGTH	8
VARNUM	679

USEFSTP3: Distribution	Value	n
Yes	1	133
No	5	37
Refused	8	1
Inapplicable	.	5415
		5586

FSTMTHP9	
LABEL	EF-4 Method used at first sex with 3rd-to-last partner in past 12 mons -1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used a method at first intercourse with 3rd-to-last partner in the past 12 months (EF-3 USEFSTP3 = 1)
LENGTH	8
VARNUM	680

FSTMTHP9: Distribution	Value	n
Birth control pills	3	28
Condom	4	55
Partners vasectomy	5	4
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	3
Withdrawal, pulling out	7	20
Depo-Provera, injectables (shots)	8	2
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	4
IUD	19	11
Emergency contraception pills	20	2
Other method	21	1
Vaginal contraceptive ring	26	2
Refused	98	1
Inapplicable	.	5453
		5586

FSTMTHP10	
LABEL	EF-4 Method used at first sex with 3rd-to-last partner in past 12 mons -2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 2 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-4 FSTMTHP9)
LENGTH	8
VARNUM	681

FSTMTHP10: Distribution	Value	n
Birth control pills	3	2
Condom	4	8
Partners vasectomy	5	2
Female sterilizing operation, such as tubal sterilization and hysterectomy	6	2
Withdrawal, pulling out	7	6
Depo-Provera, injectables (shots)	8	1
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	6
Calendar rhythm, Standard Days, or CycleBeads method	10	1
IUD	19	12
Emergency contraception pills	20	1
Inapplicable	.	5545
		5586

Section E

FSTMTHP11	
LABEL	EF-4 Method used at first sex with 3rd-to-last partner in past 12 mons -3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 3 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-4 FSTMTHP9)
LENGTH	8
VARNUM	682

FSTMTHP11: Distribution	Value	n
Partners vasectomy	5	1
Withdrawal, pulling out	7	1
IUD	19	1
Inapplicable	.	5583
		5586

FSTMTHP12	
LABEL	EF-4 Method used at first sex with 3rd-to-last partner in past 12 mons -4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used at least 4 methods at last intercourse with 3rd-to-last partner in the past 12 months (see EF-4 FSTMTHP9)
LENGTH	8
VARNUM	683

FSTMTHP12: Distribution	Value	n
Emergency contraception pills	20	1
Inapplicable	.	5585
		5586

WYNOTUSE	
LABEL	EH-1 R not using a method because want to become preg
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently pregnant (currpreg = 5) and either had a current partner (pcurrnt1=1 or pcurrnt2=1 or pcurnnt3=1) or had sex in month of interview (EC-8 MONSX through MONSX48 corresponding to cmintvw = 1) and R is not sterilized [(rstrstat ne 1) and (ED-6 METHX1 through METHX192 corresponding to cmintvw ne 6)] and R did not use a method in month of interview (currmeth1 = 1)
LENGTH	8
VARNUM	684

WYNOTUSE: Distribution	Value	n
Yes	1	247
No	5	656
Refused	8	10
Don't know	9	6
Inapplicable	.	4667
		5586

HPPREGQ	
LABEL	EH-2 Rs partner want R to become preg
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not currently pregnant (currpreg = 5) and either had a current partner (pcurrnt ne 5) or had sex in month of interview (EC-8 MONSX through MONSX48 corresponding to cmintvw = 1) and R is not sterilized [(rstrstat ne 1) and (ED-6 METHX1 through METHX192 corresponding to cmintvw ne 6)] and R did not use a method in month of interview (currmeth1 = 1)
LENGTH	8
VARNUM	685

HPPREGQ: Distribution	Value	n
Yes	1	251
No	5	546
No current male partner	6	104
Refused	8	10
Don't Know	9	8
Inapplicable	.	4667
		5586

Section E

DURTRY_N	
LABEL	EH-2a How long been trying to become preg (mons or yrs)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is trying to become pregnant (EH-1 WYNOTUSE = 1)
NOTES	R can report duration in months or years. See DURTRY_P for unit of measurement
LENGTH	8
VARNUM	686

DURTRY_N: Distribution	Value	n
0	0	30
1	1	35
2	2	36
3	3	31
4	4	11
5	5	14
6	6	21
7	7	3
8	8	7
9	9	6
10	10	6
11	11	2
12	12	8
13	13	4
14	14	5
15	15	2
17	17	1
18	18	3
20	20	1
26	26	1
28	28	2
95	95	11
Refused	98	3
Don't know	99	4
Inapplicable	.	5339
		5586

DURTRY_P	
LABEL	EH-2b How long been trying to become preg (choose mons or yrs)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is trying to become pregnant (EH-1 WYNOTUSE = 1)
LENGTH	8
VARNUM	687

DURTRY_P: Distribution	Value	n
Months	1	134
Years	2	97
Refused	8	6
Don't Know	9	10
Inapplicable	.	5339
		5586

WHYNOUSING1	
LABEL	EH-2c Reason not using birth control (at risk of unint preg) - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not trying to become pregnant or does not know or refused to report whether she is trying to become pregnant (EH-1 WYNOTUSE = 5, dk, rf) and R's partner does not want her to become pregnant or she doesn't know or refused to report whether he wants her to become pregnant (EH-2 HPPREGQ = 5 or DK/RF) or R has no current male partner (HPPREGQ=6)
LENGTH	8
VARNUM	688

WHYNOUSING1: Distribution	Value	n
1	1	166
2	2	121
3	3	80
4	4	119

Section E

WHYNOUSING1: Distribution	Value	n
5	5	7
6	6	6
7	7	34
8	8	9
9	9	57
97	97	4
Refused	98	27
Don't Know	99	13
.	.	4943
		5586

WHYNOUSING2	
LABEL	EH-2c Reason not using birth control (at risk of unint preg) - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 reason she is not currently using birth control (see EH-2c WHYNOUSING1)
LENGTH	8
VARNUM	689

WHYNOUSING2: Distribution	Value	n
1	1	9
2	2	17
3	3	32
4	4	42
5	5	2
6	6	4
8	8	3
9	9	12
.	.	5465
		5586

WHYNOUSING3	
LABEL	EH-2c Reason not using birth control (at risk of unint preg) - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)
LENGTH	8
VARNUM	690

WHYNOUSING3: Distribution	Value	n
1	1	1
2	2	5
3	3	6
4	4	6
5	5	3
6	6	7
8	8	1
9	9	4
.	.	5553
		5586

WHYNOUSING4	
LABEL	EH-2c Reason not using birth control (at risk of unint preg) - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 3 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)
LENGTH	8
VARNUM	691

WHYNOUSING4: Distribution	Value	n
2	2	1
3	3	1
4	4	1
5	5	2
6	6	1

Section E

WHYNOUSING4: Distribution	Value	n
9	9	2
.	.	5578
		5586

WHYNOUSING5	
LABEL	EH-2c Reason not using birth control (at risk of unint preg) - 5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 4 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)
LENGTH	8
VARNUM	692

WHYNOUSING5: Distribution	Value	n
4	4	1
.	.	5585
		5586

WHYNOUSING6	
LABEL	EH-2c Reason not using birth control (at risk of unint preg) - 6th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 5 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)
LENGTH	8
VARNUM	693

WHYNOUSING6: Distribution	Value	n
6	6	1
.	.	5585
		5586

WHYNOUSING7	
LABEL	EH-2c Reason not using birth control (at risk of unint preg) - 7th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 6 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)
LENGTH	8
VARNUM	694

WHYNOUSING7: Distribution	Value	n
8	8	1
.	.	5585
		5586

WHYNOUSING8	
LABEL	EH-2c Reason not using birth control (at risk of unint preg) - 8th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 7 reasons she is not currently using birth control (see EH-2c WHYNOUSING1)
LENGTH	8
VARNUM	695

WHYNOUSING8: Distribution	Value	n
9	9	1
.	.	5585
		5586

MAINNOUSE	
LABEL	EH-2d main reason not using birth control (at risk of unint preg)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 reason she is not currently using birth control (see EH-2c WHYNOUSING1)
LENGTH	8
VARNUM	696

Section E

MAINNOUSE: Distribution	Value	n
I do not expect to have sex	1	31
I do not think I can get pregnant	2	27
I don't really mind if I get pregnant	3	16
I am worried about the side effects of birth control	4	37
My male partner does not want me to use a birth control method	5	1
I cannot get a method	8	1
I am not taking, or using, my method consistently	9	8
Inapplicable	.	5465
		5586

YUSEPILL1	
LABEL	EI-1 Reasons for recent pill use-1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used the pill in current month or in prior month (any of currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 3)
LENGTH	8
VARNUM	697

YUSEPILL1: Distribution	Value	n
Birth control	1	514
Cramps, or pain during menstrual periods	2	105
Treatment for acne	3	22
Treatment for endometriosis	4	12
Other reasons	5	31
To regulate your menstrual periods	6	74
To reduce menstrual bleeding	7	17
Treatment for hot flashes or other peri-menopausal symptoms	8	4
Refused	98	7
Don't Know	99	5
Inapplicable	.	4795
		5586

YUSEPILL2	
LABEL	EI-1 Reasons for recent pill use-2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 2 reasons for recent pill use (see EI-1 YUSEPILL1)
LENGTH	8
VARNUM	698

YUSEPILL2: Distribution	Value	n
Birth control	1	29
Cramps, or pain during menstrual periods	2	133
Treatment for acne	3	53
Treatment for endometriosis	4	9
Other reasons	5	15
To regulate your menstrual periods	6	107
To reduce menstrual bleeding	7	45
Treatment for hot flashes or other peri-menopausal symptoms	8	1
Inapplicable	.	5194
		5586

YUSEPILL3	
LABEL	EI-1 Reasons for recent pill use-3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 3 reasons for recent pill use (see EI-1 YUSEPILL1)
LENGTH	8
VARNUM	699

Section E

YUSEPILL3: Distribution	Value	n
Birth control	1	7
Cramps, or pain during menstrual periods	2	22
Treatment for acne	3	34
Treatment for endometriosis	4	10
Other reasons	5	14
To regulate your menstrual periods	6	96
To reduce menstrual bleeding	7	53
Treatment for hot flashes or other peri-menopausal symptoms	8	6
Inapplicable	.	5344
		5586

YUSEPILL4	
LABEL	EI-1 Reasons for recent pill use-4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 4 reasons for recent pill use (see EI-1 YUSEPILL1)
LENGTH	8
VARNUM	700

YUSEPILL4: Distribution	Value	n
Birth control	1	3
Cramps, or pain during menstrual periods	2	7
Treatment for acne	3	1
Treatment for endometriosis	4	1
Other reasons	5	10
To regulate your menstrual periods	6	33
To reduce menstrual bleeding	7	64
Treatment for hot flashes or other peri-menopausal symptoms	8	4
Inapplicable	.	5463
		5586

YUSEPILL5	
LABEL	EI-1 Reasons for recent pill use-5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 5 reasons for recent pill use (see EI-1 YUSEPILL1)
LENGTH	8
VARNUM	701

YUSEPILL5: Distribution	Value	n
Birth control	1	2
Cramps, or pain during menstrual periods	2	1
Treatment for endometriosis	4	1
Other reasons	5	2
To regulate your menstrual periods	6	6
To reduce menstrual bleeding	7	19
Treatment for hot flashes or other peri-menopausal symptoms	8	2
Inapplicable	.	5553
		5586

YUSEPILL6	
LABEL	EI-1 Reasons for recent pill use-6th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 6 reasons for recent pill use (see EI-1 YUSEPILL1)
LENGTH	8
VARNUM	702

YUSEPILL6: Distribution	Value	n
To reduce menstrual bleeding	7	1
Inapplicable	.	5585
		5586

Section E

IUDTYPE	
LABEL	EI-2 IUD Type in the last two weeks
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used the IUD in current month or in prior month (any of currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 19)
LENGTH	8
VARNUM	703

IUDTYPE: Distribution	Value	n
Copper-bearing (such as Copper-T or ParaGard)	1	137
Hormonal IUD (such as Mirena, Skyla, Liletta, or Kyleena)	2	414
Other	3	2
Refused	8	1
Don't Know	9	2
Inapplicable	.	5030
		5586

YUSEIUD1	
LABEL	EI-3 Reasons for recent IUD use-1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if the IUD R used in current or prior month was copper bearing or hormonal (EI-2 IUDTYPE = 1 or 2)
LENGTH	8
VARNUM	704

YUSEIUD1: Distribution	Value	n
Birth control	1	468
Cramps, or pain during menstrual periods	2	31
Treatment for endometriosis	4	4
Other reasons	5	12
To regulate your menstrual periods	6	16
To reduce menstrual bleeding	7	16
Treatment for hot flashes or other peri-menopausal symptoms	8	2
Emergency contraception	9	1
Don't Know	99	1
Inapplicable	.	5035
		5586

YUSEIUD2	
LABEL	EI-3 Reasons for recent IUD use-2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 2 reasons for recent IUD used (see EI-3 YUSEIUD1)
LENGTH	8
VARNUM	705

YUSEIUD2: Distribution	Value	n
Birth control	1	14
Cramps, or pain during menstrual periods	2	68
Treatment for acne	3	5
Treatment for endometriosis	4	5
Other reasons	5	9
To regulate your menstrual periods	6	46
To reduce menstrual bleeding	7	55
Treatment for hot flashes or other peri-menopausal symptoms	8	2
Emergency contraception	9	2
Inapplicable	.	5380
		5586

YUSEIUD3	
LABEL	EI-3 Reasons for recent IUD use-3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 3 reasons for recent IUD used (see EI-3 YUSEIUD1)

Section E

YUSEIUD3	
LENGTH	8
VARNUM	706

YUSEIUD3: Distribution	Value	n
Birth control	1	6
Cramps, or pain during menstrual periods	2	6
Treatment for acne	3	5
Treatment for endometriosis	4	5
Other reasons	5	5
To regulate your menstrual periods	6	35
To reduce menstrual bleeding	7	51
Treatment for hot flashes or other peri-menopausal symptoms	8	2
Emergency contraception	9	1
Inapplicable	.	5470
		5586

YUSEIUD4	
LABEL	EI-3 Reasons for recent IUD use-4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 4 reasons for recent IUD used (see EI-3 YUSEIUD1)
LENGTH	8
VARNUM	707

YUSEIUD4: Distribution	Value	n
Birth control	1	2
Cramps, or pain during menstrual periods	2	2
Treatment for acne	3	2
Treatment for endometriosis	4	2
Other reasons	5	2
To regulate your menstrual periods	6	12
To reduce menstrual bleeding	7	32
Treatment for hot flashes or other peri-menopausal symptoms	8	4
Inapplicable	.	5528
		5586

YUSEIUD5	
LABEL	EI-3 Reasons for recent IUD use-5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 5 reasons for recent IUD used (see EI-3 YUSEIUD1)
LENGTH	8
VARNUM	708

YUSEIUD5: Distribution	Value	n
Birth control	1	1
Cramps, or pain during menstrual periods	2	1
Treatment for acne	3	1
Other reasons	5	3
To regulate your menstrual periods	6	1
To reduce menstrual bleeding	7	5
Inapplicable	.	5574
		5586

EKMETHOD	
LABEL	Method chosen for use in EK Series & CURBCPLC (Computed in FC E-98b)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R used the pill, Depo-Provera, patch, ring, IUD, or contraceptive implant in the current month or last month (currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 3, 8, 9, 19, 25, 26)
LENGTH	8
VARNUM	709

Section E

EKMETHOD: Distribution	Value	n
Birth control pills	3	737
Depo-Provera, injectables (shot)	8	108
Hormonal implant (Norplant, Implanon, or Nexplanon)	9	155
IUD	19	551
Contraceptive patch (Ortho-Evra or Xulane)	25	19
Vaginal contraceptive ring	26	54
Inapplicable	.	3962
		5586

CURBCPLC	
LABEL	EJ-1 Source of recent method use
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used the pill, Depo-Provera, patch, ring, IUD, or contraceptive implant in the current month or last month (ekmethod NE BLANK)
LENGTH	8
VARNUM	710

CURBCPLC: Distribution	Value	n
Private doctors office	1	994
HMO facility	2	45
Community health clinic, Community clinic, Public health clinic	3	125
Family planning or Planned Parenthood Clinic	4	123
Employer or company clinic	5	6
School or school-based clinic	6	21
Hospital outpatient clinic	7	59
Other hospital location including emergency room	8	13
Urgent care center, urgi-care or walk-in facility	9	8
In-store health clinic (like CVS, Target, or Walmart)	10	78
Mail order / Internet	11	66
Drugstore	14	53
Some other place	15	23
Refused	98	6
Don't Know	99	4
Inapplicable	.	3962
		5586

NUMPILLS	
LABEL	EJ-2 How many packs of pills last time got supplies
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used the pill in the current month or last month (ekmethod = 3)
LENGTH	8
VARNUM	711

NUMPILLS: Distribution	Value	n
1	1	140
2	2	22
3	3	446
4	4	17
5	5	3
6	6	20
7	7	1
8	8	1
9	9	1
11	11	2
12	12	59
14	14	1
16	16	1
22	22	1
28	28	1
30	30	2
31	31	1
84	84	2
90	90	2
Refused	98	9

Section E

NUMPILLS: Distribution	Value	n
Don't know	99	5
Inapplicable	.	4849
		5586

CURBCPAY1	
LABEL	EJ-3 How pay for current method-1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used the pill, Depo-Provera, patch, ring, IUD, or contraceptive implant in the current month or last month (ekmethod NE BLANK)
LENGTH	8
VARNUM	712

CURBCPAY1: Distribution	Value	n
Insurance	1	1182
Co-payment	2	32
Out-of-pocket payment	3	83
Medicaid	4	191
No payment required	5	114
Some other way	6	11
98	98	6
99	99	5
Inapplicable	.	3962
		5586

CURBCPAY2	
LABEL	EJ-3 How pay for current method-2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported at least 2 ways of payment (see EJ-3 CURBCPAY1)
LENGTH	8
VARNUM	713

CURBCPAY2: Distribution	Value	n
Insurance	1	21
Co-payment	2	168
Out-of-pocket payment	3	48
Medicaid	4	37
Some other way	6	4
Inapplicable	.	5308
		5586

CURBCPAY3	
LABEL	EJ-3 How pay for current method-3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported at least 3 ways of payment (see EJ-3 CURBCPAY1)
LENGTH	8
VARNUM	714

CURBCPAY3: Distribution	Value	n
Insurance	1	1
Co-payment	2	2
Out-of-pocket payment	3	9
Medicaid	4	1
Some other way	6	1
Inapplicable	.	5572
		5586

CURBCINS	
LABEL	EJ-4 Have health ins when got curr method?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not report using insurance or Medicaid for how she paid for her method (none of EJ-3 CURBCPAY1 - CURBCPAY3 = 1, 4, 98, 99)
LENGTH	8
VARNUM	715

Section E

CURBCINS: Distribution	Value	n
Yes	1	59
No	5	59
Don't know	9	1
Inapplicable	.	5467
		5586

NOUSEINS1	
LABEL	EJ-5 Why not use health ins to pay for curr method?-1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had health insurance or Medicaid the last time she got method (EJ-4 CURBCINS = 1)
LENGTH	8
VARNUM	716

NOUSEINS1: Distribution	Value	n
Insurance doesnt cover my method supplies	1	23
I had not yet met my insurance deductible	2	6
I did not want to use insurance because someone might find out about it	3	2
I did not need to use insurance because the method supplies were free	4	2
Some other reason	5	23
Refused	8	1
Don't Know	9	2
Inapplicable	.	5527
		5586

NOUSEINS2	
LABEL	EJ-5 Why not use health ins to pay for curr method?-2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned at least 2 reasons for not using her health insurance (see EJ-5 NOUSEINS1)
LENGTH	8
VARNUM	717

NOUSEINS2: Distribution	Value	n
I did not want to use insurance because someone might find out about it	3	1
I did not need to use insurance because the method supplies were free	4	2
Some other reason	5	1
Inapplicable	.	5582
		5586

CURBCAMT	
LABEL	EJ-6 How much paid for cur method
VARIABLE TYPE	raw
UNIVERSE	Applicable if R mentioned paying by co-payment or out-of-pocket payment (any of EJ-3 CURBCPAY1 through CURBCPAY3 = 2 or 3)
LENGTH	8
VARNUM	718

CURBCAMT: Distribution	Value	n
Under $10	1	65
$10-$25	2	90
$26-$50	3	73
$51-$100	4	43
Over $100	5	49
Refused	8	1
Don't Know	9	6
Inapplicable	.	5259
		5586

Section E

NOCOST1	
LABEL	EJ-7 If cost not an issue, want to use diff method?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used any method in the current or previous month (any of currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 3 - 26)
LENGTH	8
VARNUM	719

NOCOST1: Distribution	Value	n
Yes	1	464
No	5	2682
Refused	8	6
Don't know	9	33
Inapplicable	.	2401
		5586

NOCOST2	
LABEL	EJ-8 If cost not an issue, want to use a method?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R used no method in current and previous month or has never used a method ((currmeth1 = 1 and lstmonmeth1 = 1) or everused = 5)
LENGTH	8
VARNUM	720

NOCOST2: Distribution	Value	n
Yes	1	460
No	5	1038
Refused	8	11
Don't know	9	20
Inapplicable	.	4057
		5586

PST4WKSX	
LABEL	EK-1 # times sex with male in last 4 weeks
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had sexual intercourse in the past 12 months (any EC-8 MONSX through MONSX48 = 1 for any of 12 months prior to and including cmintvw)
LENGTH	8
VARNUM	721

PST4WKSX: Distribution	Value	n
0 to 995	0-995	3927
Refused	998	56
Don't know	999	38
Inapplicable	.	1565
		5586

PSWKCOND1	
LABEL	EK-2 Use a condom during sex with male in last 4 wks
VARIABLE TYPE	raw
UNIVERSE	Applicable if R only had sex once in the past 4 weeks (EK-1 PST4WKSX = 1) and R ever used the condom (EA-2 CONDOM = 1)
LENGTH	8
VARNUM	722

PSWKCOND1: Distribution	Value	n
Yes	1	122
No	5	341
Inapplicable	.	5123
		5586

Section E

PSWKCOND2	
LABEL	EK-3 How many times use condom during sex last 4 wks
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had sex more than once in the past 4 weeks (EK-1 PST4WKSX > 1) and R ever used the condom (EA-2 CONDOM = 1)
LENGTH	8
VARNUM	723

PSWKCOND2: Distribution	Value	n
0 to 995	0-995	2284
Refused	998	2
Inapplicable	.	3300
		5586

MISSPILL	
LABEL	EK-3e number of pills missed
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had sexual intercourse in the past 12 months (any EC-8 MONSX through MONSX48 = 1 for any of 12 months prior to and including cmintvw) and used the pill in current month or in prior month (any of currmeth1 - currmeth4 or lstmonmeth1 - lstmonmeth4 = 3)
LENGTH	8
VARNUM	724

MISSPILL: Distribution	Value	n
Never missed	1	371
Missed only one	2	82
Missed two or more	3	71
Did not use pill in past 4 weeks	4	91
Refused	8	2
Inapplicable	.	4969
		5586

P12MOCON	
LABEL	EK-4 How many times used condom during sex last 12 mons
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had sexual intercourse in the past 12 months (any EC-8 MONSX through MONSX48 = 1 for any of 12 months prior to and including cmintvw) and ever used the condom (EA-2 CONDOM = 1)
LENGTH	8
VARNUM	725

P12MOCON: Distribution	Value	n
Every time	1	520
Most of the time	2	267
About half of the time	3	140
Some of the time	4	405
None of the time	5	2351
Refused	8	12
Don't Know	9	2
Inapplicable	.	1889
		5586

PXNOFREQ	
LABEL	EK-5 How many times used any method during sex last 12 mons
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had sexual intercourse in the past 12 months (any EC-8 MONSX through MONSX48 = 1 for any of 12 months prior to and including cmintvw) and ever used any method (everused = 1) and did not report they used a condom every time in the past 12 months (EK-4 P12MOCON NE 1)
LENGTH	8
VARNUM	726

PXNOFREQ: Distribution	Value	n
Every time	1	1203
Most of the time	2	320
About half of the time	3	94
Some of the time	4	274

Section E

PXNOFREQ: Distribution	Value	n
None of the time	5	1521
Refused	8	18
Don't Know	9	8
Inapplicable	.	2148
		5586

Section F

Section F

BTHCON12	
LABEL	FA-1a Received method of birth control or prescription for BC in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	1

BTHCON12: Distribution	Value	n
Yes	1	1364
No	5	4169
Refused	8	44
Don't know	9	8
Inapplicable	.	1
		5586

MEDTST12	
LABEL	FA-1b Received checkup for birth control in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	2

MEDTST12: Distribution	Value	n
Yes	1	1157
No	5	4377
Refused	8	42
Don't know	9	9
Inapplicable	.	1
		5586

BCCNS12	
LABEL	FA-1c Received counseling about birth control in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	3

BCCNS12: Distribution	Value	n
Yes	1	981
No	5	4555
Refused	8	41
Don't know	9	8
Inapplicable	.	1
		5586

STEROP12	
LABEL	FA-1d Received sterilizing operation in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	4

STEROP12: Distribution	Value	n
Yes	1	85
No	5	5454
Refused	8	40
Don't know	9	6
Inapplicable	.	1
		5586

Section F

STCNS12	
LABEL	FA-1e Received counseling about getting sterilized in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	5

STCNS12: Distribution	Value	n
Yes	1	174
No	5	5364
Refused	8	41
Don't know	9	6
Inapplicable	.	1
		5586

EMCON12	
LABEL	FA-1f Received emergency contraception or prescription for EC in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	6

EMCON12: Distribution	Value	n
Yes	1	222
No	5	5317
Refused	8	39
Don't know	9	7
Inapplicable	.	1
		5586

ECCNS12	
LABEL	FA-1g Received counseling about emergency contraception in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	7

ECCNS12: Distribution	Value	n
Yes	1	156
No	5	5384
Refused	8	38
Don't know	9	7
Inapplicable	.	1
		5586

PRGTST12	
LABEL	FA-3a Received pregnancy test in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever having had sex (rhadsex =1)
LENGTH	8
VARNUM	8

PRGTST12: Distribution	Value	n
Yes	1	1124
No	5	3401
Refused	8	21
Don't know	9	7
Inapplicable	.	1033
		5586

PAP12	
LABEL	FA-3b Received Pap test in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	9

Section F

PAP12: Distribution	Value	n
Yes	1	2367
No	5	3172
Refused	8	36
Don't know	9	10
Inapplicable	.	1
		5586

PELVIC12	
LABEL	FA-3c Received pelvic exam in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	10

PELVIC12: Distribution	Value	n
Yes	1	2468
No	5	3070
Refused	8	39
Don't know	9	8
Inapplicable	.	1
		5586

PRENAT12	
LABEL	FA-3d Received prenatal care in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had a pregnancy within the last 12 months (cmlstprg ge cmlstyr)
LENGTH	8
VARNUM	11

PRENAT12: Distribution	Value	n
Yes	1	291
No	5	113
Refused	8	3
Don't know	9	1
Inapplicable	.	5178
		5586

PARTUM12	
LABEL	FA-3e Received post-pregnancy care in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's most recent live birth was within the last 12 months (cmlastlb ge cmlstyr)
LENGTH	8
VARNUM	12

PARTUM12: Distribution	Value	n
Yes	1	278
No	5	33
Refused	8	1
Inapplicable	.	5274
		5586

STDSVC12	
LABEL	FA-3f Received testing for STD in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	13

STDSVC12: Distribution	Value	n
Yes	1	1624
No	5	3912
Refused	8	37
Don't know	9	12
Inapplicable	.	1
		5586

Section F

NUMSVC12	
LABEL	Number of different services received in last 12 months (computed in FC F-4)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	14

NUMSVC12: Distribution	Value	n
0	0	1919
1	1	646
2	2	802
3	3	740
4	4	563
5	5	356
6	6	293
7	7	173
8	8	52
9	9	25
10	10	8
11	11	9
		5586

BARRIER_01	
LABEL	FA-3g Reason did not see a doctor in past 12 months - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if did not receive any services in the past 12 months (numsvc12 = 0)
LENGTH	8
VARNUM	15

BARRIER_01: Distribution	Value	n
I did not need any of these services in the last year	1	1072
I did not know where to go for care	2	18
I could not afford to pay for a visit	3	59
I was afraid to hear bad news	4	12
I had privacy/confidentiality concerns	5	7
I could not take time off from work	6	18
I did not have Insurance	7	50
Not sexually active	8	258
Time/busy	9	132
Didn't make appt	10	103
Don't like/trust doctors	11	22
Something else	20	121
Refused	98	37
Don't Know	99	9
Inapplicable	.	3668
		5586

BARRIER_02	
LABEL	FA-3g Reason did not see a doctor in past 12 months - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if reported more than 1 reason for not receiving a service in the past 12 months (See FA-3g BARRIER_01)
LENGTH	8
VARNUM	16

BARRIER_02: Distribution	Value	n
I did not need any of these services in the last year	1	51
I did not know where to go for care	2	12
I could not afford to pay for a visit	3	37
I was afraid to hear bad news	4	11
I had privacy/confidentiality concerns	5	2
I could not take time off from work	6	11
I did not have Insurance	7	32
Not sexually active	8	194
Time/busy	9	69
Didn't make appt	10	84

Section F

BARRIER_02: Distribution	Value	n
Don't like/trust doctors	11	16
Something else	20	24
Inapplicable	.	5043
		5586

BARRIER_03	
LABEL	FA-3g Reason did not see a doctor in past 12 months - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if reported more than 2 reasons for not receiving a service in the past 12 months (See FA-3g BARRIER_01)
LENGTH	8
VARNUM	17

BARRIER_03: Distribution	Value	n
I did not need any of these services in the last year	1	13
I did not know where to go for care	2	7
I could not afford to pay for a visit	3	10
I was afraid to hear bad news	4	4
I had privacy/confidentiality concerns	5	4
I could not take time off from work	6	4
I did not have Insurance	7	18
Not sexually active	8	10
Time/busy	9	31
Didn't make appt	10	41
Don't like/trust doctors	11	15
Something else	20	12
Inapplicable	.	5417
		5586

BARRIER_04	
LABEL	FA-3g Reason did not see a doctor in past 12 months - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if reported more than 3 reasons for not receiving a service in the past 12 months (See FA-3g BARRIER_01)
LENGTH	8
VARNUM	18

BARRIER_04: Distribution	Value	n
I did not need any of these services in the last year	1	4
I could not afford to pay for a visit	3	1
I was afraid to hear bad news	4	2
I had privacy/confidentiality concerns	5	2
I could not take time off from work	6	2
I did not have Insurance	7	6
Not sexually active	8	3
Time/busy	9	6
Didn't make appt	10	12
Don't like/trust doctors	11	9
Something else	20	7
Inapplicable	.	5532
		5586

BARRIER_05	
LABEL	FA-3g Reason did not see a doctor in past 12 months - 5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if reported more than 4 reasons for not receiving a service in the past 12 months (See FA-3g BARRIER_01)
LENGTH	8
VARNUM	19

BARRIER_05: Distribution	Value	n
I did not know where to go for care	2	1
I could not afford to pay for a visit	3	2
I was afraid to hear bad news	4	1
I had privacy/confidentiality concerns	5	1

Section F

BARRIER_05: Distribution	Value	n
I did not have Insurance	7	3
Not sexually active	8	3
Time/busy	9	2
Didn't make appt	10	6
Don't like/trust doctors	11	2
Something else	20	1
Inapplicable	.	5564
		5586

BARRIER_06	
LABEL	FA-3g Reason did not see a doctor in past 12 months - 6th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if reported more than 5 reasons for not receiving a service in the past 12 months (See FA-3g BARRIER_01)
LENGTH	8
VARNUM	20

BARRIER_06: Distribution	Value	n
I could not afford to pay for a visit	3	1
Not sexually active	8	1
Time/busy	9	2
Didn't make appt	10	1
Don't like/trust doctors	11	1
Inapplicable	.	5580
		5586

BARRIER_07	
LABEL	FA-3g Reason did not see a doctor in past 12 months - 7th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if reported more than 6 reasons for not receiving a service in the past 12 months (See FA-3g BARRIER_01)
LENGTH	8
VARNUM	21

BARRIER_07: Distribution	Value	n
I had privacy/confidentiality concerns	5	1
Time/busy	9	1
Don't like/trust doctors	11	1
Inapplicable	.	5583
		5586

BARRIER_08	
LABEL	FA-3g Reason did not see a doctor in past 12 months - 8th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if reported more than 7 reasons for not receiving a service in the past 12 months (See FA-3g BARRIER_01)
LENGTH	8
VARNUM	22

BARRIER_08: Distribution	Value	n
Don't like/trust doctors	11	1
Inapplicable	.	5585
		5586

NUMBCVIS	
LABEL	FA-4 Received Services Last 12 Months at 1 or More Visits
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 1 service in the last 12 months (numsvc12 gt 1)
LENGTH	8
VARNUM	23

Section F

NUMBCVIS: Distribution	Value	n
Single visit	1	1895
More than one visit	5	1116
Refused	8	2
Don't Know	9	8
Inapplicable	.	2565
		5586

BC12PLCX_01	
LABEL	FA-5 Where R Rec'd all services in one visit
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving all services in the last 12 months in one visit (FA-4 NUMBCVIS =1)
LENGTH	8
VARNUM	24

BC12PLCX_01: Distribution	Value	n
Private doctors office	1	1365
HMO facility	2	86
Community health clinic, Community clinic, Public health clinic	3	168
Family planning or Planned Parenthood Clinic	4	57
Employer or company clinic	5	15
School or school-based clinic	6	13
Hospital outpatient clinic	7	69
Other hospital location including emergency room	8	17
Urgent care center, urgi-care or walk-in facility	10	20
In-store health clinic (like CVS, Target, or Walmart)	11	22
Some other place	20	59
Refused	98	2
Don't Know	99	2
Inapplicable	.	3691
		5586

BC12PLCX_02	
LABEL	FA-5 Where R Rec'd Method of Birth Control/Prescription in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a method of birth control or a prescription for a method in last 12 months and reported more than one visit to a medical provider (FA-1a BTHCON12=1 and FA-4 NUMBCVIS =1)
LENGTH	8
VARNUM	25

BC12PLCX_02: Distribution	Value	n
Private doctors office	1	450
HMO facility	2	29
Community health clinic, Community clinic, Public health clinic	3	65
Family planning or Planned Parenthood Clinic	4	30
Employer or company clinic	5	1
School or school-based clinic	6	8
Hospital outpatient clinic	7	25
Other hospital location including emergency room	8	4
Urgent care center, urgi-care or walk-in facility	10	4
In-store health clinic (like CVS, Target, or Walmart)	11	26
Some other place	20	41
Refused	98	2
Don't Know	99	2
Inapplicable	.	4899
		5586

Section F

BC12PLCX_03	
LABEL	FA-5 Where R Rec'd Check-up for Birth Control in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a check-up or medical test related to using birth control method in last 12 months and reported more than one visit to a medical provider (FA-1b MEDTST12 =1 and FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	26

BC12PLCX_03: Distribution	Value	n
Private doctors office	1	339
HMO facility	2	28
Community health clinic, Community clinic, Public health clinic	3	55
Family planning or Planned Parenthood Clinic	4	21
Employer or company clinic	5	2
School or school-based clinic	6	4
Hospital outpatient clinic	7	18
Other hospital location including emergency room	8	6
Urgent care center, urgi-care or walk-in facility	10	5
In-store health clinic (like CVS, Target, or Walmart)	11	2
Some other place	20	6
Refused	98	1
Don't Know	99	4
Inapplicable	.	5095
		5586

BC12PLCX_04	
LABEL	FA-5 Where R Rec'd Counseling about Birth Control in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving counseling or information about birth control in last 12 months and reported more than one visit to a medical provider (FA-1c BCCNS12 =1 and FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	27

BC12PLCX_04: Distribution	Value	n
Private doctors office	1	310
HMO facility	2	28
Community health clinic, Community clinic, Public health clinic	3	51
Family planning or Planned Parenthood Clinic	4	22
Employer or company clinic	5	1
School or school-based clinic	6	17
Hospital outpatient clinic	7	17
Other hospital location including emergency room	8	5
In-store health clinic (like CVS, Target, or Walmart)	11	3
Some other place	20	28
Refused	98	1
Don't Know	99	1
Inapplicable	.	5102
		5586

BC12PLCX_05	
LABEL	FA-5 Where R Rec'd sterilizing operation in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving sterilizing operation in last 12 months and reported more than one visit to a medical provider (FA-1d STEROP12=1 and FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	28

BC12PLCX_05: Distribution	Value	n
Private doctors office	1	14
HMO facility	2	3
Community health clinic, Community clinic, Public health clinic	3	6
Family planning or Planned Parenthood Clinic	4	1
Hospital outpatient clinic	7	16

Section F

BC12PLCX_05: Distribution	Value	n
Other hospital location including emergency room	8	11
Some other place	20	3
Refused	98	1
Inapplicable	.	5531
		5586

BC12PLCX_06	
LABEL	FA-5 Where R Rec'd Counseling on Getting Sterilized in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving counseling or information about getting sterilized in last 12 months and reported more than one visit to a medical provider (FA-1d STCNS12 =1 and FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	29

BC12PLCX_06: Distribution	Value	n
Private doctors office	1	68
HMO facility	2	3
Community health clinic, Community clinic, Public health clinic	3	15
Family planning or Planned Parenthood Clinic	4	5
School or school-based clinic	6	1
Hospital outpatient clinic	7	8
Other hospital location including emergency room	8	2
Some other place	20	5
Inapplicable	.	5479
		5586

BC12PLCX_07	
LABEL	FA-5 Where R Rec'd Emergency Contraception in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving emergency contraception or the "morning-after pill," or a prescription for it in last 12 months and reported more than one visit to a medical provider (FA-1f EMCON12 =1 and FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	30

BC12PLCX_07: Distribution	Value	n
Private doctors office	1	12
HMO facility	2	1
Community health clinic, Community clinic, Public health clinic	3	4
Family planning or Planned Parenthood Clinic	4	14
School or school-based clinic	6	1
In-store health clinic (like CVS, Target, or Walmart)	11	82
Some other place	20	17
Don't Know	99	1
Inapplicable	.	5454
		5586

BC12PLCX_08	
LABEL	FA-5 Where R Rec'd Counseling on Emerg. Contraception in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving counseling or information about emergency contraception or the 'morning-after pill' in last 12 months and reported more than one visit to a medical provider (FA-1g ECCNS12 =1 and FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	31

BC12PLCX_08: Distribution	Value	n
Private doctors office	1	22
HMO facility	2	4
Community health clinic, Community clinic, Public health clinic	3	10
Family planning or Planned Parenthood Clinic	4	13
School or school-based clinic	6	4
Hospital outpatient clinic	7	3

Section F

BC12PLCX_08: Distribution	Value	n
Urgent care center, urgi-care or walk-in facility	10	1
In-store health clinic (like CVS, Target, or Walmart)	11	8
Some other place	20	13
Don't Know	99	1
Inapplicable	.	5507
		5586

BC12PLCX_09	
LABEL	FA-5 Where R Rec'd Pregnancy Test in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a pregnancy test in last 12 months and reported more than one visit to a medical provider (FA-3a PRGTST12 =1 and FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	32

BC12PLCX_09: Distribution	Value	n
Private doctors office	1	366
HMO facility	2	28
Community health clinic, Community clinic, Public health clinic	3	55
Family planning or Planned Parenthood Clinic	4	21
School or school-based clinic	6	7
Hospital outpatient clinic	7	44
Other hospital location including emergency room	8	57
Urgent care center, urgi-care or walk-in facility	10	23
In-store health clinic (like CVS, Target, or Walmart)	11	59
Some other place	20	52
Refused	98	3
Inapplicable	.	4871
		5586

BC12PLCX_10	
LABEL	FA-5 Where R Rec'd Pap test in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a pap smear in last 12 months and reported more than one visit to a medical provider (FA-3b PAP12 =1 and FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	33

BC12PLCX_10: Distribution	Value	n
Private doctors office	1	628
HMO facility	2	54
Community health clinic, Community clinic, Public health clinic	3	85
Family planning or Planned Parenthood Clinic	4	29
Employer or company clinic	5	5
School or school-based clinic	6	3
Hospital outpatient clinic	7	37
Other hospital location including emergency room	8	11
Urgent care center, urgi-care or walk-in facility	10	6
In-store health clinic (like CVS, Target, or Walmart)	11	1
Some other place	20	20
Refused	98	4
Don't Know	99	2
Inapplicable	.	4701
		5586

BC12PLCX_11	
LABEL	FA-5 Where R Rec'd Pelvic Exam in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a pelvic exam in last 12 months and reported more than one visit to a medical provider (FA-3c PELVIC12 =1 and FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	34

Section F

BC12PLCX_11: Distribution	Value	n
Private doctors office	1	697
HMO facility	2	47
Community health clinic, Community clinic, Public health clinic	3	66
Family planning or Planned Parenthood Clinic	4	29
Employer or company clinic	5	7
School or school-based clinic	6	3
Hospital outpatient clinic	7	43
Other hospital location including emergency room	8	23
Urgent care center, urgi-care or walk-in facility	10	6
In-store health clinic (like CVS, Target, or Walmart)	11	2
Some other place	20	18
Refused	98	3
Don't Know	99	2
Inapplicable	.	4640
		5586

BC12PLCX_12	
LABEL	FA-5 Where R Rec'd Prenatal Care in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving prenatal care in last 12 months and reported more than one visit to a medical provider (FA-3d PRENAT12 =1 and FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	35

BC12PLCX_12: Distribution	Value	n
Private doctors office	1	192
HMO facility	2	10
Community health clinic, Community clinic, Public health clinic	3	19
Family planning or Planned Parenthood Clinic	4	2
Hospital outpatient clinic	7	12
Other hospital location including emergency room	8	7
In-store health clinic (like CVS, Target, or Walmart)	11	1
Some other place	20	5
Inapplicable	.	5338
		5586

BC12PLCX_13	
LABEL	FA-5 Where R Rec'd Post-pregnancy care in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving post-pregnancy care in last 12 months and reported more than one visit to a medical provider (FA-3e PARTUM12 =1 and FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	36

BC12PLCX_13: Distribution	Value	n
Private doctors office	1	179
HMO facility	2	7
Community health clinic, Community clinic, Public health clinic	3	18
Family planning or Planned Parenthood Clinic	4	1
Hospital outpatient clinic	7	11
Other hospital location including emergency room	8	15
In-store health clinic (like CVS, Target, or Walmart)	11	1
Some other place	20	7
Don't Know	99	1
Inapplicable	.	5346
		5586

Section F

BC12PLCX_14	
LABEL	FA-5 Where R Rec'd testing for STD in Last 12 Months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving STD testing in last 12 months and reported more than one visit to a medical provider (FA-3f STDSVC12 =1 and FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	37

BC12PLCX_14: Distribution	Value	n
Private doctors office	1	500
HMO facility	2	40
Community health clinic, Community clinic, Public health clinic	3	100
Family planning or Planned Parenthood Clinic	4	42
Employer or company clinic	5	10
School or school-based clinic	6	7
Hospital outpatient clinic	7	30
Other hospital location including emergency room	8	21
Urgent care center, urgi-care or walk-in facility	10	38
In-store health clinic (like CVS, Target, or Walmart)	11	6
Some other place	20	25
Refused	98	4
Don't Know	99	2
Inapplicable	.	4761
		5586

IDCLINIC	
LABEL	Number of times identified a clinic as source of service (computed in FC F-8a)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	38

IDCLINIC: Distribution	Value	n
0	0	2923
1	1	516
2	2	64
3	3	46
4	4	47
5	5	27
6	6	27
7	7	9
8	8	2
9	9	3
10	10	1
11	11	2
.	.	1919
		5586

TALKPROV_1	
LABEL	FA-5a Talked to provider in the past 12 months about specific topics -1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received a service in last 12 months (NUMSVC12 GE 1)
LENGTH	8
VARNUM	39

TALKPROV_1: Distribution	Value	n
Birth control methods (including IUD and implants)	1	1387
Condoms for STD prevention	2	139
HPV vaccine	3	141
None of the above	4	1960
Refused	98	16
Don't Know	99	24
Inapplicable	.	1919
		5586

Section F

TALKPROV_2	
LABEL	FA-5a Talked to provider in the past 12 months about specific topics-2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received more than 1 service in last 12 months (see FA-5a TALKPROV_1 GE 1)
LENGTH	8
VARNUM	40

TALKPROV_2: Distribution	Value	n
Birth control methods (including IUD and implants)	1	66
Condoms for STD prevention	2	420
HPV vaccine	3	111
Inapplicable	.	4989
		5586

TALKPROV_3	
LABEL	FA-5a Talked to provider in the past 12 months about specific topics-3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received more than 2 serviceS in last 12 months (see FA-5a TALKPROV_1 GE 1)
LENGTH	8
VARNUM	41

TALKPROV_3: Distribution	Value	n
Birth control methods (including IUD and implants)	1	29
Condoms for STD prevention	2	22
HPV vaccine	3	199
Inapplicable	.	5336
		5586

WHYPSTD	
LABEL	FA-5b Main reason chose place for STD test
VARIABLE TYPE	raw
UNIVERSE	Applicable if received a test for a sexually transmitted disease in the past 12 months (FA-3f STDSVC12 = 1)
LENGTH	8
VARNUM	42

WHYPSTD: Distribution	Value	n
Could walk in or get same-day appointment	1	292
Cost	2	138
Privacy concern	3	62
Expert care here	4	602
Embarrassed to go to usual provider	5	7
Other	6	493
Refused	8	10
Don't Know	9	20
Inapplicable	.	3962
		5586

WHYNOSTD	
LABEL	FA-5c Main reason no STD test in past 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not receive an STD test in last 12 months (FA-3g STDSVC12 = 5)
LENGTH	8
VARNUM	43

WHYNOSTD: Distribution	Value	n
Didnt want parents to find out	1	34
Concerned about confidentiality	2	23
Doctor or health care provider never suggested it	3	645
Embarrassed or difficult to ask to be tested	4	49
Cost or lack of insurance	5	113
Never had sex	6	1032
Other	7	1958
Refused	8	29
Don't Know	9	30

Section F

WHYNOSTD: Distribution	Value	n
Inapplicable	.	1673
		5586

BCCLARC	
LABEL	FA-5d When info about birth control whether provider talked about LARC
VARIABLE TYPE	raw
UNIVERSE	Applicable if received birth control counseling in the past 12 months (FA-1d BCCNS12 = 1)
LENGTH	8
VARNUM	44

BCCLARC: Distribution	Value	n
Yes	1	530
No	5	447
Refused	8	2
Don't know	9	2
Inapplicable	.	4605
		5586

BC12PAY_01_1	
LABEL	FA-6 Way Bill Was Paid-Services all received in one visit (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received more than 1 family planning service all in one visit in the last 12 months (FA-4 NUMBCVIS =5)
LENGTH	8
VARNUM	45

BC12PAY_01_1: Distribution	Value	n
Insurance	1	1374
Co-payment	2	89
Out-of-pocket payment	3	97
Medicaid	4	230
No payment required	5	74
Some other way	6	23
Refused	98	3
Don't Know	99	5
Inapplicable	.	3691
		5586

BC12PAY_01_2	
LABEL	FA-6 Way Bill Was Paid-Services all received in one visit (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for all in one visit (see FA-6 BC12PAY_01_1)
LENGTH	8
VARNUM	46

BC12PAY_01_2: Distribution	Value	n
Insurance	1	50
Co-payment	2	301
Out-of-pocket payment	3	57
Medicaid	4	37
Some other way	6	3
Inapplicable	.	5138
		5586

BC12PAY_01_3	
LABEL	FA-6 Way Bill Was Paid-Services all received in one visit (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for all in one visit (see FA-6 BC12PAY_01_1)
LENGTH	8
VARNUM	47

Section F

BC12PAY_01_3: Distribution	Value	n
Insurance	1	1
Co-payment	2	8
Out-of-pocket payment	3	23
Medicaid	4	2
Inapplicable	.	5552
		5586

BC12PAY_02_1	
LABEL	FA-6 Way Bill Was Paid-Method of birth control or prescription for a method (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received a method of BC/prescription in the last 12 months (FA-1A BTHCON12 =1)
LENGTH	8
VARNUM	48

BC12PAY_02_1: Distribution	Value	n
Insurance	1	490
Co-payment	2	26
Out-of-pocket payment	3	34
Medicaid	4	91
No payment required	5	39
Some other way	6	5
Refused	98	1
Don't Know	99	1
Inapplicable	.	4899
		5586

BC12PAY_02_2	
LABEL	FA-6 Way Bill Was Paid-Method of birth control or prescription for a method (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for method of BC/prescription (see FA-6 BC12PAY_02_1)
LENGTH	8
VARNUM	49

BC12PAY_02_2: Distribution	Value	n
Insurance	1	15
Co-payment	2	75
Out-of-pocket payment	3	22
Medicaid	4	15
Some other way	6	2
Inapplicable	.	5457
		5586

BC12PAY_02_3	
LABEL	FA-6 Way Bill Was Paid-Method of birth control or prescription for a method (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment were reported for method of BC/prescription (see FA-6 BC12PAYX_02_1)
LENGTH	8
VARNUM	50

BC12PAY_02_3: Distribution	Value	n
Co-payment	2	1
Out-of-pocket payment	3	6
Medicaid	4	2
Inapplicable	.	5577
		5586

BC12PAY_03_1	
LABEL	FA-6 Way Bill Was Paid-a check-up or medical test related to using a birth control method (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received check up for BC in the last 12 months (FA-1B MEDTST12 =1)
LENGTH	8
VARNUM	51

Section F

BC12PAY_03_1: Distribution	Value	n
Insurance	1	350
Co-payment	2	29
Out-of-pocket payment	3	9
Medicaid	4	76
No payment required	5	22
Some other way	6	4
Refused	98	1
Inapplicable	.	5095
		5586

BC12PAY_03_2	
LABEL	FA-6 Way Bill Was Paid-a check-up or medical test related to using a birth control method (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for check up for BC (see FA-6 BC12PAY_03_1)
LENGTH	8
VARNUM	52

BC12PAY_03_2: Distribution	Value	n
Insurance	1	12
Co-payment	2	85
Out-of-pocket payment	3	17
Medicaid	4	13
Some other way	6	2
Inapplicable	.	5457
		5586

BC12PAY_03_3	
LABEL	FA-6 Way Bill Was Paid-a check-up or medical test related to using a birth control method (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for check up for BC (see FA-6 BC12PAY_03_1)
LENGTH	8
VARNUM	53

BC12PAY_03_3: Distribution	Value	n
Insurance	1	2
Co-payment	2	2
Out-of-pocket payment	3	7
Inapplicable	.	5575
		5586

BC12PAY_04_1	
LABEL	FA-6 Way Bill Was Paid-counseling or information about birth control (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received counseling about BC in the last 12 months (FA-1C BCCNS12 =1)
LENGTH	8
VARNUM	54

BC12PAY_04_1: Distribution	Value	n
Insurance	1	316
Co-payment	2	18
Out-of-pocket payment	3	14
Medicaid	4	71
No payment required	5	58
Some other way	6	1
Refused	98	1
Don't Know	99	5
Inapplicable	.	5102
		5586

Section F

BC12PAY_04_2	
LABEL	FA-6 Way Bill Was Paid-counseling or information about birth control (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for counseling about BC (see FA-6 BC12PAY_04_1)
LENGTH	8
VARNUM	55

BC12PAY_04_2: Distribution	Value	n
Insurance	1	7
Co-payment	2	80
Out-of-pocket payment	3	9
Medicaid	4	12
Some other way	6	1
Inapplicable	.	5477
		5586

BC12PAY_04_3	
LABEL	FA-6 Way Bill Was Paid-counseling or information about birth control (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for counseling about BC (see FA-6 BC12PAY_04_1)
LENGTH	8
VARNUM	56

BC12PAY_04_3: Distribution	Value	n
Insurance	1	1
Out-of-pocket payment	3	7
Inapplicable	.	5578
		5586

BC12PAY_05_1	
LABEL	FA-6 Way Bill Was Paid-a sterilizing operation (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received sterilizing operation (FA-1D STEROP12 =1)
LENGTH	8
VARNUM	57

BC12PAY_05_1: Distribution	Value	n
Insurance	1	33
Co-payment	2	3
Out-of-pocket payment	3	1
Medicaid	4	14
No payment required	5	2
Some other way	6	2
Inapplicable	.	5531
		5586

BC12PAY_05_2	
LABEL	FA-6 Way Bill Was Paid-a sterilizing operation (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for sterilizing operation (see FA-6 BC12PAY_05_1)
LENGTH	8
VARNUM	58

BC12PAY_05_2: Distribution	Value	n
Co-payment	2	9
Out-of-pocket payment	3	2
Medicaid	4	2
Inapplicable	.	5573
		5586

Section F

BC12PAY_05_3	
LABEL	FA-6 Way Bill Was Paid-a sterilizing operation (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for sterilizing operation (see FA-6 BC12PAY_05_1)
LENGTH	8
VARNUM	59

BC12PAY_05_3: Distribution	Value	n
Out-of-pocket payment	3	3
Inapplicable	.	5583
		5586

BC12PAY_06_1	
LABEL	FA-6 Way Bill Was Paid-counseling or information about getting sterilized (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received counseling re sterilization in the last 12 months (FA-1E STCNS12 =1)
LENGTH	8
VARNUM	60

BC12PAY_06_1: Distribution	Value	n
Insurance	1	66
Co-payment	2	5
Out-of-pocket payment	3	2
Medicaid	4	18
No payment required	5	16
Inapplicable	.	5479
		5586

BC12PAY_06_2	
LABEL	FA-6 Way Bill Was Paid-counseling or information about getting sterilized (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for counseling re sterilization (see FA-6 BC12PAY_06_1)
LENGTH	8
VARNUM	61

BC12PAY_06_2: Distribution	Value	n
Insurance	1	2
Co-payment	2	16
Out-of-pocket payment	3	3
Medicaid	4	3
Inapplicable	.	5562
		5586

BC12PAY_06_3	
LABEL	FA-6 Way Bill Was Paid-counseling or information about getting sterilized (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for counseling re sterilization (see FA-6 BC12PAY_06_1)
LENGTH	8
VARNUM	62

BC12PAY_06_3: Distribution	Value	n
Out-of-pocket payment	3	3
Inapplicable	.	5583
		5586

BC12PAY_07_1	
LABEL	FA-6 Way Bill Was Paid-emergency contraception (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received EC/prescription in the last 12 months (FA-1F EMCON12 =1)
LENGTH	8
VARNUM	63

Section F

BC12PAY_07_1: Distribution	Value	n
Insurance	1	27
Out-of-pocket payment	3	81
Medicaid	4	9
No payment required	5	12
Some other way	6	3
Inapplicable	.	5454
		5586

BC12PAY_07_2	
LABEL	FA-6 Way Bill Was Paid-emergency contraception (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for EC/prescription (see FA-6 BC12PAY_07_1)
LENGTH	8
VARNUM	64

BC12PAY_07_2: Distribution	Value	n
Insurance	1	2
Co-payment	2	4
Out-of-pocket payment	3	2
Inapplicable	.	5578
		5586

BC12PAY_07_3	
LABEL	FA-6 Way Bill Was Paid-emergency contraception (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for EC/prescription (see FA-6 BC12PAY_07_1)
LENGTH	8
VARNUM	65

BC12PAY_07_3: Distribution	Value	n
Insurance	1	1
Inapplicable	.	5585
		5586

BC12PAY_08_1	
LABEL	FA-6 Way Bill Was Paid-counseling or information about emergency contraception (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received counseling re EC in the last 12 months (FA-1G ECCNS12 =1)
LENGTH	8
VARNUM	66

BC12PAY_08_1: Distribution	Value	n
Insurance	1	31
Co-payment	2	1
Out-of-pocket payment	3	6
Medicaid	4	10
No payment required	5	29
Some other way	6	1
Don't Know	99	1
Inapplicable	.	5507
		5586

BC12PAY_08_2	
LABEL	FA-6 Way Bill Was Paid-counseling or information about emergency contraception (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for counseling re EC (see FA-6 BC12PAY_08_1)
LENGTH	8
VARNUM	67

BC12PAY_08_2: Distribution	Value	n
Co-payment	2	6
Inapplicable	.	5580
		5586

BC12PAY_08_3	
LABEL	FA-6 Way Bill Was Paid-counseling or information about emergency contraception (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for counseling re EC (see FA-6 BC12PAY_08_1)
LENGTH	8
VARNUM	68

BC12PAY_08_3: Distribution	Value	n
Inapplicable	.	5586
		5586

BC12PAY_09_1	
LABEL	FA-6 Way Bill Was Paid-pregnancy test (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received pregnancy test in the last 12 months (FA-3A PRGTST12 =1)
LENGTH	8
VARNUM	69

BC12PAY_09_1: Distribution	Value	n
Insurance	1	429
Co-payment	2	21
Out-of-pocket payment	3	105
Medicaid	4	107
No payment required	5	38
Some other way	6	15
Inapplicable	.	4871
		5586

BC12PAY_09_2	
LABEL	FA-6 Way Bill Was Paid-pregnancy test (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for pregnancy test (see FA-6 BC12PAY_09_1)
LENGTH	8
VARNUM	70

BC12PAY_09_2: Distribution	Value	n
Insurance	1	15
Co-payment	2	93
Out-of-pocket payment	3	21
Medicaid	4	22
Inapplicable	.	5435
		5586

BC12PAY_09_3	
LABEL	FA-6 Way Bill Was Paid-pregnancy test (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for pregnancy test (see FA-6 BC12PAY_09_1)
LENGTH	8
VARNUM	71

BC12PAY_09_3: Distribution	Value	n
Insurance	1	1
Co-payment	2	3
Out-of-pocket payment	3	12
Inapplicable	.	5570
		5586

Section F

BC12PAY_10_1	
LABEL	FA-6 Way Bill Was Paid-a Pap test (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received pap test in the last 12 months (FA-3B PAP12 =1)
LENGTH	8
VARNUM	72

BC12PAY_10_1: Distribution	Value	n
Insurance	1	625
Co-payment	2	32
Out-of-pocket payment	3	28
Medicaid	4	157
No payment required	5	31
Some other way	6	7
Refused	98	4
Don't Know	99	1
Inapplicable	.	4701
		5586

BC12PAY_10_2	
LABEL	FA-6 Way Bill Was Paid-a Pap test (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for pap test (see FA-6 BC12PAY_10_1)
LENGTH	8
VARNUM	73

BC12PAY_10_2: Distribution	Value	n
Insurance	1	13
Co-payment	2	127
Out-of-pocket payment	3	14
Medicaid	4	21
Inapplicable	.	5411
		5586

BC12PAY_10_3	
LABEL	FA-6 Way Bill Was Paid-a Pap test (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for pap test (see FA-6 BC12PAY_10_1)
LENGTH	8
VARNUM	74

BC12PAY_10_3: Distribution	Value	n
Insurance	1	1
Out-of-pocket payment	3	16
Inapplicable	.	5569
		5586

BC12PAY_11_1	
LABEL	FA-6 Way Bill Was Paid-pelvic exam (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received pelvic exam in the last 12 months (FA-3C PELVIC12 =1)
LENGTH	8
VARNUM	75

BC12PAY_11_1: Distribution	Value	n
Insurance	1	696
Co-payment	2	37
Out-of-pocket payment	3	25
Medicaid	4	147
No payment required	5	30
Some other way	6	7
Refused	98	3
Don't Know	99	1
Inapplicable	.	4640
		5586

Section F

BC12PAY_11_2	
LABEL	FA-6 Way Bill Was Paid-pelvic exam (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for pelvic exam (see FA-6 BC12PAY_11_1)
LENGTH	8
VARNUM	76

BC12PAY_11_2: Distribution	Value	n
Insurance	1	13
Co-payment	2	164
Out-of-pocket payment	3	19
Medicaid	4	21
Some other way	6	2
Inapplicable	.	5367
		5586

BC12PAY_11_3	
LABEL	FA-6 Way Bill Was Paid-pelvic exam (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for pelvic exam (see FA-6 BC12PAY_11_1)
LENGTH	8
VARNUM	77

BC12PAY_11_3: Distribution	Value	n
Insurance	1	2
Out-of-pocket payment	3	23
Inapplicable	.	5561
		5586

BC12PAY_12_1	
LABEL	FA-6 Way Bill Was Paid-prenatal care (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received prenatal care in the last 12 months (FA-3D PRENAT12 =1)
LENGTH	8
VARNUM	78

BC12PAY_12_1: Distribution	Value	n
Insurance	1	170
Co-payment	2	9
Out-of-pocket payment	3	8
Medicaid	4	55
No payment required	5	4
Some other way	6	2
Inapplicable	.	5338
		5586

BC12PAY_12_2	
LABEL	FA-6 Way Bill Was Paid-prenatal care (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for prenatal care (see FA-6 BC12PAY_12_1)
LENGTH	8
VARNUM	79

BC12PAY_12_2: Distribution	Value	n
Insurance	1	6
Co-payment	2	44
Out-of-pocket payment	3	8
Medicaid	4	13
Some other way	6	1
Inapplicable	.	5514
		5586

Section F

BC12PAY_12_3	
LABEL	FA-6 Way Bill Was Paid-prenatal care (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for prenatal care (see FA-6 BC12PAY_12_1)
LENGTH	8
VARNUM	80

BC12PAY_12_3: Distribution	Value	n
Out-of-pocket payment	3	11
Inapplicable	.	5575
		5586

BC12PAY_13_1	
LABEL	FA-6 Way Bill Was Paid-post-pregnancy care (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received post-pregnancy care in the last 12 months (FA-3E PARTUM12 =1)
LENGTH	8
VARNUM	81

BC12PAY_13_1: Distribution	Value	n
Insurance	1	163
Co-payment	2	9
Out-of-pocket payment	3	10
Medicaid	4	55
No payment required	5	1
Some other way	6	2
Inapplicable	.	5346
		5586

BC12PAY_13_2	
LABEL	FA-6 Way Bill Was Paid-post-pregnancy care (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for post-pregnancy care (see FA-6 BC12PAY_13_1)
LENGTH	8
VARNUM	82

BC12PAY_13_2: Distribution	Value	n
Insurance	1	3
Co-payment	2	33
Out-of-pocket payment	3	10
Medicaid	4	13
Some other way	6	1
Inapplicable	.	5526
		5586

BC12PAY_13_3	
LABEL	FA-6 Way Bill Was Paid-post-pregnancy care (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for post-pregnancy care (see FA-6 BC12PAY_13_1)
LENGTH	8
VARNUM	83

BC12PAY_13_3: Distribution	Value	n
Out-of-pocket payment	3	9
Medicaid	4	1
Inapplicable	.	5576
		5586

BC12PAY_14_1	
LABEL	FA-6 Way Bill Was Paid-test for STD (1st mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received testing for an STD in the last 12 months (FA-3F STDSVC12 =1)
LENGTH	8
VARNUM	84

Section F

BC12PAY_14_1: Distribution	Value	n
Insurance	1	521
Co-payment	2	33
Out-of-pocket payment	3	41
Medicaid	4	171
No payment required	5	48
Some other way	6	7
Refused	98	3
Don't Know	99	1
Inapplicable	.	4761
		5586

BC12PAY_14_2	
LABEL	FA-6 Way Bill Was Paid-test for STD (2nd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 1 form of payment was reported for test for STD (see FA-6 BC12PAY_14_1)
LENGTH	8
VARNUM	85

BC12PAY_14_2: Distribution	Value	n
Insurance	1	16
Co-payment	2	117
Out-of-pocket payment	3	17
Medicaid	4	22
Inapplicable	.	5414
		5586

BC12PAY_14_3	
LABEL	FA-6 Way Bill Was Paid-test for STD (3rd mention)
VARIABLE TYPE	raw
UNIVERSE	Applicable if more than 2 forms of payment was reported for test for STD (see FA-6 BC12PAY_14_1)
LENGTH	8
VARNUM	86

BC12PAY_14_3: Distribution	Value	n
Co-payment	2	1
Out-of-pocket payment	3	17
Inapplicable	.	5568
		5586

REGCAR12_F_01	
LABEL	FA-9 Clinic Rs Regular Place for Care (services received all in one visit)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported received all services in one visit (FA-4 NUMBCVIS =1)
LENGTH	8
VARNUM	87

REGCAR12_F_01: Distribution	Value	n
Regular place	1	209
Regular place, but go to more than 1 place regularly	2	19
Usually go somewhere else	3	37
No usual place	4	39
Refused	8	2
Don't Know	9	1
Inapplicable	.	5279
		5586

REGCAR12_F_02	
LABEL	FA-9 Clinic Rs Regular Place for Care (method of birth control or prescription for a method)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a method of birth control or a prescription for a method in last 12 months at a clinic (FA-5 BC12PLCX_02 =3,4,6,7)
LENGTH	8
VARNUM	88

Section F

REGCAR12_F_02: Distribution	Value	n
Regular place	1	85
Regular place, but go to more than 1 place regularly	2	14
Usually go somewhere else	3	17
No usual place	4	12
Inapplicable	.	5458
		5586

REGCAR12_F_03	
LABEL	FA-9 Clinic Rs Regular Place for Care (a check-up or medical test related to using a birth control method)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a check-up or medical test related to using birth control in last 12 months at a clinic (FA-5 BC12PLCX_03 =3,4,6,7)
LENGTH	8
VARNUM	89

REGCAR12_F_03: Distribution	Value	n
Regular place	1	72
Regular place, but go to more than 1 place regularly	2	9
Usually go somewhere else	3	7
No usual place	4	10
Inapplicable	.	5488
		5586

REGCAR12_F_04	
LABEL	FA-9 Clinic Rs Regular Place for Care (counseling or information about birth control)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving counseling or information about birth control in last 12 months at a clinic (FA-5 BC12PLCX_04 =3,4,6,7)
LENGTH	8
VARNUM	90

REGCAR12_F_04: Distribution	Value	n
Regular place	1	71
Regular place, but go to more than 1 place regularly	2	7
Usually go somewhere else	3	10
No usual place	4	18
Don't Know	9	1
Inapplicable	.	5479
		5586

REGCAR12_F_05	
LABEL	FA-9 Clinic Rs Regular Place for Care (a sterilizing operation)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a sterilizing operation in the last 12 months at a clinic (FA-5 BC12PLCX_05 =3,4,6,7)
LENGTH	8
VARNUM	91

REGCAR12_F_05: Distribution	Value	n
Regular place	1	12
Regular place, but go to more than 1 place regularly	2	4
Usually go somewhere else	3	3
No usual place	4	4
Inapplicable	.	5563
		5586

REGCAR12_F_06	
LABEL	FA-9 Clinic Rs Regular Place for Care (counseling or information about getting sterilized)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving counseling or information about getting sterilized in last 12 months at a clinic (FA-5 BC12PLCX_06 =3,4,6,7)
LENGTH	8
VARNUM	92

Section F

REGCAR12_F_06: Distribution	Value	n
Regular place	1	20
Regular place, but go to more than 1 place regularly	2	2
Usually go somewhere else	3	4
No usual place	4	2
Don't Know	9	1
Inapplicable	.	5557
		5586

REGCAR12_F_07	
LABEL	FA-9 Clinic Rs Regular Place for Care (emergency contraception)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving emergency contraception in last 12 months at a clinic (FA-5 BC12PLCX_07 =3,4,6,7)
LENGTH	8
VARNUM	93

REGCAR12_F_07: Distribution	Value	n
Regular place	1	10
Regular place, but go to more than 1 place regularly	2	1
Usually go somewhere else	3	3
No usual place	4	5
Inapplicable	.	5567
		5586

REGCAR12_F_08	
LABEL	FA-9 Clinic Rs Regular Place for Care (counseling or information about emergency contraception)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving counseling or information about emergency contraception in last 12 months at a clinic (FA-5 BC12PLCX_08 =3,4,6,7)
LENGTH	8
VARNUM	94

REGCAR12_F_08: Distribution	Value	n
Regular place	1	20
Regular place, but go to more than 1 place regularly	2	2
Usually go somewhere else	3	3
No usual place	4	5
Inapplicable	.	5556
		5586

REGCAR12_F_09	
LABEL	FA-9 Clinic Rs Regular Place for Care (pregnancy test)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a pregnancy test in last 12 months at a clinic (FA-5 BC12PLCX_09 =3,4,6,7)
LENGTH	8
VARNUM	95

REGCAR12_F_09: Distribution	Value	n
Regular place	1	70
Regular place, but go to more than 1 place regularly	2	11
Usually go somewhere else	3	36
No usual place	4	10
Inapplicable	.	5459
		5586

REGCAR12_F_10	
LABEL	FA-9 Clinic Rs Regular Place for Care (Pap test)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving an a Pap test in last 12 months at a clinic (FA-5 BC12PLCX_10 =3,4,6,7)
LENGTH	8
VARNUM	96

Section F

REGCAR12_F_10: Distribution	Value	n
Regular place	1	115
Regular place, but go to more than 1 place regularly	2	18
Usually go somewhere else	3	14
No usual place	4	6
Refused	8	1
Inapplicable	.	5432
		5586

REGCAR12_F_11	
LABEL	FA-9 Clinic Rs Regular Place for Care (Pelvic exam)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a pelvic exam in last 12 months at a clinic (FA-5 BC12PLCX_11 =3,4,6,7)
LENGTH	8
VARNUM	97

REGCAR12_F_11: Distribution	Value	n
Regular place	1	99
Regular place, but go to more than 1 place regularly	2	16
Usually go somewhere else	3	17
No usual place	4	7
Refused	8	2
Inapplicable	.	5445
		5586

REGCAR12_F_12	
LABEL	FA-9 Clinic Rs Regular Place for Care (Prenatal care)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a prenatal care in last 12 months at a clinic (FA-5 BC12PLCX_12 =3,4,6,7)
LENGTH	8
VARNUM	98

REGCAR12_F_12: Distribution	Value	n
Regular place	1	23
Regular place, but go to more than 1 place regularly	2	5
Usually go somewhere else	3	2
No usual place	4	3
Inapplicable	.	5553
		5586

REGCAR12_F_13	
LABEL	FA-9 Clinic Rs Regular Place for Care (post-pregnancy care)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving post-pregnancy care in last 12 months at a clinic (FA-5 BC12PLCX_13 =3,4,6,7)
LENGTH	8
VARNUM	99

REGCAR12_F_13: Distribution	Value	n
Regular place	1	21
Regular place, but go to more than 1 place regularly	2	4
Usually go somewhere else	3	3
No usual place	4	1
Refused	8	1
Inapplicable	.	5556
		5586

REGCAR12_F_14	
LABEL	FA-9 Clinic Rs Regular Place for Care (test for STD)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a test for sexually transmitted disease in last 12 months at a clinic (FA-5 BC12PLCX_14 =3,4,6,7)
LENGTH	8
VARNUM	100

Section F

REGCAR12_F_14: Distribution	Value	n
Regular place	1	105
Regular place, but go to more than 1 place regularly	2	20
Usually go somewhere else	3	36
No usual place	4	16
Refused	8	2
Inapplicable	.	5407
		5586

EVERFPC	
LABEL	FB-1 Has R ever Visited Clinic for Medical/BC Service
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is younger than 25 years old (age_r < 25) and did not receive any service at a clinic in the last 12 months (idclinic < 1) and (BA-1 MENARCHE NE 96)
LENGTH	8
VARNUM	101

EVERFPC: Distribution	Value	n
Yes	1	449
No	5	957
Refused	8	12
Don't know	9	2
Inapplicable	.	4166
		5586

LASTPAP	
LABEL	FC-2 Timing of R's last Pap test
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not report receiving a Pap test in the past 12 months (FA-3c PAP12 = 5 or DK/RF)
LENGTH	8
VARNUM	102

LASTPAP: Distribution	Value	n
A year ago or less	1	159
More than 1 year ago but not more than 2 years	2	718
More than 2 years ago but not more than 3 years	3	510
More than 3 years ago but not more than 5 years	4	363
Over 5 years ago	5	226
Never had Pap test	6	1178
Refused	8	40
Don't Know	9	24
Inapplicable	.	2368
		5586

MREASPAP	
LABEL	FC-3 Main reason for Rs last Pap test
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had a Pap test (FA-3B PAP12 = 1 or FC-2 LASTPAP NE 6)
LENGTH	8
VARNUM	103

MREASPAP: Distribution	Value	n
Part of a routine exam	1	3923
Because of a medical problem	2	186
Other reason	3	234
Refused	8	45
Don't Know	9	19
Inapplicable	.	1179
		5586

AGEFPAP	
LABEL	FC-4 Age at 1st Pap test (top- and bottom-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had a Pap test (FA-3B PAP12 = 1 or FC-2 LASTPAP NE 6)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.

Section F

AGEFPAP	
LENGTH	8
VARNUM	104

AGEFPAP: Distribution	Value	n
12 or younger	12	68
13	13	105
14	14	150
15	15	261
16	16	433
17	17	252
18	18	798
19	19	262
20	20	287
21	21	464
22	22	198
23	23	157
24	24	101
25	25	148
26	26	71
27	27	63
28	28	41
29	29	43
30	30	62
31	31	24
32	32	17
33	33	15
34	34	23
35	35	27
36	36	11
37	37	9
38	38	7
39	39	6
40 or older	40	39
Refused	98	49
Don't know	99	216
Inapplicable	.	1179
		5586

AGEFPAP2	
LABEL	FC-4a Follow up age at 1st Pap test
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had a Pap test (FA-3B PAP12 = 1 or FC-2 LASTPAP NE 6) and did not report her age at first Pap test (FC-4 AGEFPAP = DK/RF)
LENGTH	8
VARNUM	105

AGEFPAP2: Distribution	Value	n
Younger than 18	1	50
18-21	2	69
22-29	3	53
30 or older	4	13
Refused	8	36
Don't Know	9	44
Inapplicable	.	5321
		5586

ABNPAP5	
LABEL	FC-5 Has R had abnormal Pap test last 5 years
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had a Pap test (FA-3B PAP12 = 1 or FC-2 LASTPAP NE 6)
LENGTH	8
VARNUM	106

Section F

ABNPAP5: Distribution	Value	n
Yes	1	659
No	5	3467
No Pap test in past 5 years	6	218
Refused	8	41
Don't Know	9	22
Inapplicable	.	1179
		5586

PELWPAP	
LABEL	FD-1 Was pelvic exam at same time as Pap test
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had a pelvic exam (FA-3C PELVIC12 = 1) and a Pap test in the past 12 months (FA-3B PAP12 = 1)
LENGTH	8
VARNUM	107

PELWPAP: Distribution	Value	n
Yes	1	1984
No	5	124
Refused	8	4
Don't know	9	4
Inapplicable	.	3470
		5586

LASTPEL	
LABEL	FD-2 Timing of R's last pelvic exam
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not report a pelvic pelvic exam in the past 12 months (FA-3C PELVIC12 = 5 or DK/RF) or if last pelvic exam was not done at the same time as the last Pap test (FD-1 PELWPAP = 5)
LENGTH	8
VARNUM	108

LASTPEL: Distribution	Value	n
A year ago or less	1	562
More than 1 year ago but not more than 2 years	2	663
More than 2 years ago but not more than 3 years	3	453
More than 3 years ago but not more than 5 years	4	324
Over 5 years ago	5	236
Never had pelvic exam	6	1266
Refused	8	48
Don't Know	9	49
Inapplicable	.	1985
		5586

MREASPEL	
LABEL	FD-3 Main reason for Rs last pelvic exam
VARIABLE TYPE	raw
UNIVERSE	Applicable if ever had a pelvic exam (FA-3C PELVIC12 = 1 or FD-2 LASTPEL NE 6)
LENGTH	8
VARNUM	109

MREASPEL: Distribution	Value	n
Part of a routine exam	1	3759
Because of a medical problem	2	262
Other reason	3	221
Refused	8	49
Don't Know	9	28
Inapplicable	.	1267
		5586

Section F

AGEFPEL	
LABEL	FD-4 Age at 1st pelvic exam (top- and bottom-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if ever had a pelvic exam (FA-3C PELVIC12 = 1 or FD-2 LASTPEL NE 6)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	110

AGEFPEL: Distribution	Value	n
12 or younger	12	76
13	13	108
14	14	160
15	15	273
16	16	459
17	17	275
18	18	805
19	19	258
20	20	267
21	21	369
22	22	190
23	23	131
24	24	88
25	25	141
26	26	71
27	27	57
28	28	37
29	29	45
30	30	68
31	31	19
32	32	21
33	33	14
34	34	22
35	35	23
36	36	5
37	37	8
38	38	7
39	39	5
40 or older	40	44
Refused	98	57
Don't know	99	216
Inapplicable	.	1267
		5586

AGEPEL2	
LABEL	FD-4a Follow up age at 1st pelvic exam
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had a pelvic exam (FA-3C PELVIC12 = 1 or FD-2 LASTPEL NE 6) and did not report her age at first pelvic exam (FD-4 AGEFPEL = DK/RF)
LENGTH	8
VARNUM	111

AGEPEL2: Distribution	Value	n
Younger than 18	1	46
18-21	2	75
22-29	3	38
30 or older	4	13
Refused	8	46
Don't Know	9	55
Inapplicable	.	5313
		5586

Section F

EVHPVTST	
LABEL	FE-2 R ever had HPV test
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	112

EVHPVTST: Distribution	Value	n
Yes	1	2406
No	5	2977
Refused	8	43
Don't know	9	159
Inapplicable	.	1
		5586

HPVWPAP	
LABEL	FE-3 Was HPV test at same time as Pap test
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had an HPV test (FE-2 EVHPVTST=1) and a pap test in the past 12 months (FA-3B PAP12 = 1)
LENGTH	8
VARNUM	113

HPVWPAP: Distribution	Value	n
Yes	1	1068
No	5	307
Don't know	9	25
Inapplicable	.	4186
		5586

LASTHPV	
LABEL	FE-4 Timing of R's last HPV test
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had an HPV test or if refused or don't know if had an HPV test (FF-2 EVHPVTST=1, 8, 9)
LENGTH	8
VARNUM	114

LASTHPV: Distribution	Value	n
A year ago or less	1	114
More than 1 year ago but not more than 2 years	2	244
More than 2 years ago but not more than 3 years	3	218
More than 3 years ago but not more than 5 years	4	222
Over 5 years ago	5	504
Don't Know	9	36
Inapplicable	.	4248
		5586

MREASHPV	
LABEL	FE-5 Main reason for Rs last HPV test
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had an HPV test (FE-2 EVHPVTST=1)
LENGTH	8
VARNUM	115

MREASHPV: Distribution	Value	n
Part of a routine exam	1	2117
Because of a medical problem	2	145
Other reason	3	136
Don't Know	9	8
Inapplicable	.	3180
		5586

Section F

AGEFHPV	
LABEL	FE-6 Age of 1st HPV test (top- and bottom-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had an HPV test (FE-2 EVHPVTST = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	116

AGEFHPV: Distribution	Value	n
13 or younger	13	45
14	14	37
15	15	91
16	16	166
17	17	84
18	18	323
19	19	118
20	20	184
21	21	235
22	22	114
23	23	84
24	24	60
25	25	141
26	26	68
27	27	43
28	28	37
29	29	28
30	30	91
31	31	25
32	32	22
33	33	20
34	34	21
35	35	40
36	36	16
37	37	16
38	38	16
39	39	9
40 or older	40	73
Refused	98	9
Don't know	99	190
Inapplicable	.	3180
		5586

AGEFHPV2	
LABEL	FE-6a Follow up age at 1st HPV test
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever had an HPV test (FE-2 EVHPVTST=1) and did not report her age at first HPV test (FE-5a AGEFHPV = DK/RF)
LENGTH	8
VARNUM	117

AGEFHPV2: Distribution	Value	n
Younger than 18	1	13
18-21	2	51
22-29	3	64
30 or older	4	22
Refused	8	3
Don't Know	9	46
Inapplicable	.	5387
		5586

SELFTEST	
LABEL	FE-7 preference of self-test for HPV test
VARIABLE TYPE	raw
UNIVERSE	Applicable of all respondents.

Section F

SELFTEST	
LENGTH	8
VARNUM	118

SELFTEST: Distribution	Value	n
Yes	1	2327
No	5	1540
No preference	6	1640
Refused	8	44
Don't Know	9	34
Inapplicable	.	1
		5586

SELFTEST2	
LABEL	FE-8 Self-test for HPV test prefer at home or doctor's office
VARIABLE TYPE	raw
UNIVERSE	Applicable if said yes or no preference to prefering doing self HPV test (FE-7 SELFTEST=1,6)
LENGTH	8
VARNUM	119

SELFTEST2: Distribution	Value	n
Home	1	2001
Doctors office	2	620
No preference	3	1332
Refused	8	7
Don't Know	9	7
Inapplicable	.	1619
		5586

ASKSMOKE	
LABEL	FF-2 Provider asked R whether smoke cigarettes or other tobacco
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	120

ASKSMOKE: Distribution	Value	n
Yes	1	4281
No	5	1266
Refused	8	26
Don't know	9	12
Inapplicable	.	1
		5586

ASKPREG	
LABEL	FF-3 Provider asked R whether wanted to get pregnant
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	121

ASKPREG: Distribution	Value	n
Yes	1	1700
No	5	3841
Refused	8	27
Don't know	9	17
Inapplicable	.	1
		5586

ASKFOLIC	
LABEL	FF-4 Provider advised R to take vitamin with folic acid
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	122

Section F

ASKFOLIC: Distribution	Value	n
Yes	1	907
No	5	4626
Refused	8	26
Don't know	9	26
Inapplicable	.	1
		5586

TALKDM	
LABEL	FF-5 At visits last 12 months doctor talked using condom & female method
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	123

TALKDM: Distribution	Value	n
Yes	1	708
No	5	4824
Refused	8	32
Don't know	9	21
Inapplicable	.	1
		5586

PROVRESP	
LABEL	FG-1 In past 12 months rate provider on respecting you as a person
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a method of birth control or counseling about a method (FA-1A BTHCON12 = 1 or FA-1B MEDTST12 = 1 or FA-1C BCCNS12 = 1 or FA-1D STEROP12 = 1 or FA-1E STCNS12 = 1 or FA-1F EMCON12 = 1 or FA-1G ECCNS12 = 1)
LENGTH	8
VARNUM	124

PROVRESP: Distribution	Value	n
Poor	1	13
Fair	2	77
Good	3	297
Very good	4	440
Excellent	5	1226
Refused	8	4
Don't Know	9	6
Inapplicable	.	3523
		5586

PROVSAYBC	
LABEL	FG-2 In past 12 months rate provider on letting you say what mattered re birth control
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a method of birth control or counseling about a method (FA-1A BTHCON12 = 1 or FA-1B MEDTST12 = 1 or FA-1C BCCNS12 = 1 or FA-1D STEROP12 = 1 or FA-1E STCNS12 = 1 or FA-1F EMCON12 = 1 or FA-1G ECCNS12 = 1)
LENGTH	8
VARNUM	125

PROVSAYBC: Distribution	Value	n
Poor	1	23
Fair	2	103
Good	3	317
Very good	4	442
Excellent	5	1168
Refused	8	3
Don't Know	9	7
Inapplicable	.	3523
		5586

Section F

PROVPREBC	
LABEL	FG-3 In past 12 months rate provider on taking preference seriously re birth control
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a method of birth control or counseling about a method (FA-1A BTHCON12 = 1 or FA-1B MEDTST12 = 1 or FA-1C BCCNS12 = 1 or FA-1D STEROP12 = 1 or FA-1E STCNS12 = 1 or FA-1F EMCON12 = 1 or FA-1G ECCNS12 = 1)
LENGTH	8
VARNUM	126

PROVPREBC: Distribution	Value	n
Poor	1	34
Fair	2	85
Good	3	304
Very good	4	421
Excellent	5	1207
Refused	8	3
Don't Know	9	9
Inapplicable	.	3523
		5586

PROVINFOBC	
LABEL	FG-4 In past 12 months rate provider on giving enough info to make best decision re birth control
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving a method of birth control or counseling about a method (FA-1A BTHCON12 = 1 or FA-1B MEDTST12 = 1 or FA-1C BCCNS12 = 1 or FA-1D STEROP12 = 1 or FA-1E STCNS12 = 1 or FA-1F EMCON12 = 1 or FA-1G ECCNS12 = 1)
LENGTH	8
VARNUM	127

PROVINFOBC: Distribution	Value	n
Poor	1	43
Fair	2	106
Good	3	336
Very good	4	440
Excellent	5	1130
Refused	8	3
Don't Know	9	5
Inapplicable	.	3523
		5586

Section G

Section G

RWANT	
LABEL	GA-1 R wants a(another) baby at some time
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	1

RWANT: Distribution	Value	n
Yes	1	2474
No	5	2945
Refused	8	34
Don't know	9	132
Inapplicable	.	1
		5586

PROBWANT	
LABEL	GA-1a R prob wants/does not want a(another) baby at some time
VARIABLE TYPE	raw
UNIVERSE	Applicable if R said "don't know" to wanting (more) children (GA-1 RWANT=DK)
LENGTH	8
VARNUM	2

PROBWANT: Distribution	Value	n
Probably want	1	54
Probably do not want	2	34
Refused	8	1
Don't Know	9	43
Inapplicable	.	5454
		5586

PWANT	
LABEL	GA-2 R's H/P wants a(another) baby at some time
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married or cohabiting (RMARIT =1 or 2)
LENGTH	8
VARNUM	3

PWANT: Distribution	Value	n
Definitely yes	1	720
Probably yes	2	353
Probably no	3	452
Definitely no	4	1128
Refused	8	13
Don't Know	9	20
Inapplicable	.	2900
		5586

JINTEND	
LABEL	GB-1 R & H/P intend to have a(another) baby at some time
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married or cohabiting and both partners are physically able to have children (RMARIT =1 or 2 and rstrstat =0 and pstrstat =0)
NOTES	Use recode INTENT
LENGTH	8
VARNUM	4

JINTEND: Distribution	Value	n
Yes	1	764
No	5	1030
Refused	8	12
Don't know	9	42
Inapplicable	.	3738
		5586

Section G

JSUREINT	
LABEL	GB-2 How sure R & H/P will/will not have a(nother) baby
VARIABLE TYPE	raw
UNIVERSE	Applicable if R said they intend or do not intend to have (more) children (GB-1 JINTEND =1 or 5)
LENGTH	8
VARNUM	5

JSUREINT: Distribution	Value	n
Very sure	1	1048
Somewhat sure	2	572
Not at all sure	3	171
Don't Know	9	3
Inapplicable	.	3792
		5586

JINTENDN	
LABEL	GB-3 How many (more) babies R and H/P intend
VARIABLE TYPE	raw
UNIVERSE	Applicable if R said they intend to have (more) children (GB-1 JINTEND =1)
LENGTH	8
VARNUM	6

JINTENDN: Distribution	Value	n
0	0	3
1	1	338
2	2	312
3	3	79
4	4	15
5	5	1
6	6	1
7	7	1
8	8	3
Refused	98	2
Don't know	99	9
Inapplicable	.	4822
		5586

JEXPECTL	
LABEL	GB-4 Largest number of (additional) babies R and H/P intend
VARIABLE TYPE	raw
UNIVERSE	Applicable if R does not know if they intend to have (more) children or R does not know how many (more) children they intend to have (GB-1 JINTEND =DK or GB-3 JINTENDN =DK)
LENGTH	8
VARNUM	7

JEXPECTL: Distribution	Value	n
0	0	1
1	1	26
2	2	8
3	3	4
5	5	1
Refused	98	2
Don't know	99	9
Inapplicable	.	5535
		5586

JEXPECTS	
LABEL	GB-5 Smallest number of (additional) babies R and H/P intend
VARIABLE TYPE	raw
UNIVERSE	Applicable if R said that the largest number of (additional) children they intend is one or more (GB-4 JEXPECTL >0)
LENGTH	8
VARNUM	8

Section G

JEXPECTS: Distribution	Value	n
0	0	19
1	1	19
Refused	98	3
Don't know	99	6
Inapplicable	.	5539
		5586

JINTNEXT	
LABEL	GB-6 When R and H/P expect 1st/next child to be born
VARIABLE TYPE	raw
UNIVERSE	Applicable if R intends to or does not know if they intend to have (more) children (GB-2 JINTEND =1 or DK) OR if R does not know the number of children they intend to have (GB-3 JINTENDN =DK)
LENGTH	8
VARNUM	9

JINTNEXT: Distribution	Value	n
Within the next 2 years	1	421
2-5 years from now	2	294
More than 5 years from now	3	67
Refused	8	3
Don't Know	9	20
Inapplicable	.	4781
		5586

INTEND	
LABEL	GC-1 R intends to have a(another) baby at some time
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is not married or cohabiting and is able to have children and reported yes or don't know to wanting (more) children (rmarit NE 1 or 2 and rstrstat = 0 and GA-1 RWANT =1 or DK)
NOTES	Use recode INTENT
LENGTH	8
VARNUM	10

INTEND: Distribution	Value	n
Yes	1	1124
No	5	195
Refused	8	4
Don't know	9	46
Inapplicable	.	4217
		5586

SUREINT	
LABEL	GC-2 How sure R will/ will not have a(another) baby
VARIABLE TYPE	raw
UNIVERSE	Applicable if R intends or does not intend to have (more) children (GC-1 INTEND =1 or 5)
LENGTH	8
VARNUM	11

SUREINT: Distribution	Value	n
Very sure	1	510
Somewhat sure	2	585
Not at all sure	3	211
Don't Know	9	13
Inapplicable	.	4267
		5586

INTENDN	
LABEL	GC-3 Number of (more) babies R intends
VARIABLE TYPE	raw
UNIVERSE	Applicable if R intends to have (more) children (GC-1 INTEND =1)
LENGTH	8
VARNUM	12

Section G

INTENDN: Distribution	Value	n
0	0	1
1	1	280
2	2	542
3	3	204
4	4	59
5	5	11
6	6	2
7	7	1
8	8	1
9	9	1
11	11	1
Refused	98	6
Don't know	99	15
Inapplicable	.	4462
		5586

EXPECTL	
LABEL	GC-4 Largest number of (additional) babies R intends
VARIABLE TYPE	raw
UNIVERSE	Applicable if R doesn't know if she intends to have (more) children or does not know the number of (additional) children she intends to have(GC-1 INTEND =DK or GC-3 INTENDN =DK)
LENGTH	8
VARNUM	13

EXPECTL: Distribution	Value	n
0	0	1
1	1	19
2	2	16
3	3	4
4	4	5
6	6	1
9	9	1
Don't know	99	14
Inapplicable	.	5525
		5586

EXPECTS	
LABEL	GC-5 Smallest number of (additional) babies R intends
VARIABLE TYPE	raw
UNIVERSE	Applicable if R said that the largest number of (additional) children she intends is one or more (GC-4 EXPECTL >0)
LENGTH	8
VARNUM	14

EXPECTS: Distribution	Value	n
0	0	15
1	1	25
2	2	5
Don't know	99	13
Inapplicable	.	5528
		5586

INTNEXT	
LABEL	GC-6 When R expects her 1st/next child to be born
VARIABLE TYPE	raw
UNIVERSE	Applicable if R intends to or does not know if she intends to have (more) children (GC-1 INTEND =1 or DK) or if R does not know the number of children she intends to have (GC-3 INTENDN =DK)
LENGTH	8
VARNUM	15

INTNEXT: Distribution	Value	n
Within the next 2 years	1	139
2-5 years from now	2	409
More than 5 years from now	3	593
Refused	8	2

Section G

INTNEXT: Distribution	Value	n
Don't Know	9	26
Inapplicable	.	4417
		5586

Section H

Section H

HLPPRG	
LABEL	HA-1 Ever Received Medical Help to Get Pregnant
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age_r >= 18)
LENGTH	8
VARNUM	1

HLPPRG: Distribution	Value	n
Yes	1	531
No	5	4664
Refused	8	40
Don't know	9	11
Inapplicable	.	340
		5586

SEEKCURR	
LABEL	HA-2 Sought medical help to get pregnant in current union
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any medical help to become pregnant (HA-1 HLPPRG = 1), and R is currently married, cohabiting, or separated from a man (RMARIT = 1 or 2 or FMARIT = 4) or married or cohabiting with a woman (ssmarcoh = 1 or 2).
LENGTH	8
VARNUM	2

SEEKCURR: Distribution	Value	n
Yes	1	356
No	5	79
Inapplicable	.	5151
		5586

TYPALLPG_1	
LABEL	HA-3 Infertility Services Received - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever seeking any medical help to get pregnant (HA-1 HLPPRG = 1)
LENGTH	8
VARNUM	3

TYPALLPG_1: Distribution	Value	n
Infertility testing on you	1	296
Infertility testing on your husband or male partner	2	45
Drugs to improve your ovulation	3	30
Surgery to correct blocked tubes	4	5
Artificial insemination	5	6
In vitro fertilization (IVF) or other assisted reproductive technology (ART)	6	13
Surgery or drug treatment for endometriosis	7	8
Surgery or drug treatment for uterine fibroids	8	8
Other medical help for you to become pregnant	9	72
Refused	98	14
Don't Know	99	34
Inapplicable	.	5055
		5586

TYPALLPG_2	
LABEL	HA-3 Infertility Services Received - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable of R reported ever seeking more than 1 type of medical help to get pregnant (see HA-3 TYPALLPG_1)
LENGTH	8
VARNUM	4

Section H

TYPALLPG_2: Distribution	Value	n
Infertility testing on you	1	26
Infertility testing on your husband or male partner	2	211
Drugs to improve your ovulation	3	44
Surgery to correct blocked tubes	4	3
Artificial insemination	5	5
In vitro fertilization (IVF) or other assisted reproductive technology (ART)	6	4
Surgery or drug treatment for endometriosis	7	4
Surgery or drug treatment for uterine fibroids	8	2
Other medical help for you to become pregnant	9	7
Inapplicable	.	5280
		5586

TYPALLPG_3	
LABEL	HA-3 Infertility Services Received - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable of R reported ever seeking more than 2 types of medical help to get pregnant (see HA-3 TYPALLPG_1)
LENGTH	8
VARNUM	5

TYPALLPG_3: Distribution	Value	n
Infertility testing on you	1	6
Infertility testing on your husband or male partner	2	4
Drugs to improve your ovulation	3	146
Surgery to correct blocked tubes	4	8
Artificial insemination	5	18
In vitro fertilization (IVF) or other assisted reproductive technology (ART)	6	9
Surgery or drug treatment for endometriosis	7	6
Surgery or drug treatment for uterine fibroids	8	5
Other medical help for you to become pregnant	9	18
Inapplicable	.	5366
		5586

TYPALLPG_4	
LABEL	HA-3 Infertility Services Received - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable of R reported ever seeking more than 3 types of medical help to get pregnant (see HA-3 TYPALLPG_1)
LENGTH	8
VARNUM	6

TYPALLPG_4: Distribution	Value	n
Infertility testing on your husband or male partner	2	1
Surgery to correct blocked tubes	4	13
Artificial insemination	5	62
In vitro fertilization (IVF) or other assisted reproductive technology (ART)	6	32
Surgery or drug treatment for endometriosis	7	8
Surgery or drug treatment for uterine fibroids	8	10
Other medical help for you to become pregnant	9	14
Inapplicable	.	5446
		5586

TYPALLPG_5	
LABEL	HA-3 Infertility Services Received - 5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable of R reported ever seeking more than 4 types of medical help to get pregnant (see HA-3 TYPALLPG_1)
LENGTH	8
VARNUM	7

Section H

TYPALLPG_5: Distribution	Value	n
Infertility testing on you	1	1
Drugs to improve your ovulation	3	2
Artificial insemination	5	8
In vitro fertilization (IVF) or other assisted reproductive technology (ART)	6	31
Surgery or drug treatment for endometriosis	7	11
Surgery or drug treatment for uterine fibroids	8	2
Other medical help for you to become pregnant	9	12
Inapplicable	.	5519
		5586

TYPALLPG_6	
LABEL	HA-3 Infertility Services Received - 6th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable of R reported ever seeking more than 5 types of medical help to get pregnant (see HA-3 TYPALLPG_1)
LENGTH	8
VARNUM	8

TYPALLPG_6: Distribution	Value	n
Infertility testing on your husband or male partner	2	1
In vitro fertilization (IVF) or other assisted reproductive technology (ART)	6	4
Surgery or drug treatment for endometriosis	7	4
Surgery or drug treatment for uterine fibroids	8	8
Other medical help for you to become pregnant	9	3
Inapplicable	.	5566
		5586

TYPALLPG_7	
LABEL	HA-3 Infertility Services Received - 7th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable of R reported ever seeking more than 6 types of medical help to get pregnant (see HA-3 TYPALLPG_1)
LENGTH	8
VARNUM	9

TYPALLPG_7: Distribution	Value	n
Drugs to improve your ovulation	3	1
Surgery or drug treatment for endometriosis	7	2
Other medical help for you to become pregnant	9	4
Inapplicable	.	5579
		5586

TYPALLPG_8	
LABEL	HA-3 Infertility Services Received - 8th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable of R reported ever seeking more than 7 types of medical help to get pregnant (see HA-3 TYPALLPG_1)
LENGTH	8
VARNUM	10

TYPALLPG_8: Distribution	Value	n
Infertility testing on your husband or male partner	2	1
Surgery or drug treatment for uterine fibroids	8	1
Inapplicable	.	5584
		5586

TYPALLPG_9	
LABEL	HA-3 Infertility Services Received - 9th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable of R reported ever seeking more than 8 types of medical help to get pregnant (see HA-3 TYPALLPG_1)
LENGTH	8
VARNUM	11

Section H

TYPALLPG_9: Distribution	Value	n
Other medical help for you to become pregnant	9	1
Inapplicable	.	5585
		5586

OVUL12M	
LABEL	HA-4 Ovulation-inducing drugs used within past year
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever using ovulation drugs (HA-3 TYPALLPG_1 -_9 includes code 3)
LENGTH	8
VARNUM	12

OVUL12M: Distribution	Value	n
Yes	1	40
No	5	183
Inapplicable	.	5363
		5586

INSEM12M	
LABEL	HA-5b2 Artificial insemination within past year
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever having artificial insemination (HA-3 TYPALLPG_1 -_9 includes code 5)
LENGTH	8
VARNUM	13

INSEM12M: Distribution	Value	n
Yes	1	20
No	5	79
Inapplicable	.	5487
		5586

INSCOVPG	
LABEL	HA-6 Any Costs of Infertility Services Covered by Insurance
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever seeking any medical help to get pregnant (HA-1 HLPPRG = 1)
LENGTH	8
VARNUM	14

INSCOVPG: Distribution	Value	n
Yes	1	378
No	5	148
Refused	8	1
Don't know	9	4
Inapplicable	.	5055
		5586

FRSTHELP	
LABEL	HA-7 Age first went for medical help to get pregnant
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever seeking any medical help to get pregnant (HA-1 HLPPRG = 1)
LENGTH	8
VARNUM	15

FRSTHELP: Distribution	Value	n
Under 20 years	0-19	18
20-24 years	20-24	59
25-29 years	25-29	146
30-34 years	30-34	155
35-39 years	35-39	104
40-49 years	40-49	35
Refused	98	5
Don't Know	99	9
Inapplicable	.	5055
		5586

Section H

TRYLONG2	
LABEL	HA-8 How long tried to get pregnant before first went for medical help
VARIABLE TYPE	raw
UNIVERSE	Applicable if R sought medical help to become pregnant with current husband or male cohabiting partner (HA-2 SEEKCURR = 1 and ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	16

TRYLONG2: Distribution	Value	n
0	0	22
1	1	87
2	2	61
3	3	35
4	4	18
5	5	20
6	6	42
7	7	9
8	8	9
9	9	9
10	10	8
11	11	3
12	12	12
13	13	3
14	14	4
18	18	4
30	30	1
32	32	1
Refused	98	1
Don't know	99	3
Inapplicable	.	5234
		5586

UNIT_TRYLONG2	
LABEL	HA-8 Unit (months/years) for how long tried to get pregnant before first went for medical help
VARIABLE TYPE	raw
UNIVERSE	Applicable if R sought medical help to become pregnant with current husband or male cohabiting partner (HA-2 SEEKCURR = 1 and ssmarcoh NE 1 or 2)
LENGTH	8
VARNUM	17

UNIT_TRYLONG2: Distribution	Value	n
Months	1	138
Years	5	208
Refused	8	3
Don't Know	9	3
Inapplicable	.	5234
		5586

HLPPGNOW	
LABEL	HA-9 R Currently Pursuing Medical Help to Get Pregnant
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever seeking any medical help to get pregnant (HA-1 HLPPRG = 1) and R is not currently pregnant (currpreg NE 1)
LENGTH	8
VARNUM	18

HLPPGNOW: Distribution	Value	n
Yes	1	88
No	5	413
Don't know	9	1
Inapplicable	.	5084
		5586

Section H

LASTHELP	
LABEL	HA-10 Most recent visit for medical help to become pregnant was within past 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's age at first visit for medical help getting pregnant (HA-7 FRSTHELP) was not within 1 year of current age
LENGTH	8
VARNUM	19

LASTHELP: Distribution	Value	n
Yes	1	46
No	5	364
Don't know	9	2
Inapplicable	.	5174
		5586

HLPMC	
LABEL	HB-1 Ever Received Medical Help To Prevent Miscarriage
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (rhadsex = 1) or is 18 years or older (age_r >= 18)
LENGTH	8
VARNUM	20

HLPMC: Distribution	Value	n
Yes	1	256
No	5	4925
Refused	8	39
Don't know	9	12
Inapplicable	.	354
		5586

TYPALLMC_1	
LABEL	HB-2 Miscarriage services received - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever receiving miscarriage services (HB-1 HLPMC = 1)
LENGTH	8
VARNUM	21

TYPALLMC_1: Distribution	Value	n
Instructions to take complete bed rest	1	65
Instructions to limit your physical activity	2	42
Testing to diagnose problems related to miscarriage	3	64
Drugs to prevent miscarriage, such as progesterone suppositories	4	34
Stitches in your cervix, also known as the "purse-string" procedure	5	2
Other types of medical help	6	35
Refused	8	7
Don't Know	9	7
Inapplicable	.	5330
		5586

TYPALLMC_2	
LABEL	HB-2 Miscarriage services received - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever receiving more than 1 type of miscarriage services (see HB-2 TYPALLMC_1)
LENGTH	8
VARNUM	22

TYPALLMC_2: Distribution	Value	n
Instructions to take complete bed rest	1	10
Instructions to limit your physical activity	2	53
Testing to diagnose problems related to miscarriage	3	12
Drugs to prevent miscarriage, such as progesterone suppositories	4	30

Section H

TYPALLMC_2: Distribution	Value	n
Stitches in your cervix, also known as the "purse-string" procedure	5	1
Other types of medical help	6	10
Inapplicable	.	5470
		5586

TYPALLMC_3	
LABEL	HB-2 Miscarriage services received - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever receiving more than 2 types of miscarriage services (see HB-2 TYPALLMC_1)
LENGTH	8
VARNUM	23

TYPALLMC_3: Distribution	Value	n
Instructions to take complete bed rest	1	2
Instructions to limit your physical activity	2	5
Testing to diagnose problems related to miscarriage	3	18
Drugs to prevent miscarriage, such as progesterone suppositories	4	16
Stitches in your cervix, also known as the "purse-string" procedure	5	1
Other types of medical help	6	6
Inapplicable	.	5538
		5586

TYPALLMC_4	
LABEL	HB-2 Miscarriage services received - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever receiving more than 3 types of miscarriage services (see HB-2 TYPALLMC_1)
LENGTH	8
VARNUM	24

TYPALLMC_4: Distribution	Value	n
Instructions to take complete bed rest	1	1
Instructions to limit your physical activity	2	2
Testing to diagnose problems related to miscarriage	3	2
Drugs to prevent miscarriage, such as progesterone suppositories	4	10
Other types of medical help	6	3
Inapplicable	.	5568
		5586

TYPALLMC_5	
LABEL	HB-2 Miscarriage services received - 5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever receiving more than 4 types of miscarriage services (see HB-2 TYPALLMC_1)
LENGTH	8
VARNUM	25

TYPALLMC_5: Distribution	Value	n
Stitches in your cervix, also known as the "purse-string" procedure	5	1
Other types of medical help	6	3
Inapplicable	.	5582
		5586

MISCNUM	
LABEL	HB-3 Number of Miscarriages Before First Visit for Miscarriage Services (top-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever receiving miscarriage services (HB-1 HLPMC = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.

Section H

MISCNUM	
LENGTH	8
VARNUM	26

MISCNUM: Distribution	Value	n
0	0	112
1	1	79
2	2	44
3 or more	3	16
Refused	98	1
Don't know	99	4
Inapplicable	.	5330
		5586

INFRTPRB_1	
LABEL	HB-4 Ever Told You Had Any Infertility Problems - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever receiving medical help to become pregnant or to prevent miscarriage (HA-1 HLPPRG = 1 or HB-1 HLPMC = 1)
LENGTH	8
VARNUM	27

INFRTPRB_1: Distribution	Value	n
Problems with ovulation or ovarian function	1	123
Blocked or damaged fallopian tubes	2	26
Uterine problems (structural or functional)	3	16
Endometriosis	4	37
Semen or sperm problems	5	59
Any other infertility problems	6	38
No infertility problems found	7	355
Refused	98	6
Don't Know	99	14
Inapplicable	.	4912
		5586

INFRTPRB_2	
LABEL	HB-4 Ever Told You Had Any Infertility Problems - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported having more than 1 infertility problem (see HB-4 INFRTPRB_1)
LENGTH	8
VARNUM	28

INFRTPRB_2: Distribution	Value	n
Problems with ovulation or ovarian function	1	11
Blocked or damaged fallopian tubes	2	17
Uterine problems (structural or functional)	3	7
Endometriosis	4	18
Semen or sperm problems	5	22
Any other infertility problems	6	28
Inapplicable	.	5483
		5586

INFRTPRB_3	
LABEL	HB-4 Ever Told You Had Any Infertility Problems - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported having more than 2 infertility problems (see HB-4 INFRTPRB_1)
LENGTH	8
VARNUM	29

INFRTPRB_3: Distribution	Value	n
Problems with ovulation or ovarian function	1	3
Uterine problems (structural or functional)	3	2
Endometriosis	4	5
Semen or sperm problems	5	5
Any other infertility problems	6	11

Section H

INFRTPRB_3: Distribution	Value	n
Inapplicable	.	5560
		5586

INFRTPRB_4	
LABEL	HB-4 Ever Told You Had Any Infertility Problems - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported having more than 3 infertility problems (see HB-4 INFRTPRB_1)
LENGTH	8
VARNUM	30

INFRTPRB_4: Distribution	Value	n
Problems with ovulation or ovarian function	1	1
Semen or sperm problems	5	2
Any other infertility problems	6	4
Inapplicable	.	5579
		5586

INFRTPRB_5	
LABEL	HB-4 Ever Told You Had Any Infertility Problems - 5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported having more than 4 infertility problems (see HB-4 INFRTPRB_1)
LENGTH	8
VARNUM	31

INFRTPRB_5: Distribution	Value	n
Semen or sperm problems	5	1
Inapplicable	.	5585
		5586

DUCHFREQ	
LABEL	HC-1 How often R douched in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	32

DUCHFREQ: Distribution	Value	n
Never	1	5035
Once a month or less often	2	293
Twice a month or more often	3	153
Refused	8	68
Don't Know	9	36
Inapplicable	.	1
		5586

PID	
LABEL	HC-2 Has R Ever Been Treated For PID
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	33

PID: Distribution	Value	n
Yes	1	144
No	5	5384
Refused	8	44
Don't know	9	13
Inapplicable	.	1
		5586

Section H

PIDSYMPT	
LABEL	HC-3 Was R Having Any Symptoms that Prompted PID Treatment
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported either ever being treated for PID or not knowing if she was ever treated for PID (HC-1 PID = 1 or DK)
LENGTH	8
VARNUM	34

PIDSYMPT: Distribution	Value	n
Yes	1	120
No	5	29
Refused	8	2
Don't know	9	6
Inapplicable	.	5429
		5586

PIDTX	
LABEL	HC-4 Number of Times R was Treated For PID (top-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever being treated for PID (HC-1 PID = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	35

PIDTX: Distribution	Value	n
1	1	99
2	2	18
3 or more	3	21
Refused	98	1
Don't know	99	5
Inapplicable	.	5442
		5586

WHENPID	
LABEL	HC-5 How long ago was last treatment For PID
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever being treated for PID (HC-1 PID = 1)
LENGTH	8
VARNUM	36

WHENPID: Distribution	Value	n
Within past 12 months	1	20
More than a year ago, but less than 5 years ago	2	42
5 years or longer ago	3	80
Refused	8	1
Don't Know	9	1
Inapplicable	.	5442
		5586

DIABETES	
LABEL	HC-6 Diabetes: Ever Diagnosed
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	37

DIABETES: Distribution	Value	n
Yes	1	389
No	5	5140
Refused	8	37
Don't know	9	19
Inapplicable	.	1
		5586

Section H

GESTDIAB	
LABEL	HC-7 Had diabetes during pregnancy, outside pregnancy, or both
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was ever pregnant and reported diabetes (everpreg = 1 and HC-6 DIABETES = 1)
LENGTH	8
VARNUM	38

GESTDIAB: Distribution	Value	n
Only when you were pregnant	1	195
Only at other times	3	40
Both while pregnant and not pregnant	5	81
Inapplicable	.	5270
		5586

UF	
LABEL	HC-8 Uterine Fibroids: Ever Diagnosed
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	39

UF: Distribution	Value	n
Yes	1	385
No	5	5149
Refused	8	37
Don't know	9	14
Inapplicable	.	1
		5586

UFSONO	
LABEL	HC-8a Fibroids diagnosis confirmed by ultrasound
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported diagnosis of uterine fibroids (HC-8 UF = 1)
LENGTH	8
VARNUM	40

UFSONO: Distribution	Value	n
Yes	1	357
No	5	26
Don't know	9	2
Inapplicable	.	5201
		5586

UFCURR	
LABEL	HC-8b R currently has fibroids
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported diagnosis of uterine fibroids (HC-8 UF = 1)
LENGTH	8
VARNUM	41

UFCURR: Distribution	Value	n
Yes	1	206
No	5	172
Don't know	9	7
Inapplicable	.	5201
		5586

UFDIAGNOS	
LABEL	HC-8c How long ago was R diagnosed with fibroids
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported diagnosis of uterine fibroids (HC-8 UF = 1)
LENGTH	8
VARNUM	42

Section H

UFDIAGNOS: Distribution	Value	n
Less than one year ago	1	47
1-4 years ago	2	138
5-9 years ago	3	101
10 years ago or longer	4	99
Inapplicable	.	5201
		5586

UFLIMIT	
LABEL	HC-8d Limitations due to fibroids
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported diagnosis of uterine fibroids (HC-8 UF = 1)
LENGTH	8
VARNUM	43

UFLIMIT: Distribution	Value	n
Yes	1	211
No	5	173
Don't know	9	1
Inapplicable	.	5201
		5586

UFTREAT_1	
LABEL	HD-8e Treatment received for fibroids - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported diagnosis of uterine fibroids (HC-8 UF = 1)
LENGTH	8
VARNUM	44

UFTREAT_1: Distribution	Value	n
Non-narcotic medicines to treat pain (such as Tylenol, ibuprofen, naproxen)	1	127
Narcotic medicines to treat pain (such as Percocet, Vicodin, Lortab, codeine, oxycodone, oxycontin, fentanyl)	2	10
Hormonal medicines (such as birth control pills, Depo-Provera, danazol, Lupron, Synarel, Zoladex, Relugolix, Elagolix)	3	26
Progesterone releasing IUD or implant (such as Mirena, Skyla, Liletta, Implanon, Nexplanon)	4	12
Hysterectomy	5	33
Other surgery (such as abdominal, laparoscopic or hysteroscopic myomectomy, endometrial ablation)	6	51
Other nonsurgical treatment (such as uterine artery embolization, MRI-guided focused ultrasound surgery)	7	2
Complementary or alternative medicines or treatments (such as herbs, botanicals, dietary supplements, acupuncture, chiropractic or osteopathic manipulation, meditation, relaxation techniques, homeopathy, naturopathy, Ayurvedic or traditional Chinese medicine)	8	3
Never had any of the above treatments for fibroids	9	120
Don't Know	99	1
Inapplicable	.	5201
		5586

UFTREAT_2	
LABEL	HD-8e Treatment received for fibroids - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 1 type of treatment for uterine fibroids (see HC-8e UFTREAT_1)
LENGTH	8
VARNUM	45

UFTREAT_2: Distribution	Value	n
Non-narcotic medicines to treat pain (such as Tylenol, ibuprofen, naproxen)	1	18
Narcotic medicines to treat pain (such as Percocet, Vicodin, Lortab, codeine, oxycodone, oxycontin, fentanyl)	2	18
Hormonal medicines (such as birth control pills, Depo-Provera, danazol, Lupron, Synarel, Zoladex, Relugolix, Elagolix)	3	41
Progesterone releasing IUD or implant (such as Mirena, Skyla, Liletta, Implanon, Nexplanon)	4	10
Hysterectomy	5	19
Other surgery (such as abdominal, laparoscopic or hysteroscopic myomectomy, endometrial ablation)	6	23
Other nonsurgical treatment (such as uterine artery embolization, MRI-guided focused ultrasound surgery)	7	2
Complementary or alternative medicines or treatments (such as herbs, botanicals, dietary supplements, acupuncture, chiropractic or osteopathic manipulation, meditation, relaxation techniques, homeopathy, naturopathy, Ayurvedic or traditional Chinese medicine)	8	4
Inapplicable	.	5451
		5586

UFTREAT_3	
LABEL	HD-8e Treatment received for fibroids - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 2 types of treatment for uterine fibroids (see HC-8e UFTREAT_1)
LENGTH	8
VARNUM	46

UFTREAT_3: Distribution	Value	n
Non-narcotic medicines to treat pain (such as Tylenol, ibuprofen, naproxen)	1	3
Narcotic medicines to treat pain (such as Percocet, Vicodin, Lortab, codeine, oxycodone, oxycontin, fentanyl)	2	2
Hormonal medicines (such as birth control pills, Depo-Provera, danazol, Lupron, Synarel, Zoladex, Relugolix, Elagolix)	3	14
Progesterone releasing IUD or implant (such as Mirena, Skyla, Liletta, Implanon, Nexplanon)	4	9
Hysterectomy	5	11
Other surgery (such as abdominal, laparoscopic or hysteroscopic myomectomy, endometrial ablation)	6	17
Other nonsurgical treatment (such as uterine artery embolization, MRI-guided focused ultrasound surgery)	7	2
Complementary or alternative medicines or treatments (such as herbs, botanicals, dietary supplements, acupuncture, chiropractic or osteopathic manipulation, meditation, relaxation techniques, homeopathy, naturopathy, Ayurvedic or traditional Chinese medicine)	8	7
Inapplicable	.	5521
		5586

UFTREAT_4	
LABEL	HD-8e Treatment received for fibroids - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 3 types of treatment for uterine fibroids (see HC-8e UFTREAT_1)
LENGTH	8
VARNUM	47

UFTREAT_4: Distribution	Value	n
Narcotic medicines to treat pain (such as Percocet, Vicodin, Lortab, codeine, oxycodone, oxycontin, fentanyl)	2	1
Hormonal medicines (such as birth control pills, Depo-Provera, danazol, Lupron, Synarel, Zoladex, Relugolix, Elagolix)	3	2
Progesterone releasing IUD or implant (such as Mirena, Skyla, Liletta, Implanon, Nexplanon)	4	3
Hysterectomy	5	5
Other surgery (such as abdominal, laparoscopic or hysteroscopic myomectomy, endometrial ablation)	6	9
Other nonsurgical treatment (such as uterine artery embolization, MRI-guided focused ultrasound surgery)	7	2
Complementary or alternative medicines or treatments (such as herbs, botanicals, dietary supplements, acupuncture, chiropractic or osteopathic manipulation, meditation, relaxation techniques, homeopathy, naturopathy, Ayurvedic or traditional Chinese medicine)	8	8
Inapplicable	.	5556
		5586

UFTREAT_5	
LABEL	HD-8e Treatment received for fibroids - 5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 4 types of treatment for uterine fibroids (see HC-8e UFTREAT_1)
LENGTH	8
VARNUM	48

UFTREAT_5: Distribution	Value	n
Narcotic medicines to treat pain (such as Percocet, Vicodin, Lortab, codeine, oxycodone, oxycontin, fentanyl)	2	1
Progesterone releasing IUD or implant (such as Mirena, Skyla, Liletta, Implanon, Nexplanon)	4	1
Other surgery (such as abdominal, laparoscopic or hysteroscopic myomectomy, endometrial ablation)	6	3
Other nonsurgical treatment (such as uterine artery embolization, MRI-guided focused ultrasound surgery)	7	1
Inapplicable	.	5580
		5586

UFTREAT_6	
LABEL	HD-8e Treatment received for fibroids - 6th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 5 types of treatment for uterine fibroids (see HC-8e UFTREAT_1)
LENGTH	8
VARNUM	49

UFTREAT_6: Distribution	Value	n
Complementary or alternative medicines or treatments (such as herbs, botanicals, dietary supplements, acupuncture, chiropractic or osteopathic manipulation, meditation, relaxation techniques, homeopathy, naturopathy, Ayurvedic or traditional Chinese medicine)	8	2
Inapplicable	.	5584
		5586

ENDO	
LABEL	HC-9 Endometriosis: Ever Diagnosed
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	50

Section H

ENDO: Distribution	Value	n
Yes	1	294
No	5	5245
Refused	8	38
Don't know	9	8
Inapplicable	.	1
		5586

ENDOCURR	
LABEL	HC-9a R currently has endometriosis
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported diagnosis of endometriosis (HC-9 ENDO = 1)
LENGTH	8
VARNUM	51

ENDOCURR: Distribution	Value	n
Yes	1	164
No	5	122
Don't know	9	8
Inapplicable	.	5292
		5586

ENDODIAG	
LABEL	HC-9b How long ago was R diagnosed with endometriosis
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported diagnosis of endometriosis (HC-9 ENDO = 1)
LENGTH	8
VARNUM	52

ENDODIAG: Distribution	Value	n
Less than one year ago	1	32
1-4 years ago	2	57
5-9 years ago	3	76
10 years ago or longer	4	128
Don't Know	9	1
Inapplicable	.	5292
		5586

ENDOLIM	
LABEL	HC-9c Limitations due to endometriosis
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported diagnosis of endometriosis (HC-9 ENDO = 1)
LENGTH	8
VARNUM	53

ENDOLIM: Distribution	Value	n
Yes	1	219
No	5	75
Inapplicable	.	5292
		5586

ENDOTREAT_1	
LABEL	HC-9d Treatment received for endometriosis - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported diagnosis of endometriosis (HC-9 ENDO = 1)
LENGTH	8
VARNUM	54

Section H

ENDOTREAT_1: Distribution	Value	n
Non-narcotic medicines to treat pain (such as Tylenol, ibuprofen, naproxen)	1	161
Narcotic medicines to treat pain (such as Percocet, Vicodin, Lortab, codeine, oxycodone, oxycontin, fentanyl)	2	8
Hormonal medicines (such as birth control pills, Depo-Provera, danazol, Lupron, Synarel, Zoladex Relugolix, Elagolix)	3	29
Progesterone releasing IUD or implant (such as Mirena, Skyla, Liletta, Implanon, Nexplanon)	4	4
Hysterectomy	5	26
Other surgery (such as laparoscopy)	6	28
Other nonsurgical treatment (such as antidepressants, Neurontin, Lyrica, physical therapy, nerve stimulation)	7	1
Complementary or alternative medicines or treatments (such as herbs, botanicals, dietary supplements, acupuncture, chiropractic or osteopathic manipulation, meditation, relaxation techniques, homeopathy, naturopathy, Ayurvedic or traditional Chinese medicine)	8	1
Never had any of the above treatments for endometriosis	9	35
Don't Know	99	1
Inapplicable	.	5292
		5586

ENDOTREAT_2	
LABEL	HC-9d Treatment received for endometriosis - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 1 type of treatment for endometriosis (see HC-9d ENDOTREAT_1)
LENGTH	8
VARNUM	55

ENDOTREAT_2: Distribution	Value	n
Non-narcotic medicines to treat pain (such as Tylenol, ibuprofen, naproxen)	1	11
Narcotic medicines to treat pain (such as Percocet, Vicodin, Lortab, codeine, oxycodone, oxycontin, fentanyl)	2	40
Hormonal medicines (such as birth control pills, Depo-Provera, danazol, Lupron, Synarel, Zoladex Relugolix, Elagolix)	3	72
Progesterone releasing IUD or implant (such as Mirena, Skyla, Liletta, Implanon, Nexplanon)	4	10
Hysterectomy	5	9
Other surgery (such as laparoscopy)	6	11
Other nonsurgical treatment (such as antidepressants, Neurontin, Lyrica, physical therapy, nerve stimulation)	7	2
Complementary or alternative medicines or treatments (such as herbs, botanicals, dietary supplements, acupuncture, chiropractic or osteopathic manipulation, meditation, relaxation techniques, homeopathy, naturopathy, Ayurvedic or traditional Chinese medicine)	8	6
Inapplicable	.	5425
		5586

ENDOTREAT_3	
LABEL	HC-9d Treatment received for endometriosis - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 2 types of treatment for endometriosis (see HC-9d ENDOTREAT_1)
LENGTH	8
VARNUM	56

Section H

ENDOTREAT_3: Distribution	Value	n
Non-narcotic medicines to treat pain (such as Tylenol, ibuprofen, naproxen)	1	3
Narcotic medicines to treat pain (such as Percocet, Vicodin, Lortab, codeine, oxycodone, oxycontin, fentanyl)	2	3
Hormonal medicines (such as birth control pills, Depo-Provera, danazol, Lupron, Synarel, Zoladex Relugolix, Elagolix)	3	25
Progesterone releasing IUD or implant (such as Mirena, Skyla, Liletta, Implanon, Nexplanon)	4	17
Hysterectomy	5	10
Other surgery (such as laparoscopy)	6	27
Other nonsurgical treatment (such as antidepressants, Neurontin, Lyrica, physical therapy, nerve stimulation)	7	4
Complementary or alternative medicines or treatments (such as herbs, botanicals, dietary supplements, acupuncture, chiropractic or osteopathic manipulation, meditation, relaxation techniques, homeopathy, naturopathy, Ayurvedic or traditional Chinese medicine)	8	11
Inapplicable	.	5486
		5586

ENDOTREAT_4	
LABEL	HC-9d Treatment received for endometriosis - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 3 types of treatment for endometriosis (see HC-9d ENDOTREAT_1)
LENGTH	8
VARNUM	57

ENDOTREAT_4: Distribution	Value	n
Hormonal medicines (such as birth control pills, Depo-Provera, danazol, Lupron, Synarel, Zoladex Relugolix, Elagolix)	3	2
Progesterone releasing IUD or implant (such as Mirena, Skyla, Liletta, Implanon, Nexplanon)	4	3
Hysterectomy	5	6
Other surgery (such as laparoscopy)	6	17
Other nonsurgical treatment (such as antidepressants, Neurontin, Lyrica, physical therapy, nerve stimulation)	7	3
Complementary or alternative medicines or treatments (such as herbs, botanicals, dietary supplements, acupuncture, chiropractic or osteopathic manipulation, meditation, relaxation techniques, homeopathy, naturopathy, Ayurvedic or traditional Chinese medicine)	8	11
Inapplicable	.	5544
		5586

ENDOTREAT_5	
LABEL	HC-9d Treatment received for endometriosis - 5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 4 types of treatment for endometriosis (see HC-9d ENDOTREAT_1)
LENGTH	8
VARNUM	58

ENDOTREAT_5: Distribution	Value	n
Hysterectomy	5	3
Other surgery (such as laparoscopy)	6	6
Other nonsurgical treatment (such as antidepressants, Neurontin, Lyrica, physical therapy, nerve stimulation)	7	8
Complementary or alternative medicines or treatments (such as herbs, botanicals, dietary supplements, acupuncture, chiropractic or osteopathic manipulation, meditation, relaxation techniques, homeopathy, naturopathy, Ayurvedic or traditional Chinese medicine)	8	5
Inapplicable	.	5564
		5586

ENDOTREAT_6	
LABEL	HC-9d Treatment received for endometriosis - 6th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 5 types of treatment for endometriosis (see HC-9d ENDOTREAT_1)
LENGTH	8
VARNUM	59

ENDOTREAT_6: Distribution	Value	n
Hormonal medicines (such as birth control pills, Depo-Provera, danazol, Lupron, Synarel, Zoladex Relugolix, Elagolix)	3	1
Other surgery (such as laparoscopy)	6	1
Other nonsurgical treatment (such as antidepressants, Neurontin, Lyrica, physical therapy, nerve stimulation)	7	1
Complementary or alternative medicines or treatments (such as herbs, botanicals, dietary supplements, acupuncture, chiropractic or osteopathic manipulation, meditation, relaxation techniques, homeopathy, naturopathy, Ayurvedic or traditional Chinese medicine)	8	5
Inapplicable	.	5578
		5586

ENDOTREAT_7	
LABEL	HC-9d Treatment received for endometriosis - 7th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 6 types of treatment for endometriosis (see HC-9d ENDOTREAT_1)
LENGTH	8
VARNUM	60

ENDOTREAT_7: Distribution	Value	n
Progesterone releasing IUD or implant (such as Mirena, Skyla, Liletta, Implanon, Nexplanon)	4	1
Complementary or alternative medicines or treatments (such as herbs, botanicals, dietary supplements, acupuncture, chiropractic or osteopathic manipulation, meditation, relaxation techniques, homeopathy, naturopathy, Ayurvedic or traditional Chinese medicine)	8	2
Inapplicable	.	5583
		5586

ENDOTREAT_8	
LABEL	HC-9d Treatment received for endometriosis - 8th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported receiving more than 7 types of treatment for endometriosis (see HC-9d ENDOTREAT_1)
LENGTH	8
VARNUM	61

ENDOTREAT_8: Distribution	Value	n
Narcotic medicines to treat pain (such as Percocet, Vicodin, Lortab, codeine, oxycodone, oxycontin, fentanyl)	2	1
Inapplicable	.	5585
		5586

OVUPROB	
LABEL	HC-10 Ovulation/Menstrual Problems: Ever Diagnosed
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	62

Section H

OVUPROB: Distribution	Value	n
Yes	1	652
No	5	4886
Refused	8	39
Don't know	9	8
Inapplicable	.	1
		5586

PCOS	
LABEL	HC-11 R ever told she has polycystic ovarian syndrome
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	63

PCOS: Distribution	Value	n
Yes	1	441
No	5	5086
Refused	8	42
Don't know	9	16
Inapplicable	.	1
		5586

PCOSSYMP_1	
LABEL	HC-11a Basis of R's PCOS diagnosis - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported PCOS diagnosis (HC-11 PCOS = 1)
LENGTH	8
VARNUM	64

PCOSSYMP_1: Distribution	Value	n
Irregular menstrual periods	1	355
Pelvic ultrasound	2	33
Acne	3	10
Body hirsutism (excessive hair growth)	4	12
Blood tests (including measurements of hormones such as FSH/LH, AMH Testosterone, Thyroid stimulating hormone/TSH, or Prolactin)	5	12
Other tests or symptoms	6	5
Difficulty getting pregnant or carrying pregnancy to term	7	9
None of these tests or symptoms	8	5
Inapplicable	.	5145
		5586

PCOSSYMP_2	
LABEL	HC-11a Basis of R's PCOS diagnosis - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 test or symptom used for PCOS diagnosis (see HC-11a PCOSSYMP_1)
LENGTH	8
VARNUM	65

PCOSSYMP_2: Distribution	Value	n
Irregular menstrual periods	1	10
Pelvic ultrasound	2	169
Acne	3	63
Body hirsutism (excessive hair growth)	4	55
Blood tests (including measurements of hormones such as FSH/LH, AMH Testosterone, Thyroid stimulating hormone/TSH, or Prolactin)	5	38
Other tests or symptoms	6	17
Difficulty getting pregnant or carrying pregnancy to term	7	16
Inapplicable	.	5218
		5586

Section H

PCOSSYMP_3	
LABEL	HC-11a Basis of R's PCOS diagnosis - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 tests or symptoms used for PCOS diagnosis (see HC-11a PCOSSYMP_1)
LENGTH	8
VARNUM	66

PCOSSYMP_3: Distribution	Value	n
Irregular menstrual periods	1	2
Pelvic ultrasound	2	13
Acne	3	59
Body hirsutism (excessive hair growth)	4	73
Blood tests (including measurements of hormones such as FSH/LH, AMH Testosterone, Thyroid stimulating hormone/TSH, or Prolactin)	5	75
Other tests or symptoms	6	33
Difficulty getting pregnant or carrying pregnancy to term	7	33
Inapplicable	.	5298
		5586

PCOSSYMP_4	
LABEL	HC-11a Basis of R's PCOS diagnosis - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 3 tests or symptoms used for PCOS diagnosis (see HC-11a PCOSSYMP_1)
LENGTH	8
VARNUM	67

PCOSSYMP_4: Distribution	Value	n
Irregular menstrual periods	1	1
Pelvic ultrasound	2	8
Acne	3	2
Body hirsutism (excessive hair growth)	4	36
Blood tests (including measurements of hormones such as FSH/LH, AMH Testosterone, Thyroid stimulating hormone/TSH, or Prolactin)	5	53
Other tests or symptoms	6	29
Difficulty getting pregnant or carrying pregnancy to term	7	48
Inapplicable	.	5409
		5586

PCOSSYMP_5	
LABEL	HC-11a Basis of R's PCOS diagnosis - 5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 4 tests or symptoms used for PCOS diagnosis (see HC-11a PCOSSYMP_1)
LENGTH	8
VARNUM	68

PCOSSYMP_5: Distribution	Value	n
Pelvic ultrasound	2	3
Acne	3	1
Body hirsutism (excessive hair growth)	4	2
Blood tests (including measurements of hormones such as FSH/LH, AMH Testosterone, Thyroid stimulating hormone/TSH, or Prolactin)	5	31
Other tests or symptoms	6	17
Difficulty getting pregnant or carrying pregnancy to term	7	22
Inapplicable	.	5510
		5586

Section H

PCOSSYMP_6	
LABEL	HC-11a Basis of R's PCOS diagnosis - 6th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 5 tests or symptoms used for PCOS diagnosis (see HC-11a PCOSSYMP_1)
LENGTH	8
VARNUM	69

PCOSSYMP_6: Distribution	Value	n
Pelvic ultrasound	2	1
Acne	3	1
Other tests or symptoms	6	9
Difficulty getting pregnant or carrying pregnancy to term	7	15
Inapplicable	.	5560
		5586

PCOSSYMP_7	
LABEL	HC-11a Basis of R's PCOS diagnosis - 7th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 6 tests or symptoms used for PCOS diagnosis (see HC-11a PCOSSYMP_1)
LENGTH	8
VARNUM	70

PCOSSYMP_7: Distribution	Value	n
Blood tests (including measurements of hormones such as FSH/LH, AMH Testosterone, Thyroid stimulating hormone/TSH, or Prolactin)	5	1
Difficulty getting pregnant or carrying pregnancy to term	7	4
Inapplicable	.	5581
		5586

MENSREG	
LABEL	HC-13 How soon after menarche did R's periods became regular
VARIABLE TYPE	raw
UNIVERSE	If YEAR = 1 (2022), applicable for all respondents. If YEAR = 2 (2023), applicable if R reported an age for 1st menstrual period (BA-1 MENARCHE NE 96 or DK/RF).
LENGTH	8
VARNUM	71

MENSREG: Distribution	Value	n
Immediately regular	1	2539
Regular within 1 year (without the use of any method of contraception)	2	1377
Regular within 2 to 4 years (without the use of any method of contraception)	3	459
Regular only after beginning a method of contraception	4	410
Never regular	5	641
Refused	8	38
Don't Know	9	69
Inapplicable	.	53
		5586

MENSEXP_1	
LABEL	HC-14 Symptoms experienced during 1-2 years after menarche - 1st mentioned
VARIABLE TYPE	raw
UNIVERSE	If YEAR = 1 (2022), applicable for all respondents. If YEAR = 2 (2023), applicable if R reported an age for 1st menstrual period (BA-1 MENARCHE NE 96 or DK/RF).
LENGTH	8
VARNUM	72

MENSEXP_1: Distribution	Value	n
Severe acne	1	1220
Bothersome hair growth on the face, neck, and/or chest	2	218
Significant weight gain (greater than 20 lbs)	3	368
None of the above	4	3625
Refused	8	42

Section H

MENSEXP_1: Distribution	Value	n
Don't Know	9	60
Inapplicable	.	53
		5586

MENSEXP_2	
LABEL	HC-14 Symptoms experienced during 1-2 years after menarche - 2nd mentioned
VARIABLE TYPE	raw
UNIVERSE	Applicable if R gave more than 1 response on HC-14 MENSEXP
LENGTH	8
VARNUM	73

MENSEXP_2: Distribution	Value	n
Severe acne	1	48
Bothersome hair growth on the face, neck, and/or chest	2	219
Significant weight gain (greater than 20 lbs)	3	225
Inapplicable	.	5094
		5586

MENSEXP_3	
LABEL	HC-14 Symptoms experienced during 1-2 years after menarche - 3rd mentioned
VARIABLE TYPE	raw
UNIVERSE	Applicable if R gave more than 2 responses on HC-14 MENSEXP
LENGTH	8
VARNUM	74

MENSEXP_3: Distribution	Value	n
Severe acne	1	15
Bothersome hair growth on the face, neck, and/or chest	2	9
Significant weight gain (greater than 20 lbs)	3	107
Inapplicable	.	5455
		5586

MENSPAIN	
LABEL	HC-15 Frequency of severe cramps during period (before age 18)
VARIABLE TYPE	raw
UNIVERSE	If YEAR = 1 (2022), applicable for all respondents. If YEAR = 2 (2023), applicable if R reported an age for 1st menstrual period (BA-1 MENARCHE NE 96 or DK/RF).
LENGTH	8
VARNUM	75

MENSPAIN: Distribution	Value	n
Always	1	1704
Sometimes	2	2420
Never	3	1352
Refused	8	37
Don't Know	9	20
Inapplicable	.	53
		5586

MENSBCM	
LABEL	HC-16 Prescribed a method of contraception for menstrual cramps
VARIABLE TYPE	raw
UNIVERSE	If YEAR = 1 (2022), applicable for all respondents. If YEAR = 2 (2023), applicable if R reported an age for 1st menstrual period (BA-1 MENARCHE NE 96 or DK/RF).
LENGTH	8
VARNUM	76

MENSBCM: Distribution	Value	n
Yes	1	1368
No	5	4116
Refused	8	34
Don't know	9	15
Inapplicable	.	53
		5586

Section H

MENSBCAGE	
LABEL	HC_17 Age first prescribed contraception for menstrual cramps
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever been prescribed a method of contraception to treat cramps or pain during menstrual periods (HC-16 MENSBCM = 1)
LENGTH	8
VARNUM	77

MENSBCAGE: Distribution	Value	n
14 or younger	1	259
15-18 years old	2	741
19-25 years old	3	284
26 or older	4	79
Refused	8	3
Don't Know	9	2
Inapplicable	.	4218
		5586

MENSBCHELP	
LABEL	HC_18 How well did contraception help with menstrual cramps
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever been prescribed a method of contraception to treat cramps or pain during menstrual periods (HC-16 MENSBCM = 1)
LENGTH	8
VARNUM	78

MENSBCHELP: Distribution	Value	n
Definitely	1	548
Somewhat	2	609
Not at all	3	198
Refused	8	6
Don't Know	9	7
Inapplicable	.	4218
		5586

MENSPELPAIN	
LABEL	HC_19 How often R has pelvic pain or cramps between periods
VARIABLE TYPE	raw
UNIVERSE	If YEAR = 1 (2022), applicable for all respondents. If YEAR = 2 (2023), applicable if R reported an age for 1st menstrual period (BA-1 MENARCHE NE 96 or DK/RF).
LENGTH	8
VARNUM	79

MENSPELPAIN: Distribution	Value	n
Always	1	432
Sometimes	2	2135
Never	3	2909
Refused	8	40
Don't Know	9	17
Inapplicable	.	53
		5586

AGEPELPAIN	
LABEL	HC_20 Age R first had pelvic pain or cramps between periods
VARIABLE TYPE	raw
UNIVERSE	Applicable if R experiences pelvic pain or cramps in between cycles sometimes or always (HC-19 MENSELPAIN = 1 or 2)
LENGTH	8
VARNUM	80

AGEPELPAIN: Distribution	Value	n
14 or younger	1	828
15-18 years old	2	890
19-25 years old	3	418
26 or older	4	405
Refused	8	2

Section H

AGEPELPAIN: Distribution	Value	n
Don't Know	9	24
Inapplicable	.	3019
		5586

VISION	
LABEL	HD-1 Level of difficulty R has with seeing
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	81

VISION: Distribution	Value	n
No difficulty	1	4018
Some difficulty	2	1268
A lot of difficulty	3	179
Cannot do at all	4	70
Refused	8	36
Don't Know	9	14
Inapplicable	.	1
		5586

HEARING	
LABEL	HD-2 Level of difficulty R has with hearing
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	82

HEARING: Distribution	Value	n
No difficulty	1	4940
Some difficulty	2	503
A lot of difficulty	3	41
Cannot do at all	4	51
Refused	8	34
Don't Know	9	16
Inapplicable	.	1
		5586

MOBILITY	
LABEL	HD-3 Level of difficulty R has with walking or climbing steps
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	83

MOBILITY: Distribution	Value	n
No difficulty	1	4963
Some difficulty	2	444
A lot of difficulty	3	89
Cannot do at all	4	51
Refused	8	29
Don't Know	9	9
Inapplicable	.	1
		5586

COGNITION	
LABEL	HD-4 Level of difficulty R has with remembering or concentrating
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	84

Section H

COGNITION: Distribution	Value	n
No difficulty	1	3461
Some difficulty	2	1643
A lot of difficulty	3	390
Cannot do at all	4	51
Refused	8	30
Don't Know	9	10
Inapplicable	.	1
		5586

SELFCARE	
LABEL	HD-5 Level of difficulty R has with self-care
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	85

SELFCARE: Distribution	Value	n
No difficulty	1	5155
Some difficulty	2	308
A lot of difficulty	3	49
Cannot do at all	4	36
Refused	8	29
Don't Know	9	8
Inapplicable	.	1
		5586

COMMUNIC	
LABEL	HD-6 Level of difficulty R has with communicating
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	86

COMMUNIC: Distribution	Value	n
No difficulty	1	4967
Some difficulty	2	486
A lot of difficulty	3	62
Cannot do at all	4	32
Refused	8	32
Don't Know	9	6
Inapplicable	.	1
		5586

EVRCANCER	
LABEL	HD-7 R has ever had cancer
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	87

EVRCANCER: Distribution	Value	n
Yes	1	166
No	5	5383
Refused	8	29
Don't know	9	7
Inapplicable	.	1
		5586

AGECANCER	
LABEL	HC-7a Age when R was first told she had cancer (bottom-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever had cancer diagnosis (HD-7 EVRCANCER = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.

Section H

AGECANCER	
LENGTH	8
VARNUM	88

AGECANCER: Distribution	Value	n
17 or younger	17	20
18-39 years	18-39	103
40-49 years	40-49	41
Refused	98	1
Don't know	99	1
Inapplicable	.	5420
		5586

PRECANCER	
LABEL	HD-7c Type of cervical cancer diagnosis R had
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported cervical cancer as type of cancer R had (HD-7b CANCTYPE = 3)
LENGTH	8
VARNUM	89

PRECANCER: Distribution	Value	n
Abnormal Pap test result, suspicious for cancer, but no real cancer found	1	7
Pre-cancer (cervical intraepithelial lesion or CIN2 or CIN3)	2	18
Cervical cancer	3	12
Inapplicable	.	5549
		5586

MAMMOG	
LABEL	HD-8 R has ever had a mammogram
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	90

MAMMOG: Distribution	Value	n
Yes	1	1589
No	5	3955
Refused	8	33
Don't know	9	8
Inapplicable	.	1
		5586

MAMMOGN	
LABEL	HD-8a Number of mammograms R has had (top-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever having a mamogram (HD-8 MAMMOG = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	91

MAMMOGN: Distribution	Value	n
0	0	5
1	1	606
2	2	297
3	3	192
4	4	109
5	5	114
6	6	42
7	7	30
8	8	37
9	9	10
10	10	43
11	11	5

Section H

MAMMOGN: Distribution	Value	n
12	12	11
13	13	3
14	14	3
15 or more	15	61
Refused	98	5
Don't know	99	16
Inapplicable	.	3997
		5586

AGEMAMMR	
LABEL	HD-18b Age when R first had a mammogram (bottom-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever having a mamogram (HD-8 MAMMOG = 1)
LENGTH	8
VARNUM	92

AGEMAMMR: Distribution	Value	n
17 or younger	17	29
18-39 years	18-39	603
40-49 years	40-49	926
Refused	98	4
Don't know	99	27
Inapplicable	.	3997
		5586

REASMAMMR	
LABEL	HD-8c Main reason for R's first mammogram
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever having a mamogram (HD-8 MAMMOG = 1)
LENGTH	8
VARNUM	93

REASMAMMR: Distribution	Value	n
Part of a routine exam	1	1053
Because of a problem or lump	2	308
Because of family history of cancer	3	154
Because of personal history of cancer	4	12
Other reason	5	60
Refused	8	1
Don't Know	9	1
Inapplicable	.	3997
		5586

FAMHYST	
LABEL	HD-9 R has family history of breast or ovarian cancer
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	94

FAMHYST: Distribution	Value	n
Yes	1	1813
No	5	3686
Refused	8	28
Don't know	9	58
Inapplicable	.	1
		5586

FAMHYSTA_1	
LABEL	HD-9a Type of family history of breast/ovarian cancer - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if any family members diagnosed with breast or ovarian cancer (HD-9 FAMHYST = 1)
LENGTH	8
VARNUM	95

Section H

FAMHYSTA_1: Distribution	Value	n
Multiple family members diagnosed with breast cancer	1	762
A female family member diagnosed with ovarian cancer	2	390
Breast cancer diagnosed before age 50	3	91
A male family member diagnosed with breast cancer	4	16
A family member diagnosed with bilateral breast cancer (breast cancer in both breasts)	5	123
None of the above	6	304
Refused	8	8
Don't Know	9	119
Inapplicable	.	3773
		5586

FAMHYSTA_2	
LABEL	HD-9a Type of family history of breast/ovarian cancer - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R gave more than 1 response on HD-9a FAMHYSTA
LENGTH	8
VARNUM	96

FAMHYSTA_2: Distribution	Value	n
Multiple family members diagnosed with breast cancer	1	43
A female family member diagnosed with ovarian cancer	2	213
Breast cancer diagnosed before age 50	3	43
A male family member diagnosed with breast cancer	4	12
A family member diagnosed with bilateral breast cancer (breast cancer in both breasts)	5	67
Inapplicable	.	5208
		5586

FAMHYSTA_3	
LABEL	HD-9a Type of family history of breast/ovarian cancer - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R gave more than 2 responses on HD-9a FAMHYSTA
LENGTH	8
VARNUM	97

FAMHYSTA_3: Distribution	Value	n
Multiple family members diagnosed with breast cancer	1	3
A female family member diagnosed with ovarian cancer	2	7
Breast cancer diagnosed before age 50	3	40
A male family member diagnosed with breast cancer	4	7
A family member diagnosed with bilateral breast cancer (breast cancer in both breasts)	5	40
Inapplicable	.	5489
		5586

FAMHYSTA_4	
LABEL	HD-9a Type of family history of breast/ovarian cancer - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R gave more than 3 responses on HD-9a FAMHYSTA
LENGTH	8
VARNUM	98

FAMHYSTA_4: Distribution	Value	n
A female family member diagnosed with ovarian cancer	2	1
A male family member diagnosed with breast cancer	4	2
A family member diagnosed with bilateral breast cancer (breast cancer in both breasts)	5	18
Inapplicable	.	5565
		5586

Section H

FAMHYSTA_5	
LABEL	HD-9a Type of family history of breast/ovarian cancer - 5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R gave more than 4 responses on HD-9a FAMHYSTA
LENGTH	8
VARNUM	99

FAMHYSTA_5: Distribution	Value	n
A male family member diagnosed with breast cancer	4	1
A family member diagnosed with bilateral breast cancer (breast cancer in both breasts)	5	1
Inapplicable	.	5584
		5586

MOMRISK70	
LABEL	HD-10 R's assessment of breast cancer risk if mother diagnosed with breast cancer at age 70
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	100

MOMRISK70: Distribution	Value	n
A lot	1	1055
A little	2	2437
Not at all	3	428
No opinion	4	1580
Refused	8	35
Don't Know	9	50
Inapplicable	.	1
		5586

MOMRISK40	
LABEL	HD-11 R's assessment of breast cancer risk if mother diagnosed with breast cancer at age 40
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	101

MOMRISK40: Distribution	Value	n
A lot	1	2764
A little	2	1298
Not at all	3	244
No opinion	4	1210
Refused	8	34
Don't Know	9	35
Inapplicable	.	1
		5586

ALCORISK	
LABEL	HD-12 R's assessment of breast cancer risk due to alcohol consumption
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	102

ALCORISK: Distribution	Value	n
A lot	1	325
A little	2	1102
Not at all	3	1759
No opinion	4	2315
Refused	8	32
Don't Know	9	52
Inapplicable	.	1
		5586

Section H

BCANCRISK	
LABEL	HD-13 R ever told has increased breast cancer risk
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	103

BCANCRISK: Distribution	Value	n
Yes	1	452
No	5	5081
Refused	8	33
Don't know	9	19
Inapplicable	.	1
		5586

DONBLOOD	
LABEL	HE-1 Has R Ever Donated Blood or Blood Products
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	104

DONBLOOD: Distribution	Value	n
Yes	1	1918
No	5	3612
Refused	8	40
Don't know	9	15
Inapplicable	.	1
		5586

DONBLDYR	
LABEL	HE_1b Has R donated blood or blood products in past year
VARIABLE TYPE	raw
UNIVERSE	Applicable if R ever donated blood or blood products (HE-1 DONBLOOD = 1)
LENGTH	8
VARNUM	105

DONBLDYR: Distribution	Value	n
Yes	1	312
No	5	1605
Refused	8	1
Inapplicable	.	3668
		5586

HIVTEST	
LABEL	HE-2 Any HIV Test Outside of Blood Donation
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Use recode EVHIVTST
LENGTH	8
VARNUM	106

HIVTEST: Distribution	Value	n
Yes	1	2505
No	5	2991
Refused	8	41
Don't know	9	48
Inapplicable	.	1
		5586

WHNHIVTST	
LABEL	HE-3 How long ago was last HIV test
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any HIV testing apart from blood donation (HE-2 HIVTEST = 1)
LENGTH	8
VARNUM	107

Section H

WHNHIVTST: Distribution	Value	n
3 months ago or less	1	251
4-6 months ago	2	209
7-12 months ago	3	402
More than 12 months ago	4	1624
Refused	8	4
Don't Know	9	15
Inapplicable	.	3081
		5586

PLCHIV	
LABEL	HE-4 Place Where R Had Last HIV Test
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any HIV testing apart from blood donation (HE-2 HIVTEST = 1)
LENGTH	8
VARNUM	108

PLCHIV: Distribution	Value	n
Private doctor's office or HMO facility	1	1452
Community health clinic, sexually transmitted disease (STD) clinic, or public health clinic	2	325
Family planning or Planned Parenthood clinic	3	195
Your job or worksite (including military site)	4	55
School-based clinic (including college or university)	5	49
Hospital outpatient clinic	6	116
Other hospital location (emergency room or inpatient clinic)	7	53
Urgent care center, urgi-care, or walk-in facility	8	41
Laboratory, blood bank, or mobile testing site	9	126
Some other place	10	83
Refused	98	2
Don't Know	99	8
Inapplicable	.	3081
		5586

RHHIVT1	
LABEL	HE-6 Used a rapid home HIV test in past year
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported her last HIV test was done in the past 12 months (HE-3 WHNHIVTST = 1, 2, or 3)
LENGTH	8
VARNUM	109

RHHIVT1: Distribution	Value	n
Yes	1	31
No	5	831
Inapplicable	.	4724
		5586

RHHIVT2_1	
LABEL	HE-7 Reasons for rapid home HIV test - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported using a rapid HIV self-test in the past 12 months (HE-6 RHHIVT1 = 1)
LENGTH	8
VARNUM	110

RHHIVT2_1: Distribution	Value	n
I didn't want to get tested by a doctor or at an HIV testing site	1	5
I didnt want other people to know I am getting tested	2	1
I wanted to get tested together with someone, before we had sex	3	3
I wanted to get tested by myself, before having sex	4	3
I wanted to get tested by myself, after having sex	5	2
A sex partner asked me to take a rapid HIV test	6	1
Other reason	20	14

Section H

RHHIVT2_1: Distribution	Value	n
Don't Know	99	2
Inapplicable	.	5555
		5586

RHHIVT2_2	
LABEL	HE-7 Reasons for rapid home HIV test - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 reason for using a rapid HIV self-test (see HE-7 RHHIVT2_1)
LENGTH	8
VARNUM	111

RHHIVT2_2: Distribution	Value	n
I didnt want other people to know I am getting tested	2	2
I wanted to get tested by myself, before having sex	4	1
Inapplicable	.	5583
		5586

RHHIVT2_3	
LABEL	HE-7 Reasons for rapid home HIV test - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 reasons for using a rapid HIV self-test (see HE-7 RHHIVT2_1)
LENGTH	8
VARNUM	112

RHHIVT2_3: Distribution	Value	n
Other reason	20	1
Inapplicable	.	5585
		5586

HIVTST	
LABEL	HE-8 Main Reason For This (Last) HIV Test
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any HIV testing apart from blood donation (HE-2 HIVTEST = 1)
LENGTH	8
VARNUM	113

HIVTST: Distribution	Value	n
Part of a medical checkup (not including prenatal care) or required before a surgical procedure	1	1007
You were pregnant and it was part of prenatal care	2	520
Required for health or life insurance coverage	3	24
Required for marriage license or to get married	4	12
Required for military service or a job	5	45
Required for immigration or travel	6	22
You might have been exposed through sex or drug use	7	104
You might have been exposed in some other way	8	61
You wanted to find out your HIV status	9	495
Some other reason	10	195
Refused	98	7
Don't Know	99	13
Inapplicable	.	3081
		5586

PREPHIV	
LABEL	HE-9 Has R heard about PrEP medications
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	114

PREPHIV: Distribution	Value	n
Yes	1	2132
No	5	3393
Refused	8	42
Don't know	9	18

Section H

PREPHIV: Distribution	Value	n
Inapplicable	.	1
		5586

PREP12	
LABEL	HE-10 Has R taken PrEP medications in the past 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has ever heard PrEP (HE-9 PREPHIV = 1)
LENGTH	8
VARNUM	115

PREP12: Distribution	Value	n
Yes	1	10
No	5	2122
Inapplicable	.	3454
		5586

TALKDOCT	
LABEL	HE-11 Has a doctor ever talked with R about HIV/AIDS
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	116

TALKDOCT: Distribution	Value	n
Yes	1	1544
No	5	3971
Refused	8	43
Don't know	9	27
Inapplicable	.	1
		5586

AIDSTALK_01	
LABEL	HE-12 HIV Topics Covered in Discussion with Doctor/Provider - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported talking with a doctor or medical care provider about HIV (HE-11 TALKDOCT = 1)
LENGTH	8
VARNUM	117

AIDSTALK_01: Distribution	Value	n
How HIV/AIDS is transmitted	1	1084
Other sexually transmitted diseases like gonorrhea, herpes, or Hepatitis C	2	127
The correct use of condoms	3	23
Needle cleaning/using clean needles	4	8
Dangers of needle sharing	5	3
Abstinence from sex (not having sex)	6	12
Reducing your number of sexual partners	7	9
Condom use to prevent HIV or STD transmission	8	42
"Safe sex" practices (abstinence, condom use, etc)	9	76
Getting tested and knowing your HIV status	10	73
Medicines to prevent getting HIV (pre-exposure prophylaxis, also known as PrEP)	11	11
Other	20	55
Refused	98	7
Don't Know	99	14
Inapplicable	.	4042
		5586

AIDSTALK_02	
LABEL	HE-12 HIV Topics Covered in Discussion with Doctor/Provider - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported talking with a doctor or medical care provider about more than 1 HIV or AIDS topic (see HE-12 AIDSTALK_01)

Section H

AIDSTALK_02	
LENGTH	8
VARNUM	118

AIDSTALK_02: Distribution	Value	n
How HIV/AIDS is transmitted	1	72
Other sexually transmitted diseases like gonorrhea, herpes, or Hepatitis C	2	787
The correct use of condoms	3	69
Needle cleaning/using clean needles	4	16
Dangers of needle sharing	5	22
Abstinence from sex (not having sex)	6	19
Reducing your number of sexual partners	7	23
Condom use to prevent HIV or STD transmission	8	62
"Safe sex" practices (abstinence, condom use, etc)	9	62
Getting tested and knowing your HIV status	10	56
Medicines to prevent getting HIV (pre-exposure prophylaxis, also known as PrEP)	11	11
Other	20	6
Inapplicable	.	4381
		5586

AIDSTALK_03	
LABEL	HE-12 HIV Topics Covered in Discussion with Doctor/Provider - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported talking with a doctor or medical care provider about more than 2 HIV or AIDS topics (see HE-12 AIDSTALK_01)
LENGTH	8
VARNUM	119

AIDSTALK_03: Distribution	Value	n
How HIV/AIDS is transmitted	1	15
Other sexually transmitted diseases like gonorrhea, herpes, or Hepatitis C	2	43
The correct use of condoms	3	463
Needle cleaning/using clean needles	4	55
Dangers of needle sharing	5	48
Abstinence from sex (not having sex)	6	67
Reducing your number of sexual partners	7	47
Condom use to prevent HIV or STD transmission	8	124
"Safe sex" practices (abstinence, condom use, etc)	9	98
Getting tested and knowing your HIV status	10	67
Medicines to prevent getting HIV (pre-exposure prophylaxis, also known as PrEP)	11	9
Other	20	6
Inapplicable	.	4544
		5586

AIDSTALK_04	
LABEL	HE-12 HIV Topics Covered in Discussion with Doctor/Provider - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported talking with a doctor or medical care provider about more than 3 HIV or AIDS topics (see HE-12 AIDSTALK_01)
LENGTH	8
VARNUM	120

AIDSTALK_04: Distribution	Value	n
How HIV/AIDS is transmitted	1	11
Other sexually transmitted diseases like gonorrhea, herpes, or Hepatitis C	2	15
The correct use of condoms	3	28
Needle cleaning/using clean needles	4	197
Dangers of needle sharing	5	98
Abstinence from sex (not having sex)	6	96
Reducing your number of sexual partners	7	72
Condom use to prevent HIV or STD transmission	8	140
"Safe sex" practices (abstinence, condom use, etc)	9	131

Section H

AIDSTALK_04: Distribution	Value	n
Getting tested and knowing your HIV status	10	82
Medicines to prevent getting HIV (pre-exposure prophylaxis, also known as PrEP)	11	7
Other	20	3
Inapplicable	.	4706
		5586

AIDSTALK_05	
LABEL	HE-12 HIV Topics Covered in Discussion with Doctor/Provider - 5th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported talking with a doctor or medical care provider about more than 4 HIV or AIDS topics (see HE-12 AIDSTALK_01)
LENGTH	8
VARNUM	121

AIDSTALK_05: Distribution	Value	n
How HIV/AIDS is transmitted	1	6
Other sexually transmitted diseases like gonorrhea, herpes, or Hepatitis C	2	7
The correct use of condoms	3	11
Needle cleaning/using clean needles	4	20
Dangers of needle sharing	5	193
Abstinence from sex (not having sex)	6	60
Reducing your number of sexual partners	7	75
Condom use to prevent HIV or STD transmission	8	108
"Safe sex" practices (abstinence, condom use, etc)	9	131
Getting tested and knowing your HIV status	10	95
Medicines to prevent getting HIV (pre-exposure prophylaxis, also known as PrEP)	11	11
Other	20	3
Inapplicable	.	4866
		5586

AIDSTALK_06	
LABEL	HE-12 HIV Topics Covered in Discussion with Doctor/Provider - 6th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported talking with a doctor or medical care provider about more than 5 HIV or AIDS topics (see HE-12 AIDSTALK_01)
LENGTH	8
VARNUM	122

AIDSTALK_06: Distribution	Value	n
How HIV/AIDS is transmitted	1	3
Other sexually transmitted diseases like gonorrhea, herpes, or Hepatitis C	2	8
The correct use of condoms	3	8
Needle cleaning/using clean needles	4	5
Dangers of needle sharing	5	19
Abstinence from sex (not having sex)	6	167
Reducing your number of sexual partners	7	57
Condom use to prevent HIV or STD transmission	8	84
"Safe sex" practices (abstinence, condom use, etc)	9	96
Getting tested and knowing your HIV status	10	97
Medicines to prevent getting HIV (pre-exposure prophylaxis, also known as PrEP)	11	14
Other	20	2
Inapplicable	.	5026
		5586

AIDSTALK_07	
LABEL	HE-12 HIV Topics Covered in Discussion with Doctor/Provider - 7th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported talking with a doctor or medical care provider about more than 6 HIV or AIDS topics (see HE-12 AIDSTALK_01)

Section H

AIDSTALK_07	
LENGTH	8
VARNUM	123

AIDSTALK_07: Distribution	Value	n
How HIV/AIDS is transmitted	1	5
Other sexually transmitted diseases like gonorrhea, herpes, or Hepatitis C	2	6
The correct use of condoms	3	7
Needle cleaning/using clean needles	4	6
Dangers of needle sharing	5	5
Abstinence from sex (not having sex)	6	18
Reducing your number of sexual partners	7	153
Condom use to prevent HIV or STD transmission	8	62
"Safe sex" practices (abstinence, condom use, etc)	9	77
Getting tested and knowing your HIV status	10	72
Medicines to prevent getting HIV (pre-exposure prophylaxis, also known as PrEP)	11	17
Other	20	4
Inapplicable	.	5154
		5586

AIDSTALK_08	
LABEL	HE-12 HIV Topics Covered in Discussion with Doctor/Provider - 8th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported talking with a doctor or medical care provider about more than 7 HIV or AIDS topics (see HE-12 AIDSTALK_01)
LENGTH	8
VARNUM	124

AIDSTALK_08: Distribution	Value	n
How HIV/AIDS is transmitted	1	3
Other sexually transmitted diseases like gonorrhea, herpes, or Hepatitis C	2	8
The correct use of condoms	3	1
Needle cleaning/using clean needles	4	5
Dangers of needle sharing	5	5
Abstinence from sex (not having sex)	6	7
Reducing your number of sexual partners	7	11
Condom use to prevent HIV or STD transmission	8	148
"Safe sex" practices (abstinence, condom use, etc)	9	64
Getting tested and knowing your HIV status	10	65
Medicines to prevent getting HIV (pre-exposure prophylaxis, also known as PrEP)	11	20
Inapplicable	.	5249
		5586

AIDSTALK_09	
LABEL	HE-12 HIV Topics Covered in Discussion with Doctor/Provider - 9th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported talking with a doctor or medical care provider about more than 8 HIV or AIDS topics (see HE-12 AIDSTALK_01)
LENGTH	8
VARNUM	125

AIDSTALK_09: Distribution	Value	n
How HIV/AIDS is transmitted	1	3
Other sexually transmitted diseases like gonorrhea, herpes, or Hepatitis C	2	3
The correct use of condoms	3	7
Needle cleaning/using clean needles	4	4
Dangers of needle sharing	5	6
Abstinence from sex (not having sex)	6	4
Reducing your number of sexual partners	7	4
Condom use to prevent HIV or STD transmission	8	8
"Safe sex" practices (abstinence, condom use, etc)	9	142
Getting tested and knowing your HIV status	10	59

Section H

AIDSTALK_09: Distribution	Value	n
Medicines to prevent getting HIV (pre-exposure prophylaxis, also known as PrEP)	11	20
Inapplicable	.	5326
		5586

AIDSTALK_10	
LABEL	HE-12 HIV Topics Covered in Discussion with Doctor/Provider - 10th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported talking with a doctor or medical care provider about more than 9 HIV or AIDS topics (see HE-12 AIDSTALK_01)
LENGTH	8
VARNUM	126

AIDSTALK_10: Distribution	Value	n
How HIV/AIDS is transmitted	1	1
Other sexually transmitted diseases like gonorrhea, herpes, or Hepatitis C	2	4
The correct use of condoms	3	3
Needle cleaning/using clean needles	4	5
Dangers of needle sharing	5	1
Abstinence from sex (not having sex)	6	1
Reducing your number of sexual partners	7	4
Condom use to prevent HIV or STD transmission	8	5
"Safe sex" practices (abstinence, condom use, etc)	9	12
Getting tested and knowing your HIV status	10	135
Medicines to prevent getting HIV (pre-exposure prophylaxis, also known as PrEP)	11	21
Other	20	1
Inapplicable	.	5393
		5586

AIDSTALK_11	
LABEL	HE-12 HIV Topics Covered in Discussion with Doctor/Provider - 11th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported talking with a doctor or medical care provider about more than 10 HIV or AIDS topics (see HE-12 AIDSTALK_01)
LENGTH	8
VARNUM	127

AIDSTALK_11: Distribution	Value	n
How HIV/AIDS is transmitted	1	5
Other sexually transmitted diseases like gonorrhea, herpes, or Hepatitis C	2	2
The correct use of condoms	3	2
Needle cleaning/using clean needles	4	2
Dangers of needle sharing	5	2
Abstinence from sex (not having sex)	6	1
Reducing your number of sexual partners	7	2
Condom use to prevent HIV or STD transmission	8	1
Getting tested and knowing your HIV status	10	8
Medicines to prevent getting HIV (pre-exposure prophylaxis, also known as PrEP)	11	119
Other	20	2
Inapplicable	.	5440
		5586

AIDSTALK_12	
LABEL	HE-12 HIV Topics Covered in Discussion with Doctor/Provider - 12th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported talking with a doctor or medical care provider about more than 11 HIV or AIDS topics (see HE-12 AIDSTALK_01)
LENGTH	8
VARNUM	128

Section H

AIDSTALK_12: Distribution	Value	n
The correct use of condoms	3	1
Other	20	12
Inapplicable	.	5573
		5586

PREGHIV	
LABEL	HE-13 R Tested for HIV During Last Completed Pregnancy
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's last completed pregnancy was within last 12 months (everpreg = 1 and cmlstprg >= cmlstyr)
LENGTH	8
VARNUM	129

PREGHIV: Distribution	Value	n
Yes	1	228
No	5	137
Never went for prenatal care	6	20
Refused	8	3
Don't Know	9	18
Inapplicable	.	5180
		5586

EVERVACC	
LABEL	HF-1 R ever received HPV vaccine
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	130

EVERVACC: Distribution	Value	n
Yes	1	1848
No	5	3574
Refused	8	40
Don't know	9	123
Inapplicable	.	1
		5586

HPVSHOT1	
LABEL	HF-2 Age when R received first HPV vaccine shot (top- and bottom-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had any doses of HPV vaccine (HF-1 EVERVACC = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	131

HPVSHOT1: Distribution	Value	n
9 or younger	9	32
10	10	29
11	11	75
12	12	190
13	13	140
14	14	153
15	15	143
16	16	178
17	17	108
18	18	156
19	19	39
20	20	60
21	21	43
22	22	35
23	23	43
24	24	35
25	25	56
26	26	29

Section H

HPVSHOT1: Distribution	Value	n
27	27	19
28	28	11
29	29	7
30 or older	30	112
Refused	98	3
Don't know	99	152
Inapplicable	.	3738
		5586

BLDPRESS	
LABEL	HG-1 R had blood pressure checked in past year
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	132

BLDPRESS: Distribution	Value	n
Yes	1	4309
No	5	1219
Refused	8	37
Don't know	9	20
Inapplicable	.	1
		5586

HIGHBP	
LABEL	HG-2 R told she had high blood pressure in the past year
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had blood pressure checked by a medical provider in the past year (HG-1 BLDPRESS = 1)
LENGTH	8
VARNUM	133

HIGHBP: Distribution	Value	n
Yes	1	529
No	5	3704
You were not told results	6	71
Refused	8	2
Don't know	9	3
Inapplicable	.	1277
		5586

BPMEDS	
LABEL	HG-3 R currently taking medicine for high blood pressure
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was told blood pressure was high in the past year (HG-2 HIGHBP = 1)
LENGTH	8
VARNUM	134

BPMEDS: Distribution	Value	n
Yes	1	359
No	5	170
Inapplicable	.	5057
		5586

BPMON	
LABEL	HG-4 R monitors blood pressure at home
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was told blood pressure was high in the past year (HG-2 HIGHBP = 1)
LENGTH	8
VARNUM	135

Section H

BPMON: Distribution	Value	n
Yes	1	336
No	5	193
Inapplicable	.	5057
		5586

BPMONFRQ	
LABEL	HG-5 How often R monitors blood pressure at home
VARIABLE TYPE	raw
UNIVERSE	Applicable if R monitors blood pressure at home (HG-4 BPMON = 1)
LENGTH	8
VARNUM	136

BPMONFRQ: Distribution	Value	n
More than once a day	1	34
Once per day	2	63
Twice per week	3	50
Once per week	4	60
Once per month	5	52
Not on a regular basis	6	77
Inapplicable	.	5250
		5586

Section I

Section I

USUALCAR	
LABEL	IA-1 Is there a place R usually goes when sick
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	1

USUALCAR: Distribution	Value	n
Yes	1	4246
No	5	1297
Refused	8	31
Don't know	9	11
Inapplicable	.	1
		5586

USLPLACE	
LABEL	IA-2 Place R usually goes when sick
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported a usual source of care (IA-1 USUALCAR = 1)
LENGTH	8
VARNUM	2

USLPLACE: Distribution	Value	n
Private doctor's office or HMO	1	2792
Community health clinic, public health clinic	2	505
Family planning or Planned Parenthood Clinic	3	19
Employer or company clinic	4	53
School or school-based clinic	5	55
Hospital outpatient clinic or medical center, including VA	6	151
Hospital emergency room	7	100
In-store health clinic (like CVS, Target, or Walmart)	8	46
Urgent care center, urgi-care, or walk-in facility	9	441
Some other place	20	78
Refused	98	1
Don't Know	99	5
Inapplicable	.	1340
		5586

USL12MOS	
LABEL	IA-3 R has gone to her usual source of health care in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported a usual source of care (IA-1 USUALCAR = 1)
LENGTH	8
VARNUM	3

USL12MOS: Distribution	Value	n
Yes	1	3461
No	5	776
Refused	8	4
Don't know	9	5
Inapplicable	.	1340
		5586

CURRCOV	
LABEL	IA-4 Currently covered by health insurance
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	4

Section I

CURRCOV: Distribution	Value	n
Yes	1	4941
No	5	577
Refused	8	34
Don't Know	9	33
Inapplicable	.	1
		5586

COVERHOW_01	
LABEL	IA-5 Type of health care coverage-1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently covered by health insurance (IA-4 CURRCOV = 1)
NOTES	Use recode CURR_INS. This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	5

COVERHOW_01: Distribution	Value	n
Private health insurance	1	3264
Medicaid	2	1113
Medi-GAP	4	2
Military	5	125
IHS or single-service plan	6	34
CHIP	7	21
State-sponsored health plan	8	54
Medicare or other govt	9	272
Refused	98	10
Don't know	99	46
Inapplicable	.	645
		5586

COVERHOW_02	
LABEL	IA-5 Type of health care coverage-2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 type of health insurance coverage (see IA-5 COVERHOW_01)
NOTES	Use recode CURR_INS. This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	6

COVERHOW_02: Distribution	Value	n
Private health insurance	1	53
Medicaid	2	94
Medi-GAP	4	1
Military	5	17
IHS or single-service plan	6	134
CHIP	7	9
State-sponsored health plan	8	12
Medicare or other govt	9	71
Inapplicable	.	5195
		5586

COVERHOW_03	
LABEL	IA-5 Type of health care coverage-3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 types of health insurance coverage (see IA-5 COVERHOW_01)
NOTES	Use recode CURR_INS. This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	7

COVERHOW_03: Distribution	Value	n
Private health insurance	1	4
IHS or single-service plan	6	5
State-sponsored health plan	8	4
Medicare or other govt	9	5

COVERHOW_03: Distribution	Value	n
Inapplicable	.	5568
		5586

COVERHOW_04	
LABEL	IA-5 Type of health care coverage-4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 3 types of health insurance coverage (see IA-5 COVERHOW_01)
NOTES	Use recode CURR_INS. This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	8

COVERHOW_04: Distribution	Value	n
Medicare or other govt	9	1
Inapplicable	.	5585
		5586

PARINSUR	
LABEL	IA-6 Covered by parents' private health insurance plan
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is between the ages of 18 and 25 (18 <= age_r <= 25) and has private health insurance coverage (IA-5 COVERHOW_01 - 09 = 1)
LENGTH	8
VARNUM	9

PARINSUR: Distribution	Value	n
Yes	1	420
No	5	107
Inapplicable	.	5059
		5586

COVER12	
LABEL	IA-7 Did R lack health coverage any time in last 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	10

COVER12: Distribution	Value	n
Yes	1	597
No	5	4899
Refused	8	35
Don't know	9	54
Inapplicable	.	1
		5586

NUMNOCOV	
LABEL	IA-8 How many of the last 12 mos was R without coverage
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not have health insurance coverage for some portion of the last 12 months (IA-7 COVER12 = 1)
LENGTH	8
VARNUM	11

NUMNOCOV: Distribution	Value	n
1 month	1	125
2 months	2	44
3 months	3	52
4 months	4	33
5 months	5	19
6 months	6	36
7months	7	6
8 months	8	17
9 months	9	15
10 months	10	10

Section I

NUMNOCOV: Distribution	Value	n
11 months	11	13
12 months	12	202
Refused	98	9
Don't know	99	16
Inapplicable	.	4989
		5586

SAMEADD	
LABEL	IB-1 Was R living at current address on April 1, 2020
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	12

SAMEADD: Distribution	Value	n
Yes	1	3528
No	5	2016
Refused	8	28
Don't know	9	13
Inapplicable	.	1
		5586

BRNOUT	
LABEL	IB-4 Whether R was born outside of US
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	13

BRNOUT: Distribution	Value	n
Yes	1	843
No	5	4706
Refused	8	26
Don't know	9	10
Inapplicable	.	1
		5586

ATTND14	
LABEL	IC-3 How often R attended religious services at age 14
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was less than 25 years of age at the time of the screener (agescrn < 25)
LENGTH	8
VARNUM	14

ATTND14: Distribution	Value	n
More than once a week	1	166
Once a week	2	345
2-3 times a month	3	106
Once a month (about 12 times a year)	4	65
3-11 times a year	5	77
Once or twice a year	6	156
Never	7	401
Refused	8	12
Don't Know	9	10
Inapplicable	.	4248
		5586

FUNDAM_1	
LABEL	IC-6 Fundamental affiliation, if any - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported a current Christian religious affiliation (IC-4 RELNOW = 1-3, 8)
LENGTH	8
VARNUM	15

Section I

FUNDAM_1: Distribution	Value	n
A born again Christian	1	1123
A charismatic	2	30
An evangelical	3	79
A fundamentalist	4	15
None of the above	5	1987
Refused	98	21
Don't Know	99	35
Inapplicable	.	2296
		5586

FUNDAM_2

LABEL	IC-6 Fundamental affiliation, if any - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 fundamentalist orientation (see IC-6 FUNDAM_1)
LENGTH	8
VARNUM	16

FUNDAM_2: Distribution	Value	n
A born again Christian	1	11
A charismatic	2	8
An evangelical	3	32
A fundamentalist	4	5
Inapplicable	.	5530
		5586

FUNDAM_3

LABEL	IC-6 Fundamental affiliation, if any - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 fundamentalist orientations (see IC-6 FUNDAM_1)
LENGTH	8
VARNUM	17

FUNDAM_3: Distribution	Value	n
A charismatic	2	3
An evangelical	3	4
A fundamentalist	4	3
Inapplicable	.	5576
		5586

FUNDAM_4

LABEL	IC-6 Fundamental affiliation, if any - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 3 fundamentalist orientations (see IC-6 FUNDAM_1)
LENGTH	8
VARNUM	18

FUNDAM_4: Distribution	Value	n
A charismatic	2	1
A fundamentalist	4	1
Inapplicable	.	5584
		5586

RELDLIFE

LABEL	IC-7 How important is religion in R's daily life
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reports a current religious affiliation, or doesn't know or refuses to give a current religious affiliation (IC-4 RELNOW = 1-8 or DK/RF)
LENGTH	8
VARNUM	19

RELDLIFE: Distribution	Value	n
Very important	1	1703
Somewhat important	2	1409
Not important	3	465
Refused	8	50

Section I

RELDLIFE: Distribution	Value	n
Don't Know	9	10
Inapplicable	.	1949
		5586

ATTNDNOW	
LABEL	IC-8 How often R attends religious services
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	20

ATTNDNOW: Distribution	Value	n
More than once a week	1	334
Once a week	2	721
2-3 times a month	3	373
Once a month (about 12 times a year)	4	248
3-11 times a year	5	377
Once or twice a year	6	1032
Never	7	2428
Refused	8	59
Don't Know	9	13
Inapplicable	.	1
		5586

MILSVC	
LABEL	ID-1 Ever on active duty in Armed Forces, Reserves, or National Guard?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is 18 or older at the time of the screener (agescrn >=18)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	21

MILSVC: Distribution	Value	n
Ever on active duty	1	90
Never on active duty	2	5056
Refused	8	26
Don't know	9	7
Inapplicable	.	407
		5586

WRK12MOS	
LABEL	ID-2 Ever worked in past 12 mos
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	22

WRK12MOS: Distribution	Value	n
Yes	1	3981
No	5	1561
Refused	8	35
Don't know	9	8
Inapplicable	.	1
		5586

FPT12MOS	
LABEL	ID-3 Last 12 mos worked full-time, part-time, or both?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R worked for any portion of the last 12 months (ID-2 WRK12MOS = 1)
LENGTH	8
VARNUM	23

Section I

FPT12MOS: Distribution	Value	n
Full-time	1	2640
Part-time	2	924
Some of each	3	414
Refused	8	3
Inapplicable	.	1605
		5586

DOLASTWK1	
LABEL	ID-4 What was R doing last week (employment status) - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Use recode LABORFOR.
LENGTH	8
VARNUM	24

DOLASTWK1: Distribution	Value	n
Working at a job or business	1	3299
Temporarily not at work but still employed	2	188
Not working but looking for work	3	291
Going to school, taking classes, or on school vacation	4	588
Taking care of house or family	5	868
Something else	6	284
Refused	8	50
Don't Know	9	17
Inapplicable	.	1
		5586

DOLASTWK2	
LABEL	ID-4 What was R doing last week (employment status) - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 activity in the past week (see ID-4 DOLASTWK1)
NOTES	Use recode LABORFOR.
LENGTH	8
VARNUM	25

DOLASTWK2: Distribution	Value	n
Working at a job or business	1	129
Temporarily not at work but still employed	2	45
Not working but looking for work	3	79
Going to school, taking classes, or on school vacation	4	312
Taking care of house or family	5	800
Something else	6	63
Inapplicable	.	4158
		5586

DOLASTWK3	
LABEL	ID-4 What was R doing last week (employment status) - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 2 activities in the past week (see ID-4 DOLASTWK1)
NOTES	Use recode LABORFOR.
LENGTH	8
VARNUM	26

DOLASTWK3: Distribution	Value	n
Working at a job or business	1	12
Temporarily not at work but still employed	2	10
Not working but looking for work	3	8
Going to school, taking classes, or on school vacation	4	36
Taking care of house or family	5	101
Something else	6	62
Inapplicable	.	5357
		5586

Section I

DOLASTWK4	
LABEL	ID-4 What was R doing last week (employment status) - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 3 activities in the past week (see ID-4 DOLASTWK1)
NOTES	Use recode LABORFOR.
LENGTH	8
VARNUM	27

DOLASTWK4: Distribution	Value	n
Working at a job or business	1	3
Temporarily not at work but still employed	2	2
Not working but looking for work	3	2
Going to school, taking classes, or on school vacation	4	1
Taking care of house or family	5	3
Something else	6	10
Inapplicable	.	5565
		5586

RWRKST	
LABEL	Whether R is currently employed (working or temporarily on leave from a job) (computed in FC I-9)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	28

RWRKST: Distribution	Value	n
Yes	1	3663
No	5	1922
Inapplicable	.	1
		5586

RFTPTX	
LABEL	ID-5 Worked full- or part-time at all jobs last week (or last week worked)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently working (rwrkst = 1) or R is not currently working but has worked in the last 12 months (rwrkst = 5 and ID-2 WRK12MOS = 1)
LENGTH	8
VARNUM	29

RFTPTX: Distribution	Value	n
Fewer than 35 hours	1	1400
35 hours or more	2	2814
Refused	8	11
Don't Know	9	19
Inapplicable	.	1342
		5586

SPLSTWK1	
LABEL	IE-1 What was spouse/partner doing last week (employment status) - 1st mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is currently married or cohabiting (rmarit = 1 or 2 or ssmarcoh = 1 or 2)
LENGTH	8
VARNUM	30

SPLSTWK1: Distribution	Value	n
Working at a job or business	1	2306
Temporarily not at work but still employed	2	71
Not working but looking for work	3	75
Going to school, taking classes, or on school vacation	4	40
Taking care of house or family	5	154
Something else	6	99
Refused	8	12
Don't Know	9	11
Inapplicable	.	2818
		5586

Section I

SPLSTWK2	
LABEL	IE-1 What was spouse/partner doing last week (employment status) - 2nd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's spouse or cohabiting partner was doing more than 1 activity last week (see IE-1 SPLSTWK1)
LENGTH	8
VARNUM	31

SPLSTWK2: Distribution	Value	n
Working at a job or business	1	27
Temporarily not at work but still employed	2	13
Not working but looking for work	3	13
Going to school, taking classes, or on school vacation	4	38
Taking care of house or family	5	374
Something else	6	19
Inapplicable	.	5102
		5586

SPLSTWK3	
LABEL	IE-1 What was spouse/partner doing last week (employment status) - 3rd mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's spouse or cohabiting partner was doing more than 2 activities last week (see IE-1 SPLSTWK1)
LENGTH	8
VARNUM	32

SPLSTWK3: Distribution	Value	n
Working at a job or business	1	3
Temporarily not at work but still employed	2	1
Going to school, taking classes, or on school vacation	4	8
Taking care of house or family	5	16
Something else	6	19
Inapplicable	.	5539
		5586

SPLSTWK4	
LABEL	IE-1 What was spouse/partner doing last week (employment status) - 4th mention
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's spouse or cohabiting partner was doing more than 3 activities last week (see IE-1 SPLSTWK1)
LENGTH	8
VARNUM	33

SPLSTWK4: Distribution	Value	n
Taking care of house or family	5	1
Something else	6	1
Inapplicable	.	5584
		5586

SPWRKST	
LABEL	Whether spouse/partner is currently employed (working or temporarily on leave from a job) (computed in FC I-11)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R is currently married or cohabiting (rmarit = 1 or 2 or ssmarcoh = 1 or 2)
LENGTH	8
VARNUM	34

SPWRKST: Distribution	Value	n
Yes	1	2414
No	5	354
Inapplicable	.	2818
		5586

Section I

SPFTPTX	
LABEL	IE-2 Spouse/partner worked full- or part-time at all jobs last week (or last week worked)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's spouse or cohabiting partner was working last week (spwrkst = 1)
LENGTH	8
VARNUM	35

SPFTPTX: Distribution	Value	n
Fewer than 35 hours	1	248
35 hours or more	2	2159
Refused	8	3
Don't Know	9	4
Inapplicable	.	3172
		5586

REACTSLF	
LABEL	IF-1 How R would feel if she got pregnant now
VARIABLE TYPE	raw
UNIVERSE	Applicable if neither the woman nor her husband/male cohabiting partner are sterile (rstrstat = 0 and pstrstat = (. or 0)) and she is not currently pregnant (currpreg NE 1)
LENGTH	8
VARNUM	36

REACTSLF: Distribution	Value	n
Very upset	1	1434
A little upset	2	777
A little pleased	3	499
Very pleased	4	732
Neither upset nor pleased	5	621
Refused	8	47
Don't Know	9	33
Inapplicable	.	1443
		5586

CHBOTHER	
LABEL	IF-2 How bothered would R be if she did not have any (additional) children
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	37

CHBOTHER: Distribution	Value	n
A great deal	1	885
Some	2	832
A little	3	872
Not at all	4	2901
Refused	8	56
Don't Know	9	39
Inapplicable	.	1
		5586

CASILANG	
LABEL	IF-3 Language to be used in CASI
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	38

CASILANG: Distribution	Value	n
English	1	5335
Spanish	2	250
Inapplicable	.	1
		5586

Section J

Section J

GENHEALT	
LABEL	JA-1 R's General Health
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	1

GENHEALT: Distribution	Value	n
Excellent	1	1174
Very Good	2	2026
Good	3	1727
Fair	4	511
Poor	5	109
Refused	8	28
Don't Know	9	4
Inapplicable	.	7
		5586

BMIcat	
LABEL	Body Mass Index (BMI, in categorical form)
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R is aged 20 or older and not currently pregnant (AGER >= 20 and currpreg = 5)
NOTES	This variable has been created for public use, and the original source variables are accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	2

BMIcat: Distribution	Value	n
Underweight (BMI < 18.5)	1	105
Normal weight (BMI 18.5-24.9)	2	1535
Overweight (BMI 25.0-29.9)	3	1155
Obese (BMI >= 30.0)	4	1693
BMI undefinable	5	204
Inapplicable	.	894
		5586

DRWEIGH	
LABEL	JA-3a Was R weighed in past year by a medical care provider
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	3

DRWEIGH: Distribution	Value	n
Yes	1	4441
No	5	1054
Refused	8	43
Don't know	9	35
Inapplicable	.	13
		5586

TELLWGHT	
LABEL	JA-3b Did medical provider tell R she was underweight, normal weight, overweight, or obese?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported she had been weighed by a doctor or other medical care provider in the past 12 months (JA-3a DRWEIGH = 1)
LENGTH	8
VARNUM	4

Section J

TELLWGHT: Distribution	Value	n
Underweight	1	87
Normal weight	2	1662
Overweight	3	1025
Obese	4	477
Not told	5	1171
Refused	8	6
Don't Know	9	11
Inapplicable	.	1147
		5586

WGHTSCRN	
LABEL	JA-3c Was R provided with diet or exercise counseling by medical care provider
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was told by a doctor or medical provider that she was overweight or obese in the past 12 months (JA-3b TELLWGHT = 3 or 4)
LENGTH	8
VARNUM	5

WGHTSCRN: Distribution	Value	n
Yes	1	594
No	5	2070
Refused	8	3
Don't know	9	6
Inapplicable	.	2913
		5586

ENGSPEAK	
LABEL	JA-4 How well does R speak English
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	6

ENGSPEAK: Distribution	Value	n
Very well	1	4887
Well	2	418
Not well	3	132
Not at all	4	110
Refused	8	23
Don't Know	9	1
Inapplicable	.	15
		5586

NOBEDYR	
LABEL	JB-1 R had to stay overnight in a shelter, car or someplace outdoors in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	7

NOBEDYR: Distribution	Value	n
Yes	1	207
No	5	5310
Refused	8	39
Don't know	9	11
Inapplicable	.	19
		5586

Section J

STAYREL	
LABEL	JB-2 R had to stay overnight with a friend or relative in last 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	8

STAYREL: Distribution	Value	n
Yes	1	229
No	5	5285
Refused	8	43
Don't know	9	10
Inapplicable	.	19
		5586

EVSUSPEN	
LABEL	JB-3 R ever been suspended/expelled from school
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was younger than age 25 at time of screener (agescrn < 25)
LENGTH	8
VARNUM	9

EVSUSPEN: Distribution	Value	n
Yes	1	173
No	5	1150
Refused	8	5
Don't know	9	6
Inapplicable	.	4252
		5586

GRADSUSP	
LABEL	JB-4 Grade R was suspended/expelled from school
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever being suspended or expelled from school (JB-3 EVSUSPEN = 1)
LENGTH	8
VARNUM	10

GRADSUSP: Distribution	Value	n
1	1	2
2	2	2
3	3	1
4	4	4
5	5	5
6	6	12
7	7	17
8	8	25
9	9	27
10	10	42
11	11	18
12	12	7
Refused	98	2
Don't know	99	9
Inapplicable	.	5413
		5586

SMK100	
LABEL	JC-1 Has R Smoked at Least 100 Cigarettes in Life
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	11

Section J

SMK100: Distribution	Value	n
Yes	1	1101
No	5	4422
Refused	8	29
Don't know	9	13
Inapplicable	.	21
		5586

AGESMK	
LABEL	JC-2 Age That R First Began Smoking Regularly (bottom-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported smoking at least 100 cigarettes in lifetime (JC-1 SMK100 = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	12

AGESMK: Distribution	Value	n
12 or younger	12	43
13	13	54
14	14	79
15	15	123
16	16	138
17	17	87
18	18	168
19	19	60
20	20	61
21	21	40
22	22	30
23	23	22
24	24	10
25	25	18
26	26	10
27	27	8
28	28	5
29	29	1
30	30	7
31	31	1
32	32	3
33	33	2
34	34	2
35	35	3
36	36	2
38	38	1
40	40	4
44	44	1
45	45	2
Never smoked regularly	95	92
Refused	98	6
Don't know	99	18
Inapplicable	.	4485
		5586

SMOKE30	
LABEL	JC-3 Last 30 days: How Often R Smoked Cigarettes
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported smoking at least 100 cigarettes in lifetime (JC-1 SMK100 = 1)
LENGTH	8
VARNUM	13

SMOKE30: Distribution	Value	n
None	1	613
About one cigarette a day or less	2	73
Just a few cigarettes a day, between 2 to 4 cigarettes	3	120
About half a pack a day, between 5 to 14 cigarettes	4	169
About a pack a day, between 15 to 24 cigarettes	5	99

Section J

SMOKE30: Distribution	Value	n
More than a pack a day, 25 or more cigarettes	6	20
Refused	8	3
Don't Know	9	4
Inapplicable	.	4485
		5586

DRINK12	
LABEL	JC-4 Last 12 mos: how often drank alcoholic beverages
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	14

DRINK12: Distribution	Value	n
Never	1	1569
Once or twice during the year	2	975
Several times during the year	3	868
About once a month	4	753
About once a week	5	1032
About once a day	6	308
Refused	8	41
Don't Know	9	18
Inapplicable	.	22
		5586

BINGE12	
LABEL	JC-5 Last 12 mos: how often binge drank (5+ in couple of hours)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported consumption of any amount of alcoholic beverages in last year or said DK (JC-4 DRINK12 = 2, 3, 4, 5, 6, or DK)
LENGTH	8
VARNUM	15

BINGE12: Distribution	Value	n
Never	1	1664
Once or twice during the year	2	1067
Several times during the year	3	503
About once a month	4	400
About once a week	5	245
About once a day	6	41
Refused	8	8
Don't Know	9	26
Inapplicable	.	1632
		5586

POT12	
LABEL	JC-6 Last 12 mos: how often smoked marijuana
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	16

POT12: Distribution	Value	n
Never	1	4054
Once or twice during the year	2	418
Several times during the year	3	283
About once a month	4	131
About once a week	5	191
About once a day or more	6	422
Refused	8	54
Don't Know	9	8

Section J

POT12: Distribution	Value	n
Inapplicable	.	25
		5586

VAGSEX	
LABEL	JD-1 Ever had vaginal intercourse with male partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if survey mode is face-to-face (FTFMODE = 1) and R has never married a man (evrmarry ne 1), never cohabited with a man (evrcohab ne 1), and did not report any pregnancies (1 <= BB-1 numpregs <= 97)
LENGTH	8
VARNUM	17

VAGSEX: Distribution	Value	n
Yes	1	170
No	5	213
Refused	8	11
Don't know	9	5
Inapplicable	.	5187
		5586

AGEVAGR	
LABEL	JD-2 R's age at first vaginal intercourse with male partner (bottom-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was re-asked about vaginal intercourse with a male partner in Section J and responded "yes" (JD-1 VAGSEX = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	18

AGEVAGR: Distribution	Value	n
10 or younger	10	2
12	12	1
13	13	4
14	14	13
15	15	32
16	16	22
17	17	21
18	18	28
19	19	10
20	20	11
21	21	6
22	22	5
23	23	2
24	24	2
27	27	1
28	28	1
34	34	1
Refused	98	2
Don't know	99	6
Inapplicable	.	5416
		5586

CONDVAG	
LABEL	J-4 Was condom used at last vaginal intercourse with male partner
VARIABLE TYPE	raw
UNIVERSE	Applicable for online Rs who have had vaginal intercourse based on Section C variables (FTFMODE = 2 and rhadsex = 1), or for face-to-face Rs who have had vaginal intercourse based on Section J variables (JD-1 VAGSEX = 1 or blank)
LENGTH	8
VARNUM	19

Section J

CONDVAG: Distribution	Value	n
Yes	1	1138
No	5	3310
Refused	8	77
Don't know	9	16
Inapplicable	.	1045
		5586

WHYCONDL	
LABEL	JD-5 Reason for condom use at last vaginal intercourse with male partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported using a condom at last vaginal intercourse with a male partner (JD-4 CONDVAG = 1)
LENGTH	8
VARNUM	20

WHYCONDL: Distribution	Value	n
To prevent pregnancy	1	481
To prevent diseases like gonorrhea, chlamydia, syphilis, herpes or AIDS	2	82
For both reasons	3	524
Or for some other reason	4	38
Refused	8	6
Don't Know	9	7
Inapplicable	.	4448
		5586

GETORALM	
LABEL	JD-6 Ever received oral sex from a male partner
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	21

GETORALM: Distribution	Value	n
Yes	1	3810
No	5	1538
Refused	8	182
Don't know	9	21
Inapplicable	.	35
		5586

GIVORALM	
LABEL	JD-7 R ever gave oral sex to a male partner
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	22

GIVORALM: Distribution	Value	n
Yes	1	3823
No	5	1515
Refused	8	197
Don't know	9	16
Inapplicable	.	35
		5586

CONDFELL	
LABEL	JD-8 Used condom at last oral sex with a male partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever performing oral sex on a male partner (JD-7 GIVORALM = 1)

Section J

CONDFELL	
LENGTH	8
VARNUM	23

CONDFELL: Distribution	Value	n
Yes	1	158
No	5	3657
Refused	8	5
Don't know	9	3
Inapplicable	.	1763
		5586

ANYORAL	
LABEL	Ever had oral sex with a male partner (computed in FC J-8b)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R gave valid responses to the oral sex questions ((JD-6 GETORALM = 1 or 5) and (JD-7 GIVORALM = 1 or 5))
LENGTH	8
VARNUM	24

ANYORAL: Distribution	Value	n
Yes	1	3985
No	5	1349
Inapplicable	.	252
		5586

J_HADSEX	
LABEL	Ever had vaginal intercourse with male partner (computed in FC J-8b)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	25

J_HADSEX: Distribution	Value	n
Yes	1	4569
No	5	1015
Inapplicable	.	2
		5586

TIMING	
LABEL	JD-8b First oral sex before, after, or during first vaginal sex?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was younger than age 25 at time of screener (agescrn < 25) and reported having ever had both vaginal and oral sex with a male partner (j_hadsex = 1 and anyoral = 1)
LENGTH	8
VARNUM	26

TIMING: Distribution	Value	n
Before first vaginal intercourse	1	228
After first vaginal intercourse	3	179
Same occasion	5	110
Refused	8	2
Don't Know	9	13
Inapplicable	.	5054
		5586

ANALSEX	
LABEL	JD-9 R ever had anal sex with a male partner
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	27

Section J

ANALSEX: Distribution	Value	n
Yes	1	1629
No	5	3727
Refused	8	180
Don't know	9	14
Inapplicable	.	36
		5586

CONDANAL	
LABEL	JD-10 Used condom at last anal sex with a male partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever having anal sex with a male partner (JD-9 ANALSEX = 1)
LENGTH	8
VARNUM	28

CONDANAL: Distribution	Value	n
Yes	1	295
No	5	1327
Refused	8	2
Don't know	9	5
Inapplicable	.	3957
		5586

OPPSEXANY	
LABEL	Ever had vaginal, oral, or anal sex with a male partner (computed in FC J-9)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R gave valid responses to all of the questions on opposite-sex activity ((j_hadsex = 1 or 5) and (JD-6 GETORALM = 1 or 5) and (JD-7 GIVORALM = 1 or 5) and (JD-9 ANALSEX = 1 or 5))
LENGTH	8
VARNUM	29

OPPSEXANY: Distribution	Value	n
Yes	1	4697
No	5	834
Inapplicable	.	55
		5586

OPPSEXGEN	
LABEL	Ever had male-genital-involving sex with a male partner (computed in FC J-9)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R gave valid responses to all of the questions on opposite-sex activity involving male genitals ((j_hadsex = 1 or 5) and (JD-7 GIVORALM = 1 or 5) and (JD-9 ANALSEX = 1 or 5))
LENGTH	8
VARNUM	30

OPPSEXGEN: Distribution	Value	n
Yes	1	4684
No	5	846
Inapplicable	.	56
		5586

CONDSEXL	
LABEL	JD-11 Was condom used at last sex of any kind with a male partner
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 form of male-genital-involving sex (more than 1 of these statements true: j_hadsex = 1, JD-7 GIVORALM = 1, JD-9 ANALSEX = 1) and reported condom use at last sex for any specific type (JD-4 CONDVAG = 1 or JD-8 CONDFELL = 1 or JD-10 CONDANAL = 1)
LENGTH	8
VARNUM	31

CONDSEXL: Distribution	Value	n
Yes	1	858
No	5	296
Refused	8	3
Don't know	9	4

Section J

CONDSEXL: Distribution	Value	n
Inapplicable	.	4425
		5586

OPPLIFENUM	
LABEL	Number of opposite-sex partners in lifetime for all types of sex (computed in FC J-14d) (top-coded)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R reported any vaginal, oral, or anal sex with a male partner (oppsexany = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	32

OPPLIFENUM: Distribution	Value	n
1	1	1008
2	2	484
3	3	432
4	4	323
5	5	399
6	6	234
7	7	187
8	8	146
9	9	103
10	10	245
11	11	58
12	12	74
13	13	36
14	14	26
15	15	118
16	16	16
17	17	14
18	18	17
19	19	11
20	20	109
21	21	9
22	22	14
23	23	12
24	24	2
25	25	48
26	26	5
27	27	10
28	28	7
29	29	1
30	30	49
31	31	2
32	32	3
33	33	7
34	34	2
35	35	13
36	36	3
37	37	2
38	38	3
40	40	16
41	41	1
43	43	2
44	44	1
45	45	5
47	47	2
50 or more	50	86
Refused	998	228
Don't know	999	79
Inapplicable	.	934
		5586

Section J

OPPYEARNUM	
LABEL	Number of opposite-sex partners in last 12 months for all types of sex (computed in FC J-14f) (top-coded)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R reported any vaginal, oral, or anal sex with a male partner (oppsexany = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	33

OPPYEARNUM: Distribution	Value	n
0	0	553
1	1	3436
2	2	269
3	3	110
4	4	47
5	5	29
6	6	12
7 or more	7	39
Refused	998	133
Don't know	999	22
Inapplicable	.	936
		5586

VAGNUM12	
LABEL	JF-2YRA Number of male vaginal sex partners in last 12 months (top-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any male sexual partners in the last 12 months or did not know the number (oppyearnum > 0 or oppyearnum = DK) and R reported ever having vaginal intercourse with a male partner (j_hadsex = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	34

VAGNUM12: Distribution	Value	n
0	0	24
1	1	3271
2	2	249
3	3	109
4	4	50
5	5	27
6	6	15
7 or more	7	92
Refused	998	18
Don't know	999	38
Inapplicable	.	1693
		5586

ORALNUM12	
LABEL	JF-2YRB Number of male oral sex partners in last 12 months (top-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any male sexual partners in the last 12 months or did not know the number (oppyearnum > 0 or oppyearnum = DK) and R reported ever having oral sex with a male partner (anyoral = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	35

ORALNUM12: Distribution	Value	n
0	0	204
1	1	2790
2	2	221
3	3	75
4	4	39
5	5	27

Section J

ORALNUM12: Distribution	Value	n
6	6	14
7 or more	7	66
Refused	998	11
Don't know	999	24
Inapplicable	.	2115
		5586

ANALNUM12	
LABEL	JF-2YRC Number of male anal sex partners in last 12 months (top-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any male sexual partners in the last 12 months or did not know the number (oppyearnum > 0 or oppyearnum = DK) and R reported ever having anal sex with a male partner (JD-9 ANALSEX = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	36

ANALNUM12: Distribution	Value	n
0	0	713
1	1	679
2	2	26
3	3	10
4	4	1
6	6	1
7 or more	7	2
Refused	998	6
Don't know	999	5
Inapplicable	.	4143
		5586

RNONMONOG	
LABEL	JF-2d R had sex with multiple male partners around the same time in the past 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R had at least 2 male partners in the last 12 months (oppyearnum >= 2
LENGTH	8
VARNUM	37

RNONMONOG: Distribution	Value	n
Yes	1	190
No	5	303
Refused	8	9
Don't know	9	4
Inapplicable	.	5080
		5586

BISEXPRT	
LABEL	JF-3 Last 12 mos: R Had Sex With Male Who Ever Had Sex With Males
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any male sexual partners in the last 12 months (1 <= oppyearnum < 995) or R said she did not know how many male partners she had in the last 12 months (oppyearnum = DK)
LENGTH	8
VARNUM	38

BISEXPRT: Distribution	Value	n
Yes	1	90
No	5	3811
Refused	8	70
Don't know	9	86
Inapplicable	.	1529
		5586

Section J

NONMONOG	
LABEL	JF-4 Last 12 mos: R Had Sex With Male Who Was Having Sex With Others
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any male sexual partners in the last 12 months or did not know the number (oppyearnum > 0 or oppyearnum = DK)
LENGTH	8
VARNUM	39

NONMONOG: Distribution	Value	n
Yes	1	289
No	5	3586
Refused	8	66
Don't know	9	116
Inapplicable	.	1529
		5586

NNONMONOG	
LABEL	JF-5 # of male partners from past 12 mos who were having sex with other people around the same time (top-coded)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported more than 1 male sexual partner in the last 12 months or did not know the number (oppyearnum > 1 or oppyearnum = DK) and R also reported having sex in the past 12 months with any male partners who were also having sex with other people around the same time (JF-4 NONMONOG = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	40

NNONMONOG: Distribution	Value	n
0	0	2
1	1	83
2	2	44
3 or more	3	59
Refused	998	1
Don't know	999	14
Inapplicable	.	5383
		5586

MALSHT12	
LABEL	JF-6 Last 12 mos: R had sex with male intravenous drug user
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any male sexual partners in the last 12 months or R said she did not know how many or refused (oppyearnum > 0 or oppyearnum = DK/RF)
LENGTH	8
VARNUM	41

MALSHT12: Distribution	Value	n
Yes	1	27
No	5	3948
Refused	8	56
Don't know	9	26
Inapplicable	.	1529
		5586

PROSTFRQ	
LABEL	JF-7 Last 12 mos: R took money or drugs from male for sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any male sexual partners in the last 12 months or R said she did not know how many or refused (oppyearnum > 0 or oppyearnum = DK/RF)
LENGTH	8
VARNUM	42

Section J

PROSTFRQ: Distribution	Value	n
Yes	1	23
No	5	3982
Refused	8	45
Don't know	9	7
Inapplicable	.	1529
		5586

JOHNFREQ	
LABEL	JF-8 Last 12 mos: R gave money or drugs to male for sex
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any male sexual partners in the last 12 months or R said she did not know how many or refused (oppyearnum > 0 or oppyearnum = DK/RF)
LENGTH	8
VARNUM	43

JOHNFREQ: Distribution	Value	n
Yes	1	11
No	5	3999
Refused	8	42
Don't know	9	5
Inapplicable	.	1529
		5586

GIVORALF	
LABEL	JG-1A Has R ever performed oral sex on another female
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	44

GIVORALF: Distribution	Value	n
Yes	1	676
No	5	4740
Refused	8	110
Don't know	9	5
Inapplicable	.	55
		5586

GETORALF	
LABEL	JG-1B Has another female ever performed oral sex on R
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	45

GETORALF: Distribution	Value	n
Yes	1	761
No	5	4660
Refused	8	107
Don't know	9	3
Inapplicable	.	55
		5586

FEMSEX	
LABEL	JG_1c R had any other sexual experience with another female
VARIABLE TYPE	raw
UNIVERSE	Applicable if R has not reported some form of oral sex with a female partner (JG-1a GIVORALF = 5, DK, or RF and JG-1b GETORALF = 5, DK, or RF)
LENGTH	8
VARNUM	46

Section J

FEMSEX: Distribution	Value	n
Yes	1	181
No	5	4440
Refused	8	95
Don't know	9	6
Inapplicable	.	864
		5586

SAMESEXANY	
LABEL	Ever had sexual experience with a female partner (computed in FC J-19)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R gave answers other than "don't know" or "refused" to all of the questions on same-sex activity (JG-1a GIVORALF NE DK/RF and JG-1b GETORALF NE DK/RF and JG-1c FEMSEX NE DK/RF).
LENGTH	8
VARNUM	47

SAMESEXANY: Distribution	Value	n
Yes	1	989
No	5	4426
Inapplicable	.	171
		5586

SAMLIFENUM	
LABEL	Number of same-sex partners in lifetime (computed in FC J-19d) (top-coded)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R reported ever having sexual experience with a female partner (samesexany = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	48

SAMLIFENUM: Distribution	Value	n
1	1	392
2	2	229
3	3	125
4	4	57
5	5	49
6	6	22
7	7	10
8	8	13
9	9	4
10 or more	10	49
Refused	998	18
Don't know	999	21
Inapplicable	.	4597
		5586

SAMYEARNUM	
LABEL	Number of same-sex partners in last 12 months (computed in FC J-19f) (top-coded)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R reported ever having sexual experience with a female partner (samesexany = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	49

SAMYEARNUM: Distribution	Value	n
0	0	710
1	1	195
2	2	35
3 or more	3	22
Refused	998	18
Don't know	999	9
Inapplicable	.	4597
		5586

Section J

SAMESEX1	
LABEL	JG-4 R's age at first sexual experience with same-sex (female) partner (categorical)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever having sexual experience with a female partner (samesexany = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	50

SAMESEX1: Distribution	Value	n
<15 years old	1	127
15-19 years old	2	382
20-29 years old	3	356
30-49 years old	4	73
Refused	98	20
Don't know	99	31
Inapplicable	.	4597
		5586

FSAMEREL	
LABEL	JG-5 R's relationship with 1st female partner at time of 1st sex with her
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported ever having sexual experience with a female partner (samesexany = 1)
LENGTH	8
VARNUM	51

FSAMEREL: Distribution	Value	n
Married to her	1	1
Engaged to her, and living together	2	4
Engaged to her, but not living together	3	1
Living together in a sexual relationship, but not engaged	4	16
In a steady relationship, but not living together or engaged	5	163
Going out with her once in a while	6	89
Just friends	7	565
Had just met her	8	70
Something else	9	66
Refused	98	11
Don't Know	99	3
Inapplicable	.	4597
		5586

FEMLEGSTAT	
LABEL	JG-6 Current legal marital status with regard to women - R not married to a woman
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is age 18 or older (age_r >= 18) and has had any sexual experience with a female partner (samesexany = 1) and is not currently married to a woman (ssmarcoh ne 1)
LENGTH	8
VARNUM	52

FEMLEGSTAT: Distribution	Value	n
Widowed	2	1
Divorced or annulled	3	11
Separated, because you and your spouse are not getting along	4	8
Never been married	5	897
Refused	8	8
Don't Know	9	4
Inapplicable	.	4657
		5586

Section J

FEMMARRN	
LABEL	JG-7 Number of times R has been married to a woman
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is age 18 or older (age_r >= 18) and has had any sexual experience with a female partner (samesexany = 1) and is currently married to a woman (ssmarcoh = 1) or reported being separated from or previously married to a woman (JG-6 FEMLEGSTAT = 2, 3, or 4)
LENGTH	8
VARNUM	53

FEMMARRN: Distribution	Value	n
1	1	45
2	2	2
Refused	8	4
Don't know	9	1
Inapplicable	.	5534
		5586

FEMCOHN	
LABEL	JG-8 Number of times R has cohabited with a woman without being married
VARIABLE TYPE	raw
UNIVERSE	Applicable if R is age 18 or older (age_r >= 18) and has had any sexual experience with a female partner (samesexany = 1)
LENGTH	8
VARNUM	54

FEMCOHN: Distribution	Value	n
0	0	744
1	1	120
2	2	39
3	3	19
4	4	4
5	5	5
Refused	8	23
Don't know	9	7
Inapplicable	.	4625
		5586

MFLASTP	
LABEL	JH-1 Was R's last sex partner male or female
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported having sex with both male and female partners in the last 12 months, even if the exact numbers were not reported ((oppyearnum > 0 or DK/RF) and (samyearnum > 0 or DK/RF)), or if R reported no partners in the last 12 months but has had both male and female partners in lifetime (oppyearnum = 0 and samyearnum = 0 and oppsexany = 1 and samesexany = 1)
LENGTH	8
VARNUM	55

MFLASTP: Distribution	Value	n
Male	1	149
Female	2	30
Refused	8	5
Don't Know	9	1
Inapplicable	.	5401
		5586

DATEAPP	
LABEL	JH-1a Had sex wth someone they first met on the internet in past 12 months
VARIABLE TYPE	raw
UNIVERSE	Applicable if R reported any sexual activity with male or female partners (oppsexany = 1 or samesexany = 1)
LENGTH	8
VARNUM	56

Section J

DATEAPP: Distribution	Value	n
Yes	1	257
No	5	4358
Refused	8	12
Don't know	9	3
Inapplicable	.	956
		5586

ATTRACT	
LABEL	JH-2 R's level of sexual attraction to male and/or female partners
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	57

ATTRACT: Distribution	Value	n
Only attracted to males	1	3534
Mostly attracted to males	2	886
Equally attracted to males and females	3	478
Mostly attracted to females	4	143
Only attracted to females	5	95
Not sure	6	256
Refused	8	110
Don't Know	9	25
Inapplicable	.	59
		5586

ORIENT	
LABEL	JH-3 R's sexual orientation
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	58

ORIENT: Distribution	Value	n
Lesbian or gay	1	151
Straight, that is, not lesbian or gay.	2	4242
Bisexual	3	675
Something else	4	319
Refused	8	106
Don't Know	9	34
Inapplicable	.	59
		5586

CONFCONC	
LABEL	JH-3A Would R ever not go for sexual or reproductive health care because parents might find out
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was under 26 years of age at time of screener (agescrn < 26)
LENGTH	8
VARNUM	59

CONFCONC: Distribution	Value	n
Yes	1	148
No	5	1123
Not ascertained	7	171
Refused	8	15
Don't know	9	22
Inapplicable	.	4107
		5586

Section J

TIMALON	
LABEL	JH-3b Dr spent any time alone with R without a parent
VARIABLE TYPE	raw
UNIVERSE	Applicable if R was under 18 years of age at time of screener (agescrn < 18)
LENGTH	8
VARNUM	60

TIMALON: Distribution	Value	n
Yes	1	175
No	5	180
Did not have a health care visit in past 12 months	6	40
Refused	8	1
Don't Know	9	8
Inapplicable	.	5182
		5586

RISKCHEK1	
LABEL	JH-3C Last 12 mos: Doctor asked R about sexual orientation or sex of partners
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	61

RISKCHEK1: Distribution	Value	n
Yes	1	1158
No	5	4229
Refused	8	91
Don't know	9	45
Inapplicable	.	63
		5586

RISKCHEK2	
LABEL	JH-3D Last 12 mos: Doctor asked R about her number of sexual partners
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	62

RISKCHEK2: Distribution	Value	n
Yes	1	1101
No	5	4292
Refused	8	89
Don't know	9	39
Inapplicable	.	65
		5586

RISKCHEK3	
LABEL	JH-3E Last 12 mos: Doctor asked R about her use of condoms
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	63

RISKCHEK3: Distribution	Value	n
Yes	1	1101
No	5	4293
Refused	8	86
Don't know	9	40
Inapplicable	.	66
		5586

Section J

RISKCHEK4	
LABEL	JH-3F Last 12 mos: Doctor asked R about the types of sex she has
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	64

RISKCHEK4: Distribution	Value	n
Yes	1	611
No	5	4773
Refused	8	92
Don't know	9	43
Inapplicable	.	67
		5586

CHLAMTST	
LABEL	JH-4 Last 12 mos: R Tested for chlamydia
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	65

CHLAMTST: Distribution	Value	n
Yes	1	1015
No	5	4369
Refused	8	82
Don't know	9	53
Inapplicable	.	67
		5586

STDOTHR12	
LABEL	JH-4B Last 12 mos: STD testing (other than chlamydia)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	66

STDOTHR12: Distribution	Value	n
Yes	1	1138
No	5	4247
Refused	8	79
Don't know	9	54
Inapplicable	.	68
		5586

STDTRT12	
LABEL	JH-5 Last 12 mos: R Treated for any STD
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	67

STDTRT12: Distribution	Value	n
Yes	1	171
No	5	5239
Refused	8	79
Don't know	9	29

Section J

STDTRT12: Distribution	Value	n
Inapplicable	.	68
		5586

GON	
LABEL	JH-6 Last 12 mos: R told she had gonorrhea
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	68

GON: Distribution	Value	n
Yes	1	26
No	5	5394
Refused	8	72
Don't know	9	26
Inapplicable	.	68
		5586

CHLAM	
LABEL	JH-7 Last 12 mos: R told she had chlamydia
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	69

CHLAM: Distribution	Value	n
Yes	1	54
No	5	5367
Refused	8	73
Don't know	9	24
Inapplicable	.	68
		5586

HERPES	
LABEL	JH-8 R ever (in life) told she had genital herpes
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	70

HERPES: Distribution	Value	n
Yes	1	222
No	5	5202
Refused	8	73
Don't know	9	21
Inapplicable	.	68
		5586

GENWARTS	
LABEL	JH-9 R ever (in life) told she had genital warts
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	71

Section J

GENWARTS: Distribution	Value	n
Yes	1	254
No	5	5166
Refused	8	72
Don't know	9	24
Inapplicable	.	70
		5586

ABNHPV	
LABEL	JH-9A R had positive HPV test in past 5 years
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	72

ABNHPV: Distribution	Value	n
Yes	1	350
No	5	5061
Refused	8	72
Don't know	9	33
Inapplicable	.	70
		5586

SYPHILIS	
LABEL	JH-10 R ever (in life) told she had syphilis
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	73

SYPHILIS: Distribution	Value	n
Yes	1	22
No	5	5405
Refused	8	70
Don't know	9	18
Inapplicable	.	71
		5586

EMOTABUSE	
LABEL	JH-13 How often parent or adult insulted R or put her down (before age 18)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	74

EMOTABUSE: Distribution	Value	n
Never	1	2361
Rarely	2	1148
Sometimes	3	1048
Often	4	540
Always	5	271
Refused	8	99
Don't Know	9	40
Inapplicable	.	79
		5586

Section J

PHYSABUSE	
LABEL	JH-14 How often parent or adult hit, beat or physically hurt R (before age 18)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	75

PHYSABUSE: Distribution	Value	n
Never	1	3617
Rarely	2	904
Sometimes	3	562
Often	4	217
Always	5	81
Refused	8	98
Don't Know	9	28
Inapplicable	.	79
		5586

SEXABUSE	
LABEL	JH-15 How often someone made R do sexual things she did not want to (before age 18)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Data on this variable has been suppressed for respondents under age 18 in the public-use file. The variable for all respondents is accessible by application to the NCHS Research Data Center. In addition, although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case
LENGTH	8
VARNUM	76

SEXABUSE: Distribution	Value	n
Never	1	4307
Rarely	2	249
Sometimes	3	290
Often	4	87
Always	5	26
Refused	8	114
Don't Know	9	30
Inapplicable	.	483
		5586

REVPHYSNEG	
LABEL	JH-16 How often someone tried to make sure R's needs were met (before age 18)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	77

REVPHYSNEG: Distribution	Value	n
Never	1	606
Rarely	2	84
Sometimes	3	167
Often	4	421
Always	5	4119
Refused	8	81
Don't Know	9	28
Inapplicable	.	80
		5586

Section J

REVEMOTNEG	
LABEL	JH-17 How often someone tried to make sure R felt love (before age 18)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	78

REVEMOTNEG: Distribution	Value	n
Never	1	385
Rarely	2	252
Sometimes	3	521
Often	4	726
Always	5	3510
Refused	8	78
Don't Know	9	31
Inapplicable	.	83
		5586

WITNESSIPV	
LABEL	JH-18 How often R witnessed adults beat each other up (before age 18)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	79

WITNESSIPV: Distribution	Value	n
Never	1	4299
Rarely	2	519
Sometimes	3	371
Often	4	144
Always	5	47
Refused	8	87
Don't Know	9	35
Inapplicable	.	84
		5586

LIVDRUGS	
LABEL	JH-19 Lived with parent/guardian who was having alcohol or drug problems (before age 18)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	80

LIVDRUGS: Distribution	Value	n
Yes	1	1163
No	5	4232
Refused	8	75
Don't know	9	31
Inapplicable	.	85
		5586

LIVDEPRESS	
LABEL	JH-20 Lived with parent/guardian who was depressed, mentally ill, or suicidal (before age 18)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	81

Section J

LIVDEPRESS: Distribution	Value	n
Yes	1	1501
No	5	3852
Refused	8	78
Don't know	9	70
Inapplicable	.	85
		5586

SEPJAIL	
LABEL	JH-21 Been separated from parent or guardian due to their jail time (before age 18)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	82

SEPJAIL: Distribution	Value	n
Yes	1	343
No	5	5068
Refused	8	67
Don't know	9	23
Inapplicable	.	85
		5586

RACEDESCRIM	
LABEL	JH-22 How often R treated badly or unfairly because of race (before age 18)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	83

RACEDESCRIM: Distribution	Value	n
Never	1	4134
Rarely	2	577
Sometimes	3	526
Often	4	109
Always	5	39
Refused	8	72
Don't Know	9	43
Inapplicable	.	86
		5586

GENDDESCRIM	
LABEL	JH-23 How often treated badly or unfairly because of gender identity or sexual orientation (before age 18)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	84

GENDDESCRIM: Distribution	Value	n
Never	1	4266
Rarely	2	481
Sometimes	3	466
Often	4	126
Always	5	39
Refused	8	83
Don't Know	9	37
Inapplicable	.	88
		5586

Section J

WITVIOL	
LABEL	JH-24 How often saw someone get physically attacked, beaten in neighborhood (before age 18)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	85

WITVIOL: Distribution	Value	n
Never	1	4470
Rarely	2	535
Sometimes	3	272
Often	4	87
Always	5	23
Refused	8	66
Don't Know	9	43
Inapplicable	.	90
		5586

EARNTYPE	
LABEL	JI-0A Total earnings before taxes reported weekly, monthly, or yearly
VARIABLE TYPE	raw
UNIVERSE	Applicable if R worked in the past year (ID-2 WRK12MOS = 1)
LENGTH	8
VARNUM	86

EARNTYPE: Distribution	Value	n
Week	1	794
Month	2	820
Year	3	2035
Refused	8	147
Don't Know	9	124
Inapplicable	.	1666
		5586

EARN	
LABEL	JI-0B total (weekly/monthly/yearly) earnings before taxes
VARIABLE TYPE	raw
UNIVERSE	Applicable if R worked in the past year (ID-2 WRK12MOS = 1)
LENGTH	8
VARNUM	87

EARN: Distribution	Value	n
Under $96 (weekly)/Under $417 (monthly)/Under $5,000 (yearly)	1	226
$96-$143 (weekly)/$417-624 (monthly)/$5,000-7,499 (yearly)	2	127
$144-191 (weekly)/$625-832 (monthly)/$7,500-9,999 (yearly)	3	112
$192-239 (weekly)/$833-1,041 (monthly)/$10,000-12,499 (yearly)	4	140
$240-288 (weekly)/$1,042-1,249 (monthly)/$12,500-14,999 (yearly)	5	142
$289-384 (weekly)/$1,250-1,666 (monthly)/$15,000-19,999 (yearly)	6	156
$385-480 (weekly)/$1,667-2,082 (monthly)/$20,000-24,999 (yearly)	7	214
$481-576 (weekly)/$2,083-2,499 (monthly)/$25,000-29,999 (yearly)	8	228
$577-672 (weekly)/$2,500-2,916 (monthly)/$30,000-34,999 (yearly)	9	229
$673-768 (weekly)/$2,917-3,332 (monthly)/$35,000-39,999 (yearly)	10	195
$769-961 (weekly)/$3,333-4,166 (monthly)/$40,000-49,999 (yearly)	11	372

Section J

EARN: Distribution	Value	n
$962-1,153 (weekly)/$4,167-4,999 (monthly)/$50,000-59,999 (yearly)	12	322
$1,154-1,441 (weekly)/$5,000-6,249 (monthly)/$60,000-74,999 (yearly)	13	368
$1,442-1,922 (weekly)/$6,250-8,332 (monthly)/$75,000-99,999 (yearly)	14	353
$1,923 or more (weekly)/$8,333 or more (monthly)/$100,000 or more (yearly)	15	526
Refused	98	126
Don't Know	99	84
Inapplicable	.	1666
		5586

EARNDK1	
LABEL	JI-0c If DK/RF total earnings, was it $20,000 or more?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not know or refused to report her total earnings before taxes (JI-0b EARN = DK/RF)
LENGTH	8
VARNUM	88

EARNDK1: Distribution	Value	n
Yes	1	42
No	5	31
Refused	8	90
Don't know	9	46
Inapplicable	.	5377
		5586

EARNDK2	
LABEL	JI-0d If more than $20,000, was it $50,000 or more (DK/RF total earnings)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's total earnings before taxes were $20,000 or more (JI-0c EARNDK1 = 1)
LENGTH	8
VARNUM	89

EARNDK2: Distribution	Value	n
Yes	1	8
No	5	21
Refused	8	9
Don't know	9	4
Inapplicable	.	5544
		5586

EARNDK3	
LABEL	JI-0e If more than $50,000, was it $75,000 or more (DK/RF total earnings)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's total earnings before taxes were $50,000 or more (JI-0d EARNDK2 = 1)
LENGTH	8
VARNUM	90

EARNDK3: Distribution	Value	n
Yes	1	2
No	5	4
Refused	8	2
Inapplicable	.	5578
		5586

EARNDK4	
LABEL	JI-0f If more than $75,000, was it $100,000 or more (DK/RF total earnings)
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's total earnings before taxes were $75,000 or more (JI-0e EARNDK3 = 1)
LENGTH	8
VARNUM	91

Section J

EARNDK4: Distribution	Value	n
No	5	2
Inapplicable	.	5584
		5586

TOINCWMY	
LABEL	JI-2 Prefer to Report Total Income per Week, Month, or Year
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	92

TOINCWMY: Distribution	Value	n
Week	1	567
Month	2	938
Year	3	3388
Refused	8	252
Don't Know	9	334
Inapplicable	.	107
		5586

TOTINC	
LABEL	JI-3 Total combined family Income in prior calendar year (per week/month/year)
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Use recode TOTINCR; see recode POVERTY. Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	93

TOTINC: Distribution	Value	n
Under $96 (weekly)/Under $417 (monthly)/Under $5,000 (yearly)	1	237
$96-$143 (weekly)/$417-624 (monthly)/$5,000-7,499 (yearly)	2	88
$144-191 (weekly)/$625-832 (monthly)/$7,500-9,999 (yearly)	3	82
$192-239 (weekly)/$833-1,041 (monthly)/$10,000-12,499 (yearly)	4	137
$240-288 (weekly)/$1,042-1,249 (monthly)/$12,500-14,999 (yearly)	5	98
$289-384 (weekly)/$1,250-1,666 (monthly)/$15,000-19,999 (yearly)	6	116
$385-480 (weekly)/$1,667-2,082 (monthly)/$20,000-24,999 (yearly)	7	183
$481-576 (weekly)/$2,083-2,499 (monthly)/$25,000-29,999 (yearly)	8	214
$577-672 (weekly)/$2,500-2,916 (monthly)/$30,000-34,999 (yearly)	9	197
$673-768 (weekly)/$2,917-3,332 (monthly)/$35,000-39,999 (yearly)	10	222
$769-961 (weekly)/$3,333-4,166 (monthly)/$40,000-49,999 (yearly)	11	358
$962-1,153 (weekly)/$4,167-4,999 (monthly)/$50,000-59,999 (yearly)	12	344
$1,154-1,441 (weekly)/$5,000-6,249 (monthly)/$60,000-74,999 (yearly)	13	436
$1,442-1,922 (weekly)/$6,250-8,332 (monthly)/$75,000-99,999 (yearly)	14	531
$1,923 or more (weekly)/$8,333 or more (monthly)/$100,000 or more (yearly)	15	1663
Refused	98	239
Don't Know	99	330
Inapplicable	.	111
		5586

Section J

FMINCDK1	
LABEL	JI-3A If DK/RF combined family income, was it less than $50,000 or $50,000 or more?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R did not know or refused to report total combined family income (JI-3 TOTINC = DK/RF)
LENGTH	8
VARNUM	94

FMINCDK1: Distribution	Value	n
Less than $50,000	1	82
$50,000 or more	5	64
Refused	8	201
Don't Know	9	222
Inapplicable	.	5017
		5586

FMINCDK2	
LABEL	JI-3B If income less than $50,000, was it less than $35,000?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's total combined family income was less than $50,000 (JI-3a FMINCDK1 = 1)
LENGTH	8
VARNUM	95

FMINCDK2: Distribution	Value	n
Yes	1	45
No	5	14
Don't know	9	23
Inapplicable	.	5504
		5586

FMINCDK3	
LABEL	JI-3C If income less than $35,000, was it less than the poverty threshold?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's total combined family income was less than $35,000 (JI-3b FMINCDK2 = 1) and number of household members is 4 or less (ROSCNT <= 4)
LENGTH	8
VARNUM	96

FMINCDK3: Distribution	Value	n
Yes	1	19
No	5	9
Refused	8	3
Don't know	9	6
Inapplicable	.	5549
		5586

FMINCDK4	
LABEL	JI-3D If income more than $50,000, was it $75,000 or more?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's total combined family income was $50,000 or more (JI-3a FMINCDK1 = 5)
LENGTH	8
VARNUM	97

FMINCDK4: Distribution	Value	n
Yes	1	29
No	5	16
Refused	8	5
Don't know	9	14
Inapplicable	.	5522
		5586

FMINCDK5	
LABEL	JI-3E If income more than $75,000, was it $100,000 or more?
VARIABLE TYPE	raw
UNIVERSE	Applicable if R's total combined family income was $75,000 or more (JI-3d FMINCDK4 = 1)
LENGTH	8
VARNUM	98

Section J

FMINCDK5: Distribution	Value	n
Yes	1	13
No	5	8
Refused	8	2
Don't know	9	6
Inapplicable	.	5557
		5586

PUBASST	
LABEL	JI-4 R or family member received cash assistance from state/county welfare program in prior calendar year
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	99

PUBASST: Distribution	Value	n
Yes	1	332
No	5	4877
Refused	8	116
Don't know	9	148
Inapplicable	.	113
		5586

FOODSTMP	
LABEL	JI-5 R or family member received food stamps in prior calendar year
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	100

FOODSTMP: Distribution	Value	n
Yes	1	1080
No	5	4160
Refused	8	122
Don't know	9	109
Inapplicable	.	115
		5586

WIC	
LABEL	JI-6 R or family member received WIC in prior calendar year
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	101

WIC: Distribution	Value	n
Yes	1	438
No	5	4846
Refused	8	101
Don't know	9	85
Inapplicable	.	116
		5586

HLPTRANS	
LABEL	JI-7 R or family member received transportation assistance in prior calendar year
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.

Section J

HLPTRANS	
LENGTH	8
VARNUM	102

HLPTRANS: Distribution	Value	n
Yes	1	114
No	5	5144
Refused	8	107
Don't know	9	105
Inapplicable	.	116
		5586

HLPCHLDC	
LABEL	JI-8 R or family member received child care services or assistance in prior calendar year
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	103

HLPCHLDC: Distribution	Value	n
Yes	1	150
No	5	5119
Refused	8	101
Don't know	9	100
Inapplicable	.	116
		5586

HLPJOB	
LABEL	JI-9 R or family member received job training/search help from social services in prior calendar year
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	104

HLPJOB: Distribution	Value	n
Yes	1	91
No	5	5174
Refused	8	102
Don't know	9	102
Inapplicable	.	117
		5586

FREEFOOD	
LABEL	JI-10 In last 12 months, R or a family member received free or reduced-cost food because couldn't afford to buy food
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	105

FREEFOOD: Distribution	Value	n
Yes	1	403
No	5	4892
Refused	8	98
Don't know	9	76
Inapplicable	.	117
		5586

Section J

HUNGRY	
LABEL	JI-11 In last 12 months, R or a family member was hungry because could not afford more food
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	106

HUNGRY: Distribution	Value	n
Yes	1	388
No	5	4943
Refused	8	93
Don't know	9	44
Inapplicable	.	118
		5586

MED_COST	
LABEL	JI-12 In last 12 months, R or a family member didn't see doctor because of cost
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	107

MED_COST: Distribution	Value	n
Yes	1	436
No	5	4903
Refused	8	82
Don't know	9	47
Inapplicable	.	118
		5586

COVIDVAX	
LABEL	JI-13 Had at least one COVID vaccine dose
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	108

COVIDVAX: Distribution	Value	n
Yes	1	4046
No	5	1268
Refused	8	123
Don't know	9	31
Inapplicable	.	118
		5586

COVVAX_M	
LABEL	JI-14m Month of first COVID vaccine
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received any dose of COVID-19 vaccination (JI-13 COVIDVAX = 1)
LENGTH	8
VARNUM	109

COVVAX_M: Distribution	Value	n
January	1	294
February	2	261
March	3	628
April	4	805
May	5	439
June	6	274
July	7	162

Section J

COVVAX_M: Distribution	Value	n
August	8	226
September	9	194
October	10	140
November	11	106
December	12	184
January-March	13	98
April-June	14	85
July-September	15	52
October-December	16	28
Refused	98	7
Don't Know	99	58
Inapplicable	.	1545
		5586

COVVAX_Y	
LABEL	JI-14y Year of first COVID vaccine
VARIABLE TYPE	raw
UNIVERSE	Applicable if R received any dose of COVID-19 vaccination (JI-13 COVIDVAX = 1)
LENGTH	4
VARNUM	110

COVVAX_Y: Distribution	Value	n
1972-2023	1972-2023	3998
Refused	9998	12
Don't know	9999	31
Inapplicable	.	1545
		5586

CMCOVVAX	
LABEL	CM Date of COVID vaccine (computed in FC J-23b)
VARIABLE TYPE	computed
UNIVERSE	Applicable if R received any dose of COVID-19 vaccination (JI-13 COVIDVAX = 1)
LENGTH	4
VARNUM	111

CMCOVVAX: Distribution	Value	n
2020	1441-1452	642
2021	1453-1464	3022
2022	1465-1476	312
2023	1477-1488	22
Refused	9998	12
Don't know	9999	31
Inapplicable	.	1545
		5586

HADCOVID	
LABEL	JI-15 Diagnosed or tested positive for COVID
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
NOTES	Although applicable for all respondents, some missing values remain if the respondent broke off before completing this section of the survey or if there were other issues with the case.
LENGTH	8
VARNUM	112

HADCOVID: Distribution	Value	n
Yes	1	2891
No	5	2440
Refused	8	101
Don't know	9	31
Inapplicable	.	123
		5586

Section R

Section R

AGER	
LABEL	R's age at interview
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
NOTES	Respondents age 50 were 49 at screener. The century-month variable for respondent's birth has been suppressed for public use, but is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	1

AGER: Distribution	Value	n
15	15	132
16	16	124
17	17	142
18	18	170
19	19	162
20	20	127
21	21	113
22	22	124
23	23	116
24	24	126
25	25	147
26	26	137
27	27	176
28	28	160
29	29	183
30	30	206
31	31	198
32	32	227
33	33	217
34	34	180
35	35	190
36	36	180
37	37	189
38	38	189
39	39	180
40	40	178
41	41	181
42	42	152
43	43	152
44	44	135
45	45	145
46	46	134
47	47	138
48	48	135
49	49	140
50	50	1
		5586

FMARITAL	
LABEL	Formal (legal) marital status relative to opposite-sex spouses
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	2

FMARITAL: Distribution	Value	n
Married to a person of the opposite sex	1	2060
Widowed	2	25
Divorced or annulled	3	365
Separated	4	112
Never married	5	3024
		5586

Section R

RMARITAL	
LABEL	Informal marital status relative to opposite-sex spouses
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	3

RMARITAL: Distribution	Value	n
Currently married to a person of the opposite sex	1	2060
Not married but living with a partner of the opposite sex	2	627
Widowed	3	24
Divorced or annulled	4	283
Separated (for reasons of marital discord)	5	94
Never been married to, nor currently cohabiting with a person of the opposite-sex	6	2498
		5586

HIEDUC	
LABEL	Highest completed year of school or highest degree received (bottom-coded)
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	4

HIEDUC: Distribution	Value	n
Less than high school completion	1	623
12th grade, no diploma	2	169
GED or equivalent	3	153
High school graduate	4	807
Some college, no degree	5	956
Associate degree: occup, tech, or voc	6	353
Associate degree: academic	7	282
Bachelor's degree	8	1267
Master's degree	9	752
Professional degree	10	135
Doctoral degree	11	89
		5586

HIEDUC_I	
LABEL	HIEDUC imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	5

HIEDUC_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5575
LOGICAL IMPUTATION	2	11
		5586

HISPANIC	
LABEL	Hispanic origin
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	6

HISPANIC: Distribution	Value	n
Hispanic	1	1232
Non-Hispanic	2	4354
		5586

Section R

HISPANIC_I	
LABEL	HISPANIC imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	7

HISPANIC_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5578
LOGICAL IMPUTATION	2	8
		5586

HISPRACE2	
LABEL	Race and Hispanic origin - based on 1997 OMB guidelines
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	8

HISPRACE2: Distribution	Value	n
Hispanic (regardless of race reporting)	1	1232
Non-Hispanic White, Single Race	2	2789
Non-Hispanic Black, Single Race	3	844
Non-Hispanic Other or Multiple Race	4	721
		5586

HISPRACE2_I	
LABEL	HISPRACE2 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	9

HISPRACE2_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5576
LOGICAL IMPUTATION	2	10
		5586

NUMKDHH	
LABEL	Number of biological/adopted/related/legal children under age 18 in household (top-coded)
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	10

NUMKDHH: Distribution	Value	n
0	0	3303
1	1	933
2	2	890
3	3	316
4 or more	4	144
		5586

NUMFMHH	
LABEL	Number of family members in household (top-coded)
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	11

Section R

NUMFMHH: Distribution	Value	n
0	0	975
1	1	1515
2	2	1320
3	3	1075
4	4	442
5	5	167
6 or more	6	92
		5586

HHFAMTYP	
LABEL	Type of household/family structure
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	12

HHFAMTYP: Distribution	Value	n
No spouse/partner and no child(ren) (of R) 18 or younger	1	2217
Spouse/partner, but no child(ren) (of R) 18 or younger	2	1010
Spouse and R's child(ren) 18 or younger	3	1438
Cohabiting partner and R's child(ren) 18 or younger	4	240
No spouse/partner, but child(ren) of R, 18 or younger	5	681
		5586

HHPARTYP	
LABEL	Type of parental situation in household
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	13

HHPARTYP: Distribution	Value	n
Both biological or both adoptive parents	1	671
Biological and step- or adoptive parent	2	138
Single parent (biological, adoptive, or stepparent)	3	609
Other	4	4168
		5586

NCHILDHH	
LABEL	Number of respondent's children (18 or younger) living in household
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	14

NCHILDHH: Distribution	Value	n
0 respondent's children 18 or younger in the household	0	3227
1 respondent's child 18 or younger in the household	1	947
2 respondent's children 18 or younger in the household	2	914
3 or more of respondent's children 18 or younger in the household	3	498
		5586

HHKIDTYP	
LABEL	Whether R has children (18 or younger), and whether bio/non-bio, living in household
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	15

Section R

HHKIDTYP: Distribution	Value	n
No child(ren) 18 or younger in HH or only older child(ren)	0	3227
At least one biological child (of R's) under 18 in HH, no nonbiological child(ren)	1	2226
Any non-biological child (of R's) 18 or younger in HH	2	133
		5586

CSPBBHH	
LABEL	Number of R's biological children (aged 18 or younger) with current husband or cohabiting partner who live in the household (top-coded)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (rmarit = 1 or 2)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	16

CSPBBHH: Distribution	Value	n
0	0	1156
1	1	602
2	2	641
3 or more	3	288
Inapplicable	.	2899
		5586

CSPBSHH	
LABEL	Number of female R's biological children (aged 18 or younger) in household who are not the biological children of her current husband or cohabiting partner (top-coded)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (rmarit = 1 or 2)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	17

CSPBSHH: Distribution	Value	n
0	0	2529
1 or more	1	158
Inapplicable	.	2899
		5586

CSPOKDHH	
LABEL	Number of all other children (aged 18 or younger) in household living with R and her current husband or cohabiting partner (top-coded)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (rmarit = 1 or 2)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	18

CSPOKDHH: Distribution	Value	n
0	0	2535
1 or more	1	152
Inapplicable	.	2899
		5586

INTCTFAM	
LABEL	Intact status of childhood family
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	19

Section R

INTCTFAM: Distribution	Value	n
Two biological or adoptive parents from birth	1	3862
Anything other than 2 biological or adoptive parents from birth	2	1724
		5586

INTCTFAM_I	
LABEL	INTCTFAM imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	20

INTCTFAM_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5573
MODEL-BASED IMPUTATION	1	13
		5586

PARAGE14	
LABEL	Parental living situation at age 14
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	21

PARAGE14: Distribution	Value	n
Both bio or adoptive parents	1	4178
Bio mom & stepdad	2	367
All other	3	1041
		5586

PARAGE14_I	
LABEL	PARAGE14 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	22

PARAGE14_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5571
LOGICAL IMPUTATION	2	15
		5586

EDUCMOM	
LABEL	Mother's (or mother figure's) education
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	23

EDUCMOM: Distribution	Value	n
Less than high school	1	915
High school graduate or GED	2	1423
Some college, including 2-year degrees	3	1375
Bachelor's degree or higher	4	1801
No mother figure reported	95	72
		5586

Section R

EDUCMOM_I	
LABEL	EDUCMOM imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	24

EDUCMOM_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5527
MODEL-BASED IMPUTATION	1	54
LOGICAL IMPUTATION	2	5
		5586

AGEMOMB1	
LABEL	Age of mother (or mother figure) at first birth
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	25

AGEMOMB1: Distribution	Value	n
Less than 18 years	1	618
18-19 years	2	826
20-24 years	3	1870
25-29 years	4	1259
30-34 years	5	670
35 or older	6	194
No mother or mother figure	95	71
Mother figure had no children	96	78
		5586

AGEMOMB1_I	
LABEL	AGEMOMB1 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	26

AGEMOMB1_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5484
MODEL-BASED IMPUTATION	1	18
LOGICAL IMPUTATION	2	84
		5586

PREGNUM	
LABEL	Total number of pregnancies (including current)
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	27

PREGNUM: Distribution	Value	n
0	0	2510
1	1	774
2	2	922
3	3	653
4	4	353
5	5	169
6	6	113
7	7	50
8	8	24
9	9	8
10	10	2
11	11	2
12	12	2
13	13	3

Section R

PREGNUM: Distribution	Value	n
16	16	1
		5586

PREGNUM_I	
LABEL	PREGNUM imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	28

PREGNUM_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5559
LOGICAL IMPUTATION	2	27
		5586

COMPREG	
LABEL	Number of completed pregnancies
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	29

COMPREG: Distribution	Value	n
0	0	2552
1	1	781
2	2	906
3	3	640
4	4	345
5	5	167
6	6	106
7	7	49
8	8	23
9	9	7
10	10	2
11	11	2
12	12	2
13	13	3
16	16	1
		5586

LBPREGS	
LABEL	Number of pregnancies ending in live birth
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever had a completed pregnancy (COMPREG > 0)
LENGTH	8
VARNUM	30

LBPREGS: Distribution	Value	n
0	0	281
1	1	957
2	2	1036
3	3	474
4	4	189
5	5	58
6	6	25
7	7	9
8	8	2
9	9	2
11	11	1
Inapplicable	.	2552
		5586

Section R

LOSSNUM	
LABEL	Number of completed pregnancies ending in spontaneous pregnancy loss
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had a completed pregnancy (COMPREG > 0)
LENGTH	8
VARNUM	31

LOSSNUM: Distribution	Value	n
0	0	1994
1	1	688
2	2	216
3	3	90
4	4	21
5	5	14
6	6	7
7	7	2
11	11	1
16	16	1
Inapplicable	.	2552
		5586

ABORTION	
LABEL	Number of completed pregnancies ending in induced abortion
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had a completed pregnancy (COMPREG > 0)
LENGTH	8
VARNUM	32

ABORTION: Distribution	Value	n
0	0	2526
1	1	353
2	2	106
3	3	34
4	4	6
5	5	5
6	6	4
Inapplicable	.	2552
		5586

PARITY	
LABEL	Number of live births
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had a completed pregnancy (COMPREG > 0)
LENGTH	8
VARNUM	33

PARITY: Distribution	Value	n
0	0	2833
1	1	931
2	2	1009
3	3	488
4	4	202
5	5	65
6	6	31
7	7	12
8	8	5
9	9	6
11	11	2
12	12	2
		5586

BIRTHS5	
LABEL	Number of pregnancies ending in live birth in the last 5 years
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had a completed pregnancy (COMPREG > 0)

Section R

BIRTHS5	
LENGTH	8
VARNUM	34

BIRTHS5: Distribution	Value	n
0	0	1824
1	1	916
2	2	263
3	3	30
4	4	1
Inapplicable	.	2552
		5586

OUTCOM1	
LABEL	Outcome of pregnancy - 1st
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever been pregnant (PREGNUM > 0)
LENGTH	8
VARNUM	35

OUTCOM1: Distribution	Value	n
Live birth	1	2132
Abortion	2	330
Stillbirth	3	34
Miscarriage	4	503
Ectopic pregnancy	5	35
Current pregnancy	6	42
Inapplicable	.	2510
		5586

OUTCOM2	
LABEL	Outcome of pregnancy - 2nd
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 1 pregnancy (PREGNUM > 1)
LENGTH	8
VARNUM	36

OUTCOM2: Distribution	Value	n
Live birth	1	1688
Abortion	2	164
Stillbirth	3	17
Miscarriage	4	368
Ectopic pregnancy	5	16
Current pregnancy	6	49
Inapplicable	.	3284
		5586

OUTCOM3	
LABEL	Outcome of pregnancy - 3rd
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 2 pregnancies (PREGNUM > 2)
LENGTH	8
VARNUM	37

OUTCOM3: Distribution	Value	n
Live birth	1	997
Abortion	2	101
Stillbirth	3	12
Miscarriage	4	223
Ectopic pregnancy	5	14
Current pregnancy	6	33
Inapplicable	.	4206
		5586

Section R

OUTCOM4	
LABEL	Outcome of pregnancy - 4th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 3 pregnancies (PREGNUM > 3)
LENGTH	8
VARNUM	38

OUTCOM4: Distribution	Value	n
Live birth	1	500
Abortion	2	61
Stillbirth	3	13
Miscarriage	4	114
Ectopic pregnancy	5	19
Current pregnancy	6	20
Inapplicable	.	4859
		5586

OUTCOM5	
LABEL	Outcome of pregnancy - 5th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 4 pregnancies (PREGNUM > 4)
LENGTH	8
VARNUM	39

OUTCOM5: Distribution	Value	n
Live birth	1	240
Abortion	2	35
Stillbirth	3	5
Miscarriage	4	77
Ectopic pregnancy	5	5
Current pregnancy	6	12
Inapplicable	.	5212
		5586

OUTCOM6	
LABEL	Outcome of pregnancy - 6th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 5 pregnancies (PREGNUM > 5)
LENGTH	8
VARNUM	40

OUTCOM6: Distribution	Value	n
Live birth	1	112
Abortion	2	22
Stillbirth	3	4
Miscarriage	4	51
Ectopic pregnancy	5	6
Current pregnancy	6	10
Inapplicable	.	5381
		5586

OUTCOM7	
LABEL	Outcome of pregnancy - 7th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 6 pregnancies (PREGNUM > 6)
LENGTH	8
VARNUM	41

OUTCOM7: Distribution	Value	n
Live birth	1	52
Abortion	2	7
Stillbirth	3	1
Miscarriage	4	28
Ectopic pregnancy	5	1
Current pregnancy	6	3

Section R

OUTCOM7: Distribution	Value	n
Inapplicable	.	5494
		5586

OUTCOM8	
LABEL	Outcome of pregnancy - 8th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 7 pregnancies (PREGNUM > 7)
LENGTH	8
VARNUM	42

OUTCOM8: Distribution	Value	n
Live birth	1	16
Abortion	2	5
Miscarriage	4	17
Ectopic pregnancy	5	2
Current pregnancy	6	2
Inapplicable	.	5544
		5586

OUTCOM9	
LABEL	Outcome of pregnancy - 9th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 8 pregnancies (PREGNUM > 8)
LENGTH	8
VARNUM	43

OUTCOM9: Distribution	Value	n
Live birth	1	8
Abortion	2	1
Miscarriage	4	7
Ectopic pregnancy	5	1
Current pregnancy	6	1
Inapplicable	.	5568
		5586

OUTCOM10	
LABEL	Outcome of pregnancy - 10th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 9 pregnancies (PREGNUM > 9
LENGTH	8
VARNUM	44

OUTCOM10: Distribution	Value	n
Live birth	1	2
Abortion	2	2
Stillbirth	3	1
Miscarriage	4	5
Inapplicable	.	5576
		5586

OUTCOM11	
LABEL	Outcome of pregnancy - 11th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 10 pregnancies (PREGNUM > 10)
LENGTH	8
VARNUM	45

OUTCOM11: Distribution	Value	n
Live birth	1	5
Miscarriage	4	3
Inapplicable	.	5578
		5586

Section R

OUTCOM12	
LABEL	Outcome of pregnancy - 12th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 11 pregnancies (PREGNUM > 11)
LENGTH	8
VARNUM	46

OUTCOM12: Distribution	Value	n
Live birth	1	1
Stillbirth	3	1
Miscarriage	4	4
Inapplicable	.	5580
		5586

OUTCOM13	
LABEL	Outcome of pregnancy - 13th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 12 pregnancies (PREGNUM > 12)
LENGTH	8
VARNUM	47

OUTCOM13: Distribution	Value	n
Live birth	1	2
Miscarriage	4	2
Inapplicable	.	5582
		5586

OUTCOM14	
LABEL	Outcome of pregnancy - 14th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 13 pregnancies (PREGNUM > 13)
LENGTH	8
VARNUM	48

OUTCOM14: Distribution	Value	n
Miscarriage	4	1
Inapplicable	.	5585
		5586

OUTCOM15	
LABEL	Outcome of pregnancy - 15th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 14 pregnancies (PREGNUM > 14)
LENGTH	8
VARNUM	49

OUTCOM15: Distribution	Value	n
Miscarriage	4	1
Inapplicable	.	5585
		5586

OUTCOM16	
LABEL	Outcome of pregnancy - 16th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 15 pregnancies (PREGNUM > 15)
LENGTH	8
VARNUM	50

OUTCOM16: Distribution	Value	n
Miscarriage	4	1
Inapplicable	.	5585
		5586

Section R

DATEND1	
LABEL	Year when pregnancy ended - 1st
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 1 completed pregnancy (COMPREG >= 1)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	51

DATEND1: Distribution	Value	n
1972-2023	1972-2023	3033
Not ascertained	9997	1
Inapplicable	.	2552
		5586

DATEND2	
LABEL	Year when pregnancy ended - 2nd
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 2 completed pregnancies (COMPREG >= 2)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	52

DATEND2: Distribution	Value	n
1972-2023	1972-2023	2252
Not ascertained	9997	1
Inapplicable	.	3333
		5586

DATEND3	
LABEL	Year when pregnancy ended - 3rd
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 3 completed pregnancies (COMPREG >= 3)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	53

DATEND3: Distribution	Value	n
1972-2023	1972-2023	1346
Not ascertained	9997	1
Inapplicable	.	4239
		5586

DATEND4	
LABEL	Year when pregnancy ended - 4th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 4 completed pregnancies (COMPREG >= 4)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	54

DATEND4: Distribution	Value	n
1972-2023	1972-2023	707
Inapplicable	.	4879
		5586

DATEND5	
LABEL	Year when pregnancy ended - 5th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 5 completed pregnancies (COMPREG >= 5)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.

Section R

DATEND5	
LENGTH	8
VARNUM	55

DATEND5: Distribution	Value	n
1972-2023	1972-2023	362
Inapplicable	.	5224
		5586

DATEND6	
LABEL	Year when pregnancy ended - 6th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 6 completed pregnancies (COMPREG >= 6)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	56

DATEND6: Distribution	Value	n
1972-2023	1972-2023	195
Inapplicable	.	5391
		5586

DATEND7	
LABEL	Year when pregnancy ended - 7th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 7 completed pregnancies (COMPREG >= 7)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	57

DATEND7: Distribution	Value	n
1972-2023	1972-2023	89
Inapplicable	.	5497
		5586

DATEND8	
LABEL	Year when pregnancy ended - 8th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 8 completed pregnancies (COMPREG >= 8)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	58

DATEND8: Distribution	Value	n
1972-2023	1972-2023	40
Inapplicable	.	5546
		5586

DATEND9	
LABEL	Year when pregnancy ended - 9th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 9 completed pregnancies (COMPREG >= 9)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	59

DATEND9: Distribution	Value	n
1972-2023	1972-2023	17
Inapplicable	.	5569
		5586

Section R

DATEND10	
LABEL	Year when pregnancy ended - 10th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 10 completed pregnancies (COMPREG >= 10)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	60

DATEND10: Distribution	Value	n
1972-2023	1972-2023	10
Inapplicable	.	5576
		5586

DATEND11	
LABEL	Year when pregnancy ended - 11th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 11 completed pregnancies (COMPREG >= 11)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	61

DATEND11: Distribution	Value	n
1972-2023	1972-2023	8
Inapplicable	.	5578
		5586

DATEND12	
LABEL	Year when pregnancy ended - 12th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 12 completed pregnancies (COMPREG >= 12)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	62

DATEND12: Distribution	Value	n
1972-2023	1972-2023	6
Inapplicable	.	5580
		5586

DATEND13	
LABEL	Year when pregnancy ended - 13th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 13 completed pregnancies (COMPREG >= 13)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	63

DATEND13: Distribution	Value	n
1972-2023	1972-2023	4
Inapplicable	.	5582
		5586

DATEND14	
LABEL	Year when pregnancy ended - 14th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 14 completed pregnancies (COMPREG >= 14)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	64

Section R

DATEND14: Distribution	Value	n
1972-2023	1972-2023	1
Inapplicable	.	5585
		5586

DATEND15	
LABEL	Year when pregnancy ended - 15th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 15 completed pregnancies (COMPREG >= 15)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	65

DATEND15: Distribution	Value	n
1972-2023	1972-2023	1
Inapplicable	.	5585
		5586

DATEND16	
LABEL	Year when pregnancy ended - 16th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 16 completed pregnancies (COMPREG >= 16)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	66

DATEND16: Distribution	Value	n
1972-2023	1972-2023	1
Inapplicable	.	5585
		5586

AGEPRG1	
LABEL	R's age when pregnancy ended - 1st
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 1 completed pregnancy (COMPREG >= 1)
LENGTH	8
VARNUM	67

AGEPRG1: Distribution	Value	n
Under 20 years	0-19	827
20-24 years	20-24	873
25-29 years	25-29	702
30-34 years	30-34	455
35-39 years	35-39	149
40-49 years	40-49	27
Not ascertained	97	1
Inapplicable	.	2552
		5586

AGEPRG2	
LABEL	R's age when pregnancy ended - 2nd
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 2 completed pregnancies (COMPREG >= 2)
LENGTH	8
VARNUM	68

AGEPRG2: Distribution	Value	n
Under 20 years	0-19	246
20-24 years	20-24	664
25-29 years	25-29	587
30-34 years	30-34	503
35-39 years	35-39	223
40-49 years	40-49	29
Not ascertained	97	1

Section R

AGEPRG2: Distribution	Value	n
Inapplicable	.	3333
		5586

AGEPRG3	
LABEL	R's age when pregnancy ended - 3rd
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 3 completed pregnancies (COMPREG >= 3)
LENGTH	8
VARNUM	69

AGEPRG3: Distribution	Value	n
Under 20 years	0-19	64
20-24 years	20-24	363
25-29 years	25-29	379
30-34 years	30-34	334
35-39 years	35-39	179
40-49 years	40-49	27
Not ascertained	97	1
Inapplicable	.	4239
		5586

AGEPRG4	
LABEL	R's age when pregnancy ended - 4th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 4 completed pregnancies (COMPREG >= 4)
LENGTH	8
VARNUM	70

AGEPRG4: Distribution	Value	n
Under 20 years	0-19	15
20-24 years	20-24	158
25-29 years	25-29	217
30-34 years	30-34	184
35-39 years	35-39	112
40-49 years	40-49	21
Inapplicable	.	4879
		5586

AGEPRG5	
LABEL	R's age when pregnancy ended - 5th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 5 completed pregnancies (COMPREG >= 5)
LENGTH	8
VARNUM	71

AGEPRG5: Distribution	Value	n
Under 20 years	0-19	2
20-24 years	20-24	70
25-29 years	25-29	113
30-34 years	30-34	91
35-39 years	35-39	66
40-49 years	40-49	20
Inapplicable	.	5224
		5586

AGEPRG6	
LABEL	R's age when pregnancy ended - 6th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 6 completed pregnancies (COMPREG >= 6)
LENGTH	8
VARNUM	72

Section R

AGEPRG6: Distribution	Value	n
20-24 years	20-24	30
25-29 years	25-29	57
30-34 years	30-34	43
35-39 years	35-39	49
40-49 years	40-49	16
Inapplicable	.	5391
		5586

AGEPRG7	
LABEL	R's age when pregnancy ended - 7th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 7 completed pregnancies (COMPREG >= 7)
LENGTH	8
VARNUM	73

AGEPRG7: Distribution	Value	n
20-24 years	20-24	12
25-29 years	25-29	27
30-34 years	30-34	17
35-39 years	35-39	19
40-49 years	40-49	14
Inapplicable	.	5497
		5586

AGEPRG8	
LABEL	R's age when pregnancy ended - 8th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 8 completed pregnancies (COMPREG >= 8)
LENGTH	8
VARNUM	74

AGEPRG8: Distribution	Value	n
20-24 years	20-24	3
25-29 years	25-29	15
30-34 years	30-34	11
35-39 years	35-39	8
40-49 years	40-49	3
Inapplicable	.	5546
		5586

AGEPRG9	
LABEL	R's age when pregnancy ended - 9th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 9 completed pregnancies (COMPREG >= 9)
LENGTH	8
VARNUM	75

AGEPRG9: Distribution	Value	n
20-24 years	20-24	1
25-29 years	25-29	3
30-34 years	30-34	8
35-39 years	35-39	4
40-49 years	40-49	1
Inapplicable	.	5569
		5586

AGEPRG10	
LABEL	R's age when pregnancy ended - 10th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 10 completed pregnancies (COMPREG >= 10)
LENGTH	8
VARNUM	76

Section R

AGEPRG10: Distribution	Value	n
20-24 years	20-24	1
25-29 years	25-29	2
30-34 years	30-34	5
35-39 years	35-39	1
40-49 years	40-49	1
Inapplicable	.	5576
		5586

AGEPRG11	
LABEL	R's age when pregnancy ended - 11th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 11 completed pregnancies (COMPREG >= 11)
LENGTH	8
VARNUM	77

AGEPRG11: Distribution	Value	n
20-24 years	20-24	1
25-29 years	25-29	1
30-34 years	30-34	3
35-39 years	35-39	1
40-49 years	40-49	2
Inapplicable	.	5578
		5586

AGEPRG12	
LABEL	R's age when pregnancy ended - 12th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 12 completed pregnancies (COMPREG >= 12)
LENGTH	8
VARNUM	78

AGEPRG12: Distribution	Value	n
20-24 years	20-24	1
25-29 years	25-29	1
30-34 years	30-34	2
35-39 years	35-39	1
40-49 years	40-49	1
Inapplicable	.	5580
		5586

AGEPRG13	
LABEL	R's age when pregnancy ended - 13th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 13 completed pregnancies (COMPREG >= 13)
LENGTH	8
VARNUM	79

AGEPRG13: Distribution	Value	n
20-24 years	20-24	1
30-34 years	30-34	1
35-39 years	35-39	1
40-49 years	40-49	1
Inapplicable	.	5582
		5586

AGEPRG14	
LABEL	R's age when pregnancy ended - 14th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 14 completed pregnancies (COMPREG >= 14)
LENGTH	8
VARNUM	80

Section R

AGEPRG14: Distribution	Value	n
25-29 years	25-29	1
Inapplicable	.	5585
		5586

AGEPRG15	
LABEL	R's age when pregnancy ended - 15th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 15 completed pregnancies (COMPREG >= 15)
LENGTH	8
VARNUM	81

AGEPRG15: Distribution	Value	n
25-29 years	25-29	1
Inapplicable	.	5585
		5586

AGEPRG16	
LABEL	R's age when pregnancy ended - 16th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 16 completed pregnancies (COMPREG >= 16)
LENGTH	8
VARNUM	82

AGEPRG16: Distribution	Value	n
25-29 years	25-29	1
Inapplicable	.	5585
		5586

DATCON1	
LABEL	Year when pregnancy began - 1st
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever been pregnant (PREGNUM > 0)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	83

DATCON1: Distribution	Value	n
1972-2023	1972-2023	3075
Not ascertained	9997	1
Inapplicable	.	2510
		5586

DATCON2	
LABEL	Year when pregnancy began - 2nd
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 1 pregnancy (PREGNUM > 1)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	84

DATCON2: Distribution	Value	n
1972-2023	1972-2023	2301
Not ascertained	9997	1
Inapplicable	.	3284
		5586

DATCON3	
LABEL	Year when pregnancy began - 3rd
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 2 pregnancies (PREGNUM > 2) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.

Section R

DATCON3	
LENGTH	8
VARNUM	85

DATCON3: Distribution	Value	n
1972-2023	1972-2023	1141
Not ascertained	9997	1
Inapplicable	.	4444
		5586

DATCON4	
LABEL	Year when pregnancy began - 4th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 3 pregnancies (PREGNUM > 3) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	86

DATCON4: Distribution	Value	n
1972-2023	1972-2023	602
Inapplicable	.	4984
		5586

DATCON5	
LABEL	Year when pregnancy began - 5th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 4 pregnancies (PREGNUM > 4) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	87

DATCON5: Distribution	Value	n
1972-2023	1972-2023	295
Inapplicable	.	5291
		5586

DATCON6	
LABEL	Year when pregnancy began - 6th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 5 pregnancies (PREGNUM > 5) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	88

DATCON6: Distribution	Value	n
1972-2023	1972-2023	158
Inapplicable	.	5428
		5586

DATCON7	
LABEL	Year when pregnancy began - 7th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 6 pregnancies (PREGNUM > 6) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	89

DATCON7: Distribution	Value	n
1972-2023	1972-2023	73
Inapplicable	.	5513
		5586

DATCON8	
LABEL	Year when pregnancy began - 8th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 7 pregnancies (PREGNUM > 7) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	90

DATCON8: Distribution	Value	n
1972-2023	1972-2023	29
Inapplicable	.	5557
		5586

DATCON9	
LABEL	Year when pregnancy began - 9th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 8 pregnancies (PREGNUM > 8) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	91

DATCON9: Distribution	Value	n
1972-2023	1972-2023	11
Inapplicable	.	5575
		5586

DATCON10	
LABEL	Year when pregnancy began - 10th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 9 pregnancies (PREGNUM > 9) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	92

DATCON10: Distribution	Value	n
1972-2023	1972-2023	3
Inapplicable	.	5583
		5586

DATCON11	
LABEL	Year when pregnancy began - 11th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 10 pregnancies (PREGNUM > 10) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	93

DATCON11: Distribution	Value	n
1972-2023	1972-2023	5
Inapplicable	.	5581
		5586

Section R

DATCON12	
LABEL	Year when pregnancy began - 12th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 11 pregnancies (PREGNUM > 11) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	94

DATCON12: Distribution	Value	n
1972-2023	1972-2023	3
Inapplicable	.	5583
		5586

DATCON13	
LABEL	Year when pregnancy began - 13th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 12 pregnancies (PREGNUM > 12) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	95

DATCON13: Distribution	Value	n
1972-2023	1972-2023	3
Inapplicable	.	5583
		5586

DATCON14	
LABEL	Year when pregnancy began - 14th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 13 pregnancies (PREGNUM > 13) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	96

DATCON14: Distribution	Value	n
Inapplicable	.	5586
		5586

DATCON15	
LABEL	Year when pregnancy began - 15th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 14 pregnancies (PREGNUM > 14) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	97

DATCON15: Distribution	Value	n
Inapplicable	.	5586
		5586

DATCON16	
LABEL	Year when pregnancy began - 16th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 15 pregnancies (PREGNUM > 15) and DATECON recode on pregnancy file was applicable
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	98

Section R

DATCON16: Distribution	Value	n
Inapplicable	.	5586
		5586

AGECON1	
LABEL	R's age when pregnancy began - 1st
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever been pregnant (PREGNUM > 0)
LENGTH	8
VARNUM	99

AGECON1: Distribution	Value	n
Under 20 years	0-19	969
20-24 years	20-24	834
25-29 years	25-29	692
30-34 years	30-34	439
35-39 years	35-39	118
40-49 years	40-49	23
Not ascertained	97	1
Inapplicable	.	2510
		5586

AGECON2	
LABEL	R's age when pregnancy began - 2nd
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 1 pregnancy (PREGNUM > 1)
LENGTH	8
VARNUM	100

AGECON2: Distribution	Value	n
Under 20 years	0-19	319
20-24 years	20-24	675
25-29 years	25-29	609
30-34 years	30-34	474
35-39 years	35-39	200
40-49 years	40-49	24
Not ascertained	97	1
Inapplicable	.	3284
		5586

AGECON3	
LABEL	R's age when pregnancy began - 3rd
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 2 pregnancies (PREGNUM > 2) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	101

AGECON3: Distribution	Value	n
Under 20 years	0-19	70
20-24 years	20-24	305
25-29 years	25-29	316
30-34 years	30-34	300
35-39 years	35-39	131
40-49 years	40-49	19
Not ascertained	97	1
Inapplicable	.	4444
		5586

AGECON4	
LABEL	R's age when pregnancy began - 4th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 3 pregnancies (PREGNUM > 3) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	102

Section R

AGECON4: Distribution	Value	n
Under 20 years	0-19	16
20-24 years	20-24	145
25-29 years	25-29	176
30-34 years	30-34	158
35-39 years	35-39	94
40-49 years	40-49	13
Inapplicable	.	4984
		5586

AGECON5	
LABEL	R's age when pregnancy began - 5th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 4 pregnancies (PREGNUM > 4) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	103

AGECON5: Distribution	Value	n
Under 20 years	0-19	2
20-24 years	20-24	58
25-29 years	25-29	92
30-34 years	30-34	82
35-39 years	35-39	51
40-49 years	40-49	10
Inapplicable	.	5291
		5586

AGECON6	
LABEL	R's age when pregnancy began - 6th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 5 pregnancies (PREGNUM > 5) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	104

AGECON6: Distribution	Value	n
20-24 years	20-24	19
25-29 years	25-29	39
30-34 years	30-34	47
35-39 years	35-39	42
40-49 years	40-49	11
Inapplicable	.	5428
		5586

AGECON7	
LABEL	R's age when pregnancy began - 7th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 6 pregnancies (PREGNUM > 6) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	105

AGECON7: Distribution	Value	n
20-24 years	20-24	12
25-29 years	25-29	20
30-34 years	30-34	13
35-39 years	35-39	16
40-49 years	40-49	12
Inapplicable	.	5513
		5586

Section R

AGECON8	
LABEL	R's age when pregnancy began - 8th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 7 pregnancies (PREGNUM > 7) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	106

AGECON8: Distribution	Value	n
20-24 years	20-24	1
25-29 years	25-29	11
30-34 years	30-34	7
35-39 years	35-39	8
40-49 years	40-49	2
Inapplicable	.	5557
		5586

AGECON9	
LABEL	R's age when pregnancy began - 9th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 8 pregnancies (PREGNUM > 8) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	107

AGECON9: Distribution	Value	n
25-29 years	25-29	3
30-34 years	30-34	5
35-39 years	35-39	1
40-49 years	40-49	2
Inapplicable	.	5575
		5586

AGECON10	
LABEL	R's age when pregnancy began - 10th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 9 pregnancies (PREGNUM > 9) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	108

AGECON10: Distribution	Value	n
25-29 years	25-29	1
30-34 years	30-34	2
Inapplicable	.	5583
		5586

AGECON11	
LABEL	R's age when pregnancy began - 11th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 10 pregnancies (PREGNUM > 10) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	109

AGECON11: Distribution	Value	n
25-29 years	25-29	1
30-34 years	30-34	2
35-39 years	35-39	1
40-49 years	40-49	1
Inapplicable	.	5581
		5586

Section R

AGECON12	
LABEL	R's age when pregnancy began - 12th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 11 pregnancies (PREGNUM > 11) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	110

AGECON12: Distribution	Value	n
30-34 years	30-34	2
35-39 years	35-39	1
Inapplicable	.	5583
		5586

AGECON13	
LABEL	R's age when pregnancy began - 13th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 12 pregnancies (PREGNUM > 12) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	111

AGECON13: Distribution	Value	n
30-34 years	30-34	1
35-39 years	35-39	1
40-49 years	40-49	1
Inapplicable	.	5583
		5586

AGECON14	
LABEL	R's age when pregnancy began - 14th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 13 pregnancies (PREGNUM > 13) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	112

AGECON14: Distribution	Value	n
Inapplicable	.	5586
		5586

AGECON15	
LABEL	R's age when pregnancy began - 15th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 14 pregnancies (PREGNUM > 14) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	113

AGECON15: Distribution	Value	n
Inapplicable	.	5586
		5586

AGECON16	
LABEL	R's age when pregnancy ended - 16th
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 15 pregnancies (PREGNUM > 15) and DATECON recode on pregnancy file was applicable
LENGTH	8
VARNUM	114

AGECON16: Distribution	Value	n
Inapplicable	.	5586
		5586

Section R

CEBOW	
LABEL	Number of children born outside of marriage
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had a live birth (PARITY > 0)
LENGTH	8
VARNUM	115

CEBOW: Distribution	Value	n
0	0	1377
1	1	679
2	2	376
3	3	188
4	4	78
5	5	31
6	6	15
7	7	5
8	8	3
11	11	1
Inapplicable	.	2833
		5586

CEBOWC	
LABEL	Number of children born in cohabiting unions
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had a live birth (PARITY > 0)
LENGTH	8
VARNUM	116

CEBOWC: Distribution	Value	n
0	0	1911
1	1	504
2	2	214
3	3	78
4	4	32
5	5	6
6	6	4
7	7	3
11	11	1
Inapplicable	.	2833
		5586

DATBABY1	
LABEL	Year when R had her first live birth
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever had a live birth (PARITY > 0)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	117

DATBABY1: Distribution	Value	n
1972-2023	1972-2023	2752
Not ascertained	9997	1
Inapplicable	.	2833
		5586

agebaby1	
LABEL	R's age at first live birth
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever had a live birth (PARITY > 0)
LENGTH	8
VARNUM	118

Section R

agebaby1: Distribution	Value	n
Under 20 years	0-19	581
20-24 years	20-24	785
25-29 years	25-29	687
30-34 years	30-34	494
35-39 years	35-39	175
40-49 years	40-49	30
Not ascertained	97	1
Inapplicable	.	2833
		5586

FMARNO	
LABEL	Number of times R has been married to a man
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever been married to a man (FMARITAL NE 5)
LENGTH	8
VARNUM	119

FMARNO: Distribution	Value	n
0	0	3024
1	1	2237
2	2	274
3	3	45
4	4	4
5	5	2
		5586

CSPBIOKD	
LABEL	Number of biological children R has had with her current husband or male cohabiting partner
VARIABLE TYPE	recode
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (rmarit = 1 or 2)
LENGTH	8
VARNUM	120

CSPBIOKD: Distribution	Value	n
0	0	1048
1	1	597
2	2	681
3	3	246
4	4	83
5	5	20
6	6	8
7	7	2
8	8	1
9	9	1
Inapplicable	.	2899
		5586

CSPBIOKD_I	
LABEL	CSPBIOKD imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	121

CSPBIOKD_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5491
MODEL-BASED IMPUTATION	1	58
LOGICAL IMPUTATION	2	37
		5586

Section R

MARDAT01	
LABEL	Year of R's marriage to 1st husband
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever been married to a man (FMARITAL NE 5)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	122

MARDAT01: Distribution	Value	n
1972-2023	1972-2023	2541
Not ascertained	9997	21
Inapplicable	.	3024
		5586

MARDAT01_I	
LABEL	MARDAT01 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	123

MARDAT01_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5578
MODEL-BASED IMPUTATION	1	4
LOGICAL IMPUTATION	2	4
		5586

MARDAT02	
LABEL	Year of R's marriage to 2nd husband
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has been married to a man at least 2 times (FMARNO > 1)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	124

MARDAT02: Distribution	Value	n
1972-2023	1972-2023	325
Inapplicable	.	5261
		5586

MARDAT02_I	
LABEL	MARDAT02 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	125

MARDAT02_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5585
MODEL-BASED IMPUTATION	1	1
		5586

MAREND01	
LABEL	How the marriage to 1st husband ended
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has been married to a man more than once (FMARNO > 1) or R's 1st marriage to a man is not intact (FMARNO = 1 and FMARITAL NE 1)
LENGTH	8
VARNUM	126

Section R

MAREND01: Distribution	Value	n
Divorced or annulled	1	631
Separated	2	85
Widowed	3	27
Inapplicable	.	4843
		5586

MAREND01_I	
LABEL	MAREND01 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	127

MAREND01_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5586
		5586

MAREND02	
LABEL	How the marriage to 2nd husband ended
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has been married to a man more than 2 times (FMARNO > 2) or R's 2nd marriage to a man is not intact (FMARNO = 2 and FMARITAL NE 1)
LENGTH	8
VARNUM	128

MAREND02: Distribution	Value	n
Divorced or annulled	1	98
Separated	2	23
Widowed	3	4
Inapplicable	.	5461
		5586

MAREND02_I	
LABEL	MAREND02 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	129

MAREND02_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5586
		5586

MARDIS01	
LABEL	Year of dissolution of 1st marriage to a man
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has been married to a man more than once (FMARNO > 1) or R's 1st marriage to a man is not intact (FMARNO = 1 and FMARITAL NE 1)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	130

MARDIS01: Distribution	Value	n
1972-2023	1972-2023	739
Not ascertained	9997	4
Inapplicable	.	4843
		5586

MARDIS01_I	
LABEL	MARDIS01 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	131

Section R

MARDIS01_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5577
MODEL-BASED IMPUTATION	1	7
LOGICAL IMPUTATION	2	2
		5586

MARDIS02	
LABEL	Year of dissolution of 2nd marriage to a man
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has been married more than 2 times (FMARNO > 2) or R's 2nd marriage to a man is not intact (FMARNO = 2 and FMARITAL NE 1)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	132

MARDIS02: Distribution	Value	n
1972-2023	1972-2023	125
Inapplicable	.	5461
		5586

MARDIS02_I	
LABEL	MARDIS02 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	133

MARDIS02_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5581
MODEL-BASED IMPUTATION	1	4
LOGICAL IMPUTATION	2	1
		5586

FMAR1AGE	
LABEL	Age at first marriage to a man (bottom-coded)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever been married to a man (FMARITAL NE 5)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	134

FMAR1AGE: Distribution	Value	n
16 or younger	16	35
17-24 years	17-24	1107
25-29 years	25-29	832
30-34 years	30-34	435
35-39 years	35-39	115
40-49 years	40-49	37
Not Ascertained	97	1
Inapplicable	.	3024
		5586

FMAR1AGE_I	
LABEL	FMAR1AGE imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	135

FMAR1AGE_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5578
MODEL-BASED IMPUTATION	1	4
LOGICAL IMPUTATION	2	4
		5586

Section R

fmar2age	
LABEL	Age at 2nd marriage to a man
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has been married to a man at least 2 times (FMARNO > 1)
NOTES	This variable has been created for public use, and the original source variables are accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	136

fmar2age: Distribution	Value	n
Under 20 years	0-19	6
20-24 years	20-24	39
25-29 years	25-29	86
30-34 years	30-34	89
35-39 years	35-39	69
40-49 years	40-49	36
Inapplicable	.	5261
		5586

AGEDISS1	
LABEL	Age at dissolution of 1st marriage to a man (bottom-coded)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R's first marriage to a man dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE blank))
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	137

AGEDISS1: Distribution	Value	n
16 or younger	16	7
17-24 years	17-24	205
25-29 years	25-29	207
30-34 years	30-34	164
35-39 years	35-39	91
40-49 years	40-49	69
Inapplicable	.	4843
		5586

AGEDISS1_I	
LABEL	AGEDISS1 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	138

AGEDISS1_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5577
MODEL-BASED IMPUTATION	1	7
LOGICAL IMPUTATION	2	2
		5586

AGEDD1	
LABEL	Age at divorce or death: 1st marriage to a man (bottom-coded)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R's first marriage dissolved (FMARNO > 1 or (FMARNO = 1 and MARDIS01 NE blank), but only in divorce or death and not in separation (MAREND01 = 1 or 3))
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	139

Section R

AGEDD1: Distribution	Value	n
16 or younger	16	3
17-24 years	17-24	144
25-29 years	25-29	191
30-34 years	30-34	159
35-39 years	35-39	91
40-49 years	40-49	70
Inapplicable	.	4928
		5586

AGEDD1_I	
LABEL	AGEDD1 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	140

AGEDD1_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5574
MODEL-BASED IMPUTATION	1	10
LOGICAL IMPUTATION	2	2
		5586

mar1diss	
LABEL	Months between 1st marriage to a man and dissolution of that marriage (or date of interview) (categorical)
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever been married to a man (FMARITAL NE 5)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	141

mar1diss: Distribution	Value	n
0-12 months	1	195
13-24 months	2	205
25-36 months	3	181
37-48 months	4	194
> 4 years	5	1787
Inapplicable	.	3024
		5586

mar1bir1	
LABEL	Months between 1st marriage to a man and 1st birth (or date of interview) (categorical)
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever been married to a man (FMARITAL NE 5) or has ever had a live birth (PARITY > 0)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	142

mar1bir1: Distribution	Value	n
0-12 months	1	388
13-24 months	2	398
25-36 months	3	300
> 3 years	4	1011
1st birth before 1st marriage	888	1274
Inapplicable	.	2215
		5586

Section R

mar1con1	
LABEL	Months between 1st marriage to a man and 1st pregnancy conception (or date of interview) (categorical)
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever been married to a man (FMARITAL NE 5) or has ever been pregnant (PREGNUM > 0)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	143

mar1con1: Distribution	Value	n
0-12 months	1	461
13-24 months	2	317
25-36 months	3	223
> 3 years	4	726
1st conception before 1st marriage	995	835
Ever pregnant, never married	996	988
Inapplicable	.	2036
		5586

con1mar1	
LABEL	Months between 1st pregnancy conception and 1st marriage to a man (or date of interview) (categorical)
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever been married to a man (FMARITAL NE 5) or has ever been pregnant (PREGNUM > 0)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	144

con1mar1: Distribution	Value	n
0-12 months	1	1476
13-24 months	2	151
25-36 months	3	123
> 3 years	4	1326
Ever married, never pregnant	996	474
Inapplicable	.	2036
		5586

b1premar	
LABEL	Whether R's 1st live birth was before 1st marriage to a man
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever had a live birth (PARITY > 0)
LENGTH	8
VARNUM	145

b1premar: Distribution	Value	n
Yes	1	1274
No	2	1479
Inapplicable	.	2833
		5586

COHAB1	
LABEL	Year of first cohabitation (including premarital cohabitation) with a man
VARIABLE TYPE	recode
UNIVERSE	Applicable if R ever cohabited with a man outside of marriage (evrcohab = 1)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	146

Section R

COHAB1: Distribution	Value	n
1972-2023	1972-2023	2890
Not ascertained	9997	7
Inapplicable	.	2689
		5586

COHAB1_I

LABEL	COHAB1 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	147

COHAB1_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5552
MODEL-BASED IMPUTATION	1	11
LOGICAL IMPUTATION	2	23
		5586

COHSTAT

LABEL	Opposite-sex cohabitation experience relative to first marriage to a man
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	148

COHSTAT: Distribution	Value	n
Never cohabited with a man outside of marriage	1	2689
First cohabited with a man before marriage to 1st husband (including never married)	2	2775
First cohabited with a man after marriage to 1st husband	3	122
		5586

COHSTAT_I

LABEL	COHSTAT imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	149

COHSTAT_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5565
LOGICAL IMPUTATION	2	21
		5586

COHOUT

LABEL	Outcome of first cohabitation to a man
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents, if they gave information to permit defining this variable
LENGTH	8
VARNUM	150

COHOUT: Distribution	Value	n
Intact cohabitation with a man	1	379
Intact marriage to a man	2	995
Dissolved marriage to a man	3	456
Dissolved cohabitation with a man	4	1066
Inapplicable	.	2690
		5586

COH1DUR

LABEL	Duration (in months) of R's first cohabitation to a man
VARIABLE TYPE	recode
UNIVERSE	Applicable if R ever cohabited with a man outside of marriage (evrcohab = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.

Section R

COH1DUR	
LENGTH	8
VARNUM	151

COH1DUR: Distribution	Value	n
0-12 months	1	816
13-24 months	2	630
25-36 months	3	412
37-48 months	4	294
> 4 years	5	745
Inapplicable	.	2689
		5586

COH1DUR_I	
LABEL	COH1DUR imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	152

COH1DUR_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5534
MODEL-BASED IMPUTATION	1	26
LOGICAL IMPUTATION	2	26
		5586

HADSEX	
LABEL	Whether R has ever had sexual intercourse with a male
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	153

HADSEX: Distribution	Value	n
Yes, R ever had intercourse	1	4554
No, R never had intercourse	2	1032
		5586

SEXONCE	
LABEL	Whether R has had sexual intercourse with a male only once
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
LENGTH	8
VARNUM	154

SEXONCE: Distribution	Value	n
Yes (R has had sexual intercourse with a male only once)	1	54
No (R has had sexual intercourse with a male more than once)	2	4500
Inapplicable	.	1032
		5586

SEXONCE_I	
LABEL	SEXONCE imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	155

SEXONCE_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5581
MODEL-BASED IMPUTATION	1	5
		5586

Section R

VRY1STSX	
LABEL	Date of first intercourse (even if before first menstrual period)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	156

VRY1STSX: Distribution	Value	n
Before 2017	865-1404	3873
2017	1405-1416	111
2018	1417-1428	103
2019	1429-1440	117
2020	1441-1452	91
2021	1453-1464	81
2022	1465-1476	92
2023	1477-1488	37
Responded she never had intercourse	9996	70
Not ascertained	9997	49
Inapplicable	.	962
		5586

VRY1STSX_I	
LABEL	VRY1STSX imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	157

VRY1STSX_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5527
MODEL-BASED IMPUTATION	1	21
LOGICAL IMPUTATION	2	38
		5586

vry1stag	
LABEL	R's age at first sexual intercourse (bottom-coded)
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	158

vry1stag: Distribution	Value	n
10 years or younger	10	48
11-14 years	11-14	601
15-17 years	15-17	1815
18-19 years	18-19	985
20 years or older	20-49	1104
Not ascertained	97	1
Inapplicable	.	1032
		5586

sexmar	
LABEL	Months between 1st intercourse and 1st marriage to a man (or date of interview) (categorical)
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	159

Section R

sexmar: Distribution	Value	n
0-12 months	1	523
13-24 months	2	197
25-36 months	3	185
> 3 years	4	3609
1st sex after 1st marriage	5	40
Inapplicable	.	1032
		5586

sexunion	
LABEL	Months between 1st intercourse and 1st coresidential union with a man (or date of interview) (categorical)
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	160

sexunion: Distribution	Value	n
0-12 months	1	752
13-24 months	2	355
25-36 months	3	383
> 3 years	4	2925
1st sex after 1st union	5	139
Inapplicable	.	1032
		5586

FPDUR	
LABEL	Number of months between first and last/most recent sexual intercourse with first partner ever
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
LENGTH	8
VARNUM	161

FPDUR: Distribution	Value	n
Number of months	0-490	4008
Only had sex once with partner	997	546
Inapplicable	.	1032
		5586

FPDUR_I	
LABEL	FPDUR imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	162

FPDUR_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5392
MODEL-BASED IMPUTATION	1	191
LOGICAL IMPUTATION	2	3
		5586

LSEXDATE	
LABEL	CM date of last or most recent sexual intercourse
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	163

Section R

LSEXDATE: Distribution	Value	n
Before 2017	865-1404	243
2017	1405-1416	39
2018	1417-1428	37
2019	1429-1440	96
2020	1441-1452	111
2021	1453-1464	205
2022	1465-1476	1342
2023	1477-1488	2472
No ascertained	9997	9
Inapplicable	.	1032
		5586

LSEXDATE_I	
LABEL	LSEXDATE imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	164

LSEXDATE_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5499
MODEL-BASED IMPUTATION	1	73
LOGICAL IMPUTATION	2	14
		5586

lsexrage	
LABEL	R's age at last or most recent sexual intercourse (bottom-coded)
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	165

lsexrage: Distribution	Value	n
15 years or younger	10-15	40
16-17 years	16-17	93
18-19 years	18-19	209
20-24 years	20-24	467
25-34 years	25-34	1657
35-49 years	35-50	2088
Inapplicable	.	1032
		5586

lsexpreg	
LABEL	Was R pregnant in month of last sex in past 12 mos
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R had at least 1 sexual partner in the past 12 months (PARTS1YR > 0)
NOTES	This variable has been created for public use, and the original source variables are accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	166

lsexpreg: Distribution	Value	n
Yes	1	223
No	2	3547
Inapplicable	.	1816
		5586

sex3mo	
LABEL	Whether R had sexual intercourse in the last 3 months (based on LSEXDATE)
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
LENGTH	8
VARNUM	167

Section R

sex3mo: Distribution	Value	n
Yes	1	3298
No	2	1256
Inapplicable	.	1032
		5586

PARTS1YR	
LABEL	Number of opposite-sex sexual partners in last 12 months (top-coded)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	168

PARTS1YR: Distribution	Value	n
0	0	784
1	1	3312
2	2	246
3	3	96
4	4	43
5	5	20
6	6	10
7 or more	7	43
Inapplicable	.	1032
		5586

PARTS1YR_I	
LABEL	PARTS1YR imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	169

PARTS1YR_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5539
MODEL-BASED IMPUTATION	1	9
LOGICAL IMPUTATION	2	38
		5586

PARTDUR1	
LABEL	Number of months between first and most recent sexual intercourse with most recent sexual partner (in the past 12 months)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
LENGTH	8
VARNUM	170

PARTDUR1: Distribution	Value	n
Number of months	0-490	4399
Only had sex once with partner	997	155
Inapplicable	.	1032
		5586

PARTDUR2	
LABEL	Number of months between first and most recent sexual intercourse with second-to-last sexual partner (in the past 12 months)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R did not have 0 or 1 partner in the last 12 months (parts12 ne 0 or 1)
LENGTH	8
VARNUM	171

Section R

PARTDUR2: Distribution	Value	n
Number of months	0-490	497
Only had sex once with partner	997	3
Inapplicable	.	5086
		5586

PARTDUR3	
LABEL	Number of months between first and most recent sexual intercourse with third-to-last sexual partner (in the past 12 months)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R did not have 0, 1, or 2 partners in the last 12 months (parts12 ne 0, 1, or 2)
LENGTH	8
VARNUM	172

PARTDUR3: Distribution	Value	n
Number of months	0-490	246
Inapplicable	.	5340
		5586

PARTDUR1_I	
LABEL	PARTDUR1 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	173

PARTDUR1_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5370
MODEL-BASED IMPUTATION	1	215
LOGICAL IMPUTATION	2	1
		5586

PARTDUR2_I	
LABEL	PARTDUR2 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	174

PARTDUR2_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5465
MODEL-BASED IMPUTATION	1	121
		5586

PARTDUR3_I	
LABEL	PARTDUR3 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	175

PARTDUR3_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5511
MODEL-BASED IMPUTATION	1	75
		5586

RELATP1	
LABEL	Relationship at first sexual intercourse with most recent sexual partner (in the past 12 months)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
LENGTH	8
VARNUM	176

Section R

RELATP1: Distribution	Value	n
Married to him	1	308
Engaged to him and living together	2	66
Engaged to him, but not living together	3	85
Living together in a sexual relationship, but not engaged	4	164
In a steady relationship, but not living together or engaged	5	1743
Going out with him once in a while	6	647
Just friends	7	450
Had just met him	8	221
Something else	9	85
Inapplicable	.	1817
		5586

RELATP2	
LABEL	Relationship at first sexual intercourse with second-to-last sexual partner (in the past 12 months)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R did not have 0 or 1 partner in the last 12 months (parts12 ne 0 or 1)
LENGTH	8
VARNUM	177

RELATP2: Distribution	Value	n
Married to him	1	1
Engaged to him and living together	2	2
Engaged to him, but not living together	3	4
Living together in a sexual relationship, but not engaged	4	6
In a steady relationship, but not living together or engaged	5	85
Going out with him once in a while	6	110
Just friends	7	145
Had just met him	8	76
Something else	9	29
Inapplicable	.	5128
		5586

RELATP3	
LABEL	Relationship at first sexual intercourse with third-to-last sexual partner (in the past 12 months)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R did not have 0, 1, or 2 partners in the last 12 months (parts12 ne 0, 1, or 2)
LENGTH	8
VARNUM	178

RELATP3: Distribution	Value	n
Living together in a sexual relationship, but not engaged	4	2
In a steady relationship, but not living together or engaged	5	39
Going out with him once in a while	6	46
Just friends	7	66
Had just met him	8	42
Something else	9	17
Inapplicable	.	5374
		5586

RELATP1_I	
LABEL	RELATP1 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	179

Section R

RELATP1_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5535
MODEL-BASED IMPUTATION	1	18
LOGICAL IMPUTATION	2	33
		5586

RELATP2_I	
LABEL	RELATP2 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	180

RELATP2_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5550
MODEL-BASED IMPUTATION	1	36
		5586

RELATP3_I	
LABEL	RELATP3 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	181

RELATP3_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5563
MODEL-BASED IMPUTATION	1	23
		5586

LIFPRTNR	
LABEL	Number of opposite-sex sexual partners in lifetime (top-coded)
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	182

LIFPRTNR: Distribution	Value	n
0	0	1032
1	1	1021
2	2	498
3	3	449
4	4	327
5	5	406
6	6	227
7	7	226
8	8	157
9	9	94
10	10	241
11	11	49
12	12	73
13	13	37
14	14	21
15	15	142
16	16	15
17	17	12
18	18	15
19	19	8
20	20	106
21	21	6
22	22	13
23	23	10
24	24	2
25	25	49

Section R

LIFPRTNR: Distribution	Value	n
26	26	3
27	27	13
28	28	4
30	30	82
32	32	4
33	33	7
34	34	1
35	35	15
36	36	1
37	37	2
38	38	4
40	40	14
41	41	1
42	42	1
43	43	3
44	44	5
45	45	10
47	47	6
50 or more	50	174
		5586

LIFPRTNR_I	
LABEL	LIFPRTNR imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	183

LIFPRTNR_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5487
MODEL-BASED IMPUTATION	1	99
		5586

NUMP3MOS	
LABEL	Number of male partners in past 3 months
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
LENGTH	8
VARNUM	184

NUMP3MOS: Distribution	Value	n
0 partners	0	1293
1 partner	1	3100
2 partners	2	113
3 partners exactly	3	9
3, possibly more partners	4	39
Inapplicable	.	1032
		5586

NUMP3MOS_I	
LABEL	NUMP3MOS imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	185

NUMP3MOS_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5561
MODEL-BASED IMPUTATION	1	20
LOGICAL IMPUTATION	2	5
		5586

Section R

STRLOPER	
LABEL	Type of sterilization operation in effect
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	186

STRLOPER: Distribution	Value	n
Tubal ligation or sterilization	1	478
Hysterectomy	2	120
Vasectomy	3	277
Other female operation	4	54
Not surgically sterile	5	4657
		5586

ANYMTHD	
LABEL	Ever used any method for any reason
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	187

ANYMTHD: Distribution	Value	n
Yes	1	4813
No	2	773
		5586

ANYMTHD_I	
LABEL	ANYMTHD_I imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	188

ANYMTHD_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5515
MODEL-BASED IMPUTATION	1	71
		5586

FECUND	
LABEL	Fecundity status
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	189

FECUND: Distribution	Value	n
Surgically Sterile, Contraceptive	1	737
Surgically Sterile, Noncontraceptive	2	189
Sterile, Nonsurgical	3	346
Subfecund	4	608
Long interval	5	42
Fecund	6	3664
		5586

FECUND_I	
LABEL	FECUND_I imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	190

FECUND_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5486
LOGICAL IMPUTATION	2	100
		5586

Section R

ANYBC36	
LABEL	Intermediate variable used for recode FECUND: Any contraceptive use in last 12 months
VARIABLE TYPE	Intermediate
UNIVERSE	Applicable for all respondents
NOTES	see recode FECUND for definition of this variable
LENGTH	8
VARNUM	191

ANYBC36: Distribution	Value	n
Yes	1	4060
No	2	1526
		5586

CMSTRTHP	
LABEL	Year R began living with her current husband or cohabiting partner
VARIABLE TYPE	Intermediate
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (rmarit = 1 or 2)
NOTES	The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	192

CMSTRTHP: Distribution	Value	n
1972-2023	1972-2023	2675
Not ascertained	9997	5
Refused	9998	6
Don't know	9999	1
Inapplicable	.	2899
		5586

NOSEX36	
LABEL	Any months of non-intercourse in the 36 months prior to interview
VARIABLE TYPE	Intermediate
UNIVERSE	Applicable for all respondents
NOTES	See recode FECUND for definition of this variable
LENGTH	8
VARNUM	193

NOSEX36: Distribution	Value	n
No, no months of non-intercourse in all months	1	2027
Yes, one or months of non-intercourse	2	3559
		5586

NOSEX12	
LABEL	Number of months of nonintercourse in the 12 months prior to interview
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	194

NOSEX12: Distribution	Value	n
0	0	2459
1	1	207
2	2	169
3	3	121
4	4	117
5	5	119
6	6	145
7	7	132
8	8	124
9	9	138
10	10	139
11	11	179
12	12	471
Never had intercourse	95	986

Section R

NOSEX12: Distribution	Value	n
Inapplicable	.	80
		5586

NOSEX12_I	
LABEL	NOSEX12_I imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	195

NOSEX12_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5544
MODEL-BASED IMPUTATION	1	42
		5586

INFERT	
LABEL	Infertility status
VARIABLE TYPE	recode
UNIVERSE	Applicable if R is currently married to or cohabiting with a man (RMARITAL = 1 or 2)
LENGTH	8
VARNUM	196

INFERT: Distribution	Value	n
Surgically sterile	1	671
Infertile	2	207
Fecund	3	1809
Inapplicable	.	2899
		5586

INFERT_I	
LABEL	INFERT_I imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	197

INFERT_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5566
LOGICAL IMPUTATION	2	20
		5586

ANYBC12	
LABEL	Any contraceptive use in the 12 months prior to interview
VARIABLE TYPE	Intermediate
UNIVERSE	Applicable for all respondents
NOTES	See recode INFERT for definition of this variable
LENGTH	8
VARNUM	198

ANYBC12: Distribution	Value	n
Yes	1	3728
No	2	1858
		5586

SEXP3MO	
LABEL	Intercourse in the past 3 months (including interview month)
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
LENGTH	8
VARNUM	199

Section R

SEXP3MO: Distribution	Value	n
Yes, had intercourse in past 3 months (including interview month)	1	3697
No, did not have intercourse in past 3 months (including interview month)	2	823
Inapplicable	.	1066
		5586

SEXP3MO_I	
LABEL	SEXP3MO_I imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	200

SEXP3MO_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5563
MODEL-BASED IMPUTATION	1	23
		5586

CONSTAT1	
LABEL	Current contraceptive status - 1st priority
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	201

CONSTAT1: Distribution	Value	n
Female sterilization	1	581
Male sterilization	2	314
Hormonal implant	3	141
Depo-Provera (injectable)	5	82
Pill	6	633
Contraceptive Patch	7	16
Contraceptive Ring	8	52
Emergency contraception	9	23
IUD	10	479
Diaphragm (with or w/out jelly or cream)	11	1
(Male) Condom	12	377
Female condom/vaginal pouch	13	1
Periodic abstinence: NFP, cervical mucus test or temperature rhythm	19	22
Periodic abstinence: calendar rhythm	20	96
Withdrawal	21	187
Other method	22	4
Pregnant	30	172
Seeking Pregnancy	31	252
Postpartum	32	33
Sterile--nonsurgical--female	33	313
Sterile--nonsurgical--male	34	25
Sterile--surgical--female (noncontraceptive)	35	70
Sterile--unknown reasons--male	38	1
Other nonuser--never had intercourse	40	803
Other nonuser--has had intercourse, but not in the 3 months prior to interview	41	433
Other nonuser--had intercourse in the 3 months prior to interview	42	475
		5586

CONSTAT2	
LABEL	Current contraceptive status - 2nd priority
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	202

Section R

CONSTAT2: Distribution	Value	n
Female sterilization	1	2
Male sterilization	2	15
Hormonal implant	3	7
Depo-Provera (injectable)	5	14
Pill	6	103
Contraceptive Patch	7	2
Contraceptive Ring	8	8
Emergency contraception	9	13
IUD	10	49
Diaphragm (with or w/out jelly or cream)	11	2
(Male) Condom	12	219
Female condom/vaginal pouch	13	2
Periodic abstinence: NFP, cervical mucus test or temperature rhythm	19	16
Periodic abstinence: calendar rhythm	20	93
Withdrawal	21	267
Other method	22	3
Sterile--nonsurgical--female	33	10
Sterile--nonsurgical--male	34	30
Inapplicable	88	4731
		5586

CONSTAT3	
LABEL	Current contraceptive status - 3rd priority
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	203

CONSTAT3: Distribution	Value	n
Depo-Provera (injectable)	5	1
Pill	6	14
Contraceptive Ring	8	2
Emergency contraception	9	3
IUD	10	3
Diaphragm (with or w/out jelly or cream)	11	1
(Male) Condom	12	34
Female condom/vaginal pouch	13	1
Jelly or cream (not with diaphragm)	18	1
Periodic abstinence: NFP, cervical mucus test or temperature rhythm	19	6
Periodic abstinence: calendar rhythm	20	28
Withdrawal	21	109
Other method	22	6
Sterile--unknown reasons--male	38	1
Inapplicable	88	5376
		5586

CONSTAT4	
LABEL	Current contraceptive status - 4th priority
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	204

CONSTAT4: Distribution	Value	n
Pill	6	1
IUD	10	3
(Male) Condom	12	5
Jelly or cream (not with diaphragm)	18	1
Periodic abstinence: calendar rhythm	20	2
Withdrawal	21	36
Other method	22	3
Inapplicable	88	5535
		5586

Section R

CONSTAT1_I	
LABEL	CONSTAT1 imputation flag
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	205

CONSTAT1_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5551
LOGICAL IMPUTATION	2	35
		5586

CONSTAT2_I	
LABEL	CONSTAT2 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	206

CONSTAT2_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5551
LOGICAL IMPUTATION	2	35
		5586

CONSTAT3_I	
LABEL	CONSTAT3 imputation flag
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	207

CONSTAT3_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5551
LOGICAL IMPUTATION	2	35
		5586

CONSTAT4_I	
LABEL	CONSTAT4 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	208

CONSTAT4_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5551
LOGICAL IMPUTATION	2	35
		5586

SEX1MTHD1	
LABEL	Method used at first intercourse, if any - 1st method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1)
LENGTH	8
VARNUM	209

SEX1MTHD1: Distribution	Value	n
Pill	1	1086
Condom	2	1663
Partner's vasectomy	3	3
Female sterilizing operation/tubal ligation	4	6
Withdrawal	5	138
Depo-Provera, injectables	6	59
Hormonal implant	7	21
Rhythm or safe period by calendar	8	11
Safe period by temperature or cervical mucus test	9	4
Diaphragm	10	2

Section R

SEX1MTHD1: Distribution	Value	n
Female condom, vaginal pouch	11	3
Foam	12	4
Jelly or cream	13	3
Suppository, insert	15	1
Today sponge	16	1
IUD	17	24
Emergency contraception	18	13
Other method	19	10
Respondent sterile (aside from sterilizing operation above)	20	2
Contraceptive patch	23	4
Contraceptive ring	24	20
Never used a method	95	68
Did not use a method at 1st intercourse	96	1408
Inapplicable	.	1032
		5586

SEX1MTHD2	
LABEL	Method used at first intercourse, if any - 2nd method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a second method at first sex (mthfstsx2 not blank)
LENGTH	8
VARNUM	210

SEX1MTHD2: Distribution	Value	n
Pill	1	127
Condom	2	698
Partner's vasectomy	3	4
Female sterilizing operation/tubal ligation	4	5
Withdrawal	5	150
Depo-Provera, injectables	6	27
Hormonal implant	7	6
Rhythm or safe period by calendar	8	6
Safe period by temperature or cervical mucus test	9	5
Female condom, vaginal pouch	11	3
Foam	12	3
Jelly or cream	13	5
Suppository, insert	15	1
IUD	17	16
Emergency contraception	18	11
Other method	19	2
Respondent sterile (aside from sterilizing operation above)	20	4
Contraceptive patch	23	3
Contraceptive ring	24	6
Inapplicable	.	4504
		5586

SEX1MTHD3	
LABEL	Method used at first intercourse, if any - 3rd method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a third method at first sex (mthfstsx3 not blank)
LENGTH	8
VARNUM	211

SEX1MTHD3: Distribution	Value	n
Pill	1	1
Condom	2	9
Partner's vasectomy	3	2
Female sterilizing operation/tubal ligation	4	2
Withdrawal	5	83
Depo-Provera, injectables	6	15
Rhythm or safe period by calendar	8	6

Section R

SEX1MTHD3: Distribution	Value	n
Safe period by temperature or cervical mucus test	9	3
Diaphragm	10	1
Female condom, vaginal pouch	11	1
Foam	12	4
Jelly or cream	13	6
Suppository, insert	15	1
IUD	17	5
Emergency contraception	18	21
Other method	19	1
Respondent's partner sterile (aside from vasectomy above)	21	3
Contraceptive patch	23	1
Contraceptive ring	24	5
Inapplicable	.	5416
		5586

SEX1MTHD4	
LABEL	Method used at first intercourse, if any - 4th method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and R used a fourth method at first sex (mthfstsx4 not blank)
LENGTH	8
VARNUM	212

SEX1MTHD4: Distribution	Value	n
Pill	1	1
Condom	2	2
Withdrawal	5	8
Depo-Provera, injectables	6	8
Rhythm or safe period by calendar	8	2
Safe period by temperature or cervical mucus test	9	1
Today sponge	16	2
IUD	17	6
Emergency contraception	18	11
Contraceptive patch	23	4
Contraceptive ring	24	1
Inapplicable	.	5540
		5586

SEX1MTHD1_I	
LABEL	SEX1MTHD1 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	213

SEX1MTHD1_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5479
MODEL-BASED IMPUTATION	1	97
LOGICAL IMPUTATION	2	10
		5586

SEX1MTHD2_I	
LABEL	SEX1MTHD2 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	214

SEX1MTHD2_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5586
		5586

Section R

SEX1MTHD3_I	
LABEL	SEX1MTHD3 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	215

SEX1MTHD3_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5586
		5586

SEX1MTHD4_I	
LABEL	SEX1MTHD4 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	216

SEX1MTHD4_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5586
		5586

METH12M1	
LABEL	Method used at last sex in the past 12 months - 1st method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has had sexual intercourse with a male partner in the last 12 months (PARTS1YR > 0)
LENGTH	8
VARNUM	217

METH12M1: Distribution	Value	n
Pill	1	466
Condom	2	605
Partner's vasectomy	3	226
Female sterilizing operation/tubal ligation	4	356
Withdrawal	5	320
Depo-Provera, injectables	6	56
Hormonal implant	7	98
Rhythm or safe period by calendar	8	22
Safe period by temperature or cervical mucus test	9	4
Diaphragm	10	2
Jelly or cream	13	1
IUD	17	411
Emergency contraception	18	9
Other method	19	5
Respondent sterile (aside from sterilizing operation above)	20	9
Respondent's partner sterile (aside from vasectomy above)	21	14
Contraceptive patch	23	9
Contraceptive ring	24	36
Never used a method	95	39
Did not use a method at 1st intercourse	96	1082
Inapplicable	.	1816
		5586

METH12M2	
LABEL	Method used at last sex in the past 12 months - 2nd method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R reported using more than 1 method at last sexual intercourse with a male partner in the last 12 months (see METH12M1)
LENGTH	8
VARNUM	218

Section R

METH12M2: Distribution	Value	n
Pill	1	30
Condom	2	93
Partner's vasectomy	3	21
Female sterilizing operation/tubal ligation	4	14
Withdrawal	5	128
Depo-Provera, injectables	6	10
Hormonal implant	7	17
Rhythm or safe period by calendar	8	39
Safe period by temperature or cervical mucus test	9	7
Diaphragm	10	1
Female condom, vaginal pouch	11	1
Jelly or cream	13	3
IUD	17	62
Emergency contraception	18	9
Respondent's partner sterile (aside from vasectomy above)	21	3
Lunelle injectable	22	1
Contraceptive patch	23	2
Contraceptive ring	24	11
Inapplicable	.	5134
		5586

METH12M3	
LABEL	Method used at last sex in the past 12 months - 3rd method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R reported using more than 2 methods at last sexual intercourse with a male partner in the last 12 months (see METH12M1)
LENGTH	8
VARNUM	219

METH12M3: Distribution	Value	n
Pill	1	5
Condom	2	5
Partner's vasectomy	3	2
Withdrawal	5	9
Depo-Provera, injectables	6	1
Hormonal implant	7	1
Rhythm or safe period by calendar	8	8
Safe period by temperature or cervical mucus test	9	5
IUD	17	2
Emergency contraception	18	2
Other method	19	1
Respondent's partner sterile (aside from vasectomy above)	21	1
Contraceptive ring	24	2
Inapplicable	.	5542
		5586

METH12M4	
LABEL	Method used at last sex in the past 12 months - 4th method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R reported using more than 3 methods at last sexual intercourse with a male partner in the last 12 months (see METH12M1)
LENGTH	8
VARNUM	220

METH12M4: Distribution	Value	n
Pill	1	1
Condom	2	1
Withdrawal	5	2
Rhythm or safe period by calendar	8	2
IUD	17	1
Emergency contraception	18	1
Inapplicable	.	5578
		5586

Section R

METH12M1_I	
LABEL	METH12M1 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	221

METH12M1_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5504
MODEL-BASED IMPUTATION	1	49
LOGICAL IMPUTATION	2	33
		5586

METH12M2_I	
LABEL	METH12M2 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	222

METH12M2_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5584
LOGICAL IMPUTATION	2	2
		5586

METH12M3_I	
LABEL	METH12M3 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	223

METH12M3_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5586
		5586

METH12M4_I	
LABEL	METH12M4 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	224

METH12M4_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5586
		5586

METH3M1	
LABEL	Method used at last sex in the past 3 months - 1st method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has had sexual intercourse with a male partner in the last 3 months (SEX3MO = 1)
LENGTH	8
VARNUM	225

METH3M1: Distribution	Value	n
Pill	1	430
Condom	2	501
Partner's vasectomy	3	213
Female sterilizing operation/tubal ligation	4	324
Withdrawal	5	286
Depo-Provera, injectables	6	47
Hormonal implant	7	84
Rhythm or safe period by calendar	8	22
Safe period by temperature or cervical mucus test	9	3
Diaphragm	10	1
IUD	17	371

Section R

METH3M1: Distribution	Value	n
Emergency contraception	18	6
Other method	19	5
Respondent sterile (aside from sterilizing operation above)	20	9
Respondent's partner sterile (aside from vasectomy above)	21	13
Contraceptive patch	23	7
Contraceptive ring	24	33
Never used a method	95	32
Did not use a method at 1st intercourse	96	926
Inapplicable	.	2273
		5586

METH3M2	
LABEL	Method used at last sex in the past 3 months - 2nd method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R reported using more than 1 method at last sexual intercourse with a male partner in the last 3 months (see METH3M1)
LENGTH	8
VARNUM	226

METH3M2: Distribution	Value	n
Pill	1	25
Condom	2	77
Partner's vasectomy	3	19
Female sterilizing operation/tubal ligation	4	14
Withdrawal	5	108
Depo-Provera, injectables	6	7
Hormonal implant	7	15
Rhythm or safe period by calendar	8	36
Safe period by temperature or cervical mucus test	9	7
Diaphragm	10	1
Jelly or cream	13	3
IUD	17	53
Emergency contraception	18	7
Respondent's partner sterile (aside from vasectomy above)	21	3
Lunelle injectable	22	1
Contraceptive patch	23	2
Contraceptive ring	24	5
Inapplicable	.	5203
		5586

METH3M3	
LABEL	Method used at last sex in the past 3 months - 3rd method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R reported using more than 2 methods at last sexual intercourse with a male partner in the last 3 months (see METH3M1)
LENGTH	8
VARNUM	227

METH3M3: Distribution	Value	n
Pill	1	4
Condom	2	5
Partner's vasectomy	3	2
Withdrawal	5	9
Depo-Provera, injectables	6	1
Hormonal implant	7	1
Rhythm or safe period by calendar	8	7
Safe period by temperature or cervical mucus test	9	5
IUD	17	2
Emergency contraception	18	1
Respondent's partner sterile (aside from vasectomy above)	21	1
Contraceptive ring	24	1

METH3M3: Distribution	Value	n
Inapplicable	.	5547
		5586

METH3M4	
LABEL	Method used at last sex in the past 3 months - 4th method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R reported using more than 3 methods at last sexual intercourse with a male partner in the last 3 months (see METH3M1)
LENGTH	8
VARNUM	228

METH3M4: Distribution	Value	n
Pill	1	1
Condom	2	1
Withdrawal	5	2
Rhythm or safe period by calendar	8	2
IUD	17	1
Emergency contraception	18	1
Inapplicable	.	5578
		5586

METH3M1_I	
LABEL	METH3M1 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	229

METH3M1_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5525
MODEL-BASED IMPUTATION	1	42
LOGICAL IMPUTATION	2	19
		5586

METH3M2_I	
LABEL	METH3M2 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	230

METH3M2_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5586
		5586

METH3M3_I	
LABEL	METH3M3 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	231

METH3M3_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5586
		5586

METH3M4_I	
LABEL	METH3M4 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	232

Section R

METH3M4_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5586
		5586

DATEUSE1	
LABEL	Date R used first method for the first time
VARIABLE TYPE	recode
UNIVERSE	Applicable if R has ever had sexual intercourse with a male (HADSEX = 1) and has ever used a contraceptive method (ANYMTHD = 1)
LENGTH	8
VARNUM	233

DATEUSE1: Distribution	Value	n
Before 2017	865-1404	3810
2017	1405-1416	127
2018	1417-1428	105
2019	1429-1440	124
2020	1441-1452	87
2021	1453-1464	101
2022	1465-1476	78
2023	1477-1488	36
Date estimated	90000-99999	19
Inapplicable	.	1099
		5586

DATEUSE1_I	
LABEL	DATEUSE1 imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	234

DATEUSE1_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5491
MODEL-BASED IMPUTATION	1	84
LOGICAL IMPUTATION	2	11
		5586

MAROUT1	
LABEL	Marital/cohabiting status when 1st pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 1 completed pregnancy (COMPREG >= 1)
LENGTH	8
VARNUM	235

MAROUT1: Distribution	Value	n
Married to father of pregnancy	1	1315
Living with father of pregnancy, but not married	2	684
Neither married nor cohabiting with father of pregnancy	3	1035
Inapplicable	.	2552
		5586

MAROUT2	
LABEL	Marital/cohabiting status when 2nd pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 2 completed pregnancies (COMPREG >= 2)
LENGTH	8
VARNUM	236

MAROUT2: Distribution	Value	n
Married to father of pregnancy	1	1245
Living with father of pregnancy, but not married	2	510
Neither married nor cohabiting with father of pregnancy	3	498
Inapplicable	.	3333
		5586

Section R

MAROUT3	
LABEL	Marital/cohabiting status when 3rd pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 3 completed pregnancies (COMPREG >= 3) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	237

MAROUT3: Distribution	Value	n
Married to father of pregnancy	1	637
Living with father of pregnancy, but not married	2	255
Neither married nor cohabiting with father of pregnancy	3	217
Inapplicable	.	4477
		5586

MAROUT4	
LABEL	Marital/cohabiting status when 4th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 4 completed pregnancies (COMPREG >= 4) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	238

MAROUT4: Distribution	Value	n
Married to father of pregnancy	1	304
Living with father of pregnancy, but not married	2	145
Neither married nor cohabiting with father of pregnancy	3	133
Inapplicable	.	5004
		5586

MAROUT5	
LABEL	Marital/cohabiting status when 5th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 5 completed pregnancies (COMPREG >= 5) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	239

MAROUT5: Distribution	Value	n
Married to father of pregnancy	1	144
Living with father of pregnancy, but not married	2	79
Neither married nor cohabiting with father of pregnancy	3	60
Inapplicable	.	5303
		5586

MAROUT6	
LABEL	Marital/cohabiting status when 6th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 6 completed pregnancies (COMPREG >= 6) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	240

MAROUT6: Distribution	Value	n
Married to father of pregnancy	1	71
Living with father of pregnancy, but not married	2	43
Neither married nor cohabiting with father of pregnancy	3	34
Inapplicable	.	5438
		5586

MAROUT7	
LABEL	Marital/cohabiting status when 7th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 7 completed pregnancies (COMPREG >= 7) and RMAROUT3 recode on the pregnancy file was applicable.

Section R

MAROUT7	
LENGTH	8
VARNUM	241

MAROUT7: Distribution	Value	n
Married to father of pregnancy	1	31
Living with father of pregnancy, but not married	2	24
Neither married nor cohabiting with father of pregnancy	3	15
Inapplicable	.	5516
		5586

MAROUT8	
LABEL	Marital/cohabiting status when 8th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 8 completed pregnancies (COMPREG >= 8) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	242

MAROUT8: Distribution	Value	n
Married to father of pregnancy	1	11
Living with father of pregnancy, but not married	2	8
Neither married nor cohabiting with father of pregnancy	3	8
Inapplicable	.	5559
		5586

MAROUT9	
LABEL	Marital/cohabiting status when 9th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 9 completed pregnancies (COMPREG >= 9) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	243

MAROUT9: Distribution	Value	n
Married to father of pregnancy	1	2
Living with father of pregnancy, but not married	2	6
Neither married nor cohabiting with father of pregnancy	3	2
Inapplicable	.	5576
		5586

MAROUT10	
LABEL	Marital/cohabiting status when 10th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 10 completed pregnancies (COMPREG >= 10) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	244

MAROUT10: Distribution	Value	n
Married to father of pregnancy	1	1
Living with father of pregnancy, but not married	2	2
Inapplicable	.	5583
		5586

MAROUT11	
LABEL	Marital/cohabiting status when 11th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 11 completed pregnancies (COMPREG >= 11) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	245

Section R

MAROUT11: Distribution	Value	n
Married to father of pregnancy	1	2
Living with father of pregnancy, but not married	2	3
Inapplicable	.	5581
		5586

MAROUT12	
LABEL	Marital/cohabiting status when 12th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 12 completed pregnancies (COMPREG >= 12) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	246

MAROUT12: Distribution	Value	n
Married to father of pregnancy	1	1
Living with father of pregnancy, but not married	2	2
Inapplicable	.	5583
		5586

MAROUT13	
LABEL	Marital/cohabiting status when 13th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 13 completed pregnancies (COMPREG >= 13) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	247

MAROUT13: Distribution	Value	n
Married to father of pregnancy	1	2
Living with father of pregnancy, but not married	2	1
Inapplicable	.	5583
		5586

MAROUT14	
LABEL	Marital/cohabiting status when 14th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 14 completed pregnancies (COMPREG >= 14) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	248

MAROUT14: Distribution	Value	n
Inapplicable	.	5586
		5586

MAROUT15	
LABEL	Marital/cohabiting status when 15th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 15 completed pregnancies (COMPREG >= 15) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	249

MAROUT15: Distribution	Value	n
Inapplicable	.	5586
		5586

MAROUT16	
LABEL	Marital/cohabiting status when 16th pregnancy ended
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had at least 16 completed pregnancies (COMPREG >= 16) and RMAROUT3 recode on the pregnancy file was applicable.
LENGTH	8
VARNUM	250

Section R

MAROUT16: Distribution	Value	n
Inapplicable	.	5586
		5586

MARCON1	
LABEL	Marital/cohabiting status when 1st pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever been pregnant (PREGNUM > 0)
LENGTH	8
VARNUM	251

MARCON1: Distribution	Value	n
Married to father of pregnancy	1	1243
Living with father of pregnancy, but not married	2	701
Neither married nor cohabiting with father of pregnancy	3	1132
Inapplicable	.	2510
		5586

MARCON2	
LABEL	Marital/cohabiting status when 2nd pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 1 pregnancy (PREGNUM > 1)
LENGTH	8
VARNUM	252

MARCON2: Distribution	Value	n
Married to father of pregnancy	1	1233
Living with father of pregnancy, but not married	2	553
Neither married nor cohabiting with father of pregnancy	3	516
Inapplicable	.	3284
		5586

MARCON3	
LABEL	Marital/cohabiting status when 3rd pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 2 pregnancies (PREGNUM > 2) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	253

MARCON3: Distribution	Value	n
Married to father of pregnancy	1	640
Living with father of pregnancy, but not married	2	283
Neither married nor cohabiting with father of pregnancy	3	219
Inapplicable	.	4444
		5586

MARCON4	
LABEL	Marital/cohabiting status when 4th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 3 pregnancies (PREGNUM > 3) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	254

MARCON4: Distribution	Value	n
Married to father of pregnancy	1	313
Living with father of pregnancy, but not married	2	155
Neither married nor cohabiting with father of pregnancy	3	134
Inapplicable	.	4984
		5586

Section R

MARCON5	
LABEL	Marital/cohabiting status when 5th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 4 pregnancies (PREGNUM > 4) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	255

MARCON5: Distribution	Value	n
Married to father of pregnancy	1	146
Living with father of pregnancy, but not married	2	83
Neither married nor cohabiting with father of pregnancy	3	66
Inapplicable	.	5291
		5586

MARCON6	
LABEL	Marital/cohabiting status when 6th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 5 pregnancies (PREGNUM > 5) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	256

MARCON6: Distribution	Value	n
Married to father of pregnancy	1	77
Living with father of pregnancy, but not married	2	44
Neither married nor cohabiting with father of pregnancy	3	37
Inapplicable	.	5428
		5586

MARCON7	
LABEL	Marital/cohabiting status when 7th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 6 pregnancies (PREGNUM > 6) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	257

MARCON7: Distribution	Value	n
Married to father of pregnancy	1	33
Living with father of pregnancy, but not married	2	23
Neither married nor cohabiting with father of pregnancy	3	17
Inapplicable	.	5513
		5586

MARCON8	
LABEL	Marital/cohabiting status when 8th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 7 pregnancies (PREGNUM > 7) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	258

MARCON8: Distribution	Value	n
Married to father of pregnancy	1	12
Living with father of pregnancy, but not married	2	8
Neither married nor cohabiting with father of pregnancy	3	9
Inapplicable	.	5557
		5586

MARCON9	
LABEL	Marital/cohabiting status when 9th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 8 pregnancies (PREGNUM > 8) and RMARCON3 recode on pregnancy file was applicable

Section R

MARCON9	
LENGTH	8
VARNUM	259

MARCON9: Distribution	Value	n
Married to father of pregnancy	1	3
Living with father of pregnancy, but not married	2	6
Neither married nor cohabiting with father of pregnancy	3	2
Inapplicable	.	5575
		5586

MARCON10	
LABEL	Marital/cohabiting status when 10th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 9 pregnancies (PREGNUM > 9) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	260

MARCON10: Distribution	Value	n
Married to father of pregnancy	1	1
Living with father of pregnancy, but not married	2	2
Inapplicable	.	5583
		5586

MARCON11	
LABEL	Marital/cohabiting status when 11th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 10 pregnancies (PREGNUM > 10) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	261

MARCON11: Distribution	Value	n
Married to father of pregnancy	1	2
Living with father of pregnancy, but not married	2	3
Inapplicable	.	5581
		5586

MARCON12	
LABEL	Marital/cohabiting status when 12th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 11 pregnancies (PREGNUM > 11) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	262

MARCON12: Distribution	Value	n
Married to father of pregnancy	1	1
Living with father of pregnancy, but not married	2	2
Inapplicable	.	5583
		5586

MARCON13	
LABEL	Marital/cohabiting status when 13th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 12 pregnancies (PREGNUM > 12) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	263

MARCON13: Distribution	Value	n
Married to father of pregnancy	1	2
Living with father of pregnancy, but not married	2	1
Inapplicable	.	5583
		5586

Section R

MARCON14	
LABEL	Marital/cohabiting status when 14th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 13 pregnancies (PREGNUM > 13) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	264

MARCON14: Distribution	Value	n
Inapplicable	.	5586
		5586

MARCON15	
LABEL	Marital/cohabiting status when 15th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 14 pregnancies (PREGNUM > 14) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	265

MARCON15: Distribution	Value	n
Inapplicable	.	5586
		5586

MARCON16	
LABEL	Marital/cohabiting status when 16th pregnancy began
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 15 pregnancies (PREGNUM > 15) and RMARCON3 recode on pregnancy file was applicable
LENGTH	8
VARNUM	266

MARCON16: Distribution	Value	n
Inapplicable	.	5586
		5586

NWWANTRP1	
LABEL	Detailed wantedness of 1st pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever been pregnant (PREGNUM > 0)
LENGTH	8
VARNUM	267

NWWANTRP1: Distribution	Value	n
Later, overdue	1	266
Right time	2	1485
Too soon: <2 yrs	3	137
Too soon: >=2 yrs	4	640
Didn't care, indifferent	5	22
Unwanted	6	524
Don't know, not sure	7	2
Inapplicable	.	2510
		5586

NWWANTRP2	
LABEL	Detailed wantedness of 2nd pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 1 pregnancy (PREGNUM > 1)
LENGTH	8
VARNUM	268

NWWANTRP2: Distribution	Value	n
Later, overdue	1	168
Right time	2	1358
Too soon: <2 yrs	3	150
Too soon: >=2 yrs	4	185

Section R

NWWANTRP2: Distribution	Value	n
Didn't care, indifferent	5	16
Unwanted	6	422
Don't know, not sure	7	3
Inapplicable	.	3284
		5586

NWWANTRP3	
LABEL	Detailed wantedness of 3rd pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 2 pregnancies (PREGNUM > 2) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	269

NWWANTRP3: Distribution	Value	n
Later, overdue	1	94
Right time	2	674
Too soon: <2 yrs	3	61
Too soon: >=2 yrs	4	64
Didn't care, indifferent	5	7
Unwanted	6	238
Don't know, not sure	7	4
Inapplicable	.	4444
		5586

NWWANTRP4	
LABEL	Detailed wantedness of 4th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 3 pregnancies (PREGNUM > 3) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	270

NWWANTRP4: Distribution	Value	n
Later, overdue	1	38
Right time	2	322
Too soon: <2 yrs	3	35
Too soon: >=2 yrs	4	46
Didn't care, indifferent	5	3
Unwanted	6	157
Don't know, not sure	7	1
Inapplicable	.	4984
		5586

NWWANTRP5	
LABEL	Detailed wantedness of 5th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 4 pregnancies (PREGNUM > 4) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	271

NWWANTRP5: Distribution	Value	n
Later, overdue	1	14
Right time	2	155
Too soon: <2 yrs	3	17
Too soon: >=2 yrs	4	11
Didn't care, indifferent	5	2
Unwanted	6	95
Don't know, not sure	7	1
Inapplicable	.	5291
		5586

Section R

NWWANTRP6	
LABEL	Detailed wantedness of 6th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 5 pregnancies (PREGNUM > 5) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	272

NWWANTRP6: Distribution	Value	n
Later, overdue	1	9
Right time	2	78
Too soon: <2 yrs	3	7
Too soon: >=2 yrs	4	5
Didn't care, indifferent	5	2
Unwanted	6	57
Inapplicable	.	5428
		5586

NWWANTRP7	
LABEL	Detailed wantedness of 7th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 6 pregnancies (PREGNUM > 6) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	273

NWWANTRP7: Distribution	Value	n
Later, overdue	1	5
Right time	2	33
Too soon: <2 yrs	3	8
Too soon: >=2 yrs	4	3
Didn't care, indifferent	5	3
Unwanted	6	21
Inapplicable	.	5513
		5586

NWWANTRP8	
LABEL	Detailed wantedness of 8th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 7 pregnancies (PREGNUM > 7) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	274

NWWANTRP8: Distribution	Value	n
Later, overdue	1	2
Right time	2	13
Too soon: <2 yrs	3	1
Too soon: >=2 yrs	4	1
Unwanted	6	12
Inapplicable	.	5557
		5586

NWWANTRP9	
LABEL	Detailed wantedness of 9th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 8 pregnancies (PREGNUM > 8) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	275

NWWANTRP9: Distribution	Value	n
Right time	2	6
Too soon: >=2 yrs	4	1
Unwanted	6	4

NWWANTRP9: Distribution	Value	n
Inapplicable	.	5575
		5586

NWWANTRP10	
LABEL	Detailed wantedness of 10th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 9 pregnancies (PREGNUM > 9) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	276

NWWANTRP10: Distribution	Value	n
Right time	2	3
Inapplicable	.	5583
		5586

NWWANTRP11	
LABEL	Detailed wantedness of 11th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 10 pregnancies (PREGNUM > 10 and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	277

NWWANTRP11: Distribution	Value	n
Right time	2	5
Inapplicable	.	5581
		5586

NWWANTRP12	
LABEL	Detailed wantedness of 12th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 11 pregnancies (PREGNUM > 11) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	278

NWWANTRP12: Distribution	Value	n
Right time	2	1
Too soon: <2 yrs	3	1
Unwanted	6	1
Inapplicable	.	5583
		5586

NWWANTRP13	
LABEL	Detailed wantedness of 13th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 12 pregnancies (PREGNUM > 12) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	279

NWWANTRP13: Distribution	Value	n
Right time	2	2
Too soon: >=2 yrs	4	1
Inapplicable	.	5583
		5586

NWWANTRP14	
LABEL	Detailed wantedness of 14th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 13 pregnancies (PREGNUM > 13) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	280

Section R

NWWANTRP14: Distribution	Value	n
Inapplicable	.	5586
		5586

NWWANTRP15	
LABEL	Detailed wantedness of 15th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 14 pregnancies (PREGNUM > 14) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	281

NWWANTRP15: Distribution	Value	n
Inapplicable	.	5586
		5586

NWWANTRP16	
LABEL	Detailed wantedness of 16th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 15 pregnancies (PREGNUM > 15) and NEWWANTR recode on pregnancy file was applicable
LENGTH	8
VARNUM	282

NWWANTRP16: Distribution	Value	n
Inapplicable	.	5586
		5586

WANTRP1	
LABEL	Wantedness of 1st pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever been pregnant (PREGNUM > 0)
LENGTH	8
VARNUM	283

WANTRP1: Distribution	Value	n
Later, overdue	1	266
Right time	2	1485
Too soon	3	777
Didn't care, indifferent	4	22
Unwanted	5	524
Don't know, not sure	6	2
Inapplicable	.	2510
		5586

WANTRP2	
LABEL	Wantedness of 2nd pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 1 pregnancy (PREGNUM > 1)
LENGTH	8
VARNUM	284

WANTRP2: Distribution	Value	n
Later, overdue	1	168
Right time	2	1358
Too soon	3	335
Didn't care, indifferent	4	16
Unwanted	5	422
Don't know, not sure	6	3
Inapplicable	.	3284
		5586

Section R

WANTRP3	
LABEL	Wantedness of 3rd pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 2 pregnancies (PREGNUM > 2) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	285

WANTRP3: Distribution	Value	n
Later, overdue	1	94
Right time	2	674
Too soon	3	125
Didn't care, indifferent	4	7
Unwanted	5	238
Don't know, not sure	6	4
Inapplicable	.	4444
		5586

WANTRP4	
LABEL	Wantedness of 4th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 3 pregnancies (PREGNUM > 3) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	286

WANTRP4: Distribution	Value	n
Later, overdue	1	38
Right time	2	322
Too soon	3	81
Didn't care, indifferent	4	3
Unwanted	5	157
Don't know, not sure	6	1
Inapplicable	.	4984
		5586

WANTRP5	
LABEL	Wantedness of 5th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 4 pregnancies (PREGNUM > 4) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	287

WANTRP5: Distribution	Value	n
Later, overdue	1	14
Right time	2	155
Too soon	3	28
Didn't care, indifferent	4	2
Unwanted	5	95
Don't know, not sure	6	1
Inapplicable	.	5291
		5586

WANTRP6	
LABEL	Wantedness of 6th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 5 pregnancies (PREGNUM > 5) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	288

WANTRP6: Distribution	Value	n
Later, overdue	1	9
Right time	2	78
Too soon	3	12
Didn't care, indifferent	4	2
Unwanted	5	57
Inapplicable	.	5428
		5586

WANTRP7	
LABEL	Wantedness of 7th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 6 pregnancies (PREGNUM > 6) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	289

WANTRP7: Distribution	Value	n
Later, overdue	1	5
Right time	2	33
Too soon	3	11
Didn't care, indifferent	4	3
Unwanted	5	21
Inapplicable	.	5513
		5586

WANTRP8	
LABEL	Wantedness of 8th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 7 pregnancies (PREGNUM > 7) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	290

WANTRP8: Distribution	Value	n
Later, overdue	1	2
Right time	2	13
Too soon	3	2
Unwanted	5	12
Inapplicable	.	5557
		5586

WANTRP9	
LABEL	Wantedness of 9th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 8 pregnancies (PREGNUM > 8) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	291

WANTRP9: Distribution	Value	n
Right time	2	6
Too soon	3	1
Unwanted	5	4
Inapplicable	.	5575
		5586

WANTRP10	
LABEL	Wantedness of 10th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 9 pregnancies (PREGNUM > 9) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	292

WANTRP10: Distribution	Value	n
Right time	2	3
Inapplicable	.	5583
		5586

WANTRP11	
LABEL	Wantedness of 11th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 10 pregnancies (PREGNUM > 10) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	293

WANTRP11: Distribution	Value	n
Right time	2	5
Inapplicable	.	5581
		5586

WANTRP12	
LABEL	Wantedness of 12th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 11 pregnancies (PREGNUM > 11) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	294

WANTRP12: Distribution	Value	n
Right time	2	1
Too soon	3	1
Unwanted	5	1
Inapplicable	.	5583
		5586

WANTRP13	
LABEL	Wantedness of 13th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 12 pregnancies (PREGNUM > 12) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	295

WANTRP13: Distribution	Value	n
Right time	2	2
Too soon	3	1
Inapplicable	.	5583
		5586

WANTRP14	
LABEL	Wantedness of 14th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 13 pregnancies (PREGNUM > 13) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	296

WANTRP14: Distribution	Value	n
Inapplicable	.	5586
		5586

WANTRP15	
LABEL	Wantedness of 15th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 14 pregnancies (PREGNUM > 14) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	297

Section R

WANTRP15: Distribution	Value	n
Inapplicable	.	5586
		5586

WANTRP16

LABEL	Wantedness of 16th pregnancy at time of conception -- Respondent
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 15 pregnancies (PREGNUM > 15) and WANTRESP recode on pregnancy file was applicable
LENGTH	8
VARNUM	298

WANTRP16: Distribution	Value	n
Inapplicable	.	5586
		5586

WANTP1

LABEL	Wantedness of 1st pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has ever been pregnant (PREGNUM > 0)
LENGTH	8
VARNUM	299

WANTP1: Distribution	Value	n
Later, overdue	1	223
Right time	2	1485
Too soon	3	452
Didn't care, indifferent	4	12
Unwanted	5	791
Don't know, not sure	6	113
Inapplicable	.	2510
		5586

WANTP2

LABEL	Wantedness of 2nd pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 1 pregnancy (PREGNUM > 1)
LENGTH	8
VARNUM	300

WANTP2: Distribution	Value	n
Later, overdue	1	125
Right time	2	1313
Too soon	3	244
Didn't care, indifferent	4	8
Unwanted	5	543
Don't know, not sure	6	69
Inapplicable	.	3284
		5586

WANTP3

LABEL	Wantedness of 3rd pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 2 pregnancies (PREGNUM > 2) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	301

WANTP3: Distribution	Value	n
Later, overdue	1	67
Right time	2	655
Too soon	3	95
Didn't care, indifferent	4	4
Unwanted	5	293
Don't know, not sure	6	28

WANTP3: Distribution	Value	n
Inapplicable	.	4444
		5586

WANTP4	
LABEL	Wantedness of 4th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 3 pregnancies (PREGNUM > 3) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	302

WANTP4: Distribution	Value	n
Later, overdue	1	33
Right time	2	313
Too soon	3	55
Didn't care, indifferent	4	4
Unwanted	5	182
Don't know, not sure	6	15
Inapplicable	.	4984
		5586

WANTP5	
LABEL	Wantedness of 5th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 4 pregnancies (PREGNUM > 4) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	303

WANTP5: Distribution	Value	n
Later, overdue	1	15
Right time	2	146
Too soon	3	27
Didn't care, indifferent	4	1
Unwanted	5	97
Don't know, not sure	6	9
Inapplicable	.	5291
		5586

WANTP6	
LABEL	Wantedness of 6th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 5 pregnancies (PREGNUM > 5) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	304

WANTP6: Distribution	Value	n
Later, overdue	1	9
Right time	2	72
Too soon	3	14
Didn't care, indifferent	4	1
Unwanted	5	57
Don't know, not sure	6	5
Inapplicable	.	5428
		5586

WANTP7	
LABEL	Wantedness of 7th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 6 pregnancies (PREGNUM > 6) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	305

WANTP7: Distribution	Value	n
Later, overdue	1	4
Right time	2	35
Too soon	3	3
Unwanted	5	28
Don't know, not sure	6	3
Inapplicable	.	5513
		5586

WANTP8	
LABEL	Wantedness of 8th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 7 pregnancies (PREGNUM > 7) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	306

WANTP8: Distribution	Value	n
Later, overdue	1	1
Right time	2	14
Too soon	3	1
Unwanted	5	11
Don't know, not sure	6	2
Inapplicable	.	5557
		5586

WANTP9	
LABEL	Wantedness of 9th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 8 pregnancies (PREGNUM > 8) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	307

WANTP9: Distribution	Value	n
Right time	2	5
Too soon	3	1
Unwanted	5	4
Don't know, not sure	6	1
Inapplicable	.	5575
		5586

WANTP10	
LABEL	Wantedness of 10th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 9 pregnancies (PREGNUM > 9) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	308

WANTP10: Distribution	Value	n
Right time	2	3
Inapplicable	.	5583
		5586

WANTP11	
LABEL	Wantedness of 11th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 10 pregnancies (PREGNUM > 10) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	309

Section R

WANTP11: Distribution	Value	n
Right time	2	4
Too soon	3	1
Inapplicable	.	5581
		5586

WANTP12	
LABEL	Wantedness of 12th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 11 pregnancies (PREGNUM > 11) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	310

WANTP12: Distribution	Value	n
Right time	2	1
Unwanted	5	2
Inapplicable	.	5583
		5586

WANTP13	
LABEL	Wantedness of 13th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 12 pregnancies (PREGNUM > 12) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	311

WANTP13: Distribution	Value	n
Right time	2	2
Unwanted	5	1
Inapplicable	.	5583
		5586

WANTP14	
LABEL	Wantedness of 14th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 13 pregnancies (PREGNUM > 13) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	312

WANTP14: Distribution	Value	n
Inapplicable	.	5586
		5586

WANTP15	
LABEL	Wantedness of 15th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 14 pregnancies (PREGNUM > 14) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	313

WANTP15: Distribution	Value	n
Inapplicable	.	5586
		5586

WANTP16	
LABEL	Wantedness of 16th pregnancy at time of conception -- Respondent's partner
VARIABLE TYPE	computed in post-processing
UNIVERSE	Applicable if R has had more than 15 pregnancies (PREGNUM > 15) and WANTPART recode on pregnancy file was applicable
LENGTH	8
VARNUM	314

Section R

WANTP16: Distribution	Value	n
Inapplicable	.	5586
		5586

FPTITBC	
LABEL	Source of service in the last 12 months: Method of birth control or prescription for a method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received a method of birth control or a prescription for birth control from a medical care provider in the last 12 months (FA-1b BTHCON12 = 1)
LENGTH	8
VARNUM	315

FPTITBC: Distribution	Value	n
Clinic: Title X=yes; health department=yes	1	6
Clinic: Title X=yes; health department=no	2	48
Clinic: Title X=no; health department=yes	3	7
Clinic: Title X=no; health department=no	4	143
Employer or company clinic	7	5
Private doctor's office or HMO	8	1030
Hospital emergency room/regular room/urgent care	9	26
Some other place	10	99
Inapplicable	.	4222
		5586

FPTITBC_I	
LABEL	FPTITBC imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	316

FPTITBC_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5547
LOGICAL IMPUTATION	2	39
		5586

FPTITCHK	
LABEL	Source of service in the last 12 months: Check-up or medical test related to using a birth control method
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received a check-up or medical test related to using birth control from a medical care provider in the last 12 months (FA-1c MEDTST12 = 1)
LENGTH	8
VARNUM	317

FPTITCHK: Distribution	Value	n
Clinic: Title X=yes; health department=yes	1	5
Clinic: Title X=yes; health department=no	2	43
Clinic: Title X=no; health department=yes	3	4
Clinic: Title X=no; health department=no	4	114
Employer or company clinic	7	6
Private doctor's office or HMO	8	927
Hospital emergency room/regular room/urgent care	9	29
Some other place	10	29
Inapplicable	.	4429
		5586

FPTITCHK_I	
LABEL	FPTITCHK imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	318

Section R

FPTITCHK_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5552
LOGICAL IMPUTATION	2	34
		5586

FPTITCBC	
LABEL	Source of service in the last 12 months: Counseling about BC
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received counseling about birth control from a medical care provider in the last 12 months (Fa-1d BCCNS12 = 1)
LENGTH	8
VARNUM	319

FPTITCBC: Distribution	Value	n
Clinic: Title X=yes; health department=yes	1	7
Clinic: Title X=yes; health department=no	2	53
Clinic: Title X=no; health department=yes	3	7
Clinic: Title X=no; health department=no	4	121
Employer or company clinic	7	4
Private doctor's office or HMO	8	714
Hospital emergency room/regular room/urgent care	9	15
Some other place	10	60
Inapplicable	.	4605
		5586

FPTITCBC_I	
LABEL	FPTITCBC imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	320

FPTITCBC_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5539
LOGICAL IMPUTATION	2	47
		5586

FPTITSTE	
LABEL	Source of service in the last 12 months: Sterilization operation
VARIABLE TYPE	recode
UNIVERSE	Appicable if R received a sterilizing operation in the last 12 months (FA-1e STEROP12 = 1)
LENGTH	8
VARNUM	321

FPTITSTE: Distribution	Value	n
Clinic: Title X=yes; health department=no	2	5
Clinic: Title X=no; health department=yes	3	3
Clinic: Title X=no; health department=no	4	22
Private doctor's office or HMO	8	35
Hospital emergency room/regular room/urgent care	9	17
Some other place	10	3
Inapplicable	.	5501
		5586

FPTITSTE_I	
LABEL	FPTITSTE imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	322

FPTITSTE_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5572
LOGICAL IMPUTATION	2	14
		5586

Section R

FPTITCST	
LABEL	Source of service in the last 12 months: Counseling about sterilization
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received counseling about getting sterilized from a medical care provider in the last 12 months (FA-1f STCNS12 = 1)
LENGTH	8
VARNUM	323

FPTITCST: Distribution	Value	n
Clinic: Title X=yes; health department=no	2	7
Clinic: Title X=no; health department=yes	3	1
Clinic: Title X=no; health department=no	4	29
Employer or company clinic	7	1
Private doctor's office or HMO	8	120
Hospital emergency room/regular room/urgent care	9	8
Some other place	10	8
Inapplicable	.	5412
		5586

FPTITCST_I	
LABEL	FPTITCST imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	324

FPTITCST_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5574
LOGICAL IMPUTATION	2	12
		5586

FPTITEC	
LABEL	Source of service in the last 12 months: Emergency Contraception
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received emergency contraception from a medical care provider in the last 12 months (FA-1g EMCON12 = 1)
LENGTH	8
VARNUM	325

FPTITEC: Distribution	Value	n
Clinic: Title X=yes; health department=yes	1	2
Clinic: Title X=yes; health department=no	2	6
Clinic: Title X=no; health department=yes	3	1
Clinic: Title X=no; health department=no	4	31
Employer or company clinic	7	1
Private doctor's office or HMO	8	54
Hospital emergency room/regular room/urgent care	9	3
Some other place	10	124
Inapplicable	.	5364
		5586

FPTITEC_I	
LABEL	FPTITEC imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	326

FPTITEC_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5574
LOGICAL IMPUTATION	2	12
		5586

Section R

FPTITCEC	
LABEL	Source of service in the last 12 months: Counseling about Emergency Contraception
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received counseling about emergency contraception from a medical care provider in the last 12 months (FA-1h ECCNS12 = 1)
LENGTH	8
VARNUM	327

FPTITCEC: Distribution	Value	n
Clinic: Title X=yes; health department=yes	1	1
Clinic: Title X=yes; health department=no	2	11
Clinic: Title X=no; health department=yes	3	4
Clinic: Title X=no; health department=no	4	29
Employer or company clinic	7	1
Private doctor's office or HMO	8	65
Hospital emergency room/regular room/urgent care	9	4
Some other place	10	41
Inapplicable	.	5430
		5586

FPTITCEC_I	
LABEL	FPTITCEC imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	328

FPTITCEC_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5569
LOGICAL IMPUTATION	2	17
		5586

FPTITPRE	
LABEL	Source of service in the last 12 months: Pregnancy test
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received a pregnancy test from a medical provider in the last 12 months (FA-3a PRGTST12 = 1)
LENGTH	8
VARNUM	329

FPTITPRE: Distribution	Value	n
Clinic: Title X=yes; health department=yes	1	7
Clinic: Title X=yes; health department=no	2	41
Clinic: Title X=no; health department=yes	3	5
Clinic: Title X=no; health department=no	4	146
Employer or company clinic	7	4
Private doctor's office or HMO	8	691
Hospital emergency room/regular room/urgent care	9	96
Some other place	10	133
Inapplicable	.	4463
		5586

FPTITPRE_I	
LABEL	FPTITPRE imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	330

FPTITPRE_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5539
LOGICAL IMPUTATION	2	47
		5586

Section R

FPTITPAP	
LABEL	Source of service in the last 12 months: Pap smear
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received a pap smear from a medical care provider in the last 12 months (FA-3b PAP12 = 1)
LENGTH	8
VARNUM	331

FPTITPAP: Distribution	Value	n
Clinic: Title X=yes; health department=yes	1	8
Clinic: Title X=yes; health department=no	2	75
Clinic: Title X=no; health department=yes	3	14
Clinic: Title X=no; health department=no	4	224
Employer or company clinic	7	19
Private doctor's office or HMO	8	1929
Hospital emergency room/regular room/urgent care	9	35
Some other place	10	63
Inapplicable	.	3219
		5586

FPTITPAP_I	
LABEL	FPTITPAP imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	332

FPTITPAP_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5501
LOGICAL IMPUTATION	2	85
		5586

FPTITPEL	
LABEL	Source of service in the last 12 months: Pelvic exam
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received a pelvic exam from a medical care provider in the last 12 months (FA-3c PELVIC12 = 1)
LENGTH	8
VARNUM	333

FPTITPEL: Distribution	Value	n
Clinic: Title X=yes; health department=yes	1	8
Clinic: Title X=yes; health department=no	2	78
Clinic: Title X=no; health department=yes	3	13
Clinic: Title X=no; health department=no	4	219
Employer or company clinic	7	21
Private doctor's office or HMO	8	2029
Hospital emergency room/regular room/urgent care	9	48
Some other place	10	52
Inapplicable	.	3118
		5586

FPTITPEL_I	
LABEL	FPTITPEL imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	334

FPTITPEL_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5503
LOGICAL IMPUTATION	2	83
		5586

Section R

FPTITPRN	
LABEL	Source of service in the last 12 months: Prenatal Care
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received prenatal care from a medical care provider in the last 12 months (FA-3d PRENAT12 = 1)
LENGTH	8
VARNUM	335

FPTITPRN: Distribution	Value	n
Clinic: Title X=yes; health department=no	2	9
Clinic: Title X=no; health department=yes	3	1
Clinic: Title X=no; health department=no	4	31
Private doctor's office or HMO	8	232
Hospital emergency room/regular room/urgent care	9	9
Some other place	10	9
Inapplicable	.	5295
		5586

FPTITPRN_I	
LABEL	FPTITPRN imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	336

FPTITPRN_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5578
LOGICAL IMPUTATION	2	8
		5586

FPTITPPR	
LABEL	Source of service in the last 12 months: Post-pregnancy care
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received post-pregnancy care from a medical care provider in the last 12 months (FA-3e PARTUM12 = 1)
LENGTH	8
VARNUM	337

FPTITPPR: Distribution	Value	n
Clinic: Title X=yes; health department=yes	1	2
Clinic: Title X=yes; health department=no	2	9
Clinic: Title X=no; health department=yes	3	3
Clinic: Title X=no; health department=no	4	20
Private doctor's office or HMO	8	216
Hospital emergency room/regular room/urgent care	9	16
Some other place	10	12
Inapplicable	.	5308
		5586

FPTITPPR_I	
LABEL	FPTITPPR imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	338

FPTITPPR_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5573
LOGICAL IMPUTATION	2	13
		5586

Section R

FPTITSTD	
LABEL	Source of service in the last 12 months: Testing for STD
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received testing for a sexually transmitted disease by a medical care provider in the last 12 months (FA-3f STDSVC12 = 1)
LENGTH	8
VARNUM	339

FPTITSTD: Distribution	Value	n
Clinic: Title X=yes; health department=yes	1	12
Clinic: Title X=yes; health department=no	2	73
Clinic: Title X=no; health department=yes	3	9
Clinic: Title X=no; health department=no	4	218
Employer or company clinic	7	15
Private doctor's office or HMO	8	1147
Hospital emergency room/regular room/urgent care	9	83
Some other place	10	65
Inapplicable	.	3964
		5586

FPTITSTD_I	
LABEL	FPTITSTD imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	340

FPTITSTD_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5509
LOGICAL IMPUTATION	2	77
		5586

INTENT	
LABEL	Intentions for additional births
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	4
VARNUM	341

INTENT: Distribution	Value	n
R intends to have (more) children	1	1888
R does not intend to have (more) children	2	3593
R does not know her intent	3	88
R did not provide her intent	4	17
		5586

ADDEXP	
LABEL	Central number of additional births expected
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	342

ADDEXP: Distribution	Value	n
No additional births expected	0	3634
.5 additional births	5	20
1 additional birth	10	656
1.5 additional births	15	17
2 additional births	20	869
2.5 additional births	25	3
3 additional births	30	286
4 additional births	40	76
4.5 additional births	45	1
5 additional births	50	13
6 additional births	60	3
7 additional births	70	2

Section R

ADDEXP: Distribution	Value	n
8 additional births	80	4
9 additional births	90	1
10 or more additional births	100-995	1
		5586

ADDEXP_I	
LABEL	ADDEXP imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	343

ADDEXP_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5535
MODEL-BASED IMPUTATION	1	51
		5586

EVHIVTST	
LABEL	Ever had an HIV test
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents, if they gave information to permit defining this variable
LENGTH	4
VARNUM	344

EVHIVTST: Distribution	Value	n
No HIV test reported	0	2064
Yes, only as part of blood donation	1	920
Yes, only outside of blood donation	2	1525
Yes, in both contexts	3	978
Inapplicable	.	99
		5586

FPTITHIV	
LABEL	Source of HIV test received in the last 12 months
VARIABLE TYPE	recode
UNIVERSE	Applicable if R received an HIV test outside of blood donation in the last 12 months (HE-2 HIVTEST = 1 and HE-3 WHNHIVTST = 1-3) and reported place where most recent test was received (HE-4 PLCHIV NE DK/RF)
LENGTH	8
VARNUM	345

FPTITHIV: Distribution	Value	n
Clinic: Title X=yes; health department=yes	1	4
Clinic: Title X=yes; health department=no	2	41
Clinic: Title X=no; health department=yes	3	5
Clinic: Title X=no; health department=no	4	139
Clinic: Title X=no; agency type unknown	6	1
Job or work site	7	20
Private doctor's office or HMO	8	523
Hospital emergency room/inpatient room/urgent care	9	51
Laboratory, blood bank or mobile testing site	10	48
Some other place	11	28
Inapplicable	.	4726
		5586

FPTITHIV_I	
LABEL	FPTITHIV imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	346

Section R

FPTITHIV_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5544
LOGICAL IMPUTATION	2	42
		5586

CURR_INS	
LABEL	Current health insurance coverage status
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	347

CURR_INS: Distribution	Value	n
Currently covered by private health insurance or Medi-Gap	1	3374
Currently covered by Medicaid, CHIP, or a state-sponsored health plan	2	1218
Currently covered by Medicare, Military health care, or other government health care	3	382
Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	4	612
		5586

CURR_INS_I	
LABEL	CURR_INS imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	348

CURR_INS_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5462
MODEL-BASED IMPUTATION	1	124
		5586

RELIGION	
LABEL	Current religious affiliation
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	349

RELIGION: Distribution	Value	n
No religion	1	1955
Catholic	2	979
Protestant	3	2106
Other religion	4	546
		5586

RELIGION_I	
LABEL	RELIGION imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	350

RELIGION_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5461
MODEL-BASED IMPUTATION	1	125
		5586

Section R

LABORFOR	
LABEL	Labor force status
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	351

LABORFOR: Distribution	Value	n
Working full-time	1	2581
Working part-time	2	876
Temporarily not at work but still employed	3	225
Not working but looking for work	4	372
Going to school, taking classes, or on school vacation	5	502
Taking care of house or family	6	770
Other	7	260
		5586

LABORFOR_I	
LABEL	LABORFOR imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	352

LABORFOR_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	5510
MODEL-BASED IMPUTATION	1	58
LOGICAL IMPUTATION	2	18
		5586

TOTINCR	
LABEL	Total income of R's family
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	353

TOTINCR: Distribution	Value	n
under $5,000/year	1	270
$5,000-$7,499	2	106
$7,500-$9,999	3	95
$10,000-$12,499	4	166
$12,500-$14,999	5	112
$15,000-$19,999	6	138
$20,000-$24,999	7	210
$25,000-$29,999	8	255
$30,000-$34,999	9	243
$35,000-$39,999	10	270
$40,000-$49,999	11	422
$50,000-$59,999	12	396
$60,000-$74,999	13	499
$75,000-$99,999	14	583
$100,000 or more/year	15	1821
		5586

TOTINCR_I	
LABEL	TOTINCR imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	354

Section R

TOTINCR_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	4906
MODEL-BASED IMPUTATION	1	661
LOGICAL IMPUTATION	2	19
		5586

POVERTY	
LABEL	Family income as percentage of federal poverty threshold (top- and bottom-coded)
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
NOTES	This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center.
LENGTH	8
VARNUM	355

POVERTY: Distribution	Value	n
50% or less	50	552
51-99%	51-99	533
100-199%	100-199	1023
200-299%	200-299	823
300-399%	300-399	631
400-499%	400-499	780
500-599%	500-599	534
600-699%	600-699	577
700% or more	700	133
		5586

POVERTY_I	
LABEL	POVERTY imputation flag
VARIABLE TYPE	imputation flag
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	356

POVERTY_I: Distribution	Value	n
QUESTIONNAIRE DATA (NOT IMPUTED)	0	4906
MODEL-BASED IMPUTATION	1	661
LOGICAL IMPUTATION	2	19
		5586

METRO	
LABEL	Place of residence (metropolitan-nonmetropolitan)
VARIABLE TYPE	recode
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	357

METRO: Distribution	Value	n
Principal City of MSA	1	2180
Other MSA	2	2616
Not MSA	3	790
		5586

Section W

Section W

WGT2022_2023	
LABEL	Final weight for the 2022-2023 NSFG
VARIABLE TYPE	weight-related
UNIVERSE	Applicable for all respondents
NOTES	The range of weight values is shown here with 2 decimal places, but individual weight values in the data file have more decimal place
LENGTH	8
VARNUM	1

WGT2022_2023: Distribution	Value	n
1170.96-78770.13	1170.96-78770.13	5586
		5586

VEST	
LABEL	Randomized version of Variance Estimation Stratum
VARIABLE TYPE	weight-related
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	2

VEST: Distribution	Value	n
1-20	1-20	5586
		5586

VECL	
LABEL	Randomized version of Variance Estimation Cluster
VARIABLE TYPE	weight-related
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	3

VECL: Distribution	Value	n
1	1	1544
2	2	1208
3	3	1436
4	4	1398
		5586

CMINTVW	
LABEL	Century month for date of interview (computed in FC A-1)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	4
VARNUM	4

CMINTVW: Distribution	Value	n
2022	1465-1476	1579
2023	1477-1488	4007
		5586

CMLSTYR	
LABEL	Century month for 1 year prior to interview (computed in FC A-1)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	4
VARNUM	5

CMLSTYR: Distribution	Value	n
2021	1453-1464	1579
2022	1465-1476	4007
		5586

Section W

CMJAN3YR	
LABEL	Century month of January (Current Year - 3) (computed in FC A-1)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	4
VARNUM	6

CMJAN3YR: Distribution	Value	n
January 2019	1429	1579
January 2020	1441	4007
		5586

CMJAN4YR	
LABEL	Century Month of January Four Years Prior to Year of Interview (computed in FC A-1)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	4
VARNUM	7

CMJAN4YR: Distribution	Value	n
January 2018	1417	1579
January 2019	1429	4007
		5586

CMJAN5YR	
LABEL	Century month of January (Current Year - 5) (computed in FC A-1)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	4
VARNUM	8

CMJAN5YR: Distribution	Value	n
January 2017	1405	1579
January 2018	1417	4007
		5586

CMFIVYR	
LABEL	Century month of interview - 5 yrs (computed in FC A-1)
VARIABLE TYPE	computed
UNIVERSE	Applicable for all respondents
LENGTH	4
VARNUM	9

CMFIVYR: Distribution	Value	n
2017	1405-1416	1579
2018	1417-1428	4007
		5586

YEAR	
LABEL	Year when interview occurred
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	10

YEAR: Distribution	Value	n
Year 1 (2022)	1	1579
Year 2 (2023)	2	4007
		5586

QUARTER	
LABEL	Quarter when case was sampled
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	11

Section W

QUARTER: Distribution	Value	n
1	1	1259
2	2	1356
3	3	1590
4	4	1381
		5586

PHASE1	
LABEL	Whether case was selected for Phase 1 sample
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	12

PHASE1: Distribution	Value	n
Case was selected	1	5586
		5586

PHASE2	
LABEL	Whether case was selected for Phase 2 sample
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	13

PHASE2: Distribution	Value	n
Case was not selected	0	2827
Case was selected	1	2759
		5586

PHASE3	
LABEL	Whether case was selected for Phase 3 sample
VARIABLE TYPE	raw
UNIVERSE	Applicable for all respondents
LENGTH	8
VARNUM	14

PHASE3: Distribution	Value	n
Case was not selected	0	4730
Case was selected	1	856
		5586