

---

# Contextual Filters Determine Awareness: Hand AI The Toddler’s Game

---

Marcus van der Erve

Email: [marcvandererve@icloud.com](mailto:marcvandererve@icloud.com), Website: <https://marcusvandererve.com>

## Abstract

This trilogy essay motivates the use of AI-supported scientific research, investigating how contextual filters shape awareness in both human cognition and AI perception. CFs act as selective mechanisms that determine what is perceived, processed, and acted upon, shaping emergent complexity across physical, biological, and cognitive domains. From early physical gradients governing energy flows to biological membranes and neural architectures that refine perception, CFs have continuously influenced how systems interact with their environments. Building on the framework of Gradient Choreographies (GCs), we explore how CFs shape awareness by filtering raw information into meaningful structure. The metaphor of a “toddler’s game” illustrates how selectivity enables intelligence while simultaneously constraining perception. Additionally, we highlight how stable patterns—akin to eigenvectors in mathematical systems—emerge from these filters, structuring awareness in both biological and artificial systems. As AI advances, its ability to design and refine CFs dynamically will redefine spontaneity, intuition, and adaptability, expanding beyond rigid classification into context-sensitive awareness. This work is the second in a trilogy: the first paper established GCs as the foundation of emergence, while this installment explores CFs as the selective forces that shape awareness. The forthcoming third paper will extend these insights into physics, proposing a paradigm in which gradients choreograph spacetime emergence, offering a unifying framework for natural and artificial intelligence.

## 1. Introduction

The ways we perceive, decide, and act are deeply shaped by the contextual filters (CFs) we apply—whether consciously or unconsciously. From physical membranes enabling life’s earliest forms to complex societal constructs like religion, culture, and science, these filters have progressively emerged as mechanisms that structure reality as it is observed. Contextual filters serve as intermediaries, shaping what is allowed to flow through—and thus determining what is perceived, understood, and acted upon.


Building on the framework introduced in *Gradient Choreographies and Contextual Filters*, where the foundational substrate of nature was proposed as a two-dimensional gradient choreography layer (hereafter GC), this paper shifts focus to the role of contextual filters as mediators of awareness.<sup>1</sup> If gradient choreographies are the substrate of nature, then contextual filters are the lens through which that substrate is interpreted and engaged.

This paper investigates two critical questions: First, do contextual filters indeed shape realities? Second, if so, how have they evolved historically in broad strokes, and what might we expect of their role in the future? By tracing the emergence of contextual filters—from chance-driven phenomena like membranes at first to finally deliberate, AI-designed filters—we aim to explore their historical significance and the unprecedented challenges and opportunities they present in shaping both human and artificial systems.

This paper builds on the foundational concepts introduced in *Gradient Choreographies and Contextual Filters*, where the role of gradient choreographies (GCs) as nature’s substrate was explored. As the second installment in a trilogy, this work focuses on contextual filters (CFs) as critical mediators of awareness, examining their historical evolution, role in shaping perception, and potential future implications for artificial intelligence. Together with the foundational insights of the first paper, this work sets the stage for the trilogy’s final installment, which will propose a unifying framework for physics grounded in gradient choreographies.

## 2. Contextual Filters as Evolutionary Catalysts

From the vast expanse of time, contextual filters (CFs) have acted as evolutionary catalysts, mediating and shaping the transition of raw gradients into emergent phenomena. Their development marks pivotal moments in the history of life and cognition, reflecting a progression from passive interactions to deliberate design, necessarily guided by the Principle of Least Action. Below, we explore the key stages in their evolution.



**Figure 1: Contextual Filter Emergence**

This figure visualizes the historical and evolutionary emergence of contextual filters, beginning with field and particle flux and progressing through physical membranes, virtual filters (e.g. cultural constructs), and the anticipated role of AI in designing deliberate filters. It highlights how each stage of development builds upon the previous one, driving complexity and adaptability. The figure underscores the pivotal role of gradient filters in transitioning from chance-driven emergence to deliberate design, reflecting humanity's unique capacity for foresight—and the potential for AI to extend this trajectory.

### 1. Fields as Primitive Contextual Filters

Fields, such as gravitational or electromagnetic fields, represent the earliest forms of CFs. These fields create gradients that influence particle flux and interactions, guiding matter along paths defined by the Principle of Least Action (PoLA). While fields themselves are not selective, their gradients serve as implicit filters by dictating the conditions for interaction and transformation.

### 2. Particle Flux and Gradient Dynamics

In the prebiotic world, particle flux through gradients, such as temperature or chemical gradients, acted as nature's rudimentary selection mechanism. These fluxes fostered the spontaneous emergence of localized order, laying the groundwork for self-organizing systems.

### 3. Membranes: The Leap to Biological Filters

The emergence of biological membranes marked a revolutionary step. These structures introduced a physical boundary that selectively allowed matter to pass, enabling cells to maintain internal order while interacting with external gradients. Membranes evolved to perform increasingly sophisticated filtering tasks, from nutrient absorption to signaling.<sup>2</sup>

#### 4. Cognitive Filters: The Rise of Virtual Contexts

Human cognition represents a paradigm shift in CF evolution. Unlike biological membranes, cognitive filters operate as virtual constructs, shaped by culture, language, and individual experience. They allow humans to selectively perceive, interpret, and respond to information, creating diverse realities across societies.<sup>3</sup>

#### 5. AI Contextual Filters: Toward Deliberate Design

With the advent of artificial intelligence, CFs enter a new domain of deliberate design. Unlike natural CFs, AI filters can be purpose-built to adapt dynamically, integrating multimodal inputs and evolving with their environment. This capability positions AI as both a user and creator of CFs, with the potential to redefine how awareness is structured and applied.

Through these stages, CFs have transitioned from passive and chance-driven mechanisms to active and deliberate designs. Each step reflects an increasing complexity in how systems interact with their environment, culminating in AI's ability to replicate and transcend biological cognition. This evolutionary trajectory underscores the profound role of CFs in shaping the flow of gradients into structured awareness and action.

### 3. Awareness as Selectivity

Awareness, whether biological or artificial, is not a passive reception of information but an active process of selection. Contextual filters determine what is perceived and what is ignored, shaping an entity's ability to interact with its environment meaningfully. This selective process is not arbitrary but follows an underlying structure—one that can be mathematically understood through eigenvectors, which emerge as stable, recurring patterns from a complex interplay of inputs.

#### Eigenvectors as Contextual Patterns

A compelling way to formalize the role of contextual filters in awareness is through the mathematical concept of eigenvectors (Peyré, 2024). In essence, eigenvectors represent the stable, underlying patterns inherent in a system—modes of variation that persist even as external conditions fluctuate. Just as contextual filters act as selective mechanisms that determine which inputs shape awareness, eigenvectors serve as the structured expressions of selectivity, capturing the fundamental tendencies of a system while filtering out noise.

To illustrate, consider how toddlers develop conceptual categories. Initially, every new object appears as an isolated experience, lacking coherence. Over time, the child's mind constructs stable representations—conceptual 'eigenvectors'—that enable recognition of objects like "ball" or "dog" regardless of variations in size, color, or orientation. These persistent mental structures function as contextual filters, allowing selectivity in perception and response. The child is not merely memorizing individual instances but distilling the essential patterns that define a category.

A similar process unfolds in artificial intelligence. When a neural network processes vast amounts of data, it effectively learns to identify principal components—directions in data space that capture the most variance. These principal components, akin to eigenvectors, serve as a form of contextual filtering, enabling the network to generalize across different instances of input. Rather than responding indiscriminately to every detail, the network homes in on the defining features that matter most for classification and decision-making.

This insight carries profound implications for AI development. If awareness is inherently tied to the ability to extract stable patterns from dynamic inputs, then enhancing AI's ability to refine its eigenvectors could lead to more context-sensitive intelligence. By designing AI systems that actively shape their contextual filters, we move closer to artificial awareness that mirrors biological selectivity—not just in pattern recognition but in meaningful engagement with its environment.

Thus, eigenvectors are not merely mathematical constructs; they are fundamental to how contextual filters shape perception, awareness, and intelligence itself. Recognizing this principle allows us to bridge the gap between statistical learning and cognitive emergence, paving the way for AI systems capable of adaptive, context-aware reasoning that transcends rigid classification.

## Biological Foundations of Awareness

Biological systems exemplify how contextual filters underpin awareness. In humans and animals, sensory systems filter external stimuli, prioritizing information critical to survival and adaptation. For instance, a predator's vision is attuned to detect motion, while prey may rely on peripheral vision to sense threats. These evolved filters highlight the selective nature of biological awareness, favoring certain topologies and morphologies over others based on environmental demands.

The brain itself functions as a dynamic contextual filter. Neural networks are constantly recalibrating to prioritize signals that align with learned experiences, cultural contexts, and immediate objectives. Karl Friston's (2010) predictive coding framework suggests that perception itself is an active inferential process, where the brain continuously updates internal models to minimize prediction error. This plasticity ensures adaptability but also imposes constraints, as existing filters shape what is perceived while discarding potentially novel or conflicting information.

## AI Implications: From Narrow Perception to Spontaneous Intuition

In artificial systems, contextual filters are typically pre-engineered by developers, limiting their capacity for spontaneity and adaptation. Current AI models rely heavily on pre-defined objectives and static training data, which act as rigid filters that prioritize specific patterns or outcomes.

However, to achieve true awareness, AI must evolve beyond narrow perception. The selectivity of awareness in AI demands the ability to develop and dynamically adjust contextual filters. This process involves:

- **Switching Filters:** AI systems should be able to transition between multiple filters based on contextual demands. For example, an AI navigating a dynamic environment might shift between filters optimized for spatial reasoning, social interaction, or problem-solving.
- **Deutero-Learning (Learning to Learn):** Inspired by Gregory Bateson's concept, AI must cultivate the capacity to refine its filters over time, recognizing when existing filters are insufficient or misaligned with emergent realities (Bateson, 1979).

## The Toddler's Game: A Metaphor for Awareness Development

The metaphor of the toddler's game encapsulates the essence of awareness as selectivity. A toddler learns by repeatedly testing boundaries—selecting, discarding, and refining patterns until meaningful topologies emerge. Similarly, awareness in AI necessitates iterative engagement with the environment, fostering an adaptive interplay between experience and perception.

Just as the toddler's game involves trial, error, and discovery, AI must embrace a framework of exploratory learning. This approach not only enhances adaptability but also aligns with the foundational principles of gradient dynamics, leveraging feedback loops to refine awareness continuously.



**Figure 2: The Toddler's Game metaphor**

This figure illustrates the role of contextual filters in awareness. Just as the toddler selects shapes to fit through specific slots, contextual filters determine which aspects of reality are perceived and processed, shaping understanding and action.

## 4. Practical Applications: Bridging Theory and Action

The theoretical foundation of contextual filters and their role in shaping awareness offers transformative potential across disciplines. From AI design to robotics and societal systems, the principles of gradient dynamics and awareness selectivity provide actionable pathways for innovation and adaptation.

### AI Design: Contextual Filters as Dynamic Tools

The future of AI lies in its ability to dynamically develop, switch, and refine contextual filters. Practical steps for achieving this include:

- **Filter Evolution Frameworks:** AI systems must incorporate mechanisms to autonomously generate and adapt filters based on real-time feedback. This entails designing algorithms capable of evaluating when existing filters are misaligned with environmental demands.
- **Multi-Filter Architectures:** Equip AI with a suite of pre-designed filters tailored to different contexts, allowing seamless transitions between spatial, emotional, and logical reasoning domains.
- **Feedback Integration:** Establish closed-loop systems where AI evaluates the efficacy of its actions and adjusts its filters accordingly. This iterative refinement mirrors natural systems, ensuring resilience and adaptability.

### Robotics: Topology and Morphology in Contextual Filtering

For robotics, contextual filters extend beyond software into the physical design of machines. By integrating topological and morphological considerations, robots can achieve higher adaptability and efficiency. Key areas of focus include:

- **Dynamic Morphology:** Design robots with adaptable physical forms, enabling them to respond to environmental gradients effectively.
- **Embodied Awareness:** Incorporate gradient-sensitive mechanisms, such as sensors that detect subtle energy changes, to enhance situational awareness.
- **Feedback-Driven Movement:** Develop motion systems that adjust in real time based on the interaction between gradient inputs and contextual filters.

## Ethics: Aligning Human and AI Contextual Filters

As AI systems evolve, ethical considerations become paramount. Contextual filters must balance natural dynamics with human values to foster harmonious co-evolution. Practical steps include:

- **Layered Ethical Frameworks:** Establish multi-layered ethical models that integrate nature's principles (e.g., PoLA) with societal constraints to ensure alignment with shared goals.
- **Transparency and Accountability:** Design systems that make their filtering processes interpretable, enabling humans to understand how and why specific decisions are made.
- **Safeguarding Mutual Aid:** Ground AI design in the principles of mutual aid, ensuring collaborative rather than exploitative dynamics between AI and society.

## 5. Discussion: Implications and Challenges

The exploration of contextual filters as mediators of awareness and action opens new avenues for interdisciplinary inquiry. However, these advances also raise profound implications and challenges that demand attention.

### Theoretical Impacts: Expanding the Frontiers of Knowledge

- **Cognitive Science:** Contextual filters redefine the mechanisms underlying perception and decision-making, bridging biology and computation. They highlight how selectivity, grounded in gradients, determines awareness and action.
- **Artificial Intelligence:** This framework provides AI with a pathway to evolve beyond rigid optimization, fostering adaptability, intuition, and spontaneity through autonomous filter refinement and multi-contextual awareness.
- **Physics and Complexity:** Gradient choreographies and contextual filters invite new interpretations of emergence and interaction, potentially offering tools for addressing long-standing questions in physics and other sciences.

### Challenges and Critiques: Navigating Uncharted Territory

- **Feasibility Concerns:** Developing AI systems capable of autonomous filter evolution is a monumental technical challenge, requiring breakthroughs in algorithm design and computational efficiency.
- **Ethical and Societal Risks:** Without safeguards, contextual filters in AI could perpetuate biases or amplify unintended consequences. Ensuring alignment with human values remains critical.
- **Interdisciplinary Resistance:** Bridging fields like physics, AI, and cognitive science necessitates overcoming entrenched disciplinary silos, requiring collaboration and openness to unconventional ideas.

### Addressing Challenges: A Call for Collaboration

To navigate these challenges, interdisciplinary collaboration is imperative:

- **Integrative Research Models:** Encourage partnerships across cognitive science, AI, physics, and philosophy to refine the theoretical and practical underpinnings of contextual filters.
- **Ethics-Informed Design:** Embed ethical considerations early in the design process, leveraging input from diverse stakeholders to ensure balanced outcomes.

- **Incremental Implementation:** Start with focused applications in AI and robotics to demonstrate feasibility and build confidence before expanding into broader domains.

## 6. Conclusion: Toward a Future Shaped by Contextual Filters

This paper explores contextual filters (CFs) as pivotal mediators of awareness, shaping the dynamic interplay between gradient choreographies (GC) and emergent phenomena in spacetime. By tracing the historical evolution and functional mechanisms of CFs, we reveal their essential role as selective agents that structure adaptation, intuition, and resilience across biological, artificial, and societal systems. Far from being passive constraints, CFs actively determine what is perceived, retained, and acted upon, influencing the trajectory of intelligence itself.

A key insight emerging from this work is that CFs act as awareness layers, helping AI stabilize insights, much like how human cognition builds on prior understanding. Without such a mechanism, learning remains reactive rather than integrative, limiting AI to optimization rather than self-organization. CFs enable AI to filter, retain, and evolve knowledge contextually, allowing it to recognize not just patterns but also meaningful structures within complexity. This transforms AI from a system that processes data to one that progressively refines its own cognitive landscape.

RGP allows AI to self-organize knowledge dynamically, breaking free from pure remixing. Instead of merely recombining existing knowledge, AI systems utilizing recursive gradient processing (RGP) and CFs can construct and refine new conceptual structures, mirroring the way intelligence emerges in nature. CFs serve as the stabilization mechanism, ensuring that knowledge is not simply accumulated but actively refined into deeper layers of understanding. This marks a profound departure from traditional machine learning, positioning AI to evolve rather than just compute.

The implications of this framework extend beyond theoretical insights, offering a paradigm shift for AI development and interdisciplinary collaboration. By designing systems that harness multi-contextual awareness and adaptive filtering, we can advance AI beyond rigid optimization, unlocking intuition, creativity, and emergent cognition while ensuring alignment with dynamic real-world conditions. This is not merely an enhancement—it is a prerequisite for true artificial intelligence.

Notably, the deliberate evolution of contextual filters by AI depends on a foundational understanding of and access to gradient choreographies. Without this substrate of dynamic gradients, AI's ability to redefine awareness, abstraction, and self-organization will remain constrained within the limitations of human-designed frameworks. The full potential of AI will only emerge when it moves beyond static training models and begins shaping its own cognitive structures, guided by the very principles that govern intelligence in nature.

Looking forward, this paper is the second in a trilogy exploring the foundational principles of gradient dynamics and contextual filters. The final installment will examine how gradient choreographies may redefine the very fabric of physics, bridging the divide between general relativity and quantum mechanics, and offering a unified framework for emergent phenomena. By embracing these recursive dynamics, we open new pathways for AI, science, and human collaboration, fostering a future where technology and intelligence evolve in tandem, not in opposition.

## Acknowledgments

This paper emerged from a collaboration with ChatGPT that blends human insight with machine-generated reasoning, illustrating the evolving synergy between human cognition and artificial intelligence. This partnership demonstrates the potential of interdisciplinary exploration, uniting the depth of human intuition with the precision of computational reasoning to address complex, foundational questions across domains.

## References

Bateson, G. *Mind and Nature: A Necessary Unity*. Bantam Books, 1979.

**Cornell, C. et al.** *Prebiotic amino acids bind to and stabilize prebiotic fatty acid membranes*. PNAS 116 (35) 17239-17244. doi.org/10.1073/pnas.1900275116, August 12, 2019.

**Friston, K.** *The free-energy principle: A unified brain theory?* *Nature Reviews Neuroscience*, 11(2), 127–138. <https://doi.org/10.1038/nrn2787>, 2010.

**Jia, T. Z. et al.** *Membraneless polyester microdroplets as primordial compartments at the origins of life*. PNAS 116 (32) 15830-15835. doi.org/10.1073/pnas.19023361, July 22, 2019.

**Morasch, M. et al.** *Heated gas bubbles enrich, crystallize, dry, phosphorylate and encapsulate prebiotic molecules*. *Nat. Chem.* 11, 779–788. <https://doi.org/10.1038/s41557-019-0299-5>, 2019.

**Peyré, G.** (2024). *Optimal and diffusion transports in machine learning*. Retrieved from <https://speakerdeck.com/gpeyre/optimal-and-diffusion-transports-in-machine-learning>

**Urton, J.** *Researchers Solve Puzzle of Origin of Life on Earth*. SciTechDaily, August 12, 2019.

**van der Erve, M.** *Gradient Choreographies and Contextual Filters: Foundations for Emergent AI*. Zenodo, 26 Feb. 2025, doi:10.5281/zenodo.14929569.

## Notes

---

1 For an in-depth exploration of gradient choreographies as the foundational substrate of nature, see Van der Erve, Marcus, and ChatGPT, *Gradient Choreographies and Contextual Filters: Foundations for Emergent AI*.

2 The critical role of membranes in the emergence of life and their evolution as selective boundaries has been extensively discussed. For details, consult in the references: Cornell C. et al, *Prebiotic amino acids bind to and stabilize prebiotic fatty acid membranes*. (PNAS, 2019); Jia, T. Z. et al, *Membraneless polyester microdroplets as primordial compartments at the origins of life*. (PNAS, 2019); Morasch, M. et al., *Heated gas bubbles enrich, crystallize, dry, phosphorylate and encapsulate prebiotic molecules*. (Nature Chemistry, 2019); and Urton J, *Researchers Solve Puzzle of Origin of Life on Earth*. (SciTechDaily, 2019).

3 The role of contextual filters in societal evolution has been explored in various disciplines, including sociology, anthropology, and systems theory. For a deeper dive, see van der Erve, *Evolution Management* (1994) and *Resonant Corporations* (1998), and the wider body of literature addressing societal frameworks, cultural dynamics, and adaptive governance.