PROBLEM SET 5 Due on Friday, Apr 29.

Name: BATTISTA STEFANO ALOJSIO

Id: 192881

Instructions:

- Make sure you are working on your problem set as each problem set is different.
- The answers to the questions of this problem set are to be given exclusively in the answer sheet
- The answers sheet MUST be printed and not photocopied. Photocopies will not be accepted.
- Questions marked with the symbol & admit more than one correct answer
- Please fill the boxes in the answer sheet completely using a black pen as follows

Question 1: B C D E

- The answer sheet must not be creased or folded otherwise your problem set won't be graded.
- You can hand back your problem set at the END of class on Friday, April 29th.



With a sample of 706 observations, we estimate the following model:

$$ln(hwage_i) = \beta_0 + \beta_1 age_i + \beta_2 age_i^2 + \beta_3 educ_i + \beta_4 yngkid_i + u_i$$

and obtain these results:

where lhwage is the logarithm of the hourly wage in euro, age is measured in years, educ is years of education and yngkid is a variable equal to 1 in case the person has a child younger than three years. **Question 1** What is the interpretation of β_2 ?

- A Increasing age by one year, the hourly wage decreases by 0.077% on average, ceteris paribus.
- B Increasing the square of age by one year, the hourly wage decreases by 0.077% on average, ceteris paribus.
- C By itself does not have a proper interpretation.
- D Increasing the square of age by one year, the hourly wage decreases by 0.00077 euros on average, ceteris paribus.

Question 2 What is the interpretation of β_1 ?

- A Increasing age by one year, the hourly wage increases by 0.071 euros on average, ceteris paribus.
- B By itself does not have a proper interpretation.
- C Increasing age by one year, the hourly wage increases by 7.1% on average, ceteris paribus.
- D Increasing age by one year and keeping its square fixed, the hourly wage increases by 7.1% on average, ceteris paribus.

Question 3 \clubsuit Is β_2 statistically significant?


- A It is not at 10% level.
- B It is not at 1% level.
- C We cannot check for this, it makes no sense.
- D It is at 5% level.
- |E| None of these answers are correct.

Question 4 Is β_1 statistically significant?

- A It is not at 5% level.
- B It is not at 1% level
- C We cannot check for this, it makes no sense.
- D It is at 10% level.

Question 5 Keeping other variables fixed, at what age the logarithm of hourly wage is maximized?

- At about 0, but this makes no sense.
- B At about 93.3 years.
- C At about 56.3 years.
- D At about 46.7 years.



$$\boxed{A} ln(hwage_i) = \beta_0 + \beta_1 age_i + \beta_2 ln(educ_i) + u_i$$

$$\boxed{\mathbf{B}} \ hwage_i = \beta_0 + \beta_1 ln(age_i) + \beta_2 educ_i + u_i$$

$$\boxed{C}$$
 $hwage_i = \beta_0 + \beta_1 age_i + \beta_2 ln(educ_i) + u_i$

$$\boxed{D} ln(hwage_i) = \beta_0 + \beta_1 ln(age_i) + \beta_2 educ_i + u_i$$

$$\boxed{E} ln(hwage_i) = \beta_0 + \beta_1 age + ln(\beta_2 educ_i) + u_i$$

Let us define with Y the amount of cholesterol in mlg in the blood and with Med a dummy variable which takes the value of 1 for medication B and 0 for medication A, where A and B are two different medications that lower cholesterol. Female is a dummy variable which takes the value of 1 for females and 0 otherwise.

Consider the following regression:

$$Y = \beta_0 + \beta_1 \times med + \beta_2 \times female + \beta_3 \times med \times female + u$$

Question 7 What is the effect of using medication B with respect to no medication for men?

- A None of the others.
- β_0
- \bigcirc $\beta_0 + \beta_1$
- $D \beta_1$
- $\boxed{\mathrm{E}} \beta_1 \beta_0$

Question 8 What is the average cholesterol value for men when using medication B?

- $A \beta_0$
- B None of the others.
- $C \beta_1$
- $\boxed{\mathrm{D}} \ \beta_1 + \beta_3$
- $\boxed{\mathrm{E}} \beta_3$
- $\boxed{\mathrm{F}} \ \beta_0 + \beta_1$

These data are taken from the Medical Expenditure Panel Survey survey conducted in 1996. These data were provided by Professor Harvey Rosen of Princeton University and were used in his paper with Craig Perry "The Self-Employed Are Less Likely Than Wage-Earners to Have Health Insurance. So What?" in Douglas Holtz-Eakin and Harvey S. Rosen, eds., Entrepeneurship and Public Po licy, MIT Press 2004.

Among the variables in the dataset, ins is a dummy equal to one if the interviewee has the insurance; selfemp is equal to one if the interviewee is a self-employed workers; gender is equal to one if the in dividual is a male; married is one if the individual is married; health is one if the individual reports to be in good health; educ is 0 if the person has no education, 1 if he/she achieved middle school diploma, 2 for the high school diploma, 3 for the bachelor degree, 4 for the master degree and 5 for the PhD; age is in years and age2 is the square of age.

We estimate two models:

$$Pr(ins = 1|X) = \beta_0 + \beta_1 \times selfemp + \beta_2 \times married + \beta_3 \times gender + \beta_4 \times health + \beta_5 \times gender * health + \beta_6 \times educ + \beta_7 \times age + \beta_8 \times age^2$$

Coefficients:

	Estimate	Std.	Error	t	value	Pr(> t	:1)
(Intercept)	0.297463	4 0.	.05802	48	5.13	3 0.000	00003
selfemp	-0.174236	1 0.	01417	40	-12.29	9 < 2	2e-16
married	0.118106	2 0.	00941	87	12.5	4 < 2	2e-16
gender	-0.023227	0 0.	.03435	75	-0.68	3 0.4	19903
health	0.074431	0 0.	.02472	43	3.0	0.0	00262
${\tt genderxhealth}$	-0.020624	8 0.	03531	31	-0.58	3 0.5	55920
educ	0.052980	7 0.	00292	10	18.14	4 < 2	2e-16
age	0.010531	5 0.	00274	82	3.83	3 0.0	00013
age2	-0.000078	8 0.	.00003	33	-2.3	7 0.0	1796

Heteroskadasticity robust standard errors used

$$Pr(ins = 1|X) = \Phi(\beta_0 + \beta_1 \times selfemp + \beta_2 \times married + \beta_3 \times gender + \beta_4 \times health + \beta_5 \times gender * health + \beta_6 \times educ + \beta_7 \times age + \beta_8 \times age^2)$$
 (II)

Coefficients:

	Estimate Std.	<pre>Error z value Pr(> z)</pre>		
(Intercept)	-0.844932	0.195991	-4.31	0.000016
selfemp	-0.651923	0.046842	-13.92	< 2e-16
married	0.455241	0.034845	13.06	< 2e-16
gender	-0.040238	0.111653	-0.36	0.71856
health	0.300503	0.082988	3.62	0.00029
genderxhealth	-0.124880	0.116613	-1.07	0.28422
education	0.226139	0.012852	17.60	< 2e-16
age	0.029150	0.009899	2.94	0.00323
age2	-0.000162	0.000126	-1.29	0.19821

Question 9 What is the interretation of β_2 in model (I)?

- A On average, married individuals are 11.8% less likely than others to have an insurance, controlling for all other factors.
- B On average, increasing married by one increases the probability to have an insurance of 11.8%, ceteris paribus.
- C It does not have a proper interpretation.
- D On average, married individuals are 11.8% more likely than others to have an insurance, controlling for all other factors.



Question 10 What is the interretation of β_2 in model (II)?

- A On average, a married worker has a probability of 45.5% to have an insurance, ceteris paribus.
- B It does not have a proper interpretation in terms of magnitude.
- C On average, married individuals are 45.5% more likely than others to have an insurance, controlling for all other factors.
- $\boxed{\mathrm{D}}$ On average, married individuals are 45.5% less likely than others to have an insurance, controlling for all other factors.



- Answers must be given exclusively on this sheet: answers given on the other sheets will be ignored.
- This sheet MUST be printed out and not photocopied. Photocopies will not be accepted.
- Please fill the boxes below completely using a black pen.
- Do not crease or fold.
- You can hand back your problem set by putting it into my mailbox on the fifth floor of the viale Romania campus by noon of Friday, March 25 at noon.

Question 1: A B C D

Question 2: A B C D

Question 3: A B C D E

Question 4: A B C D

Question 5: A B C D

Question 6: A B C D E

Question 7: A B C D E

Question 8: A B C D E F

Question 9: A B C D

Question 10: A B C D