


state_5


seed 1 | 120 s | lfp_state5_nhost=8.txt

SAE-theta starter

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.0735 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.0905 a.u.



10-119 s metrics: RMS 0.017 a.u. | p99.9 |LFP| 0.0669 a.u. | delta 10.6% | theta 12.6% | centroid 14.61 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_6


seed 1 | 120 s | lfp_state6_nhost=8.txt

SAE-delta starter

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.0317 a.u.





Final 30 seconds (90-120 s) independent scale: ± 0.0326 a.u.



10-119 s metrics: RMS 0.00461 a.u. | p99.9 |LFP| 0.0289 a.u. | delta 10.0% | theta 13.7% | centroid 14.48 Hz

Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds.

theta starter with recurrent cortical drive restored

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.0883 a.u.Final 30 seconds (90-120 s) independent scale: ± 0.0871 a.u.



10-119 s metrics: RMS 0.0208 a.u. | p99.9 |LFP| 0.0802 a.u. | delta 13.2% | theta 13.4% | centroid 14.00 Hz

Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds of the simulation.

state_8

seed 1 | 120 s | lfp_state8_nhost=8.txt

delta starter with recurrent cortical drive restored



10-119 s metrics: RMS 0.213 a.u. | p99.9 $|LFP|$ 1.97 a.u. | delta 1.9% | theta 60.2% | centroid 10.07 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds of the simulation.

state_9


seed 1 | 120 s | lfp_state9_nhost=8.txt

wakeful-slow N1-like bridge

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.111 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.106 a.u.



10-119 s metrics: RMS 0.0272 a.u. | p99.9 |LFP| 0.101 a.u. | delta 15.2% | theta 12.2% | centroid 13.76 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_10


seed 1 | 120 s | lfp_state10_nhost=8.txt

recurrence-edge probe

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.271 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.864 a.u.



Time (s)

10-119 s metrics: RMS 0.0397 a.u. | p99.9 $|LFP|$ 0.247 a.u. | delta 16.9% | theta 20.6% | centroid 12.50 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_11


seed 1 | 120 s | lfp_state11_nhost=8.txt

cortical E/I rebalance

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.128 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.13 a.u.



10-119 s metrics: RMS 0.0321 a.u. | p99.9 |LFP| 0.116 a.u. | delta 15.7% | theta 14.4% | centroid 13.49 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 s of the simulation.

state_12


seed 1 | 120 s | lfp_state12_nhost=8.txt

thalamic recruitment probe

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.102 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.0989 a.u.



10-119 s metrics: RMS 0.0265 a.u. | p99.9 |LFP| 0.0932 a.u. | delta 14.1% | theta 14.5% | centroid 13.88 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_13


seed 1 | 120 s | lfp_state13_seed1_nhost=8.txt

cortical GABA-A decay 1.5x

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.124 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.126 a.u.



10-119 s metrics: RMS 0.0306 a.u. | p99.9 |LFP| 0.113 a.u. | delta 15.1% | theta 14.5% | centroid 13.58 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_14


seed 1 | 120 s | lfp_state14_seed1_nhost=8.txt

thalamic GABA-A decay 1.5x

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 1.93 a.u.



Final 30 seconds (90-120 s) independent scale: ± 2.42 a.u.



10-119 s metrics: RMS 0.151 a.u. | p99.9 |LFP| 1.76 a.u. | delta 7.0% | theta 58.0% | centroid 10.14 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_15


seed 1 | 120 s | lfp_state15_seed1_nhost=8.txt

combined GABA-A decay 1.5x

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.126 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.131 a.u.



10-119 s metrics: RMS 0.031 a.u. | p99.9 |LFP| 0.115 a.u. | delta 14.8% | theta 15.1% | centroid 13.75 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds of the simulation.

state_16


seed 1 | 120 s | lfp_state16_seed1_nhost=8.txt

balanced cortical wake-to-N2 trajectory 50%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.391 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.811 a.u.



10-119 s metrics: RMS 0.0449 a.u. | p99.9 |LFP| 0.356 a.u. | delta 23.0% | theta 21.2% | centroid 11.37 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_17


seed 1 | 120 s | lfp_state17_seed1_nhost=8.txt

balanced cortical wake-to-N2 trajectory 62.5%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.696 a.u.



Final 30 seconds (90-120 s) independent scale: ± 1.02 a.u.



10-119 s metrics: RMS 0.0587 a.u. | p99.9 |LFP| 0.632 a.u. | delta 15.0% | theta 33.7% | centroid 10.98 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_18


seed 1 | 120 s | lfp_state18_seed1_nhost=8.txt

balanced cortical wake-to-N2 trajectory 75%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.399 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.158 a.u.





10-119 s metrics: RMS 0.0456 a.u. | p99.9 $|LFP|$ 0.363 a.u. | delta 23.2% | theta 20.3% | centroid 11.24 Hz

Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_19

seed 1 | 120 s | lfp_state19_seed1_nhost=8.txt

RE->TC GABA-B +20%



10-119 s metrics: RMS 0.076 a.u. | p99.9 $|LFP|$ 0.836 a.u. | delta 13.8% | theta 35.5% | centroid 11.09 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 5 seconds of the simulation.

state_20


seed 1 | 120 s | lfp_state20_seed1_nhost=8.txt

RE->RE GABA-A -25%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: +/-0.742 a.u.



Final 30 seconds (90-120 s) independent scale: +/-0.524 a.u.



10-119 s metrics: RMS 0.0592 a.u. | p99.9 |LFP| 0.674 a.u. | delta 16.8% | theta 31.8% | centroid 11.02 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds of the simulation.

state_21


seed 1 | 120 s | lfp_state21_seed1_nhost=8.txt

RE->TC GABA-A -20%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.252 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.344 a.u.



10-119 s metrics: RMS 0.0406 a.u. | p99.9 |LFP| 0.229 a.u. | delta 18.9% | theta 16.4% | centroid 12.64 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_22


seed 1 | 120 s | lfp_state22_seed1_nhost=8.txt

PYR->RE AMPA +10%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: +/-0.852 a.u.



Final 30 seconds (90-120 s) independent scale: +/-0.875 a.u.



10-119 s metrics: RMS 0.0771 a.u. | p99.9 |LFP| 0.774 a.u. | delta 13.7% | theta 37.0% | centroid 10.98 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_23


seed 1 | 120 s | lfp_state23_seed1_nhost=8.txt

PYR->RE AMPA +10% and RE->TC GABA-B +20%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: +/-0.82 a.u.



Final 30 seconds (90-120 s) independent scale: +/-0.406 a.u.



10-119 s metrics: RMS 0.0675 a.u. | p99.9 |LFP| 0.746 a.u. | delta 16.5% | theta 35.2% | centroid 10.74 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds of the simulation.

state_24


seed 1 | 120 s | lfp_state24_seed1_nhost=8.txt

RE->RE GABA-A -25% and RE->TC GABA-B +20%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 1.25 a.u.



Final 30 seconds (90-120 s) independent scale: ± 1.3 a.u.



10-119 s metrics: RMS 0.109 a.u. | p99.9 |LFP| 1.14 a.u. | delta 10.4% | theta 40.7% | centroid 11.28 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 s.

state_25


seed 1 | 120 s | lfp_state25_seed1_nhost=8.txt

TC Ih shift -5 mV

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 1.32 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.177 a.u.





10-119 s metrics: RMS 0.131 a.u. | p99.9 |LFP| 1.2 a.u. | delta 10.8% | theta 45.4% | centroid 10.46 Hz

Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the fin

state_26

seed 1 | 120 s | lfp_state26_seed1_nhost=8.txt

TC Ih sign control -7 mV





10-119 s metrics: RMS 0.0425 a.u. | p99.9 $|LFP|$ 0.292 a.u. | delta 20.9% | theta 17.4% | centroid 12.15 Hz

Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds.

state_27

seed 1 | 120 s | lfp_state27_seed1_nhost=8.txt

TC K leak 75% wake-to-N2





10-119 s metrics: RMS 0.083 a.u. | p99.9 $|LFP|$ 0.874 a.u. | delta 15.5% | theta 36.1% | centroid 10.73 Hz

Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_28

seed 1 | 120 s | lfp_state28_seed1_nhost=8.txt

PYR dendritic Km/KCa 1.15625x





10-119 s metrics: RMS 0.0315 a.u. | p99.9 |LFP| 0.118 a.u. | delta 15.7% | theta 13.6% | centroid 13.66 Hz

Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds of the simulation.

state_29

seed 1 | 120 s | lfp_state29_seed1_nhost=8.txt

PYR dendritic NaP/Km/KCa 1.15625x



10-119 s metrics: RMS 0.0967 a.u. | p99.9 |LFP| 0.92 a.u. | delta 19.8% | theta 36.7% | centroid 9.96 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 s.

state_30


seed 1 | 120 s | lfp_state30_seed1_nhost=8.txt

background recurrence bracket 37.5%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.14 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.14 a.u.





10-119 s metrics: RMS 0.0349 a.u. | p99.9 $|LFP|$ 0.128 a.u. | delta 18.3% | theta 14.3% | centroid 13.06 Hz

Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_31

seed 1 | 120 s | lfp_state31_seed1_nhost=8.txt

background recurrence bracket 43.75%



10-119 s metrics: RMS 0.0756 a.u. | p99.9 $|LFP|$ 0.821 a.u. | delta 11.4% | theta 36.2% | centroid 11.44 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 s.

state_32


seed 1 | 120 s | lfp_state32_seed1_nhost=8.txt

balanced cortical-axis bracket 37.5%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 0.15 a.u.



Final 30 seconds (90-120 s) independent scale: ± 0.147 a.u.





10-119 s metrics: RMS 0.037 a.u. | p99.9 |LFP| 0.136 a.u. | delta 19.9% | theta 14.5% | centroid 12.94 Hz

Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_33

seed 1 | 120 s | lfp_state33_seed1_nhost=8.txt

balanced cortical-axis bracket 43.75%



10-119 s metrics: RMS 0.0368 a.u. | p99.9 $|LFP|$ 0.139 a.u. | delta 18.7% | theta 14.6% | centroid 12.89 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds of the simulation.

state_34


seed 1 | 120 s | lfp_state34_seed1_nhost=8.txt

N3 minus recurrence to 2.35

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 4.31 a.u.



Final 30 seconds (90-120 s) independent scale: ± 2.79 a.u.



10-119 s metrics: RMS 0.879 a.u. | p99.9 |LFP| 3.92 a.u. | delta 93.8% | theta 2.5% | centroid 1.66 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the fin

state_35


seed 1 | 120 s | lfp_state35_seed1_nhost=8.txt

N3 minus recurrence to 2.00

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 3.41 a.u.



Final 30 seconds (90-120 s) independent scale: ± 2.69 a.u.



10-119 s metrics: RMS 0.557 a.u. | p99.9 |LFP| 3.1 a.u. | delta 77.5% | theta 10.2% | centroid 3.37 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the fin

state_36


seed 1 | 120 s | lfp_state36_seed1_nhost=8.txt

N3 minus recurrence to 1.60

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 3.49 a.u.



Final 30 seconds (90-120 s) independent scale: ± 3.5 a.u.





10-119 s metrics: RMS 0.538 a.u. | p99.9 |LFP| 3.17 a.u. | delta 17.9% | theta 49.9% | centroid 7.59 Hz

Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds of the simulation.

state_37

seed 1 | 120 s | lfp_state37_seed1_nhost=8.txt

N3 cortical K leak -10%



10-119 s metrics: RMS 0.0593 a.u. | p99.9 |LFP| 0.204 a.u. | delta 20.3% | theta 1.0% | centroid 16.87 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds.

state_38


seed 1 | 120 s | lfp_state38_seed1_nhost=8.txt

N3 RE->TC GABA-A -20%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 3.75 a.u.



Final 30 seconds (90-120 s) independent scale: ± 2.77 a.u.



10-119 s metrics: RMS 1.02 a.u. | p99.9 |LFP| 3.41 a.u. | delta 97.2% | theta 1.2% | centroid 1.19 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_39


seed 1 | 120 s | lfp_state39_seed1_nhost=8.txt

N3 with N2 thalamic intrinsic module

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 4.9 a.u.



Final 30 seconds (90-120 s) independent scale: ± 5.78 a.u.



10-119 s metrics: RMS 1.25 a.u. | p99.9 $|LFP|$ 4.45 a.u. | delta 96.6% | theta 1.4% | centroid 1.26 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds of the simulation.

state_40


seed 1 | 120 s | lfp_state40_seed1_nhost=8.txt

recurrence 2.00 and cortical K leak -10%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 3.34 a.u.



Final 30 seconds (90-120 s) independent scale: ± 2.85 a.u.



10-119 s metrics: RMS 0.621 a.u. | p99.9 |LFP| 3.03 a.u. | delta 84.7% | theta 6.6% | centroid 2.57 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_41


seed 1 | 120 s | lfp_state41_seed1_nhost=8.txt

N3 recurrence 2.10

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 3.48 a.u.



Final 30 seconds (90-120 s) independent scale: ± 2.71 a.u.



10-119 s metrics: RMS 0.605 a.u. | p99.9 |LFP| 3.16 a.u. | delta 85.1% | theta 6.3% | centroid 2.63 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds.

state_42


seed 1 | 120 s | lfp_state42_seed1_nhost=8.txt

N3 recurrence 2.20

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 3.12 a.u.



Final 30 seconds (90-120 s) independent scale: ± 3.67 a.u.



10-119 s metrics: RMS 0.643 a.u. | p99.9 |LFP| 2.84 a.u. | delta 89.1% | theta 4.7% | centroid 2.26 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_43


seed 1 | 120 s | lfp_state43_seed1_nhost=8.txt

recurrence 2.10 and cortical K leak -5%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 3.47 a.u.



Final 30 seconds (90-120 s) independent scale: ± 3.2 a.u.



10-119 s metrics: RMS 0.655 a.u. | p99.9 |LFP| 3.16 a.u. | delta 88.5% | theta 4.7% | centroid 2.28 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.

state_44


seed 1 | 120 s | lfp_state44_seed1_nhost=8.txt

recurrence 2.20 and cortical K leak -5%

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 3.95 a.u.



Final 30 seconds (90-120 s) independent scale: ± 3.74 a.u.



10-119 s metrics: RMS 0.778 a.u. | p99.9 $|LFP|$ 3.59 a.u. | delta 92.2% | theta 3.2% | centroid 1.80 Hz


Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 10 seconds (110-120 s).

state_45


seed 1 | 120 s | lfp_state45_seed1_nhost=8.txt

state 35 plus N2 thalamic intrinsic module

Full simulation (0-120 s; 0-10 s excluded from metrics) independent scale: ± 3.95 a.u.



Final 30 seconds (90-120 s) independent scale: ± 3.26 a.u.



10-119 s metrics: RMS 0.668 a.u. | p99.9 |LFP| 3.59 a.u. | delta 63.4% | theta 18.3% | centroid 4.63 Hz

Processing: median center; polyphase anti-alias 40 kHz to 200 Hz; zero-phase 0.5-30 Hz. Panels use independent y-scales; compare amplitude using the printed metrics. Tan shading marks the final 30 seconds.