Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 319555

Station: W KERR SCOTT RESERVOIR, NC

Climate Division: NC 2 NWS Call Sign: Elevation: 1,070 Feet Lat: 36°08N Lon: 81°14W

									ŗ	Tempe	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Daily(2) Mean Daily(2)							Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	46.9	23.4	35.2	76+	1975	30	43.5	1974	-10	1985	21	23.6	1977	925	0	.0	.0	13.3	2.1	25.0	.4
Feb	51.5	25.7	38.6	82	1989	16	45.0	1990	-6+	1996	6	30.5	1978	739	0	.0	.0	15.8	1.2	21.8	.1
Mar	59.7	33.2	46.5	87+	1990	14	51.7	1990	1	1993	15	40.8	1980	576	0	.0	.0	25.4	.2	14.4	.0
Apr	69.3	40.8	55.1	94+	1989	28	59.3	1986	20	1972	9	49.9	1983	303	3	.0	.3	29.0	.0	5.3	.0
May	77.1	50.4	63.8	96+	1996	20	69.5	1991	29+	1989	8	59.3	1997	114	75	.0	.8	30.9	.0	.2	.0
Jun	84.0	59.2	71.6	98+	1988	27	74.9	1986	35	1966	2	67.1	1972	12	210	.0	6.7	30.0	.0	.0	.0
Jul	87.7	63.4	75.6	100+	1993	9	79.2	1993	46	1988	2	72.2	1979	0	328	.2	13.1	31.0	.0	.0	.0
Aug	86.1	62.0	74.1	102+	1988	19	77.0	1995	44+	1986	30	71.1	1992	0	281	.2	9.1	31.0	.0	.0	.0
Sep	80.1	55.4	67.8	97+	1993	2	73.2	1998	31	1967	30	64.7	1981	38	119	.0	2.7	30.0	.0	.0	.0
Oct	70.5	41.9	56.2	91	1986	5	63.9	1984	21	1965	30	50.6	1987	297	24	.0	.1	30.7	.0	4.0	.0
Nov	60.3	33.8	47.1	84+	1974	3	56.0	1985	7	1970	25	40.5	1976	540	1	.0	.0	25.6	.0	14.1	.0
Dec	50.8	26.4	38.6	80	1998	8	46.9	1984	-3	1983	25	31.5	1989	819	0	.0	.0	17.3	.8	23.4	@
Ann	68.7	43.0	55.9	102+	Aug 1988	19	79.2	Jul 1993	-10	Jan 1985	21	23.6	Jan 1977	4363	1041	.4	32.8	310.0	4.3	108.2	.5

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 099-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1965-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 319555

Station: W KERR SCOTT RESERVOIR, NC

Climate Division: NC 2 NWS Call Sign: Elevation: 1,070 Feet Lat: 36°08N Lon: 81°14W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total	S			M	ean N	Numb Oays (3		Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		less tha	ın the
		ans(1)				Extremes	3			D	aily Pre	cipitatio	n		Th		•		-	incomplet	•		ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	4.54	4.19	3.11	1995	15	9.61	1996	.62	1981	11.0	7.4	3.1	1.2	1.37	1.80	2.44	3.00	3.54	4.10	4.72	5.44	6.38	7.84	9.20
Feb	3.86	3.99	4.00	1984	14	7.24	1990	.43	1978	10.3	6.8	2.6	1.0	.95	1.32	1.88	2.38	2.87	3.39	3.97	4.67	5.57	7.00	8.34
Mar	5.12	4.77	3.48	1979	24	11.73	1975	1.23	1985	12.0	8.2	3.6	1.6	1.72	2.20	2.91	3.52	4.09	4.69	5.34	6.10	7.08	8.59	9.99
Apr	4.51	4.55	5.20	1983	10	10.44	1983	.38	1986	10.4	7.3	2.7	1.3	.94	1.35	2.01	2.61	3.22	3.87	4.61	5.49	6.65	8.52	10.28
May	4.91	4.98	2.96	1981	28	8.61	1992	1.60	1997	12.5	8.3	3.2	1.5	2.33	2.76	3.34	3.81	4.24	4.68	5.15	5.68	6.34	7.35	8.25
Jun	4.75	4.53	4.11	1972	21	9.32	1976	.57	1986	11.8	7.6	3.2	1.3	1.47	1.92	2.59	3.17	3.72	4.30	4.94	5.69	6.65	8.15	9.55
Jul	4.54	4.34	3.33	1978	16	11.41	1984	.47	1983	13.0	8.3	3.1	1.2	1.42	1.85	2.49	3.04	3.57	4.12	4.73	5.44	6.36	7.78	9.10
Aug	4.84	4.37	7.30	1970	10	12.49	1996	1.17	1980	11.4	7.4	3.2	1.5	1.05	1.50	2.21	2.85	3.49	4.18	4.95	5.87	7.09	9.03	10.87
Sep	4.92	4.43	5.36	1977	8	11.74	1979	.22	1985	11.2	6.9	3.2	1.6	.84	1.27	1.99	2.66	3.35	4.11	4.97	6.01	7.40	9.65	11.80
Oct	3.81	3.26	4.36	1975	18	10.83	1990	.06	2000	8.7	5.3	2.4	1.2	.47	.77	1.31	1.84	2.40	3.02	3.75	4.65	5.87	7.88	9.82
Nov	3.67	3.30	3.80	1977	6	8.89	1977	.68	1981	10.7	6.4	2.6	1.0	1.15	1.49	2.01	2.45	2.88	3.33	3.82	4.39	5.13	6.28	7.34
Dec	3.77	3.70	2.58	1998	13	8.16	1973	.71	1980	11.4	6.6	2.2	1.2	1.00	1.35	1.90	2.38	2.85	3.35	3.90	4.55	5.41	6.75	8.00
Ann	53.24	53.44	7.30	Aug 1970	10	12.49	Aug 1996	.06	Oct 2000	134.4	86.5	35.1	15.6	40.69	43.19	46.35	48.72	50.81	52.82	54.88	57.15	59.87	63.79	67.16

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1965-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 319555

Station: W KERR SCOTT RESERVOIR, NC

Climate Division: NC 2 NWS Call Sign: Elevation: 1,070 Feet Lat: 36°08N Lon: 81°14W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	3.9	2.5	1	#	10.0	1988	8	18.5	1996	16	1987	26	4	1987	1.3	1.2	.6	.3	.1	3.0	1.5	.9	.3
Feb	4.6	2.4	#	#	8.5	1983	11	19.8	1979	13	1979	19	3	1979	1.5	1.0	.5	.3	.0	2.8	1.5	.7	.1
Mar	1.8	.0	#	0	12.3	1993	13	12.3	1993	16	1993	14	2	1993	.4	.4	.2	.1	.1	.6	.4	.2	.1
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	#	.0	#	0	#	1987	11	#+	1987	2	1971	25	#	1971	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	1.4	.0	#	0	7.0	1971	4	8.0	1989	11	1993	21	2	1993	.5	.3	.2	.1	.0	.4	.3	@	.0
Ann	11.7	4.9	N/A	N/A	12.3	Mar 1993	13	19.8	Feb 1979	16+	Mar 1993	14	4	Jan 1987	3.7	2.9	1.5	.8	.2	6.8	3.7	1.8	.5

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 319555

Lon: 81°14W

Lat: 36°08N

Station: W KERR SCOTT RESERVOIR, NC

Climate Division: NC 2 NWS Call Sign:

				Freez	e Data									
			Spri	ng Freeze D	ates (Month/	Day)								
Probability of later date in spring (thru Jul 31) than indicated(*) Temp (F)														
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	5/17	5/12	5/08	5/05	5/02	4/29	4/26	4/23	4/18					
32	5/07	5/02	4/29	4/26	4/23	4/20	4/17	4/13	4/08					
28	4/20	4/16	4/14	4/11	4/09	4/07	4/05	4/02	3/29					
24	4/06	3/31	3/27	3/23	3/20	3/16	3/13	3/09	3/03					
20	3/26	3/20	3/15	3/12	3/08	3/05	3/01	2/24	2/18					
16	3/12	3/05	3/01	2/25	2/21	2/17	2/13	2/08	2/02					
-			Fal	ll Freeze Da	tes (Month/D	ay)		•	•					
To (E)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)						
remp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	9/27	9/30	10/03	10/05	10/08	10/10	10/12	10/15	10/18					
32	10/05	10/10	10/14	10/17	10/20	10/23	10/26	10/29	11/03					
28	10/14	10/20	10/25	10/29	11/01	11/05	11/08	11/13	11/19					
24	10/27	11/02	11/06	11/10	11/13	11/17	11/20	11/24	11/30					
20	11/11	11/17	11/21	11/25	11/28	12/01	12/05	12/09	12/15					
16	11/29	12/04	12/08	12/11	12/15	12/18	12/21	12/25	12/30					
-			•	Freeze F	ree Period	•		•	•					
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)							
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	176	169	165	161	158	154	150	146	140					
32	200	193	188	184	179	175	171	166	158					
28	224	218	213	209	205	202	198	193	186					
24	261	253	247	242	238	233	228	222	214					
20	286	279	273	269	264	260	255	250	242					
16	320	312	306	301	296	291	286	280	272					

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Elevation: 1,070 Feet

Climate Division: NC 2

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: W KERR SCOTT RESERVOIR, NC

COOP ID: 319555

Elevation: 1,070 Feet Lat: 36°08N

Lon: 81°14W

NWS Call Sign:

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	925	739	576	303	114	12	0	0	38	297	540	819	4363
60	770	599	425	172	45	2	0	0	9	184	395	664	3265
57	677	515	340	109	21	0	0	0	3	130	313	571	2679
55	623	460	286	76	12	0	0	0	2	100	262	515	2336
50	479	331	172	23	2	0	0	0	0	45	153	372	1577
32	112	36	5	0	0	0	0	0	0	0	2	50	205

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	210	221	452	691	984	1188	1351	1303	1072	750	453	254	8929
55	8	1	20	76	282	498	638	590	383	137	22	6	2661
57	0	0	12	50	230	438	576	528	325	105	14	0	2278
60	0	0	5	22	161	349	483	435	241	66	5	0	1767
65	0	0	0	3	75	210	328	281	119	24	1	0	1041
70	0	0	0	0	25	98	181	138	37	6	0	0	485

										Gro	wing]	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (N	(Ionthly)								Growi	ng Degre	ee Units (Accumu	lated Mo	onthly)			
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	68	103	262	477	751	968	1123	1078	849	531	262	102	68	171	433	910	1661	2629	3752	4830	5679	6210	6472	6574
45	28 47 152 338 597 818 968 923 699 376 155												28	75	227	565	1162	1980	2948	3871	4570	4946	5101	5148
50	4 13 77 208 444 668 813 768 549 243 77												4	17	94	302	746	1414	2227	2995	3544	3787	3864	3884
55	0	2	30	116	299	518	658	613	400	127	33	2	0	2	32	148	447	965	1623	2236	2636	2763	2796	2798
60	0	0	5	52	169	371	503	458	261	56	7	0	0	0	5	57	226	597	1100	1558	1819	1875	1882	1882
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	0/86 58 96 190 316 485 647 758 728 562 353 187 85												58	154	344	660	1145	1792	2550	3278	3840	4193	4380	4465

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf