Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 256040

Lon: 98°46W

Station: NORTH LOUP ORD, NE

Climate Division: NE 5 NWS Call Sign:

									r	Гетр	eratui	re (°F)									
	Mea	In (1)						Extr	emes					Degree Base To	•		Mean	Numb	er of I	Days (3)	
Month	" Mean		Highest Daily(2) Year Day		Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0		
Jan	34.0	11.0	22.5	75	1981	24	33.6	1986	-32	1963	27	6.9	1979	1318	0	.0	.0	4.5	13.4	30.7	6.9
Feb	40.1	16.8	28.5	77+	1995	25	37.5	1992	-28	1996	3	14.0	1978	1023	0	.0	.0	8.2	9.0	26.1	4.0
Mar	50.6	25.9	38.3	87+	1986	29	44.4	1986	-18	1978	4	31.2	1996	830	0	.0	.0	16.5	2.9	24.0	.6
Apr	63.0	36.3	49.7	95	1950	22	58.1	1981	2	1975	3	43.2	1983	462	3	.0	.4	25.8	.2	10.3	.0
May	72.3	48.2	60.3	100+	1967	25	65.9	1977	23+	1967	2	54.4	1995	191	42	.0	.3	30.8	.0	1.1	.0
Jun	82.1	57.9	70.0	105	1952	15	75.1	1988	31	1964	2	64.3	1982	30	180	.1	5.2	30.0	.0	.0	.0
Jul	85.9	62.8	74.4	112	1954	11	79.3	1974	38	1971	30	67.6	1992	5	294	.4	9.5	31.0	.0	.0	.0
Aug	84.0	60.9	72.5	104+	1955	26	79.5	1983	37	1950	20	67.2	1992	16	247	.1	6.8	31.0	.0	.0	.0
Sep	76.5	50.6	63.6	103	1955	8	69.4	1998	20	1984	29	59.7	1993	108	65	.0	2.2	29.6	.0	1.0	.0
Oct	65.2	38.0	51.6	94	1951	1	55.1	1974	7	1997	27	46.1	1976	417	1	.0	.2	28.0	.2	8.3	.0
Nov	46.9	24.2	35.6	79+	1999	8	44.8	1999	-13+	1986	11	24.8	1985	884	0	.0	.0	13.1	4.0	24.5	.6
Dec	36.2	14.4	25.3	75	1962	16	33.3	1979	-27	1989	22	6.5	1983	1230	0	.0	.0	5.3	10.4	30.3	4.4
Ann	61.4	37.3	49.4	112	Jul 1954	11	79.5	Aug 1983	-32	Jan 1963	27	6.5	Dec 1983	6514	832	.6	24.6	253.8	40.1	156.3	16.5

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 081-A

Elevation: 1,960 Feet Lat: 41°30N

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 256040

Station: NORTH LOUP ORD, NE

Climate Division: NE 5 NWS Call Sign: Elevation: 1,960 Feet Lat: 41°30N Lon: 98°46W

										Pı	recipi	tation	(incl	nes)										
	Mea	ans/	P	recipi	itatio	on Total					ean N of D	ays (3	5)	Proba	bility th		nonthly/	annual j indic	precipita ated an	nount	ies (1)		less tha	ın the
	Medi	ans(1)				Latt cine	,				uny 110	cipitatio	••		Th	ese value	s were det	ermined	from the	incomplet	te gamma	distributi	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.48	.41	.85	2001	30	1.15	1996	.00+	1986	2.8	1.7	.1	.0	.00	.08	.17	.25	.32	.40	.50	.60	.74	.97	1.19
Feb	.62	.54	1.00+	1984	18	1.78	1971	.00	1983	3.4	2.2	.2	.1	.01	.05	.13	.22	.32	.43	.57	.75	1.00	1.43	1.85
Mar	1.88	1.60	3.10	1987	17	7.43	1987	.00	1994	5.9	4.3	1.1	.4	.09	.25	.53	.80	1.10	1.43	1.82	2.31	2.98	4.09	5.17
Apr	2.57	2.27	2.00	1977	14	6.43	1977	.22	1989	7.3	5.7	1.7	.5	.53	.77	1.15	1.49	1.84	2.21	2.62	3.12	3.79	4.85	5.85
May	3.62	3.32	3.45	1957	14	6.72	1995	1.21	1992	9.1	7.0	2.6	.9	1.45	1.79	2.26	2.65	3.01	3.39	3.79	4.25	4.84	5.75	6.57
Jun	3.74	2.69	3.50+	1993	24	9.06	1990	1.10	1991	8.2	6.7	2.3	.9	.85	1.20	1.75	2.24	2.73	3.25	3.84	4.54	5.46	6.92	8.30
Jul	3.44	3.17	5.38	1950	9	8.53	1993	.85	1999	7.5	6.1	2.3	.9	.78	1.10	1.61	2.06	2.51	2.99	3.53	4.17	5.02	6.36	7.62
Aug	3.07	2.48	8.35	1966	12	8.19	1992	.50	1991	6.0	5.0	1.9	1.0	.61	.89	1.34	1.75	2.17	2.62	3.13	3.74	4.55	5.85	7.08
Sep	2.28	1.74	4.14	1964	6	5.42	1986	.18	1984	5.5	4.7	1.6	.5	.32	.51	.84	1.15	1.48	1.85	2.27	2.79	3.49	4.63	5.73
Oct	1.51	1.41	1.81	1968	16	4.72	1984	.07	1996	4.4	3.3	1.2	.3	.15	.26	.46	.67	.90	1.16	1.46	1.85	2.37	3.24	4.09
Nov	1.30	1.20	1.60	1975	20	3.25	1975	.00	1976	4.2	3.0	.8	.2	.01	.07	.21	.39	.59	.84	1.15	1.55	2.13	3.13	4.15
Dec	.59	.50	1.15	1981	1	1.85	1981	.03	1998	3.1	1.7	.3	@	.05	.10	.18	.26	.35	.45	.57	.72	.93	1.28	1.62
Ann	25.10	25.38	8.35	Aug 1966	12	9.06	Jun 1990	.00+	Mar 1994	67.4	51.4	16.1	5.7	16.83	18.39	20.42	21.97	23.36	24.71	26.11	27.66	29.56	32.33	34.74

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 256040

Station: NORTH LOUP ORD, NE

Climate Division: NE 5 NWS Call Sign: Elevation: 1,960 Feet Lat: 41°30N Lon: 98°46W

										Snov	w (incl	hes)												
						Sno	ow To	tals									Mea	ın Nu	mber	of Day	ys (1)			
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa			Snow Depth >= Thresholds				
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10	
Jan	4.2	3.8	2	1	8.0	1990	20	10.2	1996	15+	1984	2	12	1984	2.3	2.0	.5	.2	.0	14.4	10.1	6.9	2.0	
Feb	4.5	4.0	2	1	12.0	1984	18	18.0	1984	18	1984	19	8	1978	1.8	1.7	.7	.2	.1	11.0	6.8	4.3	.9	
Mar	4.9	4.0	#	1	9.0	1983	26	13.5	1971	13+	1978	10	4	1978	1.8	1.7	.8	.3	.0	4.6	2.3	1.2	.2	
Apr	1.6	.3	#	0	6.0	1994	29	10.0	1994	7	1997	12	1	1997	.8	.7	.3	@	.0	.7	.4	.1	.0	
May	.0	.0	#	0	.0	0	0	.0	0	0	0	0	#	2000	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Sep	.0	.0	0	0	1.0	1985	29	1.0	1985	#+	1995	20	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Oct	.7	.0	#	0	7.0	1991	31	7.0+	1997	7+	1991	31	#	1997	.3	.2	.1	.1	.0	.3	.2	.1	.0	
Nov	4.8	3.0	#	0	15.0	2000	12	20.0	1983	17	1983	29	4	2000	1.7	1.6	.8	.3	.1	4.2	2.2	1.2	.2	
Dec	6.7	5.5	2	1	10.0	1974	15	18.0	1972	18+	1983	29	16	1983	2.5	2.2	1.0	.4	@	11.5	6.9	4.4	1.6	
Ann	27.4	20.6	N/A	N/A	15.0	Nov 2000	12	20.0	Nov 1983	18+	Feb 1984	19	16	Dec 1983	11.2	10.1	4.2	1.5	.2	46.7	28.9	18.2	4.9	

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 256040

Station: NORTH LOUP ORD, NE

Climate Division: NE 5 NWS Call Sign: Elevation: 1,960 Feet Lat: 41°30N Lon: 98°46W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	(Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/26	5/21	5/17	5/14	5/12	5/09	5/06	5/02	4/28
32	5/12	5/09	5/06	5/03	5/01	4/29	4/26	4/24	4/20
28	5/07	5/02	4/29	4/26	4/23	4/20	4/18	4/14	4/09
24	4/22	4/18	4/15	4/12	4/10	4/08	4/05	4/02	3/29
20	4/14	4/09	4/06	4/04	4/02	3/30	3/28	3/25	3/21
16	4/07	4/02	3/29	3/25	3/22	3/19	3/15	3/11	3/06
			Fal	l Freeze Dat	tes (Month/D	Day)			
Town (F)		Pro	bability of ea	arlier date ii	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/13	9/17	9/20	9/22	9/24	9/27	9/29	10/02	10/06
32	9/15	9/20	9/24	9/27	9/30	10/03	10/06	10/09	10/14
28	9/23	9/29	10/03	10/07	10/10	10/13	10/17	10/21	10/27
24	10/05	10/10	10/14	10/16	10/19	10/22	10/25	10/28	11/02
20	10/14	10/19	10/23	10/26	10/29	11/01	11/04	11/08	11/13
16	10/21	10/28	11/01	11/05	11/09	11/12	11/16	11/21	11/27
-				Freeze F	ree Period		•	•	1
To (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	155	148	143	139	135	131	127	122	115
32	168	162	158	154	151	148	144	140	134
28	188	181	177	173	169	165	161	157	150
24	207	201	198	194	191	188	185	181	176
20	226	220	216	213	210	206	203	199	193
16	260	250	243	237	231	225	219	212	202

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 256040

Station: NORTH LOUP ORD, NE

Climate Division: NE 5 NWS Call Sign: Elevation: 1,960 Feet Lat: 41°30N Lon: 98°46W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1318	1023	830	462	191	30	5	16	108	417	884	1230	6514
60	1163	883	675	323	98	7	0	2	39	269	734	1075	5268
57	1070	807	582	247	59	2	0	0	17	192	644	982	4602
55	1010	755	522	202	40	1	0	0	8	147	586	920	4191
50	861	624	379	109	11	0	0	0	0	65	448	775	3272
32	387	251	55	0	0	0	0	0	0	0	100	311	1104

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	91	152	248	531	875	1140	1312	1254	947	607	206	104	7467
55	1	12	2	43	202	451	599	541	265	40	3	0	2159
57	0	8	0	28	159	392	537	479	214	24	0	0	1841
60	0	0	0	13	105	307	444	389	147	8	0	0	1413
65	0	0	0	3	42	180	294	247	65	1	0	0	832
70	0	0	0	0	12	86	160	132	21	0	0	0	411

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	4	32	111	326	639	912	1072	1013	718	386	73	4	4	36	147	473	1112	2024	3096	4109	4827	5213	5286	5290
45												0	0	7	59	263	750	1512	2429	3287	3858	4115	4144	4144
50	0 0 18 117 335 612 762 703 424 145 7											0	0	0	18	135	470	1082	1844	2547	2971	3116	3123	3123
55	0	0	5	57	206	462	607	548	288	64	0	0	0	0	5	62	268	730	1337	1885	2173	2237	2237	2237
60	0	0	0	24	106	318	452	394	175	23	0	0	0	0	0	24	130	448	900	1294	1469	1492	1492	1492
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	0/86 16 37 100 224 395 596 723 676 462 258 66 1											15	16	53	153	377	772	1368	2091	2767	3229	3487	3553	3568

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf