## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 059275** 

Station: YELLOW JACKET 2 W, CO

Climate Division: CO 2 NWS Call Sign: Elevation: 6,860 Feet Lat: 37°31N Lon: 108°45W

									r	Гетре	eratur	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes					Degree Base To	•		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	38.1	15.4	26.8	60	1986	29	34.8	1986	-26	1963	12	18.8	1979	1187	0	.0	.0	2.7	7.0	30.6	2.3
Feb	42.9	19.4	31.2	65	1986	25	39.5	1995	-21	1982	7	24.7	1974	948	0	.0	.0	6.0	3.4	27.1	.8
Mar	50.1	25.2	37.7	73	1989	10	45.2	1999	-12	1966	4	30.8	1980	848	0	.0	.0	15.3	.6	25.6	.1
Apr	59.6	31.0	45.3	80+	2000	27	51.9	1992	8	1975	2	37.7	1983	591	0	.0	.0	25.5	.1	16.3	.0
May	69.4	39.3	54.4	90	2000	30	60.5	2000	17	1967	1	50.0	1975	337	7	.0	@	30.4	.0	4.6	.0
Jun	81.6	47.9	64.8	98+	2001	7	69.2	1994	24+	1970	10	60.6	1983	89	81	.0	3.3	30.0	.0	.3	.0
Jul	86.9	54.0	70.5	99	1985	7	73.0	1996	40+	1995	4	67.3	1992	7	175	.0	9.2	31.0	.0	.0	.0
Aug	84.5	52.9	68.7	98	1994	4	72.3	1994	34	1968	23	65.8	1972	21	135	.0	5.1	31.0	.0	.0	.0
Sep	76.3	46.0	61.2	94+	2000	13	66.4	1998	22	1971	18	55.4	1985	156	40	.0	.6	30.0	.0	.5	.0
Oct	63.6	36.3	50.0	86	1979	7	55.1	1988	9+	1991	31	43.3	1984	469	2	.0	.0	28.2	.1	8.2	.0
Nov	48.3	25.1	36.7	75	1973	10	46.0	1999	-10	1975	30	29.1	1972	848	0	.0	.0	14.4	2.1	24.0	.2
Dec	39.9	17.7	28.8	62	1995	1	37.6	1980	-20	1990	23	20.8	1978	1122	0	.0	.0	4.2	6.0	30.2	1.2
Ann	61.8	34.2	48.0	99	Jul 1985	7	73.0	Jul 1996	-26	Jan 1963	12	18.8	Jan 1979	6623	440	.0	18.2	248.7	19.3	167.4	4.6

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 114-A

- (2) Derived from station's available digital record: 1962-2001
- (3) Derived from 1971-2000 serially complete daily data

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>(1)</sup> From the 1971-2000 Monthly Normals

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 059275** 

**Station: YELLOW JACKET 2 W, CO** 

Climate Division: CO 2 NWS Call Sign: Elevation: 6,860 Feet Lat: 37°31N Lon: 108°45W

										Pı	recipi	tation	(incl	ies)										
	Me	ans/	P	recip	itatio	on Total					ean N of D	ays (3	5)	Proba	ability th		nonthly/	annual j	precipita ated am	babilit ation will nount vs Probal	ll be equ		less tha	ın the
	Medi	ans(1)				Extremes	,			L	any Fie	стриацо	11		Th	ese value	s were det	termined	from the i	incomplet	e gamma	distribut	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.20	.96	1.17	1993	8	4.32	1993	.00	1972	6.5	3.7	.5	.1	.06	.16	.34	.51	.70	.92	1.17	1.48	1.90	2.61	3.30
Feb	1.30	.98	2.21	1993	20	5.03	1993	.00	1972	6.5	3.6	.7	.1	.07	.19	.39	.58	.79	1.01	1.28	1.61	2.05	2.79	3.50
Mar	1.37	1.23	1.03	1995	6	3.76	1995	.00+	1997	6.9	4.4	.6	.1	.00	.05	.22	.42	.65	.92	1.25	1.67	2.26	3.29	4.31
Apr	.92	.68	1.82	1986	2	2.95	1986	.00+	1989	5.2	2.7	.4	@	.00	.09	.24	.39	.54	.71	.91	1.14	1.47	2.01	2.53
May	1.32	1.14	1.33	1988	31	5.43	1992	.00	1989	6.2	3.8	.7	.1	.04	.13	.31	.50	.71	.95	1.24	1.62	2.13	3.01	3.87
Jun	.59	.44	1.14	1986	5	2.47	1986	.00+	1989	3.2	1.8	.3	@	.00	.00	.02	.11	.21	.34	.50	.71	1.01	1.52	2.05
Jul	1.53	1.67	1.75	1976	31	3.06	1977	.00	1993	7.2	4.2	.7	.1	.27	.48	.74	.94	1.15	1.36	1.60	1.88	2.24	2.82	3.35
Aug	1.65	1.57	3.03	1963	3	4.53	1971	.00	1985	8.3	4.9	.8	.1	.15	.34	.61	.85	1.10	1.36	1.67	2.03	2.52	3.31	4.07
Sep	1.54	1.41	2.38	1970	5	4.00	1982	.00	1979	6.0	3.8	1.0	.2	.15	.33	.59	.81	1.04	1.29	1.57	1.91	2.36	3.08	3.77
Oct	1.95	1.72	2.52	1996	3	8.13	1972	.00+	1999	6.0	4.6	1.3	.3	.00	.24	.61	.92	1.24	1.58	1.97	2.44	3.07	4.11	5.10
Nov	1.53	1.19	1.53	1991	15	3.92	1982	.00	1989	5.5	4.0	.9	.2	.11	.28	.52	.75	.98	1.23	1.53	1.89	2.37	3.15	3.91
Dec	1.04	.84	2.02	1978	18	4.36	1978	.01	1989	5.4	3.1	.5	.1	.05	.11	.23	.37	.53	.72	.96	1.26	1.68	2.40	3.12
Ann	15.94	15.41	3.03	Aug 1963	3	8.13	Oct 1972	.00+	Oct 1999	72.9	44.6	8.4	1.4	10.44	11.47	12.81	13.84	14.77	15.67	16.61	17.65	18.92	20.79	22.41

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1962-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 059275** 

**Station: YELLOW JACKET 2 W, CO** 

Climate Division: CO 2 NWS Call Sign: Elevation: 6,860 Feet Lat: 37°31N Lon: 108°45W

										Snov	w (inc	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	<b>ys</b> (1)		
	Mean	s/Medi	ians (1)	)					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	19.4	17.0	10	8	18.0	1984	14	59.2	1993	36	1979	31	32	1979	4.9	4.3	2.3	1.1	.2	-9.9	-9.9	-9.9	-9.9
Feb	14.1	14.0	10	9	19.0	1976	5	44.5	1993	34	1993	25	28	1993	4.4	3.8	2.2	.8	.2	-9.9	-9.9	-9.9	-9.9
Mar	11.3	8.0	3	#	10.0	1986	17	59.0	1983	25	1973	14	18	1973	3.3	3.0	1.7	.6	@	2.6	1.1	.4	.1
Apr	2.6	.0	#	0	8.0	1994	10	24.0	1994	12	1973	1	5	1973	.9	.7	.6	.3	.0	.4	.2	.1	.0
May	1.2	.0	#	0	11.0	1978	6	19.0	1978	4	1978	6	#+	1988	.3	.3	.2	.1	@	.1	@	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	#	0	.0	0	0	.0	0	#	1998	6	#	1998	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	#	0	.0	0	0	.0	0	2	1997	21	#	1997	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	1.7	.0	#	0	8.0	1991	28	11.0	1991	7	1991	30	2	1998	.4	.4	.2	.1	.0	.4	.2	.1	.0
Nov	7.6	5.1	1	#	14.0	1983	25	22.0	1996	20	1975	29	4	1972	2.4	2.2	1.3	.4	.1	1.8	1.2	.3	.0
Dec	10.6	7.3	4	2	12.0	1982	1	33.4	1972	24	1972	29	17	1982	3.6	3.0	1.7	.8	.2	2.7	1.4	1.0	.8
Ann	68.5	51.4	N/A	N/A	19.0	Feb 1976	5	59.2	Jan 1993	36	Jan 1979	31	32	Jan 1979	20.2	17.7	10.2	4.2	.7	-9.9	-9.9	-9.9	-9.9

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

Climatography of the United States No. 20 1971-2000

**National Climatic Data Center Federal Building** 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 059275** 

Lon: 108°45W

Lat: 37°31N

Station: YELLOW JACKET 2 W, CO

**Climate Division: CO 2** 

**NWS Call Sign:** 

				Freez	e Data									
			Spri	ng Freeze D	ates (Month/	Day)								
Probability of later date in spring (thru Jul 31) than indicated(*)   10														
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	6/19	6/14	6/10	6/07	6/04	6/02	5/29	5/26	5/21					
32	6/09	6/03	5/31	5/27	5/24	5/21	5/18	5/14	5/08					
28	5/19	5/15	5/11	5/08	5/06	5/03	4/30	4/27	4/22					
24	5/08	5/02	4/27	4/23	4/19	4/15	4/11	4/06	3/30					
20	4/26	4/20	4/15	4/12	4/08	4/04	3/31	3/27	3/21					
16	4/14	4/08	4/03	3/30	3/26	3/22	3/18	3/13	3/06					
•			Fal	l Freeze Da	tes (Month/D	ay)	•	•						
Town (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)						
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	9/10	9/15	9/19	9/22	9/25	9/28	10/01	10/05	10/10					
32	9/22	9/28	10/01	10/05	10/08	10/11	10/14	10/18	10/23					
28	9/29	10/05	10/09	10/13	10/17	10/20	10/24	10/28	11/03					
24	10/10	10/16	10/20	10/23	10/26	10/30	11/02	11/06	11/11					
20	10/23	10/28	10/31	11/03	11/06	11/08	11/11	11/15	11/19					
16	10/30	11/04	11/08	11/11	11/14	11/17	11/20	11/24	11/29					
				Freeze F	ree Period	•	•	•						
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)							
remb (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	133	126	120	116	112	107	103	98	90					
32	159	151	145	140	136	131	126	121	113					
28	188	179	173	168	163	158	153	147	138					
24	216	207	201	195	190	185	179	173	164					
20	236	227	221	216	211	206	201	195	186					
16	256	248	242	237	233	228	223	217	209					

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability. Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Elevation: 6,860 Feet

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 059275** 

**Station: YELLOW JACKET 2 W, CO** 

Climate Division: CO 2 NWS Call Sign: Elevation: 6,860 Feet Lat: 37°31N Lon: 108°45W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1187	948	848	591	337	89	7	21	156	469	848	1122	6623
60	1032	808	693	447	206	32	0	3	72	323	698	967	5281
57	939	724	601	364	142	14	0	1	40	245	608	874	4552
55	877	668	541	311	106	8	0	0	25	199	549	812	4096
50	722	528	398	197	44	1	0	0	6	104	407	657	3064
32	226	113	53	10	0	0	0	0	0	1	60	181	644

Base		Cooling Degree Days (1)														
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann			
32	62	89	228	409	693	983	1192	1137	874	557	201	81	6506			
55	0	0	4	20	87	300	479	424	209	42	1	0	1566			
57	0	0	1	13	60	247	417	363	164	27	0	0	1292			
60	0	0	0	6	31	175	324	272	106	12	0	0	926			
65	0	0	0	0	7	81	175	135	40	2	0	0	440			
70	0	0	0	0	1	26	61	42	10	0	0	0	140			

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	12	65	210	465	756	963	910	652	339	67	2	0	12	77	287	752	1508	2471	3381	4033	4372	4439	4441
45												0	0	0	22	132	449	1055	1863	2618	3121	3334	3354	3354
50												0	0	0	0	43	230	687	1340	1940	2297	2408	2408	2408
55	0	0	0	8	86	313	498	445	219	40	0	0	0	0	0	8	94	407	905	1350	1569	1609	1609	1609
60	0 0 0 0 21 184 343 290 103 7 0										0	0	0	0	0	21	205	548	838	941	948	948	948	
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	<b>50/86</b> 0 16 63 166 311 492 619 585 414 228 56 3											3	0	16	79	245	556	1048	1667	2252	2666	2894	2950	2953

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

## **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

## References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf