Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 473058

Station: GERMANTOWN, WI

Climate Division: WI 9 NWS Call Sign:

Elevation: 850 Feet Lat: 43°13N Lon: 88°07W

									r	Tempe	eratur	re (°F)									
	Mea	n (1)						Extr	emes					- C	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	24.9	8.1	16.5	57	1950	25	27.8	1990	-40+	1982	11	2.6	1977	1504	0	.0	.0	.5	21.2	30.4	10.0
Feb	29.8	12.9	21.4	64+	2000	27	32.7	1998	-28+	1996	4	11.1	1979	1223	0	.0	.0	1.2	15.7	27.1	6.0
Mar	40.3	23.3	31.8	83	1986	30	40.6	2000	-20	1962	1	25.1	1984	1030	0	.0	.0	6.4	6.9	25.7	1.1
Apr	53.3	33.7	43.5	89	1980	23	49.4	1985	7	1979	9	37.2	1975	645	0	.0	.0	18.7	.6	13.5	.0
May	66.1	43.8	55.0	92	1975	20	61.5	1977	20	1966	10	49.3	1997	333	21	.0	.1	29.9	.0	3.6	.0
Jun	75.9	53.0	64.5	99	1988	22	69.4	1987	27	1990	4	59.2	1982	87	70	.0	1.8	30.0	.0	.1	.0
Jul	80.2	58.4	69.3	102	1995	14	74.1	1999	38+	1990	31	63.9	1992	23	157	.1	3.8	31.0	.0	.0	.0
Aug	78.0	56.6	67.3	102+	1988	17	74.1	1995	36+	1992	20	60.3	1992	64	136	.1	1.7	31.0	.0	.0	.0
Sep	70.5	48.7	59.6	99	1953	1	64.5	1998	22	1993	30	54.9	1993	184	22	.0	.6	29.9	.0	1.3	.0
Oct	58.4	37.6	48.0	89	1963	6	55.5	1971	14+	1993	29	42.5	1987	527	1	.0	.0	25.4	.0	9.7	.0
Nov	43.5	26.9	35.2	77	1950	1	42.3	1999	-15	1976	29	27.4	1995	894	0	.0	.0	9.5	4.2	21.5	.3
Dec	30.3	14.7	22.5	67	2001	6	30.3	1982	-25	1983	24	10.3	1983	1318	0	.0	.0	1.3	15.4	29.5	5.0
					Jul			Jul		Jan			Jan								
Ann	54.3	34.8	44.6	102+	1995	14	74.1+	1999	-40+	1982	11	2.6	1977	7832	407	.2	8.0	214.8	64.0	162.4	22.4

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 037-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 473058

Station: GERMANTOWN, WI

Climate Division: WI 9 NWS Call Sign: Elevation: 850 Feet Lat: 43°13N Lon: 88°07W

										Pı	recipi	tation	(incl	nes)										
	Mo	ans/	P	recip	itatio	on Total	s			М	ean N	Numbo Pays (3		Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		· less tha	ın the
		ans(1)				Extremes	5			D	aily Pre	cipitatio	n		Th		•		•	incomplet	•		ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.35	1.10	1.58	1988	20	4.62	1999	.03	1981	8.5	4.3	.5	.1	.21	.32	.52	.71	.90	1.11	1.35	1.65	2.05	2.70	3.32
Feb	1.20	1.09	1.56	1997	21	3.19	1971	.00	1987	7.2	3.2	.6	.1	.08	.20	.39	.57	.75	.95	1.19	1.48	1.87	2.51	3.13
Mar	2.04	1.98	2.18	1998	31	4.64	1976	.36	1978	8.8	5.0	1.2	.3	.51	.70	1.00	1.26	1.52	1.80	2.11	2.47	2.95	3.70	4.41
Apr	3.30	3.23	2.50	1982	3	8.47	1993	1.16	1989	11.4	6.4	2.1	.7	1.22	1.53	1.97	2.34	2.70	3.06	3.45	3.90	4.48	5.38	6.20
May	3.03	2.74	3.55	2000	18	8.28	2000	.53	1988	10.9	6.1	2.0	.5	.72	1.00	1.45	1.84	2.23	2.65	3.12	3.67	4.40	5.56	6.64
Jun	3.82	3.39	5.25	1997	21	9.61	1997	.97	1995	10.5	6.4	2.7	.9	1.08	1.45	2.00	2.47	2.94	3.42	3.96	4.59	5.42	6.71	7.91
Jul	4.05	4.24	7.05	1964	18	8.75	1994	.69	1973	10.6	6.6	2.6	1.1	1.25	1.63	2.20	2.70	3.17	3.67	4.21	4.85	5.67	6.96	8.15
Aug	4.28	3.78	3.78	1983	17	9.03	1995	1.11	1976	10.5	6.8	3.0	1.3	1.50	1.91	2.49	2.98	3.46	3.94	4.47	5.08	5.87	7.08	8.20
Sep	3.53	3.41	4.07	1986	11	10.43	1986	.00	1979	9.8	6.4	2.4	.8	.48	.93	1.53	2.03	2.53	3.06	3.65	4.35	5.28	6.75	8.14
Oct	2.47	2.01	3.09	1954	3	5.47	1991	.27	1975	9.9	5.1	1.6	.4	.54	.76	1.13	1.45	1.78	2.13	2.53	3.00	3.62	4.62	5.56
Nov	2.59	2.49	2.57	1984	1	6.70	1985	.50	1976	9.9	5.6	1.8	.4	.61	.85	1.23	1.57	1.90	2.26	2.66	3.13	3.76	4.75	5.68
Dec	1.79	1.58	1.80	1971	15	5.01	2000	.27+	1989	9.1	4.6	.9	.2	.32	.48	.74	.99	1.24	1.50	1.81	2.18	2.67	3.46	4.21
Ann	33.45	33.51	7.05	Jul 1964	18	10.43	Sep 1986	.00+	Feb 1987	117.1	66.5	21.4	6.8	25.46	27.05	29.06	30.57	31.90	33.18	34.49	35.93	37.67	40.17	42.32

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 473058

Station: GERMANTOWN, WI

Climate Division: WI 9 NWS Call Sign: Elevation: 850 Feet Lat: 43°13N Lon: 88°07W

		II Fall Depth Depth Daily Year Day Monthly Year Daily Year Day Mean Year																					
		Sanow Depth Sanow Depth Median Median															Mea	ın Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	13.3	13.1	6	3	11.0	1971	4	37.1	1979	47	1979	28	33	1979	5.4	4.1	1.7	.7	.1	20.6	16.6	10.9	7.7
Feb	8.2	7.6	6	3	8.0	1974	6	31.0	1994	43	1979	1	36	1979	3.8	2.8	1.0	.4	.0	18.4	14.1	10.6	5.1
Mar	6.7	5.0	2	1	12.0	1971	19	21.0+	1972	25	1978	6	11	1978	3.0	2.3	.6	.3	@	12.4	7.5	5.7	2.7
Apr	1.5	.1	#	#	15.0	1973	10	15.0	1973	15	1973	11	2	1973	1.0	.8	.3	.1	@	1.4	.6	.4	.2
May	.3	.0	#	0	5.5	1994	1	5.5	1994	6	1994	1	#+	1994	.1	.1	@	@	.0	.1	@	@	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.1	.0	#	0	3.0	1992	20	3.0	1992	#+	1997	27	#+	1997	.1	@	@	.0	.0	.0	.0	.0	.0
Nov	3.4	1.6	#	#	10.2	1995	28	18.8	1977	16	1977	30	3	1995	1.8	1.2	.5	.2	@	2.6	1.1	.6	.2
Dec	7.8	6.2	3	2	8.5	1984	27	22.0	1972	27	2000	31	13	2000	4.9	3.3	1.3	.5	.0	18.3	10.1	5.8	.7
Ann	41.3	33.6	N/A	N/A	15.0	Apr 1973	10	37.1	Jan 1979	47	Jan 1979	28	36	Feb 1979	20.1	14.6	5.4	2.2	.1	73.8	50.0	34.0	16.6

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 473058

Station: GERMANTOWN, WI

Climate Division: WI 9 NWS Call Sign:

Sign: Elevation: 850 Feet Lat: 43°13N Lon: 88°07W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/16	6/10	6/05	6/02	5/29	5/25	5/22	5/17	5/11
32	5/31	5/26	5/22	5/19	5/15	5/12	5/09	5/05	4/30
28	5/18	5/13	5/09	5/05	5/02	4/29	4/26	4/22	4/16
24	5/01	4/26	4/22	4/19	4/16	4/13	4/10	4/07	4/02
20	4/20	4/15	4/11	4/08	4/06	4/03	3/31	3/27	3/22
16	4/11	4/05	4/01	3/29	3/25	3/22	3/19	3/14	3/09
			Fal	l Freeze Da	tes (Month/D	ay)			
Temp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	8/29	9/05	9/09	9/13	9/17	9/20	9/24	9/28	10/05
32	9/16	9/20	9/24	9/26	9/29	10/01	10/04	10/07	10/12
28	9/23	9/28	10/02	10/05	10/09	10/12	10/15	10/19	10/24
24	10/11	10/16	10/20	10/24	10/27	10/30	11/02	11/06	11/12
20	10/17	10/23	10/27	10/31	11/03	11/06	11/10	11/14	11/20
16	10/29	11/05	11/10	11/14	11/17	11/21	11/25	11/30	12/06
				Freeze F	ree Period				
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	141	130	122	116	110	104	97	89	79
32	154	147	143	139	136	132	128	124	118
28	181	174	168	163	159	154	149	144	136
24	215	207	202	197	193	189	184	178	171
20	233	226	220	215	211	206	201	196	188
16	261	252	246	241	236	231	226	220	212

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 473058

Station: GERMANTOWN, WI

Climate Division: WI 9 NWS Call Sign: Elevation: 850 Feet Lat: 43°13N Lon: 88°07W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1504	1223	1030	645	333	87	23	64	184	527	894	1318	7832		
60	1349	1083	875	497	214	30	4	19	84	380	744	1163	6442		
57	1256	999	782	410	156	13	0	8	45	298	654	1070	5691		
55	1194	943	720	354	123	7	0	4	28	248	594	1008	5223		
50	1039	803	568	228	60	1	0	0	5	143	450	853	4150		
32	521	345	144	9	0	0	0	0	0	4	84	367	1474		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	40	46	137	354	711	973	1157	1095	828	500	180	72	6093
55	0	0	0	10	122	290	444	386	166	31	1	0	1450
57	0	0	0	5	93	236	382	329	123	19	0	0	1187
60	0	0	0	2	58	163	293	246	72	8	0	0	842
65	0	0	0	0	21	70	157	136	22	1	0	0	407
70	0	0	0	0	6	18	65	60	4	0	0	0	153

										Gro	wing]	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (N	Monthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	3	47	186	480	749	922	864	604	287	69	5	0	3	50	236	716	1465	2387	3251	3855	4142	4211	4216
45	0 0 22 103 337 599 767 709 457 173 31												0	0	22	125	462	1061	1828	2537	2994	3167	3198	3199
50	0 0 9 55 213 449 612 554 316 93 11											0	0	0	9	64	277	726	1338	1892	2208	2301	2312	2312
55	0	0	2	28	122	308	457	400	196	40	4	0	0	0	2	30	152	460	917	1317	1513	1553	1557	1557
60	0 0 0 9 62 187 307 258 107 13 0										0	0	0	0	9	71	258	565	823	930	943	943	943	
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)	•	1
50/86	/86 0 0 29 117 289 469 608 563 372 169 40											2	0	0	29	146	435	904	1512	2075	2447	2616	2656	2658

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf