Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 398911

Station: WASTA, SD

Climate Division: SD 5

NWS Call Sign:

Elevation: 2,320 Feet Lat: 44°04N Lon: 102°26W

	Max Min Daily(2) Mean Daily(2) Mean Mean Mean 100 90 50 32 32 Jan 32.9 6.5 19.7 73 1987 12 30.4 1990 -33 1963 19 3.8 1979 1405 0 .0 .0 4.8 12.6 30.8																				
	Mea	n (1)						Extr	emes						·		Mean	Numb	er of D	Days (3)	
Month			Mean	Mean Highest Daily(2) Year Day Month(1) Mean Vear Daily(2) Year Wear Mean Vear					Day	Month(1)	Year	Heating	Cooling	>=	>=	>=	<=	<=	Min <= 0		
Jan	32.9	6.5	19.7	73	1987	12	30.4	1990	-33	1963	19	3.8	1979	1405	0	.0	.0	4.8	12.6	30.8	8.8
Feb	39.3	12.0	25.7	77	1983	18	37.4	1999	-38	1996	2	11.2	1993	1102	0	.0	.0	8.8	8.3	27.3	4.7
Mar	48.5	21.3	34.9	85	1967	29	42.6	1986	-29	1998	11	26.7	1996	933	0	.0	.0	16.2	3.9	26.3	1.2
Apr	60.3	32.6	46.5	97	1992	30	53.5	1981	5	1975	2	40.5	1983	558	0	.0	.3	24.2	.5	14.0	.0
May	71.0	44.5	57.8	102	1969	27	63.6	1977	15	1950	1	53.0	1995	247	22	.0	1.3	30.2	.0	2.2	.0
Jun	81.0	53.9	67.5	108+	1988	24	76.0	1988	32+	1998	3	60.8	1998	62	135	.6	6.2	30.0	.0	@	.0
Jul	88.5	59.7	74.1	111	1954	12	79.4	1974	38+	1971	30	66.1	1992	14	295	3.0	15.2	31.0	.0	.0	.0
Aug	87.3	57.5	72.4	109+	1985	8	79.1	1983	35	1992	30	66.8	1992	18	247	1.8	14.5	31.0	.0	.0	.0
Sep	77.1	46.0	61.6	107	2001	5	68.7	1998	19	1984	29	56.4	1993	164	60	.7	4.8	29.5	.0	2.0	.0
Oct	63.4	33.1	48.3	98	1963	4	51.1	1979	-4	1991	30	44.6	1976	521	0	.0	.4	27.2	.4	12.1	@
Nov	45.4	19.2	32.3	86	1999	9	42.3	1999	-25	1959	14	16.7	1985	980	0	.0	.0	12.5	5.2	27.0	1.2
Dec	35.7	9.2	22.5	72+	1998	2	33.1	1999	-33+	1990	30	3.5	1983	1320	0	.0	.0	5.2	10.1	30.6	6.2
Ann	60.9	33.0	46.9	111	Jul 1954	12	79.4	Jul 1974	-38	Feb 1996	2	3.5	Dec 1983	7324	759	6.1	42.7	250.6	41.0	172.3	22.1

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 101-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1949-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: WASTA, SD COOP ID: 398911

Climate Division: SD 5 NWS Call Sign: Elevation: 2,320 Feet Lat: 44°04N Lon: 102°26W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total	s			М	ean N	Numbo Pays (3		Proba	ibility th		nonthly/	annual j	precipita ated am		ll be equ		less tha	ın the
	Medi					Extremes	S			D	aily Pre	cipitatio	n		Th				_	incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.35	.29	1.10	1997	4	1.60	1997	.00+	1984	3.1	1.2	@	@	.00	.02	.08	.13	.19	.26	.34	.43	.57	.79	1.01
Feb	.48	.41	.95	2000	26	1.82	1987	.00+	1999	3.2	1.5	.2	.0	.00	.00	.13	.22	.31	.40	.50	.62	.78	1.02	1.26
Mar	1.10	.86	2.61	1973	14	3.67	1977	.00	1981	4.8	2.8	.7	.1	.06	.16	.33	.49	.66	.85	1.07	1.35	1.72	2.34	2.95
Apr	1.95	2.09	3.00	2000	19	6.04	2000	.00	1987	6.0	4.3	1.3	.5	.13	.32	.63	.92	1.22	1.55	1.93	2.40	3.04	4.08	5.09
May	3.05	2.63	3.21	1982	28	9.85	1982	.43	1994	8.0	6.2	2.1	.7	.60	.88	1.33	1.74	2.15	2.60	3.11	3.71	4.52	5.81	7.03
Jun	2.68	2.25	2.63	1963	15	6.20	1998	.23	1974	7.5	5.7	1.9	.6	.57	.81	1.20	1.56	1.92	2.30	2.73	3.25	3.94	5.03	6.07
Jul	2.17	1.54	2.15	1974	17	8.07	1997	.53	1971	6.5	4.5	1.5	.4	.44	.63	.95	1.24	1.54	1.85	2.21	2.64	3.21	4.12	4.99
Aug	1.68	1.66	2.20	1983	22	4.20	1982	.25	1973	5.0	3.7	1.1	.4	.34	.49	.74	.96	1.19	1.43	1.71	2.04	2.48	3.18	3.84
Sep	1.12	.72	1.84	1966	13	4.41	1986	.00+	1994	3.4	2.5	.8	.2	.00	.00	.16	.34	.53	.75	1.02	1.37	1.85	2.68	3.49
Oct	1.53	1.21	2.59	1982	9	6.08	1998	.15	1984	4.2	3.1	1.1	.3	.16	.27	.48	.69	.92	1.18	1.49	1.87	2.38	3.24	4.08
Nov	.74	.60	1.65	2000	1	1.98	1998	.00	1982	3.4	2.4	.3	.1	.07	.16	.28	.39	.50	.61	.75	.91	1.13	1.48	1.81
Dec	.39	.31	.90	1996	22	2.60	1996	.00+	2000	2.9	1.5	.1	.0	.00	.00	.04	.11	.18	.26	.36	.49	.66	.96	1.25
Ann	17.24	16.09	3.21	May 1982	28	9.85	May 1982	.00+	Dec 2000	58.0	39.4	11.1	3.3	10.60	11.81	13.40	14.63	15.74	16.83	17.97	19.25	20.82	23.12	25.15

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1949-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 398911

Station: WASTA, SD

Climate Division: SD 5 NWS Call Sign:

Elevation: 2,320 Feet L

Lat: 44°04N Lon: 102°26W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Da	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	4.8	3.5	2	2	8.0	1975	7	17.2	1975	12+	1993	15	7	1993	2.6	2.0	.6	.1	.0	16.6	9.5	4.8	1.1
Feb	5.7	4.8	2	1	6.5	1971	18	22.0	1987	16	1987	28	8	1978	2.8	2.3	.6	.1	.0	10.3	5.8	3.8	.8
Mar	7.6	5.5	1	1	15.0	1988	11	36.0	1977	19	1975	29	6	1988	2.6	2.0	1.0	.3	.1	5.9	3.9	2.2	.9
Apr	3.2	.8	#	#	10.0	1995	12	17.5	1995	12	1975	2	2	1975	1.1	.9	.5	.2	@	1.5	.9	.5	.1
May	.1	.0	#	0	2.0	1991	3	2.0	1991	#	1984	3	#	1984	@	@	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	#	0	.0	0	0	.0	0	2	1998	3	#	1998	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	#	.0	0	0	#	1985	25	#+	1985	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	1.0	.0	#	0	6.0	1971	28	8.0	1971	6	1991	31	1	1991	.3	.3	.2	.1	.0	.4	.2	.2	.0
Nov	5.0	4.5	1	#	8.0	1977	19	28.0	1985	14	1985	30	7	1985	2.0	1.7	.9	.1	.0	6.0	3.7	1.7	.5
Dec	5.2	5.8	2	1	7.0	1975	31	14.5	1975	13	1985	18	8	1985	2.5	1.6	.7	.2	.0	13.9	7.1	3.6	.3
Ann	32.6	24.9	N/A	N/A	15.0	Mar 1988	11	36.0	Mar 1977	19	Mar 1975	29	8+	Dec 1985	13.9	10.8	4.5	1.1	.1	54.6	31.1	16.8	3.7

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 398911

Station: WASTA, SD Climate Division: SD 5

NWS Call Sign:

Elevation: 2,320 Feet

Lat: 44°04N Lon: 102°26W

				Freez	e Data								
			Spri	ng Freeze D	ates (Month	/Day)							
Probability of earlier date in spring (hu Jul 31) than indicated(*) 10 20 30 40 5.0 6.0 7.0 80 9.0 36 6.04 5.30 5.26 5.23 5.70 5.17 5.14 5.10 5.05 32 5.23 5.19 5.15 5.13 5.10 5.07 5.05 5.01 4.27 28 5.15 5.09 5.06 5.03 4.430 4.27 4.24 4.20 4.15 24 5.04 4.29 4.26 4.23 4.21 4.18 4.16 4.412 4.08 20 4.42 4.17 4.13 4.10 4.07 4.05 4.02 3.29 3.24 16 4.13 4.08 4.04 4.01 3.29 3.26 3.22 3.19 3.13 Temp (F)													
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	6/04	5/30	5/26	5/23	5/20	5/17	5/14	5/10	5/05				
32	5/23	5/19	5/15	5/13	5/10	5/07	5/05	5/01	4/27				
28	5/15	5/09	5/06	5/03	4/30	4/27	4/24	4/20	4/15				
24	5/04	4/29	4/26	4/23	4/21	4/18	4/16	4/12	4/08				
20	4/22	4/17	4/13	4/10	4/07	4/05	4/02	3/29	3/24				
16	4/13	4/08	4/04	4/01	3/29	3/26	3/22	3/19	3/13				
			Fa	ll Freeze Da	tes (Month/I	Day)		•	•				
Tomp (F)		Pro	bability of e	arlier date i	n fall (beginn	ning Aug 1) t	han indicate	ed(*)					
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	9/04	9/08	9/11	9/14	9/16	9/18	9/21	9/23	9/27				
32	9/11	9/15	9/18	9/20	9/23	9/25	9/28	10/01	10/05				
28	9/19	9/25	9/28	10/01	10/04	10/07	10/11	10/14	10/20				
24	9/26	10/03	10/08	10/12	10/16	10/20	10/24	10/29	11/05				
20	10/08	10/13	10/17	10/20	10/23	10/26	10/30	11/02	11/08				
16	10/17	10/23	10/27	10/30	11/03	11/06	11/10	11/14	11/20				
				Freeze F	ree Period								
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)						
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	135	129	125	122	118	115	111	107	101				
32	152	146	142	138	135	132	128	124	118				
28	179	171	166	161	157	153	148	143	135				
24	202	194	188	183	178	173	168	162	153				
20	218	211	206	202	198	194	190	186	179				
16	238	232	227	222	218	214	210	205	198				

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 398911

Station: WASTA, SD

Climate Division: SD 5 NWS Call Sign: Elevation: 2,320 Feet Lat: 44°04N Lon: 102°26W

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1405	1102	933	558	247	62	14	18	164	521	980	1320	7324
60	1250	962	778	412	137	20	2	3	80	367	830	1165	6006
57	1157	885	685	329	87	8	0	1	45	277	740	1072	5286
55	1097	834	624	277	62	4	0	0	29	221	683	1010	4841
50	949	703	477	165	20	0	0	0	7	106	544	867	3838
32	465	312	94	3	0	0	0	0	0	1	161	394	1430

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	83	135	184	436	798	1063	1304	1252	887	504	171	96	6913
55	2	12	1	20	146	377	591	539	225	11	3	0	1927
57	0	8	0	11	110	321	529	478	182	5	0	0	1644
60	0	0	0	5	67	243	438	387	126	1	0	0	1267
65	0	0	0	0	22	135	295	247	60	0	0	0	759
70	0	0	0	0	5	61	174	133	22	0	0	0	395

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	2	23	86	261	574	840	1074	1030	667	313	57	5	2	25	111	372	946	1786	2860	3890	4557	4870	4927	4932
45	0 5 38 157 423 691 919 875 520 193 20											0	0	5	43	200	623	1314	2233	3108	3628	3821	3841	3841
50	0	0	10	78	282	544	764	720	380	98	5	0	0	0	10	88	370	914	1678	2398	2778	2876	2881	2881
55	0	0	0	36	164	396	609	565	253	42	0	0	0	0	0	36	200	596	1205	1770	2023	2065	2065	2065
60	0 0 0 11 77 258 456 412 152 11 0										0	0	0	0	11	88	346	802	1214	1366	1377	1377	1377	
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	1/86 13 40 91 197 360 536 687 656 427 237 66											19	13	53	144	341	701	1237	1924	2580	3007	3244	3310	3329

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf