Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: GEORGETOWN R S, CA 1971-2000 COOP ID: 043384

Climate Division: CA 2 NWS Call Sign: Elevation: 3,001 Feet Lat: 38°56N Lon: 120°48W

									ŗ	Гетр	eratur	re (°F)											
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65	Mean Number of Days (3)							
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0		
Jan	.0	.0	.0	76	1984	30	.0	0	11	1982	22	.0	0	0	0	.0	.0	19.1	.1	13.7	.0		
Feb	.0	.0	.0	78+	1996	13	.0	0	15+	1989	7	.0	0	0	0	.0	.0	19.7	.2	10.5	.0		
Mar	.0	.0	.0	82	1984	29	.0	0	15	1971	1	.0	0	0	0	.0	.0	23.6	@	8.8	.0		
Apr	.0	.0	.0	88+	1989	9	.0	0	20	1963	2	.0	0	0	0	.0	.0	27.0	.0	4.3	.0		
May	.0	.0	.0	101	1984	29	.0	0	29+	1974	18	.0	0	0	0	@	.7	30.2	.0	.7	.0		
Jun	.0	.0	.0	100+	2000	15	.0	0	31+	1982	5	.0	0	0	0	.1	6.6	30.0	.0	.1	.0		
Jul	.0	.0	.0	107	1972	15	.0	0	39	2000	4	.0	0	0	0	1.2	16.0	31.0	.0	.0	.0		
Aug	.0	.0	.0	106+	1998	5	.0	0	39	1968	20	.0	0	0	0	2.1	16.2	31.0	.0	.0	.0		
Sep	.0	.0	.0	104+	1998	3	.0	0	34	1972	11	.0	0	0	0	.5	9.3	29.9	.0	.0	.0		
Oct	.0	.0	.0	100	2001	3	.0	0	23	1971	29	.0	0	0	0	.0	2.0	30.5	.0	.8	.0		
Nov	.0	.0	.0	84+	1976	5	.0	0	21+	2001	27	.0	0	0	0	.0	.0	24.6	.0	5.9	.0		
Dec	.0	.0	.0	79	1985	26	.0	0	9	1972	11	.0	0	0	0	.0	.0	19.3	.3	12.0	.0		
Ann	.0	.0	.0	107	Jul 1972	15	-99.9	0	9	Dec 1972	11	99.9	0	0	0	3.9	50.8	315.9	.6	56.8	.0		

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 078-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: GEORGETOWN R S, CA

COOP ID: 043384

Climate Division: CA 2 NWS Call Sign: Elevation: 3,001 Feet Lat: 38°56N Lon: 120°48W

									Pı	hes)																	
		ans/	P	recip	itatio	on Total Extremes					ean N of D	ays (3)	Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution													
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95			
Jan	10.00	9.76	10.68	1997	3	25.81	1997	.57	1976	8.9	7.3	5.1	3.3	1.00	1.73	3.10	4.49	6.00	7.70	9.70	12.20	15.62	21.29	26.84			
Feb	8.92	7.75	8.91	2000	15	29.36	1986	.70	1997	9.1	7.0	4.3	2.4	1.14	1.86	3.12	4.37	5.68	7.13	8.82	10.90	13.72	18.34	22.81			
Mar	8.49	7.65	3.82	1949	3	21.96	1991	.68	1994	10.1	7.8	4.6	2.6	1.20	1.91	3.13	4.30	5.54	6.89	8.46	10.37	12.96	17.18	21.25			
Apr	3.90	2.91	4.45	1982	11	10.83	1978	.18	1977	6.9	4.9	2.7	1.1	.51	.82	1.38	1.92	2.49	3.12	3.86	4.76	5.98	7.98	9.92			
May	1.85	1.31	2.68	2000	8	7.88	1998	.00+	1999	4.6	2.9	1.3	.4	.00	.00	.13	.47	.82	1.22	1.71	2.31	3.15	4.54	5.97			
Jun	.71	.35	1.85	1995	15	2.81	1995	.00+	1999	2.2	1.3	.6	.2	.00	.00	.00	.09	.24	.41	.62	.88	1.25	1.88	2.50			
Jul	.22	.00	3.92	1974	9	4.19	1974	.00+	2000	.6	.2	.1	@	.00	.00	.00	.00	.00	.00	.00	.01	.12	.62	1.25			
Aug	.20	.00	1.43	1968	20	2.64	1976	.00+	2000	.6	.4	.1	.0	.00	.00	.00	.00	.00	.00	.00	.00	.21	.69	1.21			
Sep	1.09	.47	2.16	1959	19	5.12	1986	.00+	1999	2.6	1.8	.7	.4	.00	.00	.00	.03	.20	.45	.78	1.23	1.91	3.12	4.35			
Oct	2.86	2.04	7.00	1962	13	7.98	1975	.00+	1988	4.6	3.5	1.7	1.0	.00	.11	.48	.89	1.36	1.92	2.60	3.47	4.71	6.82	8.93			
Nov	7.21	5.76	5.88	1950	19	22.93	1983	.58	1995	7.8	6.1	3.7	1.9	.72	1.24	2.23	3.23	4.32	5.55	6.99	8.80	11.27	15.38	19.39			
Dec	7.93	5.38	7.91	1964	23	28.60	1996	.00	1989	7.7	6.0	3.6	2.1	.31	.96	2.11	3.26	4.52	5.94	7.63	9.74	12.64	17.48	22.22			
Ann	53.38	50.13	10.68	Jan 1997	3	29.36	Feb 1986	.00+	Aug 2000	65.7	49.2	28.5	15.4	25.31	29.93	36.28	41.40	46.15	50.90	55.98	61.77	69.02	79.98	89.83			

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: GEORGETOWN R S, CA

Climate Division: CA 2 NWS Call Sign:

										Snov	w (inc	hes)														
						Sn	ow To	tals							Mean Number of Days (1)											
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							now F Threst		Snow Depth >= Thresholds							
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10			
Jan	3.9	.0	1	0	15.5	1972	27	21.0	1972	18	1974	8	9	1971	-9.9	-9.9	-9.9	-9.9	-9.9	.2	.1	.0	.0			
Feb	.6	.0	#	0	3.5	1974	13	3.5	1974	6	1976	5	#+	1976	-9.9	-9.9	-9.9	-9.9	-9.9	.1	.1	.0	.0			
Mar	1.2	.0	#	0	4.0	1973	22	6.0	1973	9	1975	14	1	1975	-9.9	-9.9	-9.9	-9.9	-9.9	.2	.1	.1	.0			
Apr	.1	.0	#	0	1.0	1974	9	1.0	1974	9	1975	7	1	1975	.1	.1	.0	.0	.0	.0	.0	.0	.0			
May	.4	.0	#	0	5.0	1977	6	5.0	1977	5	1977	6	#	1977	.1	.1	.1	.1	.0	@	@	@	.0			
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Oct	#	.0	#	0	#	1971	17	#	1971	#	1971	17	#	1971	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Nov	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0			
Dec	2.0	.0	0	0	8.0	1972	6	16.0	1972	16	1972	8	4	1971	.7	.7	.4	.2	.0	.0	.0	.0	.0			
Ann	8.2	.0	N/A	N/A	15.5	Jan 1972	27	21.0	Jan 1972	18	Jan 1974	8	9	Jan 1971	-9.9	-9.9	-9.9	-9.9	-9.9	.5	.3	.1	.0			

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 043384

Lon: 120°48W

Lat: 38°56N

Elevation: 3.001 Feet

Station: GEORGETOWN R S, CA

Climate Division: CA 2 NWS Call Sign:

Freeze Data **Spring Freeze Dates (Month/Day)** Probability of later date in spring (thru Jul 31) than indicated(*) Temp (F) .10 .20 .30 .40 .60 .70 .80 .90 36 6/06 5/28 5/22 5/17 5/12 5/07 5/02 4/25 4/17 32 4/25 4/19 5/21 5/12 5/05 4/30 4/14 4/07 3/29 28 4/24 4/11 4/03 3/26 3/19 3/12 3/05 2/24 2/12 3/24 3/05 0/00 24 2/19 2/07 1/26 1/12 12/27 11/26 20 2/25 2/06 1/20 12/31 0/00 0/00 0/00 0/00 0/00 0/00 16 1/14 0/00 0/00 0/00 0/00 0/00 0/00 0/00 Fall Freeze Dates (Month/Day) Probability of earlier date in fall (beginning Aug 1) than indicated(*) Temp (F) .20 .30 .40 .50 .70 .10 .60 .80 .90 36 10/03 10/11 10/16 10/21 10/26 10/30 11/04 11/10 11/17 32 10/18 10/25 10/30 11/04 11/08 11/12 11/17 11/22 11/30 28 10/31 11/08 11/14 11/20 11/25 11/29 12/05 12/11 12/19 24 11/13 11/29 12/12 12/22 1/02 1/14 1/30 0/00 0/00 20 12/13 1/02 1/19 2/09 0/00 0/00 0/00 0/00 0/00 12/30 0/00 0/00 0/00 16 0/00 0/00 0/00 0/00 0/00 Freeze Free Period **Probability of longer than indicated freeze free period (Days)** Temp (F) .10 .20 .30 .40 .50 .60 .70 .80 .90 204 182 174 159 151 142 129 36 191 166 32 231 220 211 204 197 190 183 174 163 28 295 280 268 259 249 240 231 219 204

>365

>365

>365

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

>365

>365

>365

Derived from 1971-2000 serially complete daily data

>365

>365

>365

>365

>365

>365

24

20

16

Complete documentation available from:

302

>365

>365

281

>365

>365

257

340

>365

>365

>365

>365

327

>365

>365

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 043384

Station: GEORGETOWN R S, CA

Climate Division: CA 2 NWS Call Sign: Elevation: 3,001 Feet Lat: 38°56N Lon: 120°48W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree 1	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	0	0	0	0	0	0	0	0	0	0	0	0	0		
60	0	0	0	0	0	0	0	0	0	0	0	0	0		
57	0	0	0	0	0	0	0	0	0	0	0	0	0		
55	0	0	0	0	0	0	0	0	0	0	0	0	0		
50	0	0	0	0	0	0	0	0	0	0	0	0	0		
32	0	0	0	0	0	0	0	0	0	0	0	0	0		

Base		Cooling Degree Days (1)														
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann			
32	0	0	0	0	0	0	0	0	0	0	0	0	0			
55	0	0	0	0	0	0	0	0	0	0	0	0	0			
57	0	0	0	0	0	0	0	0	0	0	0	0	0			
60	0	0	0	0	0	0	0	0	0	0	0	0	0			
65	0	0	0	0	0	0	0	0	0	0	0	0	0			
70	0	0	0	0	0	0	0	0	0	0	0	0	0			

Growing Degree Units (2)																													
Base		Growing Degree Units (Monthly)														Growing Degree Units (Accumulated Monthly)													
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec					
40	147	180	247	376	603	840	1082	1081	905	654	266	155	147	327	574	950	1553	2393	3475	4556	5461	6115	6381	6536					
45	61	85	131	245	450	690	927	926	755	502	154	66	61	146	277	522	972	1662	2589	3515	4270	4772	4926	4992					
50	21	36	59	141	310	543	772	771	606	365	77	18	21	57	116	257	567	1110	1882	2653	3259	3624	3701	3719					
55	0	7	17	68	191	399	617	616	461	237	31	0	0	7	24	92	283	682	1299	1915	2376	2613	2644	2644					
60	0	0	0	27	101	263	465	463	324	137	8	0	0	0	0	27	128	391	856	1319	1643	1780	1788	1788					
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)							
50/86	79	104	142	222	368	535	703	698	577	398	145	79	79	183	325	547	915	1450	2153	2851	3428	3826	3971	4050					

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf