Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 331390

Station: CELINA 3 NE, OH

Climate Division: OH 4

NWS Call Sign:

Elevation: 860 Feet Lat: 40°34N Lon: 84°32W

	Jointh Max Daily Max Daily Min Mean Highest Daily(2) Year Mean Day Month(1) Mean Year Daily(2) Year Daily(2) Year Day Month(1) Mean Year Mean Heating Mean Cooling Series >=																				
	Mea	n (1)						Extr	emes				•		Mean	Numb	er of D	Days (3)			
Month			Mean	-	Year	Day	Month(1)	Year		Year	Day	Month(1)	Year	Heating	Cooling	>=	>=	>=	<=	<=	Min <= 0
Jan	32.7	17.9	25.3	64	1967	23	35.3	1990	-23+	1994	19	10.5	1977	1230	0	.0	.0	2.6	14.7	28.0	3.6
Feb	37.5	21.1	29.3	72	2000	25	38.3	1998	-16	1979	17	13.3	1978	1000	0	.0	.0	4.5	10.3	23.5	2.4
Mar	49.2	30.2	39.7	82	1986	31	47.3	1973	-9	1984	9	29.7	1984	785	0	.0	.0	14.1	2.7	19.2	.1
Apr	61.9	39.7	50.8	86+	1986	27	56.9	1985	9	1982	7	45.3	1975	429	3	.0	.0	26.1	.1	6.7	.0
May	72.9	50.6	61.8	94	1988	31	68.5+	1991	26+	1966	10	55.8	1997	179	78	.0	.5	31.0	.0	.5	.0
Jun	81.2	59.9	70.6	103	1988	25	74.3	1984	37	1966	1	66.0+	1992	19	187	.1	3.2	30.0	.0	.0	.0
Jul	84.5	63.5	74.0	101	1980	15	77.5	1988	43	1988	1	71.0	2000	1	279	.2	5.8	31.0	.0	.0	.0
Aug	82.3	61.2	71.8	101	1983	20	77.0	1983	37	1965	29	67.2	1992	14	221	@	2.5	31.0	.0	.0	.0
Sep	76.7	54.4	65.6	96	1983	10	70.3	1998	30+	1995	23	61.2+	1975	72	88	.0	1.1	30.0	.0	.1	.0
Oct	64.6	43.7	54.2	89	1963	6	61.2	1971	20+	1976	18	47.7	1988	349	12	.0	.0	28.5	.0	3.5	.0
Nov	50.0	34.2	42.1	77	1961	2	47.9	1975	-3	1958	30	34.5	1976	688	0	.0	.0	15.3	1.3	14.4	.0
Dec	37.6	23.7	30.7	70	1982	2	39.6	1982	-20	1989	22	18.0	1989	1065	0	.0	.0	4.7	8.9	25.0	1.3
Ann	60.9	41.7	51.3	103	Jun 1988	25	77.5	Jul 1988	-23+	Jan 1994	19	10.5	Jan 1977	5831	868	.3	13.1	248.8	38.0	120.9	7.4

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 012-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1956-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 331390

Station: CELINA 3 NE, OH

Climate Division: OH 4 NWS Call Sign: Elevation: 860 Feet Lat: 40°34N Lon: 84°32W

										Pı	recipi	tation	(incl	hes)										
	Me	ans/	P	recip	itatio	n Total	s			M	ean N	Numbo Pays (3		Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		less tha	ın the
		ans(1)				Extremes	5			D	aily Pre	cipitatio	n		Th		•		-	incomplet	•		ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	2.17	2.27	2.39	1959	21	4.36	1982	.43	1981	11.9	6.1	1.2	.1	.69	.89	1.20	1.46	1.71	1.97	2.26	2.59	3.03	3.70	4.33
Feb	2.08	2.03	2.01	1959	10	4.89	1990	.33	1987	10.2	5.3	1.2	.2	.55	.74	1.04	1.31	1.57	1.84	2.14	2.51	2.97	3.72	4.41
Mar	2.78	2.68	1.90	1964	9	5.86	1973	.68	1994	12.7	7.2	1.8	.2	.97	1.23	1.61	1.93	2.24	2.56	2.90	3.30	3.81	4.60	5.33
Apr	3.50	3.59	2.99	1959	27	8.33	1972	1.18	1985	13.1	7.7	2.2	.6	1.36	1.68	2.15	2.53	2.89	3.26	3.67	4.13	4.72	5.63	6.45
May	3.64	3.61	2.32	1987	19	6.14	1981	1.11	1988	12.2	8.1	2.5	.6	1.63	1.95	2.40	2.77	3.11	3.45	3.82	4.24	4.77	5.58	6.31
Jun	3.86	3.96	3.20	1957	28	8.19	1981	.97	1988	10.5	7.4	2.5	1.0	1.49	1.85	2.36	2.79	3.19	3.60	4.04	4.56	5.21	6.22	7.14
Jul	4.43	4.13	5.00	1992	13	13.82	1992	.25	1974	10.6	6.8	2.9	1.2	1.12	1.54	2.18	2.75	3.32	3.91	4.57	5.36	6.38	8.01	9.53
Aug	3.68	3.92	2.45	1973	12	6.00	1977	.38	1983	9.6	6.5	2.6	1.0	1.14	1.49	2.01	2.46	2.89	3.34	3.83	4.41	5.15	6.31	7.39
Sep	2.76	2.71	4.43	1969	17	6.40	1972	.50	1987	8.9	5.7	1.9	.6	.73	.99	1.39	1.74	2.09	2.45	2.85	3.33	3.95	4.94	5.85
Oct	2.32	2.09	2.88	1995	5	6.16	1983	.58	1994	9.3	5.5	1.3	.4	.83	1.05	1.37	1.63	1.88	2.14	2.43	2.76	3.18	3.83	4.43
Nov	2.95	2.48	2.49	1993	14	6.30	1985	.43	1976	11.1	6.3	2.0	.4	.83	1.11	1.54	1.91	2.27	2.64	3.06	3.56	4.20	5.20	6.13
Dec	2.65	2.49	2.19	1990	30	7.22	1990	.53	1976	12.5	6.6	1.5	.4	.86	1.11	1.49	1.80	2.11	2.42	2.77	3.17	3.69	4.50	5.24
Ann	36.82	36.55	5.00	Jul 1992	13	13.82	Jul 1992	.25	Jul 1974	132.6	79.2	23.6	6.7	28.63	30.27	32.35	33.90	35.27	36.58	37.92	39.40	41.17	43.71	45.89

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1956-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 331390

Station: CELINA 3 NE, OH

Climate Division: OH 4 NWS Call Sign: Elevation: 860 Feet Lat: 40°34N Lon: 84°32W

		u n u n u n u Daily Monthly Daily																					
		Extremes (2) Snow Snow Snow Snow Highest Highest Monthly															Mea	n Nu	mber	of Da	ys (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	10.5	8.5	3	2	10.0	1978	26	35.9	1978	26	1978	29	12	1996	7.6	3.7	1.3	.4	@	12.6	7.4	4.4	.9
Feb	7.7	6.9	3	1	8.0	1993	16	19.3	1979	27	1978	13	23	1978	5.4	2.4	.7	.2	.0	8.6	6.0	4.3	2.4
Mar	4.7	4.3	1	#	7.5	1973	17	13.3	1984	20	1978	3	8	1978	3.5	1.4	.4	.2	.0	3.3	1.7	1.1	.4
Apr	1.1	.0	#	0	7.0	1982	9	13.0	1982	5	1982	6	1	1982	.7	.3	.1	.1	.0	.3	.1	@	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.3	.0	#	0	4.2	1989	19	4.2	1989	2	1989	19	#+	1993	.2	.1	@	.0	.0	@	.0	.0	.0
Nov	1.5	.8	#	#	4.0	1997	14	6.8	1980	3	1996	21	1	1996	1.6	.5	.1	.0	.0	.8	.1	.0	.0
Dec	6.4	4.4	1	#	8.5	1973	20	21.4	1973	17	1977	11	6	1977	5.4	2.2	.6	.2	.0	5.8	2.5	1.5	.3
Ann	32.2	24.9	N/A	N/A	10.0	Jan 1978	26	35.9	Jan 1978	27	Feb 1978	13	23	Feb 1978	24.4	10.6	3.2	1.1	@	31.4	17.8	11.3	4.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 331390

Station: CELINA 3 NE, OH

Climate Division: OH 4 NWS Call Sign:

NWS Call Sign: Elevation: 860 Feet Lat: 40°34N Lon: 84°32W

				Freez	ze Data				
			Spri	ng Freeze D	ates (Month	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated((*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/18	5/14	5/11	5/09	5/06	5/04	5/01	4/28	4/24
32	5/10	5/06	5/02	4/30	4/27	4/24	4/21	4/18	4/13
28	4/24	4/21	4/18	4/15	4/13	4/11	4/08	4/05	4/01
24	4/16	4/11	4/07	4/04	4/01	3/29	3/26	3/22	3/17
20	4/05	4/01	3/28	3/25	3/22	3/20	3/17	3/13	3/08
16	3/31	3/25	3/20	3/16	3/13	3/09	3/05	3/01	2/23
		1	Fal	l Freeze Da	tes (Month/D	Day)	1	1	ч
To (E)		Pro	bability of ea	arlier date i	n fall (beginn	ning Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/21	9/25	9/28	9/30	10/03	10/05	10/08	10/11	10/15
32	9/29	10/04	10/08	10/11	10/14	10/16	10/19	10/23	10/28
28	10/12	10/17	10/21	10/25	10/28	10/31	11/04	11/08	11/13
24	10/25	10/31	11/03	11/06	11/09	11/12	11/15	11/19	11/24
20	11/04	11/11	11/15	11/19	11/23	11/27	12/01	12/06	12/12
16	11/20	11/26	12/01	12/05	12/09	12/12	12/16	12/21	12/27
		_	•	Freeze F	ree Period			•	1
T (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	167	161	157	153	149	145	142	137	131
32	189	182	177	173	169	165	161	156	149
28	221	213	207	202	197	193	188	182	174
24	243	235	230	226	221	217	213	207	200
20	268	260	254	250	245	240	235	230	221
16	293	285	279	275	270	266	261	255	248

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 331390

Station: CELINA 3 NE, OH

Climate Division: OH 4 NWS Call Sign: Elevation: 860 Feet Lat: 40°34N Lon: 84°32W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1230	1000	785	429	179	19	1	14	72	349	688	1065	5831
60	1075	860	630	290	97	4	0	1	23	223	538	910	4651
57	982	776	545	216	61	1	0	0	9	161	451	817	4019
55	920	723	487	172	43	1	0	0	5	125	397	759	3632
50	772	593	352	85	15	0	0	0	1	59	267	615	2759
32	302	207	59	0	0	0	0	0	0	0	23	202	793

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	96	131	297	564	922	1158	1301	1231	1006	686	325	160	7877
55	0	3	13	46	252	468	588	518	320	98	9	4	2319
57	0	0	9	30	209	409	526	456	265	72	4	0	1980
60	0	0	0	14	151	321	433	364	189	41	1	0	1514
65	0	0	0	3	78	187	279	221	88	12	0	0	868
70	0	0	0	0	31	83	141	109	28	2	0	0	394

										Gro	wing]	Degre	e Uni	ts (2)										
Base	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov I 40 16 35 139 350 685 925 1061 993 776 454 158 45 2 12 78 229 530 775 906 838 626 314 90															Growi	ng Degre	ee Units (Accumu	lated Mo	onthly)			
														Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40														51	190	540	1225	2150	3211	4204	4980	5434	5592	5629
45	5 2 12 78 229 530 775 906 838 626 314 90												2	14	92	321	851	1626	2532	3370	3996	4310	4400	4416
50												4	0	2	42	175	556	1181	1932	2615	3093	3283	3325	3329
55	0	0	16	67	249	475	596	528	335	103	17	0	0	0	16	83	332	807	1403	1931	2266	2369	2386	2386
60	0	0	4	29	140	330	441	373	208	46	2	0	0	0	4	33	173	503	944	1317	1525	1571	1573	1573
Base	ase Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)	•		
50/86	50/86 1 20 85 209 423 619 729 676 497 263 83 12												1	21	106	315	738	1357	2086	2762	3259	3522	3605	3617

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf