Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: TROUT CREEK R S, MT 1971-2000 COOP ID: 248380

Climate Division: MT 1 NWS Call Sign: Elevation: 2,356 Feet Lat: 47°52N Lon: 115°37W

									r	Tempe	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	34.3	19.3	26.8	57	1989	31	35.0	1994	-33	1979	1	11.6	1979	1185	0	.0	.0	.3	9.8	27.7	3.1
Feb	41.0	22.1	31.6	69	1995	25	37.4	1992	-23+	1996	2	22.5	1989	937	0	.0	.0	3.4	3.5	24.9	1.9
Mar	50.4	26.7	38.6	75	1994	31	44.0	1992	-6+	1976	2	33.0	1976	820	0	.0	.0	15.9	.3	23.9	.1
Apr	60.7	31.5	46.1	92+	1977	26	49.7	1980	9	1975	1	41.3	1982	567	0	.0	.1	26.2	.0	17.5	.0
May	69.1	37.7	53.4	98	1966	27	57.7	1993	18+	1973	1	49.7	1996	359	1	.0	.6	30.8	.0	8.0	.0
Jun	76.0	43.6	59.8	101	1961	17	64.2	1974	27+	1979	14	55.1	1981	177	21	.0	2.1	30.0	.0	1.2	.0
Jul	84.2	46.4	65.3	105	1994	24	71.4	1998	27	1979	3	58.7	1993	91	101	.6	10.1	31.0	.0	.3	.0
Aug	85.3	46.0	65.7	110	1961	4	70.5	1971	26	1965	25	60.6	1987	79	99	.8	11.1	31.0	.0	.4	.0
Sep	74.8	39.9	57.4	101+	1998	6	64.2	1998	18	2000	23	52.4	1985	248	19	.2	1.8	30.0	.0	5.3	.0
Oct	60.0	33.3	46.7	89	1970	5	52.7	1988	5	1971	29	43.1	1985	569	0	.0	.0	26.4	@	15.5	.0
Nov	42.0	28.5	35.3	69	1965	1	40.6	1999	-8+	1985	28	24.0	1985	892	0	.0	.0	4.7	2.5	20.5	.3
Dec	33.9	21.2	27.6	55	1965	4	33.4	1999	-40	1968	30	17.8	1983	1161	0	.0	.0	.2	10.4	27.6	1.5
Ann	59.3	33.0	46.2	110	Aug 1961	4	71.4	Jul 1998	-40	Dec 1968	30	11.6	Jan 1979	7085	241	1.6	25.8	229.9	26.5	172.8	6.9

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 160-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1960-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 248380

Station: TROUT CREEK R S, MT

Climate Division: MT 1 NWS Call Sign: Elevation: 2,356 Feet Lat: 47°52N Lon: 115°37W

										Pı	recipi	tation	(incl	hes)										
	Me	ans/	P	recip	itatio	on Total	s			M	ean N	Numb Oays (3		Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		· less tha	ın the
		ans(1)				Extremes	5			D	aily Pre	cipitatio	n		Th				_	incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	3.67	3.43	1.87	1974	14	10.21	1974	.32	1985	15.4	9.5	2.1	.5	.80	1.14	1.68	2.17	2.65	3.17	3.76	4.46	5.38	6.85	8.23
Feb	2.74	2.30	1.57	1963	3	5.73	1972	.46	1998	13.0	7.8	1.4	.3	.56	.81	1.21	1.58	1.95	2.35	2.80	3.34	4.05	5.20	6.28
Mar	2.21	2.05	1.47	1963	30	3.83	1982	.38	1992	13.6	7.4	.7	@	.67	.88	1.19	1.46	1.72	2.00	2.30	2.65	3.11	3.82	4.48
Apr	1.84	1.61	1.39	1996	24	3.34	1991	.17	1977	11.4	5.8	.6	.1	.47	.65	.92	1.15	1.38	1.63	1.90	2.23	2.65	3.31	3.94
May	2.35	2.06	2.04	1980	26	5.82	1998	.72	1999	12.9	7.1	1.0	.2	.76	.98	1.31	1.59	1.86	2.14	2.45	2.81	3.27	3.99	4.66
Jun	2.26	1.91	2.71	1964	8	4.68	1981	.39	1979	11.9	6.2	.9	.2	.63	.84	1.17	1.45	1.73	2.02	2.34	2.72	3.21	3.98	4.70
Jul	1.39	1.17	1.19	1971	10	4.40	1993	.00+	1985	7.4	3.8	.9	.1	.00	.22	.49	.72	.94	1.17	1.44	1.74	2.16	2.83	3.47
Aug	1.35	1.19	3.00	1999	8	3.83	1999	.00	2000	6.9	3.7	.7	.1	.06	.18	.38	.58	.79	1.03	1.31	1.67	2.15	2.94	3.72
Sep	1.40	1.16	1.29	1968	18	3.67	1985	.00	1990	8.0	4.3	.7	.0	.18	.36	.60	.79	.99	1.20	1.44	1.72	2.09	2.68	3.24
Oct	1.97	1.56	2.01	1994	27	5.72	1990	.00	1974	9.8	5.6	1.0	.1	.11	.29	.59	.88	1.19	1.53	1.93	2.43	3.11	4.22	5.30
Nov	3.89	3.96	1.64	1990	25	8.03	1973	.76	1993	16.0	10.1	2.3	.5	1.03	1.40	1.97	2.46	2.95	3.46	4.03	4.70	5.58	6.95	8.24
Dec	3.90	4.05	2.55	1964	22	7.67	1996	.70	1985	15.4	10.3	2.5	.3	1.18	1.55	2.10	2.58	3.04	3.52	4.05	4.67	5.48	6.73	7.90
Ann	28.97	28.46	3.00	Aug 1999	8	10.21	Jan 1974	.00+	Aug 2000	141.7	81.6	14.8	2.4	20.94	22.50	24.51	26.02	27.36	28.66	30.00	31.48	33.26	35.85	38.09

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1960-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 248380

Station: TROUT CREEK R S, MT

Climate Division: MT 1 NWS Call Sign: Elevation: 2,356 Feet Lat: 47°52N Lon: 115°37W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa				Snow = Thr	_	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	20.4	19.6	10	8	12.0	1982	23	52.1	1982	35+	1997	28	30	1997	8.9	6.8	3.2	1.3	.1	24.7	20.2	19.5	13.5
Feb	10.5	9.8	8	5	14.0	1986	15	28.1	1985	34	1975	10	25	1997	4.4	3.5	1.7	.6	@	19.5	16.5	13.2	7.5
Mar	3.9	1.3	2	#	10.0	1996	4	17.2	1996	24	1997	5	19	1997	1.8	1.4	.6	.2	@	5.6	3.7	2.5	.9
Apr	.4	.0	#	0	4.0	1997	4	4.0	1997	8	1997	1	1	1997	.3	.2	@	.0	.0	.1	@	.0	.0
May	#	.0	0	0	#	1984	3	#	1984	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	#	.0	0	0	#	1985	8	#+	1985	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	7.7	5.5	1	#	15.0	1996	19	44.0	1996	25	1996	24	9	1996	3.3	2.3	1.0	.5	@	5.6	3.3	1.4	.6
Dec	21.2	15.0	5	2	11.5	1990	27	55.1	1996	43	1996	29	26	1996	8.0	6.2	2.6	1.1	.1	17.3	11.9	8.1	4.2
Ann	64.1	51.2	N/A	N/A	15.0	Nov 1996	19	55.1	Dec 1996	43	Dec 1996	29	30	Jan 1997	26.7	20.4	9.1	3.7	.2	72.8	55.6	44.7	26.7

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 248380

Station: TROUT CREEK R S, MT

Climate Division: MT 1 NWS Call Sign:

Lon: 115°37W Elevation: 2,356 Feet Lat: 47°52N

				Freez	e Data										
			Spri	ng Freeze D	ates (Month/	(Day)									
Tomn (F)	Probability of later date in spring (thru Jul 31) than indicated(*) 10 20 30 40 50 60 70 80 90 36 7/31 7/23 7/17 7/11 7/06 7/01 6/26 6/20 6/11 32 7/04 6/26 6/20 6/14 6/09 6/04 5/30 5/24 5/15 28 6/03 5/28 5/24 5/20 5/16 5/12 5/09 5/04 4/28 24 5/11 5/04 4/28 4/24 4/20 4/16 4/12 4/06 3/30 20 4/25 4/16 4/09 4/04 3/29 3/24 3/18 3/12 3/02 16 4/02 3/25 3/19 3/14 3/10 3/05 2/28 2/22 2/14 Pemp (F)														
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	7/31	7/23	7/17	7/11	7/06	7/01	6/26	6/20	6/11						
32	7/04	6/26	6/20	6/14	6/09	6/04	5/30	5/24	5/15						
28	6/03	5/28	5/24	5/20	5/16	5/12	5/09	5/04	4/28						
24	5/11	5/04	4/28	4/24	4/20	4/16	4/12	4/06	3/30						
20	4/25	4/16	4/09	4/04	3/29	3/24	3/18	3/12	3/02						
16	4/02	3/25	3/19	3/14	3/10	3/05	2/28	2/22	2/14						
		1	Fal	l Freeze Da	tes (Month/D	ay)			•						
T (TE)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)							
temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	8/06	8/12	8/17	8/21	8/25	8/28	9/01	9/06	9/12						
32	8/22	8/29	9/03	9/07	9/11	9/14	9/19	9/23	9/30						
28	9/02	9/09	9/14	9/18	9/22	9/27	10/01	10/06	10/13						
24	9/17	9/26	10/03	10/09	10/14	10/19	10/25	10/31	11/09						
20	10/06	10/15	10/22	10/28	11/03	11/08	11/14	11/21	12/01						
16	10/18	10/29	11/07	11/14	11/20	11/27	12/04	12/12	12/23						
		_		Freeze F	ree Period		•								
To (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days))							
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	84	72	63	56	49	42	34	25	13						
32	128	116	107	99	92	85	78	69	57						
28	161	150	142	135	129	122	116	108	97						
24	217	203	193	184	176	168	160	150	136						
20	256	243	233	225	218	210	202	193	179						
16	296	282	272	263	255	247	238	228	214						

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 248380

Station: TROUT CREEK R S, MT

Climate Division: MT 1 NWS Call Sign: Elevation: 2,356 Feet Lat: 47°52N Lon: 115°37W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)							
Base						Heatin	g Degree l	Days (1)								
Below	Jan															
65	1185 937 820 567 359 177 91 79 248 569 892 1161 7085															
60	1030 797 665 418 215 79 32 24 138 415 742 1006 5561															
57	937	713	572	330	141	39	14	10	87	323	652	913	4731			
55	875	657	510	274	101	22	8	5	60	265	592	851	4220			
50	720	517	356	150	33	3	0	0	18	136	446	696	3075			
32	247	112	18	0	0	0	0	0	0	1	73	215	666			

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	85	99	221	423	665	834	1033	1042	762	454	172	77	5867
55	0	0	0	7	53	165	328	334	132	5	0	0	1024
57	0	0	0	3	31	123	272	278	98	2	0	0	807
60	0	0	0	0	12	73	197	199	59	0	0	0	540
65	0	0	0	0	1	21	101	99	19	0	0	0	241
70	0	0	0	0	0	4	37	34	4	0	0	0	79

										Gro	wing]	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (N	(Ionthly)								Growi	ng Degre	ee Units (Accumu	lated Mo	onthly)			
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	4	57	203	415	593	779	786	514	216	25	0	0	4	61	264	679	1272	2051	2837	3351	3567	3592	3592
45	5 0 0 13 100 269 443 624 631 366 101 6												0	0	13	113	382	825	1449	2080	2446	2547	2553	2553
50	0	0	0	43	145	297	469	477	227	35	0	0	0	0	0	43	188	485	954	1431	1658	1693	1693	1693
55	0	0	0	14	66	165	319	328	120	9	0	0	0	0	0	14	80	245	564	892	1012	1021	1021	1021
60	0	0	0	1	22	75	180	189	50	1	0	0	0	0	0	1	23	98	278	467	517	518	518	518
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	50/86 0 7 60 168 301 396 507 517 373 168 7 0												0	7	67	235	536	932	1439	1956	2329	2497	2504	2504

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf