Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 043417

Station: GILROY, CA

Climate Division: CA 4

NWS Call Sign:

Elevation: 194 Feet Lat: 37°00N Lon: 121°34W

									ŗ	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	ean Highest Daily(2) Year Day			Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	59.9	39.4	49.7	78	1962	9	53.7	1995	18	1963	15	45.4	1972	477	0	.0	.0	30.0	.0	8.4	.0
Feb	64.0	42.5	53.3	86	1991	26	57.7	1991	23+	1990	15	49.6	1990	329	0	.0	.0	27.7	@	3.0	.0
Mar	67.2	44.9	56.1	90	1997	20	60.0	1978	23	1962	1	51.5	1973	284	6	.0	@	30.9	.0	.6	.0
Apr	73.0	46.6	59.8	100	1981	30	64.3	1992	31	1976	1	54.5	1975	178	22	@	1.0	30.0	.0	.1	.0
May	78.2	50.6	64.4	106	1997	18	69.9	1997	31+	1964	9	59.6	1998	95	76	.5	3.8	31.0	.0	.0	.0
Jun	84.2	54.0	69.1	112	1961	15	75.6	1981	36	1976	7	65.7	1991	19	141	1.7	7.3	30.0	.0	.0	.0
Jul	88.3	55.7	72.0	115	1972	15	74.5	1996	41	1981	19	68.1	1987	2	218	2.2	12.2	31.0	.0	.0	.0
Aug	87.9	55.8	71.9	112	1997	6	74.4	1992	39	1964	21	69.6	1987	1	213	2.1	12.1	31.0	.0	.0	.0
Sep	85.8	54.3	70.1	109	1971	15	74.1	1984	40	1986	26	64.2	1986	13	164	1.7	9.4	30.0	.0	.0	.0
Oct	79.0	49.5	64.3	107	1980	2	67.7	1991	29	1971	30	58.8	1971	92	69	.4	4.5	31.0	.0	.1	.0
Nov	67.2	43.2	55.2	94	1997	3	61.6	1995	23+	1961	18	51.1+	1994	298	4	.0	@	30.0	.0	2.3	.0
Dec	60.2	38.2	49.2	79+	1958	15	55.3	1977	17+	1990	24	43.9	1990	490	0	.0	.0	29.9	.0	9.3	.0
Ann	74.6	47.9	61.3	115	Jul 1972	15	75.6	Jun 1981	17+	Dec 1990	24	43.9	Dec 1990	2278	913	8.6	50.3	362.5	@	23.8	.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 079-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1957-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: GILROY, CA

COOP ID: 043417

Climate Division: CA 4 NWS Call Sign: Elevation: 194 Feet Lat: 37°00N Lon: 121°34W

										Pı	recipi	tation	(incl	nes)										
	Mea	ans/	P	recipi	itatio	n Total					ean N of D	ays (3)	Proba	ability th		nonthly/	annual _I indic	precipita ated am	nount	ies (1)		less tha	ın the
	Medi	ans(1)				Extremes	,			"	any Free	приано	11		Th	ese value	s were det	ermined i	from the i	incomplet	te gamma	distributi	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	4.30	3.11	4.55	1963	31	11.89	1997	.21	1976	10.5	7.1	3.1	1.3	.29	.55	1.09	1.68	2.34	3.11	4.03	5.21	6.85	9.62	12.36
Feb	4.10	3.01	3.21	1963	1	13.18	1998	.16	1997	8.6	5.7	2.6	1.1	.30	.56	1.08	1.65	2.28	3.00	3.87	4.98	6.52	9.10	11.66
Mar	3.64	2.86	2.82	1991	4	13.22	1991	.02	1972	9.9	6.6	2.7	.8	.21	.42	.87	1.36	1.92	2.58	3.38	4.40	5.84	8.28	10.71
Apr	1.16	.71	3.65	1958	3	4.68	1982	.00	1977	5.3	3.1	.5	.2	.03	.11	.27	.44	.62	.84	1.10	1.42	1.88	2.64	3.39
May	.41	.13	1.87	1996	16	2.34	1996	.00+	1992	2.7	1.0	.1	.1	.00	.00	.00	.01	.06	.14	.26	.43	.69	1.18	1.69
Jun	.10	.00	.77	1967	2	.76	1993	.00+	1999	.8	.5	.0	.0	.00	.00	.00	.00	.00	.00	.03	.09	.18	.34	.50
Jul	.06	.00	.66	1974	9	.80	1974	.00+	2000	.3	.2	.1	.0	.00	.00	.00	.00	.00	.00	.00	.00	.01	.15	.38
Aug	.05	.00	.68	1976	19	1.00	1976	.00+	2000	.4	.2	@	.0	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11	.35
Sep	.33	.02	5.97	1959	19	2.67	1976	.00+	1998	1.3	.7	.2	@	.00	.00	.00	.00	.00	.01	.07	.21	.47	.94	1.55
Oct	.93	.57	1.97	1981	28	3.18	2000	.00+	1999	3.1	1.8	.7	.2	.00	.00	.03	.16	.32	.52	.78	1.11	1.59	2.41	3.27
Nov	2.52	1.59	2.54	1972	15	7.50	1972	.00	1992	7.4	4.3	1.8	.7	.03	.14	.41	.74	1.13	1.61	2.22	3.01	4.14	6.11	8.09
Dec	3.00	2.88	2.81	1995	12	9.15	1996	.01	1989	8.9	5.4	1.9	.8	.18	.35	.72	1.12	1.59	2.13	2.79	3.63	4.81	6.82	8.82
Ann	20.60	21.39	5.97	Sep 1959	19	13.22	Mar 1991	.00+	Aug 2000	59.2	36.6	13.7	5.2	9.07	10.92	13.48	15.57	17.53	19.50	21.61	24.03	27.09	31.73	35.92

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1957-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 043417

Station: GILROY, CA

Climate Division: CA 4 NWS Call Sign: Elevation: 194 Feet Lat: 37°00N Lon: 121°34W

										Snov	w (incl	hes)											
						Sn	ow To	tals									Mea	n Nui	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Feb	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Mar	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ann	.0	.0	N/A	N/A	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 043417

Lon: 121°34W

Lat: 37°00N

Station: GILROY, CA **Climate Division: CA 4**

NWS Call Sign:

Elevation: 194 Feet

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	an indicated	(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	4/28	4/18	4/10	4/04	3/29	3/23	3/17	3/09	2/27
32	3/20	3/10	3/02	2/23	2/17	2/11	2/05	1/28	1/17
28	2/13	2/03	1/27	1/21	1/15	1/09	1/02	12/23	0/00
24	1/28	1/15	1/03	12/16	0/00	0/00	0/00	0/00	0/00
20	12/20	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
•		•	Fal	l Freeze Da	tes (Month/D	ay)	1	•	•
To (E)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	10/27	11/01	11/05	11/09	11/12	11/15	11/18	11/22	11/28
32	10/31	11/10	11/17	11/23	11/28	12/04	12/10	12/17	12/27
28	11/28	12/06	12/11	12/16	12/21	12/26	12/31	1/09	0/00
24	12/18	1/03	1/19	0/00	0/00	0/00	0/00	0/00	0/00
20	1/14	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00
•		•		Freeze F	ree Period	•	1	•	•
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	261	249	241	234	227	220	213	204	193
32	322	307	297	289	281	274	266	257	245
28	>365	>365	>365	348	337	328	319	310	297
24	>365	>365	>365	>365	>365	>365	>365	>365	>365
20	>365	>365	>365	>365	>365	>365	>365	>365	>365
16	>365	>365	>365	>365	>365	>365	>365	>365	>365

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: GILROY, CA

COOP ID: 043417

Climate Division: CA 4 NWS Call Sign: Elevation: 194 Feet Lat: 37°00N Lon: 121°34W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	477	329	284	178	95	19	2	1	13	92	298	490	2278		
60	323	197	154	82	31	2	0	0	1	30	169	339	1328		
57	237	128	96	43	13	0	0	0	0	12	108	254	891		
55	183	91	66	24	7	0	0	0	0	6	76	202	655		
50	81	27	16	5	0	0	0	0	0	0	24	100	253		
32	0	0	0	0	0	0	0	0	0	0	0	0	0		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	546	596	745	834	1004	1112	1240	1236	1141	1000	696	534	10684
55	16	43	98	168	298	422	527	523	451	293	83	22	2944
57	8	23	66	127	242	363	465	461	391	237	55	12	2450
60	1	8	31	77	168	275	372	368	302	162	26	4	1794
65	0	0	6	22	76	141	218	213	164	69	4	0	913
70	0	0	0	4	22	50	87	79	64	19	0	0	325

										Gro	wing 1	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	283 374 479 575 739 851 980 983 894 746 442											275	283	657	1136	1711	2450	3301	4281	5264	6158	6904	7346	7621
45	143 232 325 425 584 701 825 828 744 591 292											137	143	375	700	1125	1709	2410	3235	4063	4807	5398	5690	5827
50	49	109	180	276	429	551	670	673	594	436	157	44	49	158	338	614	1043	1594	2264	2937	3531	3967	4124	4168
55	8	33	74	149	276	402	515	518	444	285	67	5	8	41	115	264	540	942	1457	1975	2419	2704	2771	2776
60	0	1	17	57	146	259	361	363	295	152	13	0	0	1	18	75	221	480	841	1204	1499	1651	1664	1664
Base	se Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	/86 164 217 280 354 446 526 608 612 551 458 271 17											170	164	381	661	1015	1461	1987	2595	3207	3758	4216	4487	4657

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf