Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 345522

Station: MANNFORD 6 NW, OK

Climate Division: OK 5

NWS Call Sign:

Elevation: 830 Feet Lat: 36°10N Lon: 96°26W

									r	Гетр	eratur	re (°F)										
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65	Mean Number of Days (3)						
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year Day Highest Month(1) Year Daily(Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0	
Jan	47.7	25.0	36.4	80	1981	24	45.2	1990	-10+	1984	19	23.3	1979	889	0	.0	.0	15.0	4.1	24.0	.8	
Feb	54.5	30.1	42.3	92	1996	22	52.7	1976	-14	1996	4	29.6	1978	643	0	.0	@	18.4	2.4	17.3	.5	
Mar	64.0	39.5	51.8	96	1974	31	57.4	1974	3	1996	9	45.9	1975	415	4	.0	.2	27.1	.2	9.0	.0	
Apr	73.9	48.6	61.3	102	1972	12	69.1	1981	24	1971	2	54.8	1983	163	49	.1	1.0	29.7	.0	1.5	.0	
May	79.4	57.1	68.3	96	1985	30	73.1	1996	33	1973	15	62.2	1976	44	145	.0	2.0	31.0	.0	.0	.0	
Jun	87.2	65.5	76.4	103	1988	30	81.0	1990	42	1974	25	72.3	1992	3	344	.7	11.9	30.0	.0	.0	.0	
Jul	93.8	69.7	81.8	113	1996	6	88.3	1980	47	1971	31	77.5	1989	0	519	7.3	24.7	31.0	.0	.0	.0	
Aug	93.7	67.9	80.8	112	1984	29	86.6	1980	49+	1985	26	74.2	1992	2	492	8.1	24.0	31.0	.0	.0	.0	
Sep	84.6	60.5	72.6	112	2000	2	80.6	1998	31	1984	30	63.4	1974	33	260	1.8	10.7	30.0	.0	.1	.0	
Oct	74.4	49.7	62.1	98	1979	8	66.0	1973	13	1993	31	55.9	1976	136	45	.0	1.5	30.8	.0	1.8	.0	
Nov	60.4	38.3	49.4	88+	1980	6	58.6	1999	3	1976	29	42.8	2000	475	5	.0	.0	24.8	.1	10.4	.0	
Dec	50.0	28.6	39.3	80	1966	7	44.2	1999	-16	1989	23	24.7	1983	797	0	.0	.0	17.3	2.2	20.5	.5	
Ann	72.0	48.4	60.2	113	Jul 1996	6	88.3	Jul 1980	-16	Dec 1989	23	23.3	Jan 1979	3600	1863	18.0	76.0	316.1	9.0	84.6	1.8	

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 064-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: MANNFORD 6 NW, OK COOP ID: 345522

Climate Division: OK 5 NWS Call Sign: Elevation: 830 Feet Lat: 36°10N Lon: 96°26W

										Pı	recipi	tation	(incl	nes)												
	Mea	Precipitation Totals Means/ Medians(1) Extremes										ays (3	5)	Proba	ability th		nonthly/	annual j indic	precipita ated an	nount	ill be equal to or less than the ability Levels					
	Medi	ans(1)				Extremes	;			և	aily Pre	cipitatio	n		Th	ese value	s were det	ermined	from the	incomplet	te gamma	distributi	on			
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95		
Jan	1.53	1.13	2.12	1982	30	4.68	1998	.00+	1986	4.5	3.3	.9	.3	.00	.15	.42	.66	.91	1.19	1.51	1.90	2.44	3.32	4.18		
Feb	2.12	1.65	3.88	1985	23	6.07	1985	.30	1996	4.8	4.0	1.3	.3	.34	.53	.84	1.13	1.43	1.75	2.13	2.59	3.20	4.18	5.13		
Mar	3.55	3.35	2.72	1990	11	8.48	1990	.05	1971	6.8	5.7	2.5	1.1	.60	.91	1.43	1.91	2.41	2.96	3.58	4.34	5.35	6.98	8.55		
Apr	3.63	3.64	4.46	1998	27	7.51	1995	.06	1989	7.2	5.7	2.5	1.0	.60	.91	1.44	1.94	2.45	3.01	3.65	4.43	5.47	7.16	8.77		
May	5.43	5.38	4.60	2000	6	11.51	1982	1.31	1996	9.1	7.6	3.5	1.8	1.86	2.38	3.12	3.76	4.37	4.99	5.67	6.47	7.49	9.07	10.52		
Jun	4.28	3.90	5.47	1948	22	12.09	1995	.40	1988	7.2	6.1	3.1	1.2	.96	1.36	1.99	2.55	3.12	3.71	4.39	5.19	6.25	7.93	9.52		
Jul	2.83	2.89	3.50	1950	11	6.30	1994	.00	1980	5.0	4.2	2.1	1.0	.36	.71	1.19	1.59	2.00	2.43	2.91	3.49	4.25	5.46	6.61		
Aug	3.45	3.26	4.85	1974	10	8.70	1977	.17	2000	5.3	4.5	2.2	1.2	.39	.65	1.14	1.62	2.13	2.71	3.38	4.21	5.35	7.23	9.05		
Sep	4.23	3.93	7.40	1971	5	15.44	1971	.42	2000	6.9	5.9	2.7	1.1	.76	1.14	1.76	2.34	2.92	3.56	4.28	5.16	6.33	8.20	10.00		
Oct	3.58	2.69	4.14	1998	18	10.87	1998	.82	1993	5.7	4.7	2.0	1.2	.64	.96	1.48	1.97	2.47	3.01	3.62	4.36	5.35	6.94	8.46		
Nov	3.36	2.99	5.06	1974	3	8.71	1996	.00	1989	5.5	4.7	2.0	1.0	.30	.68	1.24	1.73	2.23	2.77	3.39	4.15	5.15	6.78	8.34		
Dec	2.18	1.74	2.14	1991	21	7.41	1984	.12	1996	5.0	3.9	1.7	.5	.23	.40	.70	1.00	1.33	1.70	2.13	2.66	3.39	4.60	5.77		
Ann	40.17	39.59	7.40	Sep 1971	5	15.44	Sep 1971	.00+	Nov 1989	73.0	60.3	26.5	11.7	28.62	30.86	33.72	35.90	37.83	39.69	41.62	43.75	46.33	50.07	53.31		

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 345522

Station: MANNFORD 6 NW, OK

Climate Division: OK 5 NWS Call Sign: Elevation: 830 Feet Lat: 36°10N Lon: 96°26W

										Snov	w (inc	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	3.2	1.4	#	0	6.5	1987	18	11.5	1979	10	1988	7	2	1979	1.4	1.1	.4	.2	.0	2.3	.9	.3	.0
Feb	2.3	.8	#	0	7.5	1982	12	10.0	1978	5	1980	8	1	1980	.8	.7	.3	@	.0	1.0	.5	.1	.0
Mar	.9	.0	#	0	6.5	1999	14	7.5+	1995	1	1975	4	#+	1989	.2	.2	.1	.1	.0	@	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	#	.0	0	0	#	1993	30	#	1993	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.2	.0	#	0	2.0	1988	20	2.0	1988	2	1988	20	#+	1995	.3	.2	.0	.0	.0	.1	.0	.0	.0
Dec	2.1	.5	#	0	7.0	2000	26	17.5	2000	5	1987	16	#+	2000	.9	.7	.3	.2	.0	.2	.0	.0	.0
Ann	8.7	2.7	N/A	N/A	7.5	Feb 1982	12	17.5	Dec 2000	10	Jan 1988	7	2	Jan 1979	3.6	2.9	1.1	.5	.0	3.6	1.4	.4	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 345522

Station: MANNFORD 6 NW, OK

Climate Division: OK 5

NWS Call Sign:

Elevation: 830 Feet

Lat:	36°	10N]	Lon:	96	26W

				Freez	e Data									
			Spri	ng Freeze D	ates (Month/	(Day)								
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)						
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	5/06	5/01	4/27	4/24	4/21	4/18	4/14	4/11	4/05					
32	4/15	4/12	4/09	4/07	4/05	4/03	4/01	3/29	3/26					
28	4/10	4/05	4/01	3/29	3/27	3/24	3/21	3/17	3/12					
24	3/27	3/21	3/17	3/14	3/10	3/07	3/03	2/27	2/21					
20	3/23	3/16	3/11	3/06	3/02	2/26	2/22	2/16	2/09					
16	3/19	3/10	3/04	2/27	2/22	2/17	2/11	2/05	1/27					
			Fal	l Freeze Da	tes (Month/D	Day)		•						
Tomp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)													
remb (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	9/25	9/30	10/03	10/06	10/09	10/12	10/15	10/18	10/23					
32	10/04	10/10	10/15	10/19	10/22	10/26	10/30	11/03	11/10					
28	10/19	10/25	10/29	11/01	11/05	11/08	11/12	11/16	11/22					
24	10/29	11/04	11/08	11/12	11/15	11/19	11/23	11/27	12/03					
20	11/07	11/14	11/19	11/24	11/28	12/02	12/06	12/11	12/18					
16	11/13	11/21	11/27	12/02	12/07	12/12	12/17	12/23	12/31					
•			•	Freeze F	ree Period		•	•	1					
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)							
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	189	183	178	174	171	167	163	158	152					
32	220	213	208	204	200	196	191	186	179					
28	245	238	232	227	223	218	213	208	200					
24	272	264	259	254	249	245	240	235	227					
20	299	289	282	276	270	264	258	251	241					
16	322	308	300	292	286	279	272	264	253					

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: MANNFORD 6 NW, OK COOP ID: 345522

Climate Division: OK 5 NWS Call Sign: Elevation: 830 Feet Lat: 36°10N Lon: 96°26W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	889	643	415	163	44	3	0	2	33	136	475	797	3600		
60	737	513	276	79	11	0	0	0	11	54	339	646	2666		
57	651	439	204	45	4	0	0	0	4	27	266	560	2200		
55	592	391	163	28	1	0	0	0	1	15	223	503	1917		
50	453	286	84	7	0	0	0	0	0	3	135	368	1336		
32	107	52	2	0	0	0	0	0	0	0	7	63	231		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	241	340	614	877	1124	1331	1542	1512	1217	932	527	289	10546
55	14	35	62	215	412	641	829	799	527	233	54	16	3837
57	10	26	41	171	352	581	767	737	471	184	37	11	3388
60	3	17	20	116	266	491	674	644	387	118	20	4	2760
65	0	0	4	49	145	344	519	492	260	45	5	0	1863
70	0	0	0	15	60	209	365	346	159	11	0	0	1165

			Growing Degree Units (2)																						
Base					Growing	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)												
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
40	95 191 396 651 890 1104 1309 1278 987 695 319												95	286	682	1333	2223	3327	4636	5914	6901	7596	7915	8039	
45	44 115 272 502 735 954 1154 1123 837 540 210 6											62	44	159	431	933	1668	2622	3776	4899	5736	6276	6486	6548	
50	16	60	167	359	580	804	999	968	687	394	125	27	16	76	243	602	1182	1986	2985	3953	4640	5034	5159	5186	
55	4	30	96	232	427	654	844	813	540	260	63	9	4	34	130	362	789	1443	2287	3100	3640	3900	3963	3972	
60	0 0 9 47 133 281 504 689 658 400 150 27									1	0	9	56	189	470	974	1663	2321	2721	2871	2898	2899			
Base	se Growing Degree Units for Corn (Monthly)											Growing Degree Units for Corn (Accumulated Monthly)													
50/86	75	143	263	418	585	757	863	834	653	447	203	90	75	218	481	899	1484	2241	3104	3938	4591	5038	5241	5331	

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf