Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 452157

Lon: 121°08W

Station: DIABLO DAM, WA

Climate Division: WA 4 NWS Call Sign:

									ŗ	Гетре	eratui	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base T	•		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	38.2	28.9	33.6	62	1953	9	40.6	1994	-8	1950	25	25.6	1993	974	0	.0	.0	.9	5.0	20.9	@
Feb	43.0	30.4	36.7	63	1988	28	41.9	1992	-10	1936	7	29.1	1989	792	0	.0	.0	3.4	1.6	17.9	.0
Mar	49.6	33.4	41.5	72+	1994	30	49.6	1992	3	1955	4	37.2	1971	728	0	.0	.0	14.6	.1	12.6	.0
Apr	57.3	37.7	47.5	90+	1987	28	51.5	1980	24+	1936	2	42.8	1975	525	0	.0	.1	22.7	.0	4.2	.0
May	64.8	43.9	54.4	103	1983	30	59.6	1993	28	1954	1	49.5	1996	335	5	.1	.5	29.5	.0	.2	.0
Jun	70.0	49.4	59.7	100+	1987	30	64.5	1992	35+	1953	2	55.9	1999	179	20	.1	1.4	30.0	.0	.0	.0
Jul	76.5	53.1	64.8	106+	1941	17	69.9	1985	38+	1949	2	60.1	1993	82	76	.1	3.9	31.0	.0	.0	.0
Aug	77.7	53.8	65.8	106	1965	1	70.5	1977	37	1936	29	60.3	1995	72	94	.4	3.6	31.0	.0	.0	.0
Sep	70.9	48.6	59.8	101	1988	4	64.2	1974	31+	1972	28	55.4	1992	192	36	@	.9	29.9	.0	.1	.0
Oct	58.1	41.7	49.9	87	1991	12	53.8	1987	18	1984	31	46.1	1990	469	0	.0	.0	26.2	.0	1.5	.0
Nov	44.2	35.1	39.7	65+	1965	2	44.4	1987	4+	1985	28	28.7	1985	760	0	.0	.0	5.8	1.1	10.5	.0
Dec	38.2	30.4	34.3	58+	1980	27	39.1	1976	-8+	1968	31	27.7	1990	952	0	.0	.0	.6	3.6	19.9	.1
Ann	57.4	40.5	49.0	106+	Aug 1965	1	70.5	Aug 1977	-10	Feb 1936	7	25.6	Jan 1993	6060	231	.7	10.4	225.6	11.4	87.8	.1

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 030-A

(1) From the 1971-2000 Monthly Normals

Elevation: 891 Feet Lat: 48°43N

- (2) Derived from station's available digital record: 1931-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: DIABLO DAM, WA COOP ID: 452157

Climate Division: WA 4 NWS Call Sign: Elevation: 891 Feet Lat: 48°43N Lon: 121°08W

										Pı	recipi	tation	(incl	nes)										
	Mea Medi		P	recipi	itatio	on Total					ean N of D	ays (3)	Proba		M	nonthly/	annual j indic	precipitation	babilit ation winount vs Probai	ll be equ	els		an the
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	11.38	12.00	4.65	1983	10	23.95	1974	.74	1985	18.4	14.7	7.8	3.8	2.73	3.80	5.46	6.94	8.41	9.97	11.71	13.78	16.50	20.81	24.85
Feb	8.45	7.93	6.15	1951	10	14.58	1995	.13	1993	15.8	12.3	6.0	2.7	1.60	2.36	3.60	4.74	5.91	7.16	8.58	10.29	12.57	16.23	19.71
Mar	7.12	6.61	3.32	1972	6	16.35	1997	.74	1992	18.1	13.1	4.5	1.7	2.19	2.87	3.87	4.74	5.58	6.45	7.40	8.53	9.98	12.24	14.33
Apr	4.72	4.38	3.95	1988	6	10.38	1981	1.52	1998	15.5	11.0	2.6	.6	1.51	1.96	2.62	3.18	3.73	4.30	4.92	5.65	6.58	8.04	9.39
May	3.30	3.23	2.06	1986	13	7.96	1984	.77	1995	13.8	8.2	2.0	.3	1.13	1.44	1.90	2.28	2.65	3.03	3.44	3.93	4.55	5.51	6.39
Jun	2.49	2.16	2.80	1968	2	6.70	1981	.66	1996	11.2	6.8	1.4	.3	.84	1.08	1.42	1.71	1.99	2.28	2.60	2.96	3.44	4.17	4.84
Jul	1.85	1.63	2.45	1983	12	6.76	1983	.05	1984	7.8	4.2	1.2	.2	.23	.38	.64	.90	1.17	1.47	1.83	2.26	2.84	3.81	4.74
Aug	1.74	1.51	1.90	1950	15	4.30	1990	.03	1986	7.1	4.0	1.2	.2	.13	.24	.46	.70	.97	1.27	1.64	2.11	2.76	3.86	4.95
Sep	3.23	3.07	2.50+	1972	21	9.16	1972	.16	1990	10.2	6.0	1.9	.8	.37	.62	1.07	1.52	2.00	2.54	3.17	3.95	5.01	6.76	8.46
Oct	7.47	7.19	6.49	1945	25	16.82	1985	.39	1987	14.6	10.8	5.2	2.6	1.21	1.85	2.94	3.97	5.03	6.18	7.50	9.12	11.27	14.76	18.11
Nov	14.36	13.02	7.32	1990	10	38.46	1990	2.76	1979	20.4	17.1	9.3	4.3	4.07	5.43	7.50	9.29	11.04	12.87	14.89	17.28	20.38	25.23	29.76
Dec	12.76	11.20	5.48	1975	3	25.83	1975	1.74	1985	19.4	15.3	8.2	4.7	4.48	5.69	7.43	8.91	10.31	11.76	13.33	15.17	17.51	21.14	24.48
Ann	78.87	81.44	7.32	Nov 1990	10	38.46	Nov 1990	.03	Aug 1986	172.3	123.5	51.3	22.2	56.15	60.55	66.19	70.47	74.26	77.94	81.73	85.92	91.00	98.37	104.75

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1931-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 452157

Station: DIABLO DAM, WA

Climate Division: WA 4 NWS Call Sign: Elevation: 891 Feet Lat: 48°43N Lon: 121°08W

										Snov	w (inc	hes)											
						Sn	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	18.6	14.0	5	3	22.0	1975	12	57.0	1982	34	1975	12	19	1972	4.3	3.9	2.1	1.3	.5	12.8	9.9	7.7	2.6
Feb	12.6	7.0	3	1	19.0	1995	15	51.5	1990	28	1990	8	11	1975	2.9	2.4	1.4	.9	.3	7.3	4.7	3.2	1.1
Mar	2.3	.8	#	#	7.0	1991	2	14.0	1991	10	1991	2	2	1971	1.1	.9	.3	.1	.0	2.2	.8	.3	@
Apr	#	.0	#	0	#	1988	24	#+	1988	#	1982	15	#	1982	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	#	0	1.0	1984	31	1.0	1984	1	1984	31	#	1984	@	@	.0	.0	.0	@	.0	.0	.0
Nov	2.6	.0	#	0	8.0	1985	27	15.0	1994	13	1985	28	2	1985	1.1	1.0	.3	.2	.0	1.4	.5	.3	.1
Dec	7.3	3.8	2	2	18.0	1996	27	37.0	1990	36	1996	30	15	1971	3.6	2.9	1.4	.8	.2	7.1	4.0	2.0	.5
Ann	43.4	25.6	N/A	N/A	22.0	Jan 1975	12	57.0	Jan 1982	36	Dec 1996	30	19	Jan 1972	13.0	11.1	5.5	3.3	1.0	30.8	19.9	13.5	4.3

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 452157

Station: DIABLO DAM, WA

Climate Division: WA 4

NWS Call Sign:

Elevation: 891 Feet Lat: 48°43N Lon: 121°08W

				Freez	e Data									
			Spri	ng Freeze D	ates (Month/	/Day)								
Temp (F) Probability of later date in spring (thru Jul 31) than indicated(*) 10 20 30 40 50 60 70 80 90														
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	5/26	5/20	5/15	5/11	5/08	5/04	4/30	4/26	4/20					
32	5/06	4/30	4/26	4/22	4/19	4/15	4/12	4/08	4/02					
28	4/04	3/25	3/18	3/12	3/07	3/01	2/23	2/16	2/07					
24	3/09	2/28	2/22	2/17	2/12	2/07	2/01	1/26	1/17					
20	3/03	2/22	2/15	2/09	2/03	1/28	1/22	1/12	0/00					
16	2/24	2/14	2/06	1/30	1/23	1/16	1/07	12/21	0/00					
			Fal	ll Freeze Da	tes (Month/D	Day)								
Tomn (F)		Pro	bability of e	arlier date i	n fall (beginn	ning Aug 1) t	han indicate	ed(*)						
remb (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	9/29	10/04	10/08	10/11	10/14	10/17	10/20	10/24	10/29					
32	10/14	10/19	10/23	10/27	10/30	11/02	11/05	11/09	11/15					
28	10/28	11/05	11/11	11/16	11/21	11/26	12/01	12/07	12/16					
24	11/12	11/22	11/29	12/05	12/11	12/17	12/23	12/30	1/09					
20	11/18	11/28	12/06	12/13	12/19	12/26	1/03	1/13	0/00					
16	11/28	12/10	12/20	12/28	1/05	1/15	1/27	0/00	0/00					
		•		Freeze F	ree Period	•		•						
Tomp (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)							
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	185	176	170	164	158	153	147	141	131					
32	221	211	205	199	193	188	182	175	166					
28	298	285	275	267	259	251	243	233	220					
24	340	327	317	309	302	294	286	277	264					
20	>365	>365	341	328	319	310	301	292	279					
16	>365	>365	>365	>365	357	342	330	318	302					

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 452157

Station: DIABLO DAM, WA

Climate Division: WA 4 NWS Call Sign: Elevation: 891 Feet Lat: 48°43N Lon: 121°08W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	974	792	728	525	335	179	82	72	192	469	760	952	6060
60	819	652	573	376	200	83	23	20	99	318	610	797	4570
57	726	568	480	289	135	43	9	8	58	233	520	704	3773
55	664	512	418	234	100	25	4	3	38	182	461	642	3283
50	509	373	273	118	35	5	0	0	10	80	321	488	2212
32	90	32	8	0	0	0	0	0	0	0	25	77	232

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	139	163	303	465	693	831	1017	1046	834	554	255	147	6447
55	0	0	0	9	80	166	308	336	182	23	1	0	1105
57	0	0	0	4	53	125	251	279	142	12	0	0	866
60	0	0	0	1	25	74	172	197	93	4	0	0	566
65	0	0	0	0	5	20	76	94	36	0	0	0	231
70	0	0	0	0	0	3	20	29	10	0	0	0	62

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (N	Monthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	1	24	91	231	441	586	766	792	588	304	60	7	1	25	116	347	788	1374	2140	2932	3520	3824	3884	3891
45	0	1	23	113	291	436	611	637	438	167	11	0	0	1	24	137	428	864	1475	2112	2550	2717	2728	2728
50	0 0 1 50 166 289 456 483 291 68 0												0	0	1	51	217	506	962	1445	1736	1804	1804	1804
55	0	0	0	11	77	158	301	328	165	19	0	0	0	0	0	11	88	246	547	875	1040	1059	1059	1059
60	0	0	0	0	34	76	170	195	73	2	0	0	0	0	0	0	34	110	280	475	548	550	550	550
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Ur	its for C	orn (Acc	umulate	d Month	ly)		
50/86	0/86 0 7 51 133 238 315 448 473 332 143 10												0	7	58	191	429	744	1192	1665	1997	2140	2150	2150

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf