## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 505076** 

Lon: 162°36W

Station: KOTZEBUE WIEN AP, AK

Climate Division: AK 9 NWS Call Sign: OTZ

Temperature (°F)

Mean (1)

Extremes

Degree Days (1)

Mean Number of Days (3)

**Elevation:** 

10 Feet

				_					-				_								
	Mea	<b>n</b> (1)						Extr	emes					Days (1) emp 65		Mean	Numb	er of I	Days (3)		
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 90	Max >= 70	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	3.7	-8.6	-2.5	39	1961	20	16.2	1985	-49	1989	27	-19.8	1989	2092	0	.0	.0	.0	30.4	31.0	20.8
Feb	3.0	-9.9	-3.5	40+	1989	7	17.7	1989	-52+	1968	24	-24.1	1990	1918	0	.0	.0	.0	27.2	28.3	20.1
Mar	7.2	-7.7	3	39	1973	29	13.5	1998	-48	1956	1	-14.7+	1977	2008	0	.0	.0	.0	30.4	31.0	21.4
Apr	19.6	3.3	11.5	48+	1988	27	24.1	1998	-31	1964	3	-5.4	1985	1606	0	.0	.0	.0	23.7	29.7	13.7
May	37.8	25.3	31.6	70+	1990	28	38.3	1990	-12	1964	1	23.2	1992	1037	0	.0	@	3.6	8.1	24.4	.7
Jun	50.8	38.8	44.8	85	1991	22	50.3	1991	24+	1999	4	37.6	1975	607	0	.0	.9	15.8	.1	5.2	.0
Jul	60.0	49.4	54.7	85	1958	5	59.4	1972	30	1976	2	49.3	2000	327	8	.0	3.1	29.1	.0	.1	.0
Aug	56.7	47.4	52.1	80	1968	6	59.1	1977	29	1994	28	47.0	1984	407	4	.0	1.0	27.3	.0	.2	.0
Sep	46.4	37.2	41.8	69	1978	3	47.6	1995	13	1992	29	32.2	1992	696	0	.0	.0	10.2	.7	6.8	.0
Oct	27.5	18.8	23.2	51+	1984	1	30.7	1987	-19	1975	31	16.9	1996	1297	0	.0	.0	.1	20.2	28.0	1.4
Nov	13.3	3.2	8.3	38+	1994	9	17.7	1979	-32+	1956	15	-2.2	1975	1703	0	.0	.0	.0	28.4	29.9	12.9
Dec	6.0	-6.4	2	37	1982	29	12.9+	2000	-47+	1974	30	-17.6	1974	2022	0	.0	.0	.0	30.4	31.0	21.3
Ann	27.7	15.9	21.8	85+	Jun 1991	22	59.4	Jul 1972	-52+	Feb 1968	24	-24.1	Feb 1990	15720	12	.0	5.0	86.1	199.6	245.6	112.3

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: May 2005 029-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1949-2001
- (3) Derived from 1971-2000 serially complete daily data

Lat: 66°53N

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 505076** 

**Station: KOTZEBUE WIEN AP, AK** 

Climate Division: AK 9 NWS Call Sign: OTZ Elevation: 10 Feet Lat: 66°53N Lon: 162°36W

										Pı	recipi	tation	(incl	nes)										
	Mea Medi		P	recipi	itatio	on Totals					ean N of D	ays (3	)	Proba		Me	onthly/	annual j indic	orecipita ated am	ount vs Probal	ies (1) I be equolity Leve	els		n the
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.55	.44	.64	1963	16	1.77	1973	.01	1979	8.5	2.0	.0	.0	.07	.11	.19	.26	.35	.43	.54	.67	.84	1.13	1.41
Feb	.42	.40	.68	1951	25	1.24	1996	.00	1979	6.9	1.2	.0	.0	.02	.06	.12	.19	.25	.33	.41	.52	.66	.91	1.14
Mar	.38	.21	.37	1954	23	1.00	1991	.00	1986	6.7	1.3	.0	.0	.01	.04	.10	.15	.21	.28	.37	.47	.61	.86	1.09
Apr	.41	.36	.55	2001	6	1.41	1989	.04	2000	6.5	1.2	.0	.0	.03	.06	.12	.17	.23	.30	.39	.49	.64	.89	1.13
May	.33	.22	.49	1962	7	1.05	1989	.00+	1979	5.5	1.0	.0	.0	.00	.02	.06	.11	.17	.23	.30	.40	.54	.76	.99
Jun	.57	.54	.70	1993	12	1.76	1998	.02	1977	5.9	1.9	.2	.0	.06	.10	.18	.26	.34	.44	.55	.70	.89	1.22	1.54
Jul	1.43	1.33	.98	1953	5	3.51	1981	.01	1977	9.9	4.2	.6	.0	.17	.28	.48	.68	.89	1.13	1.40	1.74	2.20	2.96	3.70
Aug	2.00	1.78	1.48	1954	23	5.26	1998	.08	1991	14.0	6.2	.8	.0	.29	.46	.75	1.03	1.32	1.63	2.00	2.45	3.05	4.03	4.98
Sep	1.70	1.67	1.64	1978	24	4.31	1977	.39	1981	12.3	5.2	.4	.1	.53	.69	.93	1.14	1.34	1.54	1.77	2.04	2.39	2.92	3.42
Oct	.95	.84	1.32	1997	3	3.20	1993	.00	1999	10.9	3.2	.2	.0	.09	.20	.36	.49	.64	.79	.96	1.18	1.46	1.91	2.35
Nov	.71	.58	.51	1982	1	2.22	1990	.01	1999	9.5	2.6	.0	.0	.07	.12	.22	.32	.42	.55	.69	.87	1.11	1.52	1.92
Dec	.60	.56	.49	1998	18	1.40	1987	.19	1974	9.6	2.1	.0	.0	.21	.27	.35	.42	.49	.56	.63	.72	.83	1.00	1.16
Ann	10.05	9.85	1.64	Sep 1978	24	5.26	Aug 1998	.00+	Oct 1999	106.2	32.1	2.2	.1	6.26	6.96	7.87	8.58	9.22	9.84	10.49	11.22	12.11	13.42	14.57

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1949-2001

<sup>(3)</sup> Derived from 1971-2000 daily data

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 505076** 

Station: KOTZEBUE WIEN AP, AK

Climate Division: AK 9 NWS Call Sign: OTZ Elevation: 10 Feet Lat: 66°53N Lon: 162°36W

										Snov	v (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	<b>ys</b> (1)		
	Mean	s/Medi	ians (1)	1					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10				
Jan	5.6	5.8	18	17	4.3+	1999	23	11.3	1997	36	1972	31	32	1994	7.8	2.1	.1	0.	.0	29.5	29.5	29.5	26.9
Feb	4.3	3.8	22	18	5.0	1999	11	11.3	1989	42	1995	5	39+	1995	6.5	1.4	.2	@	.0	27.7	27.7	27.7	26.6
Mar	3.9	2.4	25	25	3.6	1991	14	10.8	1991	48	1973	31	43	1996	6.0	1.4	.1	.0	.0	29.1	29.1	29.1	28.0
Apr	3.9	3.3	22	20	4.4	1998	27	12.4	1989	53	1973	10	47	1973	6.5	1.4	.1	.0	.0	29.4	29.4	29.2	26.8
May	1.2	.5	6	4	3.5	1984	6	5.5	1984	43	1973	2	18	1999	2.1	.4	@	.0	.0	19.6	14.3	10.7	7.1
Jun	#	.0	#	0	.3	1974	12	.3	1974	3	1984	2	0	0	.1	.0	.0	.0	.0	.4	.1	.0	.0
Jul	#	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	#	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	1.0	.1	#	0	5.7	1996	20	5.7	1996	2	1973	28	0	0	1.1	.4	@	@	.0	.3	.0	.0	.0
Oct	5.8	5.5	#	1	4.7	1982	29	17.1	1971	7	1971	31	3	1971	7.4	2.1	.2	.0	.0	12.1	4.7	1.0	.0
Nov	6.5	5.8	4	4	3.8+	1990	23	22.7	1990	20	1990	30	14	1990	8.6	2.1	.3	.0	.0	24.5	18.2	12.5	3.4
Dec	7.1	6.4	12	11	5.1	1998	18	15.4	1990	30	1993	31	27	1993	8.9	2.7	.3	.0	.0	29.8	27.8	26.7	18.6
Ann	39.3	33.6	N/A	N/A	5.7	Sep 1996	20	22.7	Nov 1990	53	Apr 1973	10	47	Apr 1973	55.0	14.0	1.3	@	.0	202.4	180.8	166.4	137.4

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

## Climatography of the United States No. 20

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 505076** 

1971-2000

**Station: KOTZEBUE WIEN AP, AK** 

Climate Division: AK 9 NWS Call Sign: OTZ

Elevation: 10 Feet Lat: 66°53N Lon: 162°36W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	(Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated(	(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	7/07	7/03	6/29	6/26	6/24	6/21	6/18	6/15	6/11
32	6/21	6/17	6/15	6/13	6/11	6/08	6/06	6/04	5/31
28	6/12	6/08	6/04	6/02	5/30	5/27	5/25	5/22	5/17
24	6/01	5/28	5/26	5/23	5/21	5/19	5/17	5/14	5/11
20	5/26	5/22	5/19	5/16	5/14	5/12	5/09	5/06	5/03
16	5/21	5/16	5/13	5/10	5/07	5/04	5/02	4/28	4/23
			Fal	l Freeze Da	tes (Month/D	Day)			
Tomp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	8/20	8/25	8/29	9/01	9/05	9/08	9/11	9/15	9/20
32	9/03	9/08	9/12	9/15	9/18	9/21	9/24	9/28	10/03
28	9/13	9/17	9/20	9/23	9/25	9/27	9/30	10/03	10/07
24	9/22	9/25	9/28	9/30	10/02	10/04	10/06	10/08	10/12
20	9/26	9/30	10/03	10/06	10/08	10/10	10/13	10/16	10/20
16	10/02	10/06	10/08	10/11	10/13	10/15	10/17	10/19	10/23
		•		Freeze F	ree Period	1	•	•	· ·
Tomn (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	94	86	81	76	72	68	63	58	50
32	117	110	106	102	99	95	91	87	81
28	136	130	125	121	117	113	109	105	98
24	148	143	139	136	133	130	127	123	118
20	163	157	153	149	146	143	139	135	129
16	176	170	165	161	158	154	150	146	139

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

**0/00** Indicates that the probability of occurrence of threshold temperature is less than the indicated probability. Derived from 1971-2000 serially complete daily data

Complete do

Complete documentation available from:

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 505076** 

**Station: KOTZEBUE WIEN AP, AK** 

Climate Division: AK 9 NWS Call Sign: OTZ Elevation: 10 Feet Lat: 66°53N Lon: 162°36W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	2092	1918	2008	1606	1037	607	327	407	696	1297	1703	2022	15720		
60	1937	1778	1868	1456	882	459	195	267	548	1142	1553	1867	13952		
57	1844	1694	1775	1366	789	374	134	195	462	1049	1463	1774	12919		
55	1782	1638	1713	1306	727	319	100	155	407	987	1403	1712	12249		
50	1627	1498	1558	1156	576	199	36	75	280	832	1253	1557	10647		
32	1087	1014	1004	644	155	7	0	0	27	321	714	1010	5983		

Base		Cooling Degree Days (1)														
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann			
32	18	20	3	28	141	390	704	621	322	47	1	11	2306			
55	0	0	0	0	0	13	91	62	11	0	0	0	177			
57	0	0	0	0	0	7	63	41	6	0	0	0	117			
60	0	0	0	0	0	2	31	20	2	0	0	0	55			
65	0	0	0	0	0	0	8	4	0	0	0	0	12			
70	0	0	0	0	0	0	0	0	0	0	0	0	0			

										Gro	wing	Degre	e Uni	ts (2)			Growing Degree Units (2)  Base Growing Degree Units (Monthly) Growing Degree Units (Accumulated Monthly)														
Base					Growin	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)																		
	Jan   Feb   Mar   Apr   May   Jun   Jul   Aug   Sep   Oct   Nov   Dec														Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec							
40	0	0	0	0	21	185	461	384	124	1	0	0	0	0	0	0	21	206	667	1051	1175	1176	1176	1176							
45	0 0 0 0 5 99 311 231 47 0 0												0	0	0	0	5	104	415	646	693	693	693	693							
50	0	0	0	0	0	39	174	108	9	0	0	0	0	0	0	0	0	39	213	321	330	330	330	330							
55	0	0	0	0	0	14	72	32	0	0	0	0	0	0	0	0	0	14	86	118	118	118	118	118							
60	0 0 0 0 5 19 4 0 0 0											0	0	0	0	0	0	5	24	28	28	28	28	28							
Base	Growing Degree Units for Corn (Monthly)													•	Gı	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)									
50/86	0/86 0 0 0 0 9 72 192 130 27 0 0												0	0	0	0	9	81	273	403	430	430	430	430							

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

#### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean 'number of days statistics' for temperature were calculated from a serially complete daily data set. A serial dataset was not available for precipitation,

To ensure that a station's data was adequate to estimate these statistics, the following criteria were used:

- 1. A station must have 80% of its data for the 1971-2000 time period.
- 2. Only months with at least 21 days are used.
- 3. There must be a least 21 months (meeting criteria 2.) in the sample.
- g. Snowfall and snow depth statistics were derived daily values quality controlled to be consistent with the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

### Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these differences are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data. Other inconsistencies may appear from comparing statistically modeled values such as degree days to observed temperatures.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

#### References

- U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html
- U.S. Climate Normals 1971-2000-Products Clim20, <a href="www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html">www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html</a> Snow Climatology Project Description, <a href="www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html">www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html</a>