

Climatology of the United States

No. 20

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: FENN RANGER STN (LOWELL), ID

1971-2000

COOP ID: 103143

Climate Division: ID 3

NWS Call Sign:

Elevation: 1,590 Feet Lat: 46°06N

Lon: 115°33W

Temperature (°F)

Mean (1)				Extremes										Degree Days (1) Base Temp 65		Mean Number of Days (3)					
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	35.7	26.0	30.9	63	1953	9	37.4	1994	-20	1949	25	19.7	1979	1058	0	.0	.0	.1	6.6	28.4	.8
Feb	42.2	28.3	35.3	67	1970	26	41.7	1992	-13+	1989	4	25.0	1989	832	0	.0	.0	4.6	2.2	23.9	.6
Mar	52.0	32.7	42.4	77	1994	31	49.4	1992	0	1955	5	38.5	1976	702	0	.0	.0	17.9	.1	18.8	.0
Apr	61.6	37.1	49.4	94+	1977	25	53.9	1990	19	1970	1	44.1	1975	470	0	.0	.1	26.1	.0	8.0	.0
May	70.7	42.9	56.8	100	1986	31	62.8	1993	25+	1954	2	52.4	1984	268	12	@	1.6	30.3	.0	1.3	.0
Jun	78.1	48.9	63.5	103	1992	25	69.7	1986	32+	1951	2	59.3	1999	106	61	.1	4.3	30.0	.0	.1	.0
Jul	87.6	53.1	70.4	107	1996	29	75.1	1985	37	1971	7	64.6	1993	23	188	1.4	13.9	31.0	.0	.0	.0
Aug	88.3	52.4	70.4	107	1961	3	73.8	1991	36+	1992	26	66.4	1980	21	187	2.0	14.5	31.0	.0	.0	.0
Sep	76.0	45.8	60.9	103	1967	1	68.0	1990	27+	1985	30	55.7	1985	174	51	.0	2.4	30.0	.0	.8	.0
Oct	60.8	38.2	49.5	87	1991	2	54.1	1988	9+	1971	30	44.2	1985	481	0	.0	.0	27.5	.0	7.1	.0
Nov	44.2	32.3	38.3	68	1999	14	42.9	1981	-2	1955	16	29.8	1985	801	0	.0	.0	7.0	1.3	16.6	.1
Dec	35.6	26.9	31.3	60	1977	4	37.3	1980	-13	1964	17	24.1+	1990	1046	0	.0	.0	.1	5.9	27.5	.7
Ann	61.1	38.7	49.9	107+	Jul 1996	29	75.1	Jul 1985	-20	Jan 1949	25	19.7	Jan 1979	5982	499	3.5	36.8	235.6	16.1	132.5	2.2

+ Also occurred on an earlier date(s)

@ Denotes mean number of days greater than 0 but less than .05

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

Issue Date: February 2004

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

035-A

**Climatography
of the United States
No. 20
1971-2000**

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: FENN RANGER STN (LOWELL), ID

COOP ID: 103143

Climate Division: ID 3

NWS Call Sign:

Elevation: 1,590 Feet Lat: 46°06N

Lon: 115°33W

Precipitation (inches)																								
	Precipitation Totals									Mean Number of Days (3)				Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount										
	Means/ Medians(1)		Extremes							Daily Precipitation				Monthly/Annual Precipitation vs Probability Levels These values were determined from the incomplete gamma distribution										
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	4.64	4.40	2.50	1984	22	9.82	1975	.71	1985	17.0	11.3	2.7	.6	1.57	2.01	2.65	3.20	3.72	4.26	4.85	5.53	6.41	7.78	9.04
Feb	3.53	3.53	1.75	1996	7	6.95	1972	1.07	1993	14.2	9.6	2.0	.4	1.44	1.76	2.22	2.60	2.95	3.31	3.70	4.15	4.72	5.59	6.38
Mar	3.71	3.31	1.32	1997	2	8.12	1997	.51	1990	15.3	10.3	1.8	.2	1.29	1.64	2.15	2.58	2.99	3.41	3.88	4.41	5.11	6.17	7.16
Apr	3.60	3.56	1.88	1958	20	5.96	1996	.78	1977	15.1	9.9	2.0	.2	1.52	1.85	2.31	2.68	3.03	3.39	3.77	4.21	4.77	5.61	6.38
May	3.53	3.44	1.94	1980	26	6.45	1984	1.76	1999	14.3	9.3	2.1	.2	1.83	2.12	2.51	2.83	3.11	3.40	3.71	4.05	4.48	5.12	5.70
Jun	3.14	3.14	1.98	2001	4	7.76	1981	.60	1986	11.5	7.2	1.9	.3	.92	1.22	1.67	2.06	2.43	2.82	3.26	3.76	4.42	5.45	6.41
Jul	1.39	1.26	1.35	1997	10	3.51	1995	.00	1996	6.9	4.0	.6	.2	.06	.18	.38	.59	.81	1.05	1.35	1.71	2.22	3.05	3.87
Aug	1.27	1.03	1.55	1965	3	3.79	1975	.02	2000	6.2	3.3	.8	@	.06	.12	.27	.43	.63	.86	1.15	1.52	2.05	2.96	3.88
Sep	2.16	1.87	1.72	1965	15	5.72	1985	.08	1991	8.1	5.2	1.6	.3	.15	.28	.55	.85	1.18	1.56	2.03	2.62	3.44	4.83	6.20
Oct	2.84	2.30	2.15	2000	1	8.42	1975	.00	1987	10.5	6.8	1.7	.5	.30	.64	1.11	1.53	1.94	2.39	2.90	3.51	4.32	5.63	6.87
Nov	4.84	4.19	2.06	1962	21	11.31	1995	1.55	1993	16.9	11.8	2.8	.6	1.74	2.19	2.85	3.40	3.93	4.47	5.06	5.75	6.62	7.97	9.21
Dec	4.21	4.10	2.30	1977	2	8.72	1975	.56	1986	16.5	11.2	2.4	.5	1.23	1.63	2.23	2.75	3.26	3.79	4.37	5.06	5.95	7.35	8.64
Ann	38.86	38.15	2.50	Jan 1984	22	11.31	Nov 1995	.00+	Jul 1996	152.5	99.9	22.4	4.0	28.00	30.12	32.82	34.87	36.69	38.45	40.26	42.26	44.68	48.19	51.21

+ Also occurred on an earlier date(s)

Denotes amounts of a trace

@ Denotes mean number of days greater than 0 but less than .05

** Statistics not computed because less than six years out of thirty had measurable precipitation

(1) From the 1971-2000 Monthly Normals

(2) Derived from station's available digital record: 1948-2001

(3) Derived from 1971-2000 serially complete daily data

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, North Carolina 28801
www.ncdc.noaa.gov

Station: FENN RANGER STN (LOWELL), ID

COOP ID: 103143

Climate Division: ID 3

NWS Call Sign:

Elevation: 1,590 Feet

Lat: 46°06N

Lon: 115°33W

Snow (inches)																							
Snow Totals															Mean Number of Days (1)								
Means/Medians (1)					Extremes (2)										Snow Fall >= Thresholds					Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	20.4	16.0	8	7	19.0	1982	23	54.6	1982	39	1982	23	19	1979	9.0	6.4	2.0	.8	.2	24.4	23.0	18.5	10.0
Feb	8.0	6.7	5	3	9.0	1981	12	29.3	1981	31	1979	4	17+	1989	4.3	3.3	.9	.3	.0	18.0	14.0	11.0	7.0
Mar	1.9	1.0	1	2	8.0	1989	2	12.0	1989	22	1989	3	7	1989	1.6	1.0	.1	@	.0	4.3	2.8	1.8	.5
Apr	.2	.0	#	0	2.1	1971	24	2.1	1971	5	1975	3	#	1982	.2	.1	.0	.0	.0	.1	@	@	.0
May	#	.0	#	0	#	1975	24	#	1975	0	0	0	#	2000	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.3	.0	#	0	2.0	1971	31	4.5	1971	2+	1975	23	#	1984	.2	.2	.0	.0	.0	.1	.0	.0	.0
Nov	6.6	2.3	1	0	9.5	1977	23	33.0	1973	16	1973	26	4	1973	2.4	2.0	.8	.4	.0	4.3	2.6	1.5	.4
Dec	13.9	9.5	3	2	13.0	1975	1	36.7	1996	28	1996	29	10	1994	6.4	4.4	2.0	.9	@	16.4	11.7	8.1	2.7
Ann	51.3	35.5	N/A	N/A	19.0	Jan 1982	23	54.6	Jan 1982	39	Jan 1982	23	19	Jan 1979	24.1	17.4	5.8	2.4	.2	67.6	54.1	40.9	20.6

+ Also occurred on an earlier date(s) #Denotes trace amounts

@ Denotes mean number of days greater than 0 but less than .05

-9/-9.9 represents missing values

Annual statistics for Mean/Median snow depths are not appropriate

(1) Derived from Snow Climatology and 1971-2000 daily data

(2) Derived from 1971-2000 daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States

No. 20 1971-2000

Station: FENN RANGER STN (LOWELL), ID

COOP ID: 103143

Climate Division: ID 3

NWS Call Sign:

Elevation: 1,590 Feet

Lat: 46° 06N

Lon: 115° 33W

Freeze Data									
Spring Freeze Dates (Month/Day)									
Temp (F)	Probability of later date in spring (thru Jul 31) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/18	6/09	6/03	5/28	5/23	5/18	5/13	5/06	4/27
32	5/27	5/18	5/12	5/06	5/01	4/26	4/21	4/14	4/06
28	4/29	4/21	4/15	4/10	4/05	4/01	3/27	3/21	3/13
24	3/30	3/22	3/16	3/12	3/07	3/02	2/25	2/19	2/11
20	3/22	3/08	2/27	2/19	2/11	2/03	1/26	1/16	1/03
16	3/12	2/27	2/18	2/11	2/04	1/28	1/20	1/11	12/30
Fall Freeze Dates (Month/Day)									
Temp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/03	9/09	9/13	9/17	9/20	9/24	9/28	10/02	10/08
32	9/23	9/29	10/04	10/08	10/12	10/15	10/19	10/24	10/30
28	10/06	10/14	10/20	10/25	10/29	11/03	11/08	11/14	11/22
24	10/20	10/29	11/04	11/10	11/15	11/20	11/26	12/02	12/11
20	10/29	11/09	11/16	11/22	11/28	12/04	12/11	12/18	12/29
16	11/10	11/20	11/28	12/05	12/11	12/18	12/24	1/01	1/12
Freeze Free Period									
Temp (F)	Probability of longer than indicated freeze free period (Days)								
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	151	140	132	126	120	113	107	99	88
32	200	188	178	170	163	155	147	138	125
28	241	229	220	213	206	200	192	184	172
24	293	279	269	260	253	245	236	226	212
20	346	321	307	296	287	277	268	256	241
16	>365	336	323	314	305	298	289	280	267

* Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normal/usnormals.html

**Climatography
of the United States
No. 20
1971-2000**

Station: FENN RANGER STN (LOWELL), ID

COOP ID: 103143

Climate Division: ID 3

NWS Call Sign:

Elevation: 1,590 Feet Lat: 46°06N Lon: 115°33W

Degree Days to Selected Base Temperatures (°F)													
Base	Heating Degree Days (1)												
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1058	832	702	470	268	106	23	21	174	481	801	1046	5982
60	903	692	547	323	147	39	4	4	88	330	651	891	4619
57	810	608	454	241	93	17	1	1	52	245	561	798	3881
55	748	552	393	191	64	9	0	0	34	193	501	736	3421
50	593	414	249	90	19	1	0	0	9	88	357	581	2401
32	137	57	6	0	0	0	0	0	0	0	32	126	358

Base	Cooling Degree Days (1)												
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	102	149	327	520	767	945	1189	1189	867	543	221	103	6922
55	0	0	1	21	119	263	476	476	212	23	0	0	1591
57	0	0	0	11	86	211	414	415	169	12	0	0	1318
60	0	0	0	4	47	143	324	324	115	4	0	0	961
65	0	0	0	0	12	61	188	187	51	0	0	0	499
70	0	0	0	0	1	17	88	84	16	0	0	0	206

Growing Degree Units (2)																								
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	12	101	273	503	673	915	912	601	277	43	0	0	12	113	386	889	1562	2477	3389	3990	4267	4310	4310
45	0	0	33	152	351	523	760	757	452	148	6	0	0	0	33	185	536	1059	1819	2576	3028	3176	3182	3182
50	0	0	1	69	215	377	605	602	307	58	0	0	0	0	1	70	285	662	1267	1869	2176	2234	2234	2234
55	0	0	0	22	112	241	450	447	183	15	0	0	0	0	0	22	134	375	825	1272	1455	1470	1470	1470
60	0	0	0	3	44	127	300	296	84	2	0	0	0	0	0	3	47	174	474	770	854	856	856	856
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	0	11	75	191	315	413	558	554	388	178	15	0	0	11	86	277	592	1005	1563	2117	2505	2683	2698	2698

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from:
www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.
Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.
- e. Degree Days were derived using the same techniques as the 1971-2000 normals.
Complete documentation for the 1971-2000 Normals is available on the internet from:
www.ncdc.noaa.gov/oa/climate/normal/usnormals.html
- f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set.
Documentation of the serially complete data set is available from the link below:
- g. Snowfall and snow depth statistics were derived from the Snow Climatology.
Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- | | |
|---|---|
| <ol style="list-style-type: none">a. Temperature/ Precipitation Tables<ol style="list-style-type: none">1. 1971-2000 Monthly Normals2. Cooperative Summary of the Day3. National Weather Service station records4. 1971-2000 serially complete daily datab. Degree Day Table<ol style="list-style-type: none">1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data | <ol style="list-style-type: none">c. Snow Tables<ol style="list-style-type: none">1. Snow Climatology2. Cooperative Summary of the Dayd. Freeze Data Table
1971-2000 serially complete daily data |
|---|---|

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normal.html
U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normal/usnormalsprods.html
Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html
Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,
www1.ncdc.noaa.gov/pub/data/special/serialcomplete_jam_0900.pdf