Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 405187

Station: LEWISBURG EXP STN, TN

Climate Division: TN 3 NWS Call Sign: Elevation: 787 Feet Lat: 35°25N Lon: 86°48W

									ŗ	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	46.1	24.6	35.4	77+	1949	11	43.7	1998	-20	1985	21	21.9	1977	919	0	.0	.0	12.7	4.4	22.1	.7
Feb	51.1	26.8	39.0	81	1996	24	46.7	1990	-12	1951	2	26.7	1978	729	0	.0	.0	15.7	2.4	18.5	.2
Mar	60.6	34.9	47.8	88	1929	24	53.3	1973	2	1980	3	41.3	1971	536	0	.0	.0	25.2	.4	13.1	.0
Apr	70.0	41.9	56.0	90	1989	28	62.2	1981	19+	1989	11	51.4	1982	283	12	.0	@	29.1	.0	5.0	.0
May	78.4	51.4	64.9	98	1941	22	71.3	1987	29	1986	4	59.7	1976	107	104	.0	.8	31.0	.0	.2	.0
Jun	86.3	60.3	73.3	104	1936	28	77.3	1998	38	1966	1	68.7	1974	6	254	.2	8.1	30.0	.0	.0	.0
Jul	90.0	64.7	77.4	110	1930	29	80.6	1993	43	1947	23	74.4	1972	0	382	.3	15.3	31.0	.0	.0	.0
Aug	89.5	62.4	76.0	108+	1930	8	81.2	1983	42	1946	31	71.8	1976	2	341	.7	14.1	31.0	.0	.0	.0
Sep	83.0	55.4	69.2	105+	1954	6	74.4	1980	31+	1942	29	64.2	1974	40	167	.2	5.6	30.0	.0	@	.0
Oct	72.3	43.0	57.7	94	1941	2	65.4	1984	20	1987	22	51.2	1988	263	34	.0	@	30.8	.0	5.0	.0
Nov	60.2	35.0	47.6	86	1950	1	55.9	1985	-2	1950	25	38.4	1976	524	2	.0	.0	24.2	.1	13.2	.0
Dec	49.9	27.4	38.7	78	1970	2	47.7	1984	-12	1989	22	27.5	1989	817	0	.0	.0	16.5	2.2	19.6	.3
Ann	69.8	44.0	56.9	110	Jul 1930	29	81.2	Aug 1983	-20	Jan 1985	21	21.9	Jan 1977	4226	1296	1.4	43.9	307.2	9.5	96.7	1.2

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 039-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1928-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: LEWISBURG EXP STN, TN COOP ID: 405187

Climate Division: TN 3 NWS Call Sign: Elevation: 787 Feet Lat: 35°25N Lon: 86°48W

										Pı	ecipi	tation	(incl	nes)										
			P	recipi	itatio	n Total	s			M	ean N	lumbo ays (3	_	Proba	ability th	nat the n		annual j			ies (1) Il be equ	ıal to or	less tha	ın the
	Medi					Extremes	i.			D	aily Pre	cipitatio	n		Th		-		-		bility Lev e gamma		on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	4.97	4.77	6.05	1999	23	11.49	1999	.50	1986	10.4	7.9	3.6	1.3	1.41	1.88	2.59	3.22	3.82	4.45	5.15	5.98	7.05	8.73	10.29
Feb	4.07	3.52	4.28	1945	22	9.88	1991	.88	1978	9.0	6.5	2.8	1.1	1.34	1.72	2.29	2.77	3.24	3.72	4.25	4.86	5.65	6.88	8.01
Mar	6.32	5.31	5.73	2000	11	15.94	1973	2.35	1987	11.0	8.6	3.8	1.6	2.26	2.85	3.71	4.43	5.12	5.83	6.60	7.50	8.65	10.42	12.04
Apr	4.51	4.14	3.32	1995	21	8.95	1983	1.47	1976	9.8	7.3	3.3	1.3	1.49	1.92	2.55	3.08	3.59	4.12	4.70	5.38	6.24	7.59	8.83
May	5.33	5.03	4.00	1983	19	14.42	1983	1.23	1977	10.6	7.2	3.7	1.6	1.56	2.07	2.83	3.49	4.13	4.80	5.53	6.40	7.53	9.29	10.92
Jun	4.43	4.08	6.81	1939	18	10.37	1997	.06	1988	10.0	7.4	2.9	1.3	.82	1.22	1.86	2.47	3.08	3.74	4.49	5.40	6.60	8.54	10.39
Jul	4.58	4.24	5.23	1989	12	14.03	1989	.67	1983	11.2	7.7	3.4	1.2	1.16	1.59	2.26	2.85	3.43	4.04	4.72	5.53	6.59	8.26	9.83
Aug	3.12	2.48	4.45	1963	29	8.69	1992	.54	1999	8.2	5.4	2.2	.8	.75	1.05	1.50	1.91	2.31	2.73	3.21	3.78	4.52	5.69	6.80
Sep	4.50	4.12	5.91	1979	14	12.33	1979	.08	1984	8.1	5.8	2.8	1.4	.70	1.08	1.74	2.36	3.00	3.70	4.51	5.49	6.81	8.95	11.01
Oct	3.79	3.52	5.44	1975	17	9.95	1975	.54	1987	7.2	5.1	2.5	1.1	.88	1.24	1.79	2.29	2.79	3.31	3.90	4.60	5.52	6.98	8.36
Nov	5.15	4.98	4.98	1986	9	11.46	1986	1.67	1998	9.7	7.1	3.6	1.6	1.69	2.18	2.90	3.51	4.09	4.70	5.37	6.14	7.14	8.70	10.13
Dec	5.38	4.76	5.25	1956	13	14.61	1990	1.27	1985	10.0	7.7	3.7	1.4	1.41	1.92	2.70	3.39	4.06	4.77	5.56	6.49	7.71	9.63	11.43
Ann	56.15	56.51	6.81	Jun 1939	18	15.94	Mar 1973	.06	Jun 1988	115.2	83.7	38.3	15.7	41.15	44.09	47.83	50.66	53.16	55.58	58.06	60.81	64.12	68.91	73.04

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1928-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 405187

Lon: 86°48W

Station: LEWISBURG EXP STN, TN

Climate Division: TN 3 NWS Call Sign: Elevation: 787 Feet Lat: 35°25N

										Snov	w (incl	hes)												
			Fall Median Depth Median Depth Median Parity Snow Fall Day Snow Fall Monthly Snow Fall Year Snow Depth Day Snow Depth Year Snow Depth															n Nu	mber	of Day	yS (1)			
	Mean	s/Medi	ans (1)						Extre	mes (2)							ow Fa					ow Depth Thresholds		
Month	Snow Fall Mean	Snow Fall Median	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10	
Jan	2.4	.8	#	#	7.2	1973	8	10.0	1982	8	1988	8	2	1988	.8	.6	.2	.2	.0	1.2	.8	.3	.0	
Feb	.4	.0	#	#	5.0	1979	18	5.0	1979	11	1985	2	2	1985	.6	.2	.1	@	.0	.4	.1	@	.0	
Mar	.3	.0	#	0	5.0	1993	13	5.0	1993	5	1993	14	#+	1999	.2	.1	@	@	.0	.2	.1	.1	.0	
Apr	#	.0	#	0	#	1987	3	#+	1987	#	1977	6	#	1977	.0	.0	.0	.0	.0	.0	.0	.0	.0	
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Nov	.1	.0	#	0	1.5	1974	15	2.0	1974	1	1976	12	#+	1991	.2	.1	.0	.0	.0	@	.0	.0	.0	
Dec	.3	.0	#	0	1.3	1998	24	1.5+	1998	3	1997	29	#+	2000	.4	.2	.0	.0	.0	.3	.0	.0	.0	
Ann	3.5	.8	N/A	N/A	7.2	Jan 1973	8	10.0	Jan 1982	11	Feb 1985	2	2+	Jan 1988	2.2	1.2	.3	.2	.0	2.1	1.0	.4	.0	

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

Climatography
of the United States
No. 20
1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 405187

Station: LEWISBURG EXP STN, TN

Climate Division: TN 3 NWS Call Sign

NWS Call Sign: Elevation: 787 Feet Lat: 35°25N Lon: 86°48W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/15	5/10	5/06	5/03	4/30	4/27	4/23	4/20	4/14
32	4/30	4/26	4/22	4/19	4/16	4/13	4/10	4/07	4/02
28	4/20	4/15	4/12	4/09	4/06	4/03	3/31	3/28	3/23
24	4/12	4/06	4/01	3/28	3/25	3/21	3/18	3/13	3/07
20	3/29	3/20	3/14	3/08	3/03	2/26	2/21	2/14	2/05
16	3/15	3/06	2/27	2/22	2/16	2/11	2/05	1/30	1/21
			Fal	l Freeze Da	tes (Month/D	ay)		•	
Temp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/21	9/26	9/30	10/03	10/06	10/09	10/12	10/16	10/21
32	10/02	10/08	10/11	10/15	10/18	10/21	10/24	10/27	11/02
28	10/10	10/16	10/20	10/24	10/27	10/31	11/03	11/08	11/14
24	10/25	10/31	11/04	11/08	11/11	11/15	11/18	11/22	11/28
20	11/02	11/09	11/14	11/19	11/23	11/27	12/01	12/06	12/13
16	11/20	11/29	12/04	12/10	12/14	12/19	12/24	12/30	1/07
				Freeze F	ree Period			•	
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	181	173	168	163	159	154	150	144	137
32	203	196	192	187	184	180	176	171	165
28	222	215	211	207	203	200	196	192	185
24	255	246	240	235	231	226	221	215	206
20	298	286	278	270	264	257	250	241	230
16	332	319	311	304	298	292	286	279	268

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 405187

Station: LEWISBURG EXP STN, TN

Climate Division: TN 3 NWS Call Sign: Elevation: 787 Feet Lat: 35°25N Lon: 86°48W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree 1	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	919	729	536	283	107	6	0	2	40	263	524	817	4226
60	764	589	390	164	45	1	0	0	11	158	383	662	3167
57	681	507	308	108	23	0	0	0	4	109	304	577	2621
55	623	457	257	78	14	0	0	0	2	82	256	519	2288
50	483	329	153	27	3	0	0	0	0	34	155	381	1565
32	128	46	5	0	0	0	0	0	0	0	5	66	250

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	231	240	492	719	1021	1239	1405	1361	1117	794	473	272	9364
55	13	7	32	107	322	549	692	648	429	163	33	12	3007
57	10	2	20	77	269	489	630	586	372	128	22	8	2613
60	0	0	10	42	198	399	537	493	288	84	11	0	2062
65	0	0	0	12	104	254	382	341	167	34	2	0	1296
70	0	0	0	2	43	128	229	200	78	10	0	0	690

										Gro	wing l	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec 90 139 297 499 787 1010 1165 1128 894 567 285 133													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	90 139 297 499 787 1010 1165 1128 894 567 285												90	229	526	1025	1812	2822	3987	5115	6009	6576	6861	6994
45	47 80 188 362 632 860 1010 973 744 420 186												47	127	315	677	1309	2169	3179	4152	4896	5316	5502	5577
50	20	32	106	237	478	710	855	818	594	280	114	37	20	52	158	395	873	1583	2438	3256	3850	4130	4244	4281
55	4	8	53	139	331	560	700	663	447	172	55	11	4	12	65	204	535	1095	1795	2458	2905	3077	3132	3143
60	0	0	19	68	202	411	545	508	308	89	18	0	0	0	19	87	289	700	1245	1753	2061	2150	2168	2168
Base	ase Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86														159	357	688	1205	1888	2683	3442	4038	4424	4613	4698

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf