Climate Division: CA 2

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 047630

Station: SACRAMENTO AP, CA

Elevation: 15 Feet Lat: 38°30N Lon: 121°30W

									,	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	•		Mean	Numb	er of I	Days (3))
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	53.8	38.8	46.3	70+	1991	19	51.4	1986	20	1950	5	41.1	1972	580	0	.0	.0	23.7	.0	5.2	.0
Feb	60.5	41.9	51.2	76+	1992	27	55.0	1991	23	1989	7	47.1	1989	387	0	.0	.0	27.3	@	1.9	.0
Mar	64.7	44.2	54.5	88	1988	26	58.8	1986	26	1971	5	50.1	1975	335	6	.0	.0	30.7	.0	.3	.0
Apr	71.4	46.3	58.9	95	1996	30	63.4	1990	31	1999	9	51.3	1975	208	24	.0	.5	30.0	.0	@	.0
May	80.0	50.9	65.5	105	1984	28	71.9	1997	34	1950	3	58.7	1998	97	110	.5	5.8	31.0	.0	.0	.0
Jun	87.4	55.5	71.5	115	1961	15	75.2	1981	41+	1990	1	66.7	1982	10	204	3.0	12.1	30.0	.0	.0	.0
Jul	92.4	58.3	75.4	114+	1972	14	80.4	1988	48	1983	8	71.8	1987	0	320	5.6	20.7	31.0	.0	.0	.0
Aug	91.4	58.1	74.8	110	1996	10	78.3	1996	48	1950	5	71.9	1980	0	303	4.3	18.6	31.0	.0	.0	.0
Sep	87.5	55.8	71.7	108+	1988	5	75.5	1984	43+	1978	20	66.2	1986	11	210	1.8	12.7	30.0	.0	.0	.0
Oct	78.2	50.6	64.4	104	2001	2	68.8	1991	35+	1949	20	60.8	1971	84	66	.1	3.3	31.0	.0	.0	.0
Nov	63.7	42.8	53.3	87	1960	1	59.3	1995	26+	1993	25	47.2	1982	359	5	.0	.0	29.0	.0	1.4	.0
Dec	53.9	37.7	45.8	72+	1999	19	51.1	1996	18	1990	22	40.6	1972	595	0	.0	.0	23.1	@	6.8	.0
					Jun			Jul		Dec			Dec								
Ann	73.7	48.4	61.1	115	1961	15	80.4	1988	18	1990	22	40.6	1972	2666	1248	15.3	73.7	347.8	.0	15.6	.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

NWS Call Sign: SAC

Issue Date: February 2004 187-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1941-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 047630

Station: SACRAMENTO AP, CA

Climate Division: CA 2 NWS Call Sign: SAC Elevation: 15 Feet Lat: 38°30N Lon: 121°30W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total	s					ays (3	5)	Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		· less tha	an the
	Medi	ans(1)				Extremes	S			D	aily Pre	cipitatio	n		Th	ese value			_				ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	3.84	3.63	3.05	1967	21	9.14	1978	.16	1984	10.5	6.8	2.4	.8	.28	.53	1.02	1.55	2.14	2.82	3.63	4.67	6.10	8.52	10.92
Feb	3.54	3.13	2.63	1986	17	9.95	1998	.20	1995	9.1	6.3	2.6	.8	.35	.61	1.09	1.58	2.12	2.72	3.43	4.32	5.54	7.56	9.55
Mar	2.80	2.43	1.85	1982	31	8.13	1995	.05	1994	9.4	6.2	1.9	.3	.22	.40	.76	1.15	1.58	2.07	2.66	3.41	4.44	6.18	7.89
Apr	1.02	.85	2.17	1958	2	4.21	1983	.00	1985	4.9	2.8	.6	.1	.06	.16	.31	.46	.62	.80	1.00	1.25	1.60	2.16	2.71
May	.53	.25	1.35	1990	27	2.98	1998	.00+	1992	2.9	1.3	.3	.1	.00	.00	.00	.03	.10	.21	.36	.58	.90	1.51	2.14
Jun	.20	.04	1.14	1993	4	1.26	1993	.00+	1996	1.2	.5	.1	@	.00	.00	.00	.00	.01	.06	.12	.21	.35	.58	.82
Jul	.05	.00	.77	1974	8	.79	1974	.00+	2000	.2	.1	@	.0	**	**	**	**	**	**	**	**	**	**	**
Aug	.06	.00	.65	1965	11	.65	1976	.00+	2000	.4	.2	.0	.0	.00	.00	.00	.00	.00	.00	.00	.00	.05	.20	.37
Sep	.36	.08	1.79	1989	16	2.78	1989	.00+	1999	1.5	.9	.2	@	.00	.00	.00	.00	.00	.07	.21	.39	.65	1.10	1.55
Oct	.89	.72	3.77	1962	13	2.61	1982	.00+	1995	3.6	1.8	.7	.2	.00	.00	.11	.24	.39	.57	.79	1.08	1.48	2.18	2.89
Nov	2.19	1.66	2.42	1970	28	6.27	1973	.00	1995	7.2	4.5	1.6	.5	.04	.16	.43	.73	1.08	1.50	2.00	2.65	3.57	5.13	6.69
Dec	2.45	2.51	2.87	1955	19	6.39	1996	.00	1989	8.2	4.8	1.9	.4	.13	.36	.73	1.09	1.48	1.90	2.40	3.02	3.86	5.25	6.60
Ann	17.93	16.17	3.77	Oct 1962	13	9.95	Feb 1998	.00+	Aug 2000	59.1	36.2	12.3	3.2	8.04	9.63	11.84	13.63	15.31	16.99	18.80	20.87	23.47	27.42	30.98

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1941-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 047630

Station: SACRAMENTO AP, CA

Climate Division: CA 2 NWS Call Sign: SAC Elevation: 15 Feet Lat: 38°30N Lon: 121°30W

										Snov	w (inc	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa				Snow = Thr	_	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	#	.0	0	0	#	1974	4	#	1974	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Feb	.1	.0	0	0	2.0	1976	5	2.0	1976	#+	1996	27	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Mar	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Apr	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	#	0	.0	0	0	.0	0	0	0	0	#	1996	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Dec	#	.0	0	0	#	1988	28	#+	1988	#	1972	13	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Ann	.1	.0	N/A	N/A	2.0	Feb 1976	5	2.0	Feb 1976	#+	Feb 1996	27	#	May 1996	.0	.0	.0	.0	.0	.0	.0	.0	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 047630

Station: SACRAMENTO AP, CA

Climate Division: CA 2 NWS Call Sign: SAC

Elevation: 15 Feet Lat: 38°30N Lon: 121°30W

				Freez	e Data								
			Spri	ng Freeze D	ates (Month	/Day)							
Spring Freeze Dates (Month/Day) Spring (Hru Jul 31) than indicated(*) Spring (Hru Jul 31) than indicated													
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	4/18	4/07	3/30	3/24	3/18	3/12	3/05	2/25	2/15				
32	3/20	3/07	2/26	2/18	2/10	2/02	1/25	1/15	12/30				
28	2/07	1/28	1/20	1/13	1/07	12/30	12/22	12/05	0/00				
24	1/02	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00				
20	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00				
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00				
			Fal	l Freeze Da	tes (Month/D	Day)		•					
Tomp (E)		Pro	bability of ea	arlier date i	n fall (beginn	ning Aug 1) t	han indicate	d(*)					
remp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	11/03	11/08	11/12	11/15	11/18	11/21	11/24	11/27	12/02				
32	11/08	11/17	11/23	11/29	12/04	12/09	12/15	12/22	1/01				
28	11/30	12/08	12/14	12/19	12/24	12/30	1/07	0/00	0/00				
24	12/30	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00				
20	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00				
16	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00	0/00				
				Freeze F	ree Period	1		•					
Tomp (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)						
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	276	265	257	250	244	238	231	224	213				
32	354	329	316	305	296	286	277	266	250				
28	>365	>365	>365	>365	>365	350	335	321	306				
24	>365	>365	>365	>365	>365	>365	>365	>365	>365				
20	>365	>365	>365	>365	>365	>365	>365	>365	>365				
16	>365	>365	>365	>365	>365	>365	>365	>365	>365				

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: SACRAMENTO AP, CA

COOP ID: 047630

Climate Division: CA 2 NWS Call Sign: SAC Elevation: 15 Feet Lat: 38°30N Lon: 121°30W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	580	387	335	208	97	10	0	0	11	84	359	595	2666
60	425	249	201	109	38	1	0	0	1	26	227	441	1718
57	337	173	137	65	19	0	0	0	0	10	162	353	1256
55	280	128	102	42	11	0	0	0	0	5	124	296	988
50	155	47	36	11	2	0	0	0	0	0	56	170	477
32	0	0	0	0	0	0	0	0	0	0	0	0	0

Base	440 536 696 809 1038 1185 1344 1327 1192 1007 637 426 1063°														
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
32	440	536	696	809	1038	1185	1344	1327	1192	1007	637	426	10637		
55	3	15	55	143	328	495	631	614	502	297	47	3	3133		
57	1	6	31	101	270	435	569	552	442	240	27	1	2675		
60	0	1	10	54	191	346	476	459	352	160	10	0	2059		
65	0	0	6	24	110	204	320	303	210	66	5	0	1248		
70	0	0	0	2	34	97	178	158	92	17	0	0	578		

										Gro	wing]	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	208	333	457	578	799	955	1103	1089	964	765	405	201	208	541	998	1576	2375	3330	4433	5522	6486	7251	7656	7857
45	95	193	303	428	644	805	948	934	814	610	260	87	95	288	591	1019	1663	2468	3416	4350	5164	5774	6034	6121
50	29 79 161 279 489 655 793 779 664 455 135											22	29	108	269	548	1037	1692	2485	3264	3928	4383	4518	4540
55	1	18	61	149	336	505	638	624	514	303	50	0	1	19	80	229	565	1070	1708	2332	2846	3149	3199	3199
60	0	0	9	58	200	355	483	469	366	167	9	0	0	0	9	67	267	622	1105	1574	1940	2107	2116	2116
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	0/86 80 160 242 338 487 594 681 680 601 467 221 8											87	80	240	482	820	1307	1901	2582	3262	3863	4330	4551	4638

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf