# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 483855

Station: GILLETTE 6 SE, WY

Climate Division: WY 6 NWS Call Sign: Elevation: 4,640 Feet Lat: 44°15N Lon: 105°27W

	Max Min Daily(2) Mean Daily(2) Mean Mean Mean Mean 100 90 50 32 32  Tan 30.9 10.0 20.5 67 1981 23 31.5 1981 -36 1930 17 4.3 1979 1380 0 .0 .0 1.5 13.5 29.7																				
	Mea	<b>n</b> (1)						Extr	emes						•		Mean	Numb	er of I	Days (3)	
Month			Mean		Year	Day	Month(1)	Year		Year	Day	Month(1)	Year	Heating	Cooling	>=	>=	>=	<=	<=	Min <= 0
Jan	30.9	10.0	20.5	67	1981	23	31.5	1981	-36	1930	17	4.3	1979	1380	0	.0	.0	1.5	13.5	29.7	7.5
Feb	36.6	14.8	25.7	70	1982	21	35.2	1992	-40	1936	8	10.9	1989	1100	0	.0	.0	4.8	8.8	26.7	3.9
Mar	45.2	21.5	33.4	78	1943	29	41.0	1986	-23	1960	3	26.0	1996	982	0	.0	.0	12.5	4.7	26.8	1.4
Apr	54.7	29.1	41.9	88	1980	24	47.4	1987	-12	1936	2	34.5	1975	694	0	.0	.0	20.3	1.1	18.0	.1
May	64.5	38.4	51.5	95	1934	28	57.4	1994	11	1954	3	46.8	1983	423	3	.0	.1	28.6	.0	5.0	.0
Jun	76.0	47.7	61.9	104	1954	23	72.0	1988	28	1969	14	55.6	1998	162	67	.1	2.7	29.8	.0	.1	.0
Jul	84.5	54.1	69.3	107+	1981	6	73.3	1988	35	1968	31	61.0	1993	40	173	.7	9.9	31.0	.0	.0	.0
Aug	83.5	53.3	68.4	106	1949	7	74.9	1983	32	1964	20	62.4	1987	60	164	.2	8.5	30.9	.0	.0	.0
Sep	71.8	43.2	57.5	102+	1978	6	64.5	1998	10	1926	25	52.4	1986	259	34	.1	2.3	28.7	.1	2.8	.0
Oct	58.7	32.4	45.6	89+	1963	4	49.2	1979	-12	1925	28	41.3	1984	602	0	.0	.0	24.1	.7	12.8	.1
Nov	42.1	20.3	31.2	75+	1999	12	44.3	1999	-26	1959	16	15.6	1985	1015	0	.0	.0	9.3	6.7	25.6	1.6
Dec	32.9	12.1	22.5	69+	1939	6	30.8	1999	-37	1983	24	5.6	1983	1317	0	.0	.0	3.2	12.7	29.1	5.4
Ann	56.8	31.4	44.1	107+	Jul 1981	6	74.9	Aug 1983	-40	Feb 1936	8	4.3	Jan 1979	8034	441	1.1	23.5	224.7	48.3	176.6	20.0

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 043-A

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1925-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

### Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 483855

**Station: GILLETTE 6 SE, WY** 

Climate Division: WY 6 NWS Call Sign: Elevation: 4,640 Feet Lat: 44°15N Lon: 105°27W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total					ean N of D	ays (3	5)	Proba	ibility th		nonthly/	annual j indic	precipita ated am	babilit ation will nount vs Proba	ll be equ		less tha	an the
	Medi	ans(1)				Extreme	,				any 110	cipitatio	••		Th	ese value	s were det	termined :	from the i	incomplet	e gamma	distributi	ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.56	.57	.70	1943	14	1.40	1997	.05	1992	7.9	2.0	.1	.0	.08	.12	.20	.28	.36	.45	.55	.68	.85	1.13	1.40
Feb	.54	.47	1.31	1998	25	1.67	1998	.02	1985	6.4	1.7	.2	@	.07	.11	.19	.27	.34	.43	.53	.66	.83	1.11	1.38
Mar	1.00	.90	1.60	1933	22	1.96	1998	.36	1979	8.3	3.5	.3	.0	.37	.46	.60	.71	.82	.93	1.05	1.19	1.36	1.64	1.89
Apr	1.97	1.89	2.43	1993	30	4.76	1999	.20	1981	10.0	5.0	1.0	.2	.34	.52	.80	1.07	1.35	1.65	1.99	2.40	2.95	3.84	4.68
May	2.95	2.45	3.23	1978	18	11.08	1978	1.04	1973	10.6	6.5	1.8	.5	.80	1.08	1.51	1.88	2.24	2.63	3.05	3.55	4.20	5.22	6.18
Jun	2.64	2.33	4.10	1964	22	7.96	1993	.36	1996	10.2	6.0	1.7	.4	.73	.98	1.36	1.69	2.02	2.35	2.73	3.17	3.75	4.65	5.50
Jul	1.78	1.74	2.25	1988	10	3.85	1997	.39	1996	7.9	4.1	1.0	.3	.45	.62	.88	1.10	1.33	1.57	1.83	2.15	2.56	3.20	3.81
Aug	1.33	1.19	2.82	1960	17	3.96	1977	.30	1971	6.6	3.3	.7	.2	.26	.38	.58	.76	.94	1.13	1.35	1.62	1.97	2.53	3.06
Sep	1.43	1.24	2.05	1998	13	4.41	1986	.05	1975	6.2	3.2	.9	.2	.22	.35	.55	.75	.95	1.18	1.43	1.74	2.16	2.84	3.49
Oct	1.57	1.02	2.16	1994	6	6.77	1994	.10	1985	7.2	3.6	.9	.3	.17	.29	.51	.73	.96	1.22	1.53	1.92	2.44	3.31	4.15
Nov	.70	.72	.90	1964	13	1.68	2000	.05	1981	6.8	2.4	.1	.0	.18	.25	.35	.44	.53	.62	.72	.84	1.00	1.25	1.48
Dec	.67	.62	.80	1982	24	1.82	1996	.05	1991	7.7	2.4	.1	.0	.12	.18	.28	.37	.46	.56	.68	.81	1.00	1.29	1.57
Ann	17.14	16.45	4.10	Jun 1964	22	11.08	May 1978	.02	Feb 1985	95.8	43.7	8.8	2.1	11.39	12.47	13.87	14.94	15.90	16.83	17.80	18.88	20.19	22.11	23.79

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1925-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

### Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 483855** 

**Station: GILLETTE 6 SE, WY** 

Climate Division: WY 6 NWS Call Sign: Elevation: 4,640 Feet Lat: 44°15N Lon: 105°27W

										Snov	w (incl	hes)											
		Snow all Fall   Snow Bepth   Snow Bepth   Snow Fall   Pay   Snow Fall   Snow Bepth   Snow Bept															Mea	n Nui	mber	of Day	<b>ys</b> (1)		
	Neans/Medians (1)   Extremes (2)																ow Fa					Depth esholo	
Month	Fall	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	8.0	8.2	2	2	6.0	1996	17	17.7	1971	11+	1997	16	6	1979	8.0	3.1	.6	.2	.0	19.9	9.9	4.2	.1
Feb	7.5	6.8	1	1	13.0	1998	25	18.6	1971	14+	1998	27	6	1978	7.0	2.8	.6	.2	@	12.7	7.1	2.8	.2
Mar	11.0	9.9	1	1	8.5	1977	29	24.8	1977	15+	1998	11	6	1998	7.5	3.9	1.1	.4	.0	9.4	4.0	1.8	.7
Apr	9.9	9.0	1	1	15.0	1997	5	28.1	1984	21	1997	10	6	1997	5.2	3.1	1.1	.5	.1	3.2	2.1	1.3	.6
May	2.1	.3	#	1	10.0	1975	20	11.0	1978	6	1978	7	1	1984	.9	.6	.3	.1	@	.6	.3	.1	.0
Jun	.1	.0	#	0	2.0	1998	4	3.0	1998	0	0	0	#	1995	.1	.1	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	#	0	.0	0	0	.0	0	1	1995	15	#	1995	.0	.0	.0	.0	.0	@	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.8	.0	#	0	3.6	1980	16	5.4	2000	2+	2000	23	#	2000	.7	.3	.1	.0	.0	.1	.0	.0	.0
Oct	4.7	2.7	#	0	12.0	1971	2	21.5	1971	8	1973	10	1+	1996	2.5	1.4	.6	.2	@	1.7	.9	.3	.0
Nov	8.6	8.0	1	1	10.5	1978	10	23.8	1978	10	1978	11	5	1978	6.1	2.9	.9	.3	@	9.0	4.6	1.7	@
Dec	11.2	9.9	2	1	8.2	1980	1	23.5	1996	19	1996	25	8+	1983	8.4	4.2	.9	.3	.0	18.0	9.9	4.9	.6
Ann	63.9	54.8	N/A	N/A	15.0	Apr 1997	5	28.1	Apr 1984	21	Apr 1997	10	8+	Dec 1983	46.4	22.4	6.2	2.2	.1	74.6	38.8	17.1	2.2

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 483855** 

Station: GILLETTE 6 SE, WY

Climate Division: WY 6 NWS Call Sign:

Elevation: 4,640 Feet Lat: 44°15N Lon: 105°27W

				Freez	ze Data				
			Spri	ng Freeze D	ates (Month/	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated(	(*)	
	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/21	6/14	6/09	6/05	6/01	5/28	5/24	5/19	5/12
32	5/30	5/26	5/23	5/20	5/18	5/16	5/13	5/10	5/05
28	5/16	5/12	5/08	5/05	5/03	4/30	4/27	4/24	4/19
24	5/07	5/01	4/27	4/24	4/21	4/18	4/14	4/10	4/05
20	4/30	4/24	4/20	4/16	4/13	4/09	4/06	4/01	3/26
16	4/22	4/15	4/10	4/05	4/01	3/28	3/24	3/18	3/11
		•	Fal	l Freeze Da	tes (Month/D	Day)			•
Tomp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ning Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/06	9/09	9/12	9/14	9/15	9/17	9/19	9/22	9/25
32	9/12	9/15	9/18	9/20	9/22	9/24	9/27	9/29	10/03
28	9/15	9/21	9/25	9/28	10/02	10/05	10/08	10/13	10/18
24	9/20	9/26	10/01	10/04	10/08	10/11	10/15	10/20	10/26
20	10/02	10/08	10/12	10/16	10/20	10/23	10/27	10/31	11/06
16	10/21	10/25	10/28	10/30	11/02	11/04	11/07	11/10	11/14
•		•		Freeze F	ree Period	1	•	1	
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)	)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	127	120	114	110	105	101	97	91	84
32	141	136	132	129	127	124	121	117	112
28	174	166	161	156	151	147	142	136	128
24	194	186	180	174	169	165	159	153	145
20	215	206	200	194	189	184	179	172	164
16	237	229	223	218	214	209	204	199	191

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 483855** 

**Station: GILLETTE 6 SE, WY** 

Climate Division: WY 6 NWS Call Sign: Elevation: 4,640 Feet Lat: 44°15N Lon: 105°27W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1380	1100	982	694	423	162	40	60	259	602	1015	1317	8034
60	1225	960	827	544	282	83	11	21	154	448	865	1162	6582
57	1132	876	734	457	207	49	3	10	104	357	775	1069	5773
55	1070	820	672	401	164	33	1	5	76	297	715	1007	5261
50	917	689	519	269	79	10	0	1	28	167	577	855	4111
32	423	271	106	17	0	0	0	0	0	4	179	369	1369

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	66	95	146	314	603	896	1156	1127	765	425	155	74	5822
55	0	0	0	7	54	239	444	419	152	5	0	0	1320
57	0	0	0	4	36	195	384	361	119	2	0	0	1101
60	0	0	0	0	17	139	299	280	79	1	0	0	815
65	0	0	0	0	3	67	173	164	34	0	0	0	441
70	0	0	0	0	0	25	84	81	12	0	0	0	202

										Gro	wing	Degre	e Uni	ts (2)										
Base													Growing Degree Units (Accumulated Monthly)											
	Jan   Feb   Mar   Apr   May   Jun   Jul   Aug   Sep   Oct   Nov   Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	13	62	179	410	691	941	912	562	260	53	9	0	13	75	254	664	1355	2296	3208	3770	4030	4083	4092
45	0 2 24 94 272 542 786 757 424 153 18											1	0	2	26	120	392	934	1720	2477	2901	3054	3072	3073
50	0	0	4	46	157	395	631	602	292	71	4	0	0	0	4	50	207	602	1233	1835	2127	2198	2202	2202
55	0	0	0	16	75	262	477	448	183	27	0	0	0	0	0	16	91	353	830	1278	1461	1488	1488	1488
60	0	0	0	5	29	145	328	302	96	4	0	0	0	0	0	5	34	179	507	809	905	909	909	909
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	/ <b>86</b> 0 12 57 133 257 427 595 580 362 184 45											6	0	12	69	202	459	886	1481	2061	2423	2607	2652	2658

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

#### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

#### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

#### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf