Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: FREMONT, NE 1971-2000 COOP ID: 253050

Climate Division: NE 6 NWS Call Sign: Elevation: 1,180 Feet Lat: 41°26N Lon: 96°28W

									r	Tempe	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	31.7	10.4	21.1	72	1981	24	32.2	1990	-27	1974	12	8.4	1979	1362	0	.0	.0	3.2	14.3	30.0	6.4
Feb	38.1	15.7	26.9	77	1972	28	37.4	1987	-20+	1996	2	13.1	1979	1067	0	.0	.0	7.2	9.7	24.9	3.1
Mar	50.1	25.9	38.0	90	1986	30	44.1	1986	-13+	1962	1	29.9	1984	837	0	.0	@	16.5	2.8	19.9	.4
Apr	63.5	37.6	50.6	95+	1994	18	57.5	1981	3	1975	3	43.6	1983	440	5	.0	.5	26.4	.2	6.3	.0
May	74.5	50.3	62.4	100+	1967	25	67.8	1977	24	1976	3	57.8	1995	151	70	.0	1.5	30.9	.0	.5	.0
Jun	84.2	60.0	72.1	108	1953	18	76.3	1988	39+	1969	13	67.4	1982	13	226	.3	8.5	30.0	.0	.0	.0
Jul	87.7	64.7	76.2	112	1954	13	80.9	1974	44	1972	5	70.9	1992	0	347	1.4	13.0	31.0	.0	.0	.0
Aug	84.9	61.6	73.3	109	1955	27	79.4	1983	39	1950	20	68.0	1992	13	268	.6	9.5	31.0	.0	.0	.0
Sep	77.8	51.9	64.9	105+	2000	3	71.4	1998	24	1984	29	60.0	1993	90	85	.1	4.0	29.8	.0	.4	.0
Oct	65.8	39.2	52.5	96	1963	5	56.0	1971	11	1993	31	46.5	1976	390	3	.0	.2	28.8	.1	5.6	.0
Nov	47.9	26.4	37.2	84	1999	13	46.8	1999	-10	1964	30	29.3	1991	835	0	.0	.0	13.7	3.1	19.8	.2
Dec	34.5	15.2	24.9	70	1998	1	31.6	1987	-24+	1989	23	7.0	1983	1246	0	.0	.0	4.2	11.3	29.2	3.5
Ann	61.7	38.2	50.0	112	Jul 1954	13	80.9	Jul 1974	-27	Jan 1974	12	7.0	Dec 1983	6444	1004	2.4	37.2	252.7	41.5	136.6	13.6

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 042-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: FREMONT, NE

Climate Division: NE 6 NWS Call Sign: Elevation: 1,180 Feet Lat: 41°26N Lon: 96°28W

										Pı	ecipit	tation	(incl	ies)										
	Mea Medi		P	recipi	itatio	on Totals					ean N of D	ays (3)	Proba		Me	nonthly/ onthly/Ar	annual j indic	precipita ated am	vs Proba	ties (1)	els		in the
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.79	.61	1.81	1949	3	2.01	1975	.00+	1986	4.6	2.4	.2	.1	.00	.16	.32	.45	.56	.69	.83	.98	1.19	1.53	1.84
Feb	.77	.56	2.15	1971	22	3.63	1971	.05	1974	4.9	2.2	.2	.1	.07	.13	.23	.34	.45	.59	.74	.94	1.21	1.66	2.10
Mar	2.21	1.72	2.73	1987	23	7.29	1987	.00	1988	7.3	4.9	1.5	.5	.15	.37	.72	1.05	1.39	1.76	2.20	2.73	3.45	4.62	5.76
Apr	2.83	2.47	2.60	1959	19	6.69	1984	.22	1990	8.8	6.0	2.1	.6	.64	.90	1.32	1.69	2.06	2.46	2.90	3.44	4.13	5.25	6.29
May	4.34	4.08	3.55	1977	21	10.80	1982	1.28	1997	10.9	7.7	3.1	1.0	1.25	1.66	2.28	2.82	3.35	3.89	4.50	5.21	6.14	7.59	8.94
Jun	4.36	4.25	5.64	1963	24	9.88	1991	1.22	1976	9.4	6.9	2.8	1.2	1.19	1.60	2.23	2.78	3.32	3.88	4.51	5.25	6.21	7.73	9.14
Jul	3.36	2.79	4.40	1985	19	7.93	1993	.08	1974	9.0	6.2	1.9	.7	.47	.74	1.22	1.69	2.18	2.72	3.34	4.10	5.13	6.81	8.43
Aug	3.23	3.15	5.21	1959	2	9.12	1977	.25	1990	7.9	5.3	1.8	1.0	.51	.78	1.25	1.70	2.16	2.67	3.24	3.95	4.89	6.43	7.90
Sep	3.10	2.30	4.57	1989	4	8.05	1989	.31	1980	6.9	5.0	2.0	.9	.48	.75	1.20	1.62	2.07	2.55	3.10	3.78	4.69	6.16	7.58
Oct	2.23	2.05	3.76	1980	16	7.04	1984	.04	1999	6.1	4.3	1.3	.5	.15	.29	.57	.87	1.21	1.61	2.09	2.71	3.56	5.00	6.43
Nov	1.64	1.25	3.19	1977	9	4.03	1975	.00	1976	5.6	3.4	1.0	.3	.12	.29	.55	.79	1.04	1.32	1.64	2.03	2.55	3.40	4.22
Dec	.94	.77	2.06	1984	16	3.14	1984	.25	1976	5.1	2.5	.5	.1	.23	.31	.45	.57	.69	.82	.96	1.13	1.36	1.71	2.04
Ann	29.80	30.13	5.64	Jun 1963	24	10.80	May 1982	.00+	Mar 1988	86.5	56.8	18.4	7.0	19.80	21.68	24.12	25.99	27.67	29.30	30.99	32.87	35.17	38.52	41.44

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 253050

Station: FREMONT, NE

Climate Division: NE 6 NWS Call Sign:

Elevation: 1,180 Feet Lat: 41°26N Lon: 96°28W

										Snov	v (incl	hes)											
						Sno	ow To	tals									Mea	ın Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Depth eshold	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	6.0	5.1	2	2	11.0	1971	3	16.0	1993	14	1984	1	6	1984	3.4	2.6	.9	.2	@	15.7	9.3	5.7	.7
Feb	6.5	6.0	2	1	16.0	1971	22	21.0	1971	16	1971	22	8	1979	3.0	2.4	.8	.3	@	11.2	7.8	4.2	.6
Mar	6.1	5.5	1	#	10.0	1985	31	15.5	1984	14	1978	7	4	1978	2.3	1.8	.8	.4	.1	5.2	3.1	1.9	.5
Apr	2.2	.0	#	#	10.0	1992	21	14.0	1997	12	1997	12	1	1997	.7	.5	.3	.1	@	.8	.5	.2	.1
May	#	.0	#	0	#	1994	1	#	1994	#	1994	1	#	1994	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.5	.0	#	0	4.0	1980	28	4.0+	1991	4+	1991	31	#+	1997	.2	.2	.1	.0	.0	.2	.1	.0	.0
Nov	4.1	3.5	#	#	11.0	1972	14	11.0+	1983	14	1991	7	5	1991	1.6	1.3	.6	.3	@	3.6	1.9	.9	.5
Dec	6.6	5.8	2	1	8.0	1984	14	16.0	2000	18	1983	28	11	1983	3.5	2.6	.9	.3	.0	11.5	7.3	4.3	1.2
Ann	32.0	25.9	N/A	N/A	16.0	Feb 1971	22	21.0	Feb 1971	18	Dec 1983	28	11	Dec 1983	14.7	11.4	4.4	1.6	.1	48.2	30.0	17.2	3.6

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 253050

Station: FREMONT, NE

Climate Division: NE 6

NWS Call Sign:

Elevation: 1,180 Feet

Lat: 41°26N Lon: 96°28W

				Freez	ze Data								
			Spri	ng Freeze D	ates (Month	/Day)							
Probability of later date in spring (thru Jul 31) than indicated(*) 10 .20 .30 .40 .50 .60 .70 .80 .90 32 .509 .504 .473 .472 .424 .421 .4718 .474 .479 28 .472 .474 .472 .4													
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	5/12	5/08	5/05	5/03	4/30	4/28	4/26	4/23	4/19				
32	5/09	5/04	4/30	4/27	4/24	4/21	4/18	4/14	4/09				
28	4/28	4/23	4/19	4/16	4/13	4/10	4/07	4/04	3/30				
24	4/15	4/11	4/08	4/05	4/03	3/31	3/29	3/26	3/22				
20	4/07	4/02	3/29	3/25	3/22	3/19	3/16	3/12	3/06				
16	3/28	3/23	3/19	3/16	3/13	3/10	3/07	3/03	2/26				
_		1	Fal	ll Freeze Da	tes (Month/I	Day)		J					
Tomas (E)		Pro	bability of e	arlier date i	n fall (begini	ning Aug 1) t	han indicate	d(*)					
1emp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	9/14	9/18	9/21	9/24	9/26	9/28	9/30	10/03	10/07				
32	9/21	9/27	9/30	10/04	10/07	10/10	10/13	10/17	10/22				
28	10/01	10/06	10/10	10/13	10/16	10/19	10/22	10/25	10/30				
24	10/12	10/18	10/22	10/26	10/30	11/02	11/06	11/10	11/16				
20	10/21	10/27	10/31	11/04	11/07	11/10	11/14	11/18	11/24				
16	11/01	11/07	11/12	11/15	11/19	11/23	11/26	12/01	12/07				
				Freeze F	ree Period			•	•				
Torrer (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)						
1emp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90				
36	164	158	154	151	148	144	141	137	131				
32	187	179	174	169	165	160	156	150	142				
28	206	198	193	189	185	181	176	171	164				
24	232	224	218	214	209	205	200	194	186				
20	253	245	239	234	229	224	219	213	205				
16	273	265	260	255	250	246	241	235	227				

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 253050

Lon: 96°28W

Elevation: 1,180 Feet Lat: 41°26N

Station: FREMONT, NE

Climate Division: NE 6

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1362	1067	837	440	151	13	0	13	90	390	835	1246	6444
60	1207	927	682	305	74	2	0	2	32	250	685	1091	5257
57	1114	847	592	233	43	0	0	0	13	179	597	998	4616
55	1052	796	536	191	29	0	0	0	7	137	540	936	4224
50	900	665	395	104	8	0	0	0	0	63	404	785	3324
32	411	275	75	1	0	0	0	0	0	0	79	314	1155

Base						Coolin	g Degree I	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	72	132	261	557	942	1203	1370	1279	985	636	233	91	7761
55	0	8	9	56	258	513	657	566	302	60	5	0	2434
57	0	4	4	39	211	454	595	504	248	39	2	0	2100
60	0	0	0	20	148	365	502	412	177	18	0	0	1642
65	0	0	0	5	70	226	347	268	85	3	0	0	1004
70	0	0	0	1	25	113	206	148	31	0	0	0	524

										Gro	wing l	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov De													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	4	41	145	388	726	989	1143	1073	789	453	107	12	4	45	190	578	1304	2293	3436	4509	5298	5751	5858	5870
45	0 12 78 265 571 839 988 918 641 314 50												0	12	90	355	926	1765	2753	3671	4312	4626	4676	4679
50	0	2	36	161	418	689	833	763	494	197	19	0	0	2	38	199	617	1306	2139	2902	3396	3593	3612	3612
55	0	0	8	85	279	539	678	608	352	101	4	0	0	0	8	93	372	911	1589	2197	2549	2650	2654	2654
60	0	0	2	38	160	394	523	454	232	43	0	0	0	0	2	40	200	594	1117	1571	1803	1846	1846	1846
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86													7	42	146	394	850	1507	2281	3003	3515	3802	3875	3888

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

NWS Call Sign:

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf