Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 505778

Lon: 148°58W

Station: MCKINLEY PARK, AK

Climate Division: AK 8 NWS Call Sign:

Temperature (°F) Degree Days (1) Mean (1) Mean Number of Days (3) **Extremes** Base Temp 65 Max Max Max Max Min Min Highest Lowest Daily Daily Highest Lowest Month(1) Month(1) Cooling >= >= >= <= <= <= Month Mean Year Day Year Year Day Year Heating Max Min Daily(2) Daily(2) Mean Mean 90 70 50 32 32 0 10.6 -6.6 2.0 51+ 1961 21 27.3 1981 -51 1989 -17.9 1971 1956 0 .0 .0 .0 26.5 30.7 18.8 Jan 14.5 -5.6 4.5 49+ 1995 5 22.6 1997 -54 1999 5 -15.6 1979 1698 0 .0 .0 .0 22.4 28.0 16.7 Feb Mar 25.2 .9 13.1 53 1961 31 26.6 1981 -47 1971 -2.5 1971 1611 0 .0 .0 .1 19.8 30.9 15.7 15.4 27.2 27 1985 Apr 39.0 65 1958 34.8 1995 -21+1971 4 15.8 1134 0 .0 0. 3.7 6.1 29.2 3.8 May 54.1 29.8 42.0 81 +1995 11 47.6 1981 -2 1964 10 35.8 1992 715 0 .0 1.0 22.9 .3 21.3 .0 39.6 55.1 19 49.0 @ 7.8 64.8 52.2 91 1991 21 1997 1967 14 1978 385 0 29.2 .0 3.0 .0 Jun Jul 67.6 43.5 55.6 87 1971 10 58.6 1993 23 1970 20 51.7 1981 294 10.8 30.7 .3 0 .0 .0 .0 61.8 39.9 50.9 88 1994 5 56.2 1977 17 1987 31 46.5 2000 439 0 .0 4.3 28.8 .0 3.9 0. Aug .3 Sep 50.8 30.2 40.5 82 1969 13 48.2 1995 -6 1992 23 26.0 1992 735 0 .0 .2 17.1 1.2 18.1 32.3 -24 24 5.5 Oct 32.2 12.8 22.5 61 1969 6 1979 1971 9.8 1996 1319 0 .0 .0 1.0 16.4 29.4 18.0 .2 9.1 54 1949 21 23.7 1979 -37+ 1963 25 -3.3+ 1977 1678 0 .0 .0 25.5 29.7 15.5 Nov .0 Dec 13.7 -4.0 4.9 48 +2000 29 22.7 1985 -52 1961 28 -17.1 1980 1866 0 .0 .0 .0 26.7 30.7 18.7 Jun Jul Feb Jan 16.3 27.0 91 1991 21 58.6 1993 -54 1999 5 -17.9 1971 13830 0 **(**a) 24.1 133.5 144.9 255.2 95.0 37.7 Ann

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: May 2005 033-A

Elevation: 2,070 Feet Lat: 63°43N

⁺ Also occurred on an earlier date(s)

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1949-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 505778

Station: MCKINLEY PARK, AK

Climate Division: AK 8 NWS Call Sign: Elevation: 2,070 Feet Lat: 63°43N Lon: 148°58W

										Pı	recipi	tation	(incl	nes)										
	Mea	ans/	P	recip	itatio	on Total					ean N of D	ays (3	5)	Precipitation Probabilities (1) Probability that the monthly/annual precipitation will be equal to or less than the indicated amount Monthly/Annual Precipitation vs Probability Levels										
	Medi	ans(1)				Extremes	•			"	any 11c	стриацо	11	These values were determined from the incomplete gamma distribution										
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.70	.57	1.05	1975	28	1.87	1975	.05	1974	7.3	2.4	.1	.0	.06	.11	.20	.30	.40	.53	.67	.86	1.11	1.54	1.96
Feb	.54	.41	1.20	1966	13	2.71	1996	.00	1973	5.5	1.5	.2	.0	.02	.06	.13	.21	.29	.39	.51	.65	.86	1.20	1.55
Mar	.38	.30	1.93	1963	25	1.91	1991	.00+	1998	4.9	.9	.1	.0	.00	.02	.08	.14	.21	.28	.36	.47	.62	.87	1.11
Apr	.27	.14	.57	1981	9	1.13	1980	.00+	1993	3.2	.7	.0	.0	.00	.00	.03	.07	.12	.17	.24	.33	.45	.65	.86
May	.67	.56	1.93	1968	11	1.67	1999	.11	1972	6.0	1.9	.1	.1	.12	.18	.28	.37	.47	.57	.68	.82	1.01	1.31	1.59
Jun	2.22	2.01	1.82	1970	17	5.67	1994	.45	1976	12.1	6.1	1.0	.3	.75	.96	1.27	1.53	1.78	2.04	2.32	2.65	3.07	3.72	4.32
Jul	3.09	2.95	3.28	1967	24	7.67	1986	.76	1994	14.3	8.3	1.6	.4	1.13	1.42	1.84	2.19	2.52	2.86	3.23	3.66	4.21	5.06	5.84
Aug	2.62	2.28	2.31	1986	22	5.76	2000	.56	1982	14.8	7.4	1.3	.2	.77	1.02	1.40	1.72	2.03	2.36	2.72	3.14	3.69	4.55	5.34
Sep	1.76	1.47	1.91	1992	14	4.72	1992	.39	1994	11.5	5.6	.5	.1	.38	.54	.80	1.03	1.27	1.52	1.80	2.13	2.57	3.28	3.94
Oct	1.05	.72	2.75	1981	25	3.35	1991	.16	1987	9.4	2.8	.3	.1	.19	.28	.43	.58	.72	.88	1.06	1.28	1.57	2.04	2.49
Nov	.78	.61	1.61	1970	25	2.11	1990	.12	1983	8.6	2.3	.2	.0	.14	.21	.33	.43	.54	.66	.79	.95	1.17	1.51	1.84
Dec	.89	.57	1.28	1965	26	3.45	1984	.10	2000	8.2	2.4	.4	.0	.08	.14	.26	.38	.52	.67	.86	1.09	1.41	1.94	2.47
Ann	14.97	14.73	3.28	Jul 1967	24	7.67	Jul 1986	.00+	Mar 1998	105.8	42.3	5.8	1.2	10.66	11.49	12.56	13.37	14.09	14.79	15.51	16.30	17.27	18.67	19.87

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1949-2001

⁽³⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 505778

Station: MCKINLEY PARK, AK

Climate Division: AK 8 NWS Call Sign: Elevation: 2,070 Feet Lat: 63°43N Lon: 148°58W

										Snov	w (incl	hes)													
						Sno	ow To	tals									Mea	n Nu	mber	of Da	ys (1)				
	Mean	s/Medi	ians (1))	Extremes (2)											Snow Fall >= Thresholds						Snow Depth >= Thresholds			
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10		
Jan	10.3	8.0	18	18	14.0	1975	28	27.7	1975	51	1971	16	46+	1993	7.8	3.2	1.0	.4	@	29.8	29.8	28.8	24.0		
Feb	8.8	6.7	21	21	15.8	1996	11	43.6	1996	49	1993	8	45	1993	6.2	2.1	.9	.4	.1	27.8	27.8	27.2	25.3		
Mar	6.8	5.2	22	22	12.0	1985	5	27.9	1991	56	1991	26	46	1971	5.2	2.1	.6	.4	@	29.4	29.4	28.9	26.2		
Apr	3.9	2.5	19	18	7.5	1981	9	14.8	1992	51	1991	1	42	1991	3.3	1.4	.3	.1	.0	27.7	27.4	27.0	23.2		
May	2.5	.4	2	0	6.8+	1993	17	25.5	1992	29+	1993	17	16	1992	1.2	.5	.3	.1	.0	5.6	5.1	4.5	3.2		
Jun	.4	.0	#	0	7.0	1980	18	7.0	1980	7	1980	18	0	0	.1	.1	.1	@	.0	.1	.1	.1	.0		
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0		
Aug	.1	.0	0	0	1.5	1984	27	2.5	1984	0	0	0	0	0	.1	.1	.0	.0	.0	.0	.0	.0	.0		
Sep	5.8	2.0	#	0	16.5	1992	13	39.8	1992	29	1992	15	15	1992	2.2	1.4	.6	.2	.1	3.3	2.1	1.3	.9		
Oct	12.9	9.9	3	3	18.0+	1992	14	32.3	1991	20	1996	31	10+	1997	8.1	3.3	1.0	.5	.1	18.3	12.2	8.1	3.3		
Nov	12.6	10.1	8	7	11.0+	1992	10	36.9	1993	36	1992	11	28	1992	9.2	3.8	1.0	.5	.1	27.5	24.9	19.5	12.0		
Dec	13.9	8.5	13	13	19.0	1984	16	66.3	1984	55	1992	25	40	1992	9.5	3.8	1.2	.8	.2	30.6	29.8	27.6	19.7		
Ann	78.0	53.3	N/A	N/A	19.0	Dec 1984	16	66.3	Dec 1984	56	Mar 1991	26	46+	Jan 1993	52.9	21.8	7.0	3.4	.6	200.1	188.6	173.0	137.8		

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 505778

Lat: 63°43N

Lon: 148°58W

Station: MCKINLEY PARK, AK

Climate Division: AK 8

NWS Call Sign:

				Freez	e Data										
			Sprii	ng Freeze D	ates (Month/	(Day)									
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)							
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	8/07	7/30	7/24	7/19	7/15	7/10	7/05	6/29	6/21						
32	7/11	7/03	6/27	6/22	6/18	6/13	6/08	6/02	5/25						
28	6/13	6/09	6/05	6/02	5/30	5/27	5/24	5/21	5/16						
24	5/29	5/25	5/22	5/19	5/17	5/14	5/12	5/09	5/04						
20	5/20	5/15	5/12	5/09	5/06	5/04	5/01	4/28	4/23						
16	5/11	5/06	5/03	4/30	4/27	4/24	4/21	4/17	4/12						
•			Fal	l Freeze Da	tes (Month/D	Day)	•								
Tomp (F)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)														
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	7/31	8/03	8/05	8/07	8/09	8/11	8/13	8/15	8/18						
32	8/07	8/11	8/14	8/17	8/19	8/22	8/25	8/28	9/01						
28	8/19	8/22	8/25	8/27	8/29	8/31	9/03	9/05	9/09						
24	8/26	9/01	9/05	9/09	9/13	9/16	9/20	9/24	9/30						
20	9/04	9/10	9/14	9/18	9/21	9/25	9/29	10/03	10/09						
16	9/20	9/24	9/26	9/29	10/01	10/03	10/05	10/08	10/12						
		1		Freeze F	ree Period	1	ı	ı	1						
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)								
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	53	43	36	30	25	19	13	6	0						
			1		+	+	.		1						
32	93	82	74	68	62	56	49	42	31						

123

142

160

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

129

148

163

Derived from 1971-2000 serially complete daily data

145

162

174

136

154

168

24

20

16

Complete documentation available from:

107

127

149

Elevation: 2,070 Feet

101

120

145

92

112

139

118

137

156

113

132

153

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 505778

Station: MCKINLEY PARK, AK

Climate Division: AK 8 NWS Call Sign: Elevation: 2,070 Feet Lat: 63°43N Lon: 148°58W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1956	1698	1611	1134	715	385	294	439	735	1319	1678	1866	13830		
60	1801	1558	1456	984	560	237	147	292	587	1164	1528	1711	12025		
57	1708	1474	1363	894	467	155	78	212	501	1071	1438	1618	10979		
55	1646	1418	1301	834	407	108	45	165	445	1009	1378	1556	10312		
50	1497	1278	1146	686	267	32	5	78	316	854	1228	1401	8788		
32	985	817	621	238	18	0	0	0	43	359	713	871	4665		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	52	44	33	94	326	605	729	584	298	64	26	28	2883
55	0	0	0	0	2	23	61	37	10	0	0	0	133
57	0	0	0	0	0	10	32	21	6	0	0	0	69
60	0	0	0	0	0	2	8	8	2	0	0	0	20
65	0	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0	0	0	0	0

	Growing Degree Units (2)																							
Base	Growing Degree Units (Monthly)												Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec											Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
40	0	0	0	3	113	365	477	336	96	3	0	0	0	0	0	3	116	481	958	1294	1390	1393	1393	1393
45	0	0	0	0	43	224	323	197	31	0	0	0	0	0	0	0	43	267	590	787	818	818	818	818
50	0	0	0	0	8	103	178	86	3	0	0	0	0	0	0	0	8	111	289	375	378	378	378	378
55	0	0	0	0	0	35	65	24	0	0	0	0	0	0	0	0	0	35	100	124	124	124	124	124
60	0	0	0	0	0	6	11	4	0	0	0	0	0	0	0	0	0	6	17	21	21	21	21	21
Base				Gro	wing De	gree Unit	s for Co	rn (Mont	hly)				Growing Degree Units for Corn (Accumulated Monthly)											
50/86	0	0	0	6	94	224	271	184	58	1	0	0	0	0	0	6	100	324	595	779	837	838	838	838

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
- c. Only observed validated values were used to select the extreme daily values.
- d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean 'number of days statistics' for temperature were calculated from a serially complete daily data set. A serial dataset was not available for precipitation,

To ensure that a station's data was adequate to estimate these statistics, the following criteria were used:

- 1. A station must have 80% of its data for the 1971-2000 time period.
- 2. Only months with at least 21 days are used.
- 3. There must be a least 21 months (meeting criteria 2.) in the sample.
- g. Snowfall and snow depth statistics were derived daily values quality controlled to be consistent with the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these differences are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data. Other inconsistencies may appear from comparing statistically modeled values such as degree days to observed temperatures.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

- U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html
- U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html